

AFFIDAVIT OF PUBLICATION

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

95-8246

IDAHO ASPHALT SUPPLY INC.
W. 4325 PRAIRIE AVE., POST
FALLS, ID 83854

Source: GROUNDWATER

Date Filed: 12/16/1982

Amount: 0.20 CFS

Diversion Point: SESE SWSE Sec

19 T 51N R 05W, KOOTENAI Co.

Use: INDUSTRIAL (0.20 CFS)

from 01/01 to 12/31; DOMESTIC

(0.02 CFS) from 01/01 to 12/31

Place of Use: SESE SWSE Sec 19

T 51N R 05W

Diversion Means: WELL AND

PUMP.

95-8247

GUMM, EMMETT H. &/or
MARIAN E.

E. 1708 LONGFELLOW ST.,

SPOKANE, WA 99207

Source: TWIN LAKES tributary

to RATHDRUM CREEK

Date Filed: 12/17/1982

Amount: 0.19 CFS

Diversion Point: SESE Sec 36 T

53N R 05W, KOOTENAI Co.

Use: IRRIGATION (0.09 CFS)

from 03/15 to 11/15; DOMESTIC

(0.10 CFS) from 01/01 to 12/31

Place of Use: NESE SESE Sec 36

T 53N R 05W FOR 3 ACRES

Diversion Means: PUMP AND

PIPE.

95-8248

EVERGREEN WATER ASSN.

S. 3995 YELLOWSTONE TRAIL,

COEUR D'ALENE, ID 83814

Source: GROUNDWATER

Date Filed: 12/23/1982

Amount: 0.04 CFS

Diversion Point: NWSE Sec 33 T

50N R 03W, KOOTENAI Co.

Use: DOMESTIC (0.04 CFS) from

01/01 to 12/31

Place of Use: NWSE Sec 33 T 50N

R 03W

Diversion Means: PUMP.

The permit(s) will be subject

to all prior water rights. Protests

must be filed with the Director,

Dept. of Water Resources, 4055

Gov't Way, Coeur d'Alene, Id,

83814 on or before JANUARY 17,

1983.

KEN DUNN, Dir.

Legal 406

Dec. 30, 1982, Jan. 6, 1983

STATE OF IDAHO,

County of Kootenai,

} ss.

Arlene Hancock

being first duly sworn

upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The

Notice

of which the annexed is a printed copy, was published in the regular issue of said newspaper for

2

consecutive

Shrines

commencing on the

30

day of

Dec

1982

ending on the

6

day of

Jan

1983

publication was made as often during said period as said

daily

newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.

Arlene Hancock

Subscribed and sworn to before me this

6

day of

January

1983

Robert J. Gaudin

Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

LEADER

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT SUPPLEMENT
C O N T E N T S

(✓) B/U Acknowledgment Letter Sent

This Examination Report Contains the Following Documents.

(✓) Field Report

(✓) Quad Sheet

() Gov. Lot Plat

(✓) Rules Check list

() Aerial Photo

(✓) Photo PD/PU

Number of Diagrams Attached _____ Number of Calculation Sheets Attached _____

() Correspondence (Date) CONVERSATION MEMO: 1-27-88, 10-9-87

() Other (List) 95-04302

Contacts:

Remarks:



Exam Completed By David L. Johnson

Date 8/19/88

Sr. Agent Review JK

Date _____

Regional Manager Review _____

Date _____

PERMIT NUMBER 95-08247

MICROFILMED

JAN 18 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
JUN 27 1990

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 95-8247

1. Owner: Emmett H & Marian E. Gumm Phone No. (509) 483-8251

Current Address: E. 1708 Longfellow, Spokane, Wa 99207

2. Accompanied by: No one EXAM. DATE: 8/18/88

Address: Phone No.

Relationship to Permit Holder:

3. Source: Twin Lakes tributary to Rathdrum Cr.

B. OVERLAP REVIEW

1. Other water rights with same place of use: None

☐ Copies Attached


2. Other water rights with same point of diversion: None

☐ Copies Attached

☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached




Scale: 1" = NTS

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☐ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater.

☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).



EMMET/MARIAN GUMM
PD: SE SE, S.35, T53N, R5W
PU: (SESE, NE SE) S.35, T53N, R5W QUAD: 3E
IRRIGATION -3
DOMESTIC - 3 HOMES

95-8247
MAP#27

MANUSCRIPT

JAN 18 1961

INTERIOR-GEOLOGICAL SURVEY, WASHING
R. 5 W. R. 4 W. MR 5

ROAD CLASSIF

Heavy-duty

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 95-08247

Priority: December 20, 1982

Maximum Diversion Rate: 0.04 CFS
Maximum Diversion Volume:¹ 13.5 AF

This is to certify, that EMMETT H. GUMM
MARIAN E. GUMM

E. 1708 LONGFELLOW ST.
SPOKANE, WA 99207

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated December 17, 1982; and has submitted Proof of Beneficial Use on February 4, 1988. An examination indicates that the works have a diversion capacity of .040 cfs of water from:

TWIN LAKES tributary to RATHDRUM CREEK

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/01 to 11/01	0.04 CFS	12.3 AF
DOMESTIC	01/01 to 12/31	0.04 CFS	1.2 AF
	Totals	0.04 CFS	13.5 AF

LOCATION OF POINT(S) OF DIVERSION: SESE , Sec. 35, Township 53N, Range 05W
KOOTENAI County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
53N	05W	35	SESE	3.5		3.5
Total number of acres irrigated:						3.5

PLACE OF USE: DOMESTIC, same as IRRIGATION use

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.

MICROFILMED

JAN 18 1991

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 95-08247

CONDITIONS/REMARKS:

5. Use of water under this water right is subject to control by the watermaster of State Water District No. 95C
6. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 3.5 afa per acre for the lands above.
7. Domestic use is for 2 homes.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 20th day of December, 1990.

Acting for

J. Glen Saxton
R. Keith Higginson, Director

MICROFILMED

JAN 18 1991

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE STATE OF IDAHO

IN THE MATTER OF PERMIT NO. 95-8247 IN THE)
NAME OF EMMETT H. &/OR MARIAN E. GUMM) ORDER OF REINSTATEMENT
_____)

WHEREAS, the Department issued the above-captioned permit with the condition that proof of construction of works and application of water to beneficial use (proof of beneficial use) be submitted on or before February 1, 1988; and,

WHEREAS, the Department has notified the permit holders by certified mail that proof was due and instructed the permit holders as to the steps to be taken to make said proof; and,


WHEREAS, on February 1, 1988 the permit lapsed for failure of the permit holders to submit proof of beneficial use; and,

WHEREAS, Section 42-218a of the Idaho Code provides that a permit may be reinstated upon a showing of reasonable cause within sixty days of the date of lapsing; and,

WHEREAS, the permit holders have provided a reasonable showing as to why said permit should be reinstated by submitting proof of beneficial use on February 4, 1988;

IT IS, THEREFORE, HEREBY ORDERED that Permit No. 95-8247 be REINSTATED and the priority advanced to December 20, 1982.

Dated this 19th day of May, 1988.



L. GLEN SAXTON
Chief, Operations Bureau

MICROFILMED

JUL 27 1988

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant EMMETT H. & MARIAN E. GUMM Phone 509-483-8251

Post office address E. 1708 LONGFELLOW, SPOKANE, WA 99207

2. Source of water supply TWIN LAKES which is a tributary of _____

3. Location of point of diversion is SE $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 35 Township 53N

Range 5W B.M. KOOTENAI County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 0.10 for DOMESTIC purposes from JAN 1 to DEC 31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount 0.09 for IRRIGATION purposes from MAR 15 to NOV 15 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 0.19 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. PUMP & PIPELINE

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years (minimum 1 year - maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation: NE SE
(1) Give the place of use of water: SE $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 35 Township 53N

Range 5W B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water 5.

(5) If water is to be used for other purposes describe: _____

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP	RANGE	SEC.	NE			NW			SW			SE			TOTALS
			NE	NW	SW	NE	NW	SW	NE	NW	SW	NE	NW	SW	SE
53 N	5 W	35										2			1
															3

Total number of acres to be irrigated


3

c. Describe any other water rights used for the same purposes as described above.

9. a. Who owns the property at the point of diversion EMMETT GUNN
- b. Who owns the land to be irrigated or place of use 11
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing

10. Remarks

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Emmett A. Gumm
(Applicant)



J. Allen Saylor
Chief, Operations Bureau

Witness my hand this 1st day of February, 1983.

- d. Other: Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.
Use of water under this permit is subject to control by the watermaster of State Water District for Twin Lakes.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before February 1, 19 88.
- a. SUBJECT TO ALL PRIOR WATER RIGHTS.

1. Approval of said application is subject to the following limitations and conditions:

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 95-8247, and said application is hereby APPROVED.

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

Proposed Priority 12/17/1982 Received by KK Date 12/17/82 Time 11:00 A
Preliminary check by DB Fee \$ 30.00
Received by KK Date 12/17/82 # 25167
Publication prepared by Mr. [Signature] Date 12/23/82
Published in Central News Quora
Publication dates 12/30/82 - 1/6/83
Publication approved Mr. [Signature] Date 1/10/83
Protests filed by: None
Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for Approval denial by [Signature]

AFFIDAVIT OF PUBLICATION

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

19-2226
IDAHO ASPHALT SUPPLY INC.
W. 4323 PRADISE AVE., POST FALLS, ID 83854
Source: GROUNDWATER
Date Filed: 12/16/1982
Amount: 0.25 CFS
Diversion Point: SESE Sec 20 T 19 N R 03W, KOOTENAI Co.
Use: INDUSTRIAL (0.25 CFS) from 01/01 to 12/31; DOMESTIC (0.02 CFS) from 01/01 to 12/31
Place of Use: SESE Sec 20 T 19 N R 03W
Diversion Means: WELL AND PUMP

19-482
GUMM, EMMETT H. &/or MARIAN E.
R. 1704 LONGFELLOW ST., SPOKANE, WA 99201
Source: TWIN LAKES tributary to RATHBUN CREEK
Date Filed: 12/16/1982
Amount: 4.15 CFS
Diversion Point: SESE Sec 20 T 19 N R 03W, KOOTENAI Co.
Use: IRRIGATION 0.15 CFS from 01/01 to 12/31; DOMESTIC (0.15 CFS) from 01/01 to 12/31
Place of Use: SESE Sec 20 T 19 N R 03W, KOOTENAI Co.
Diversion Means: PUMP AND PIPE

19-483
EVERGREEN VALLEY ASSN.
S. 2006 YOUNG STREET TRAIL, COEUR D'ALENE, ID 83814
Source: GROUNDWATER
Date Filed: 12/21/1982
Amount: 1.0 CFS
Diversion Point: NWSE Sec 28 T 50N R 03W, KOOTENAI Co.
Use: DOMESTIC (0.04 CFS) from 01/01 to 12/31
Place of Use: NWSE Sec 28 T 50N R 03W
Diversion Means: PUMP

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, 4065 Gov't Way, Coeur d'Alene, Id, 83814 on or before JANUARY 17, 1983.

KEN DUNN, Dir.

Legal 406
Dec. 30, 1982, Jan. 6, 1983

STATE OF IDAHO, } ss.
County of Kootenai,

Arlene Hancock being first duly sworn upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The Notice

of which the annexed is a printed copy, was published in the regular Shunday issue of said newspaper for 2 consecutive Weeks commencing on the 30 day of Dec, 1982, and ending on the 6 day of Jan, 1983, and such publication was made as often during said period as said Shunday newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.

Arlene Hancock

Subscribed and sworn to before me this 6 day of January, 1983

Robert S. Smith
Notary Public for the State of Idaho, residing at Coeur d'Alene, Idaho.

LEADER

December 21, 1990

EMMETT H. GUMM
MARIAN E. GUMM
E. 1708 LONGFELLOW ST.
SPOKANE, WA 99207

RE: WATER RIGHT NO. 95-08247

Dear Water Right Holder(s):


Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:blm

Enclosure



LICENSE REVIEW CHECKLIST

Permit No. 95-8247

Name/Address change? ok ☒

Priority date Advance? yes no ☒

Memo to advance
Order to reinstate needed? yes no ☒

Total cfs Limited by fee .04 ☒

Limited by capacity ☒

Total volume Limited by flow ☒

Chart checked for AF rate/ac 3.5 ☒

Capacity Actual measurement checked ☒

Theoretical checked ☒

If greater than permit, check for other rts

Source Changed? yes no ☒

If so, is memo needed to clarify?

P/D Verify with map ☒ permit ☒

More than one per 44? Remember remark

Check p/d overlap N/A

Uses Check irrigation period of use w/ chart 4/1-11/1

P/U Verify with map ☒ permit ☒

> 5 acres irrigated, run overlap N/A

Remarks More than one p/d in 44 ☒

Description of non-irrig uses ☒

Special overlap condition

Conditions -

Measuring device Rou
W.Master control R30
Overlap
Water quality
Other

Dates/Misc. -

Water Dist ☒
App Rec'd ☒
Proof Rec'd ☒

CHECK FOR ADJ. CLAIM Needed according to proof filed
Filed - needs amended
Not filed - send form
Not needed ☒

Comments/Changes to Examiner's Recommendations:

License 10-day ☒ 30-day

Back of field report signed? ☒
Reviewer S. Curtis Date 11-26-90 Review time 10 min.

SENIOR AGENT REVIEW

RECEIVED
JUN 27 1990

Check List
for
Beneficial Use Field Report

Department of Water Resources

Permit 9508247

A. GENERAL INFORMATION

- ✓ 1. Name and address are most current available. (Check BU statement)
✓ 2. Exam Date
✓ 3. Source (Check Permit)

B. OVERLAP REVIEW

- ✓ 1. & 2. (Rule 5,1,4)

C. SYSTEM DESCRIPTION

- ✓ 1. Diversion System Diagram (Rule 5,1,3 / 5,1,4)
✓ 2. USGS (Rule 5,1,7 / 5,1,9) Aerial (Rule 5,1,17)
✓ 3. Word Picture (Rule 5,1,3 / 5,1,4)
✓ 4. Diversion (Rule 5,1,3)
✓ 5. Compare with USGS Map, Land Survey Maps, Aerial Photos and Permit.
✓ 6. Irrigation (Rule 5,1,8)

D. FLOW MEASUREMENTS Check math (Rule 5,1,13 / 5,1,14)

E. FLOW CALCULATIONS Check math (Rule 5,1,13 / 5,1,14)

F. OPTIONAL

G. VOLUME CALCULATIONS

- ✓ Three significant figures and no more than 1/10's (Rule 6,1,2)
Fish (Rule 5,1,11) number stock, homes, etc... (Rule 5,1,12)

H. REMARKS AND OVERLAP ANALYSES

- ✓ All actual uses listed; all permitted uses not used, also listed; (Rule 5,1,2):
✓ Overlaps (Rule 5,1,4):
✓ Return flows (Rule 5,1,5): ← ? ~~INDUSTRIAL~~
✓ Conditions (Rule 5,1,6).

I. RECOMMENDATIONS

- ✓ 1. Municipal (Rule 5,1,10): Compare with items E & G, permit, fee, capacity
(Rule 5,1,15): Measured flows for each use listed separately (Rule 5,1,14).
Period of year (Rule 5,1,13)
✓ 2. Compare permit to exam for amendments (Rule 5,1,16)

J. AUTHENTICATION

✓ Name, Signature, Certification Date, Exam Date.

WELL INSPECTION REPORT

NONE Check with permit and well log for discrepancies

Signature

Sam King

Date

7/12/89

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT SUPPLEMENT
C O N T E N T S

☒ B/U Acknowledgment Letter Sent

This Examination Report Contains the Following Documents.

☒ Field Report ☒ Quad Sheet () Gov. Lot Plat ☒ Rules Check list
() Aerial Photo ☒ Photo PD/PU

Number of Diagrams Attached _____ Number of Calculation Sheets Attached _____

() Correspondence (Date) CONVERSATION MEMO: 1-27-88, 10-9-87

() Other (List) 95-04302

Contacts:

Remarks:

Exam Completed By [Signature] Date 8/19/88
Sr. Agent Review [Signature] Date _____
Regional Manager Review _____ Date _____

PERMIT NUMBER 95-08247

MICROFILMED

JAN 18 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
JUN 27 1990

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 95-8247

1. Owner: Emmett H & Marian F. Gumm Phone No. (509) 483-8251

Current Address: E. 1708 Longfellow, Spokane, Wa 99207

2. Accompanied by: No one EXAM. DATE: 8/18/88

Address: _____ Phone No. _____

Relationship to Permit Holder: _____

3. Source: Twin Lakes tributary to Rathdrum Cr.

B. OVERLAP REVIEW

1. Other water rights with same place of use: None

☐ Copies Attached


2. Other water rights with same point of diversion: None

☐ Copies Attached

☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = NTS

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☒ Photo of Diversion and System Attached

(required for all but single household domestic groundwater, and stockwater.

☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

1 1/2" PVC Pickup in lake with a 1/2 hp pump on west side of house supplying domestic for a trailer and 3/4 of irrigation by movable black PVC pipe 3/4" and 1/2"

☐ See Remarks on page 4 for continuation

Well or Diversion Identification No.*	Century	1/2	L6	Berkokuy	7132535
Motor Make		Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:


[illegible]

6. Place(s) of Use:

Indicate Method of Determination

[illegible]

Do not use this space




ELEV 2306 OCT 1961

EMMET/MARIAN GUMM
 PD: SE SE, S.35, T53N, R5W
 PU: (SE SE, NE SE) S.35, T53N, R5W QUAD: 3E
 IRRIGATION - 3
 DOMESTIC - 3 HOMES

MAN FILMED


JAN 1 R



INTERIOR - GEOLOGICAL SURVEY, WASHIN
 R. 5 W. R. 4 W. MR 5

ROAD CLASSIF

Heavy-duty



Do not use this space

D. FLOW MEASUREMENTS

NONE

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

3 sprinklers 5/32 nozzles estimated at 20 psi
Plus two lawn type sprinklers $\approx$ 10 gpm
 $Q = .04$ cfs

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) : Flow rate: _____ cfs (4)

Water HP: (3) x (4) $\div$ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 12.3 \text{ afa}$

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 19.4$

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 12.3 \text{ afa}$

2. Volume Calculations for Other Uses:

2 Domestic = 2(1.6 afa) = 1.2 afa


MICROFILMED

JAN 18 1991

JAN 1 8 1961

06-92-11
JF

K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.



Field Examiner's Name	Louis Sukovaty
Signature	<i>Louis Sukovaty</i>
Certification Date	8/19/98
Field Report Preparation Date	8/19/98

J. AUTHENTICATION

- ☐ Change P.D. as reflected above
- ☐ Change P.U. as reflected above

2. Recommended Amendments

Beneficial Use	Period of Use From To	Rate of Diversion Q (cfs)	Annual Volume V (ata)
IRRIGATION	MAR 15 NOV 15	.04 cfs	12.3 ata
Domestic	1/1 12/31	.04 cfs	1.2 ata
Totals:		.04 cfs	13.5 ata

1. Recommended Amounts

I. RECOMMENDATIONS

[illegible]

NOTE 95-07596 IS FOR LOT 13 BULK B - NO OVERLAP
95-04302 IS SAME PER. NOT TO EXCEED 0.04 cts WHEN
COMBINED W/ 95-04302 (SEE CONVERSION HEMO 1-27-88) JK
NOT TO EXCEED 3% cts WHEN COMBINED W/ 95-04302. JK
NO SHOT OR COMMERCIAL USE FOUND 78

H. REMARKS AND OVERLAP REVIEW ANALYSIS

CONVERSATION MEMORANDUM

Date 1-27-88 File # 95-8247

NAME OF PARTY BILL GUMM

EMPLOYEE TOM KING

RE _____

MR. GUMM SEE 1/2 HP PUMP

PRODUCING LESS THAN 20 GPM

MICROFILMED

JAN 18 1988

CONVERSATION MEMORANDUM

Date 10-9-87 File # 95-8247

NAME OF PARTY GUMMI, ENNETT H

EMPLOYEE TOM KING

RE MAY DOMESTIC & INDUSTRIAL

MACHINE SHOP ~ LIGHT

INDUSTRIAL USE ~ COOLING ~ 10%

90% DOMESTIC ↓
BUM


COIL FOR BLUEING & DEGREASING

MOST WATER RECYCLE

(509) 483-8251
RECEIVED

JAN 12 1988

EMMETT HANE GURM
E. 1708 LONGFELLOW
SPokane, WA 99207



RECEIVED

DEC 18 1987



MICROFILMED

JAN 18 1991

Dec 18, 1987 USA
New Jersey 22

Department of Water Resources
IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720





State of Idaho
DEPARTMENT OF WATER RESOURCES
NORTHERN REGION, Suite No. 9 • 4055 Government Way • Coeur d'Alene, Idaho 83814 • (208) 765-4639

CECIL D. ANDRUS
Governor

R. KEITH HIGGINSON
Director

June 8, 1988

Emmett H. Gumm
E. 1708 Longfellow
Spokane, Wa 99307

RE: 95-8247

Dear Sir:

We acknowledge receipt of your statement of completion of water development use for the above-referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We do not know at this time when he will be able to conduct the examination; however, the examiner will try to contact you at the time he makes the examination so that you may show him the system. If you will not be available to show the system, please provide this office with the name and address of someone who will be able to do so. Your permit will remain valid until the examination is made.

If you have any questions concerning the field examination, please contact this office. Please be sure to use the above-referenced permit number in all future correspondence concerning this examination.

Sincerely,

/s/
TOM D. KING
Senior Water Resource Agent

TDK/pms

MICROFILMED

JUL 27 1988

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 95-8247

Date: 3-10-1988

General Considerations:

Y Name same as permit
Y Signature the same as permit holder
N Address change _____ If yes, prepare a data entry
Y Proof received timely _____
Open Reinstated _____

Source of Water:

Y Surface water
N/A Groundwater
_____ 1. well log in file
_____ 2. drilling permit
_____ A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

Y Rate of diversion appropriate for uses
Y Is rate or volume and fee appropriate?
Y Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

N/A Is a measuring device or access port required?
N/A Has one been installed?
N/A Waiver or modification of measuring device requested

Remarks: Proof acceptable

UP Priority Calculation:

Date proof received Feb 4 _____

Date proof due Feb 1 + _____

No. of days late _____ = 3

Priority date Dec 17, 1982 + _____

NEW PRIORITY DATE Dec 20, 1982 = _____

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

RECEIVED

DEC 18 1987

no # encl. *gs*
Department of Water Resources

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

RECEIVED

FEB - 4 1988

no # encl. *gs*

For Office Use Only
Received _____
Date _____
Receipt # _____
Receipt by _____
Reviewed by _____
Sent to region _____

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 95-8247

Name(s) of Permit Holder: EMMETT H. and MARIAN E. GUMM ✓

Post Office Address: E. 1708 LONGFELLOW, SPOKANE, WA. 99207 ✓

Telephone No. 509-483-8251

Source of Water: UPPER TWIN LAKES ✓

Extent of Use:

Domestic 3 (number of households) Stockwater 0 (number and type of stock)

Irrigation 3 (acres) Other/Remark _____

Total rate and/or volume for which proof is submitted .04 ✓ cfs _____ acre-feet

Show the date water was first diverted and beneficially used under this permit: July 1, 1969 (95-4302)

Measuring Device: Required? Yes Yes No
Installed? Yes Yes No

Fee enclosed \$ 0
(See License Examination Fee Schedule)

Flow Measurement Port: Required? Yes Yes No
Installed? Yes Yes No

Person to contact to accompany the Department representative during the field examination:

EMMETT H. GUMM 509-483-8251
(Name) (Telephone Number)

E 1708 LONGFELLOW, SPOKANE, WA. 99207
(Address)

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

MICROFILMED

MAR 19 1988

12-15-87
Date

Emmett H. Gumm
Signature of Permit Holder (and title, if appropriate)

January 19, 1988

Emmett H. &/or Marian E. Gumm
E. 1708 Longfellow
Spokane, WA 99207

Dear Mr. and Mrs. Gumm:

Re: Permit No. 95-8247

Returned is the Proof of Beneficial Use form submitted to this office on December 18, 1987.

The permit proposes the rate of diversion as 0.19 cfs rather than the 1.2 acre-feet and shown on the proof. The proposed uses are five domestic and three acres of irrigation. The proof indicate that only three of the five domestic uses are using water and that there are three acres of irrigation. Even though the uses are less than initially applied for, the rate of diversion is greater than 0.04 cfs and consequently, for the proof to be acceptable a fee is required.

Please return the proof form and \$50 field examination fee by February 1, 1988 to keep this permit in good standing.

If you have any questions concerning this matter, please feel free to contact me at 334-7900.

Sincerely,


RITA I. FLECK
Secretary/Records Manager

Enclosure

MICROFILMED

MAR 19 1988

E.H. GUMM
E. 1708 LONGFELLOW
SPOKANE, WA. 99207



state of Idaho
Department of Water Resources
Statehouse
Boise, Idaho 83720

138124
CERTIFIED MAIL
November 30, 1987

GUMM, EMMETT H. & MARIAN E.
E. 1708 LONGFELLOW ST.
SPOKANE, WA 99207

PROOF DUE NOTICE

RE: Permit No. 95-8247

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before February 1, 1988. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a completed field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this Department on or before the above described proof due date, or the permit will no longer be of any force nor effect.

Sincerely,

RITA FLECK
Secretary/Records Manager

Enclosures

MICROFILMED

MAR 19 1988

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

GUMM, EMMETT H. & MARIAN E.
E. 1708 LONGFELLOW ST.
SPOKANE, WA 99207

FEBRUARY 15, 1983

RE: PERMIT NO. 95-8247

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

THE 1982 IDAHO LEGISLATURE ADDED A REQUIREMENT THAT AS A PERMIT HOLDER YOU MUST COMMENCE THE EXCAVATION OR CONSTRUCTION OF DIVERTING WORKS WITHIN ONE YEAR OF THE DATE THE PERMIT WAS ISSUED, AND YOU MUST PROCEED DILIGENTLY UNTIL THE PROJECT IS COMPLETED. THE ENCLOSED BLUE CARD MUST BE COMPLETED AND RETURNED TO THIS OFFICE AS SOON AS YOU COMMENCE CONSTRUCTION, NO LATER THAN ONE YEAR FROM THE DATE THE PERMIT WAS APPROVED.

WE HAVE ENCLOSED INSTRUCTIONS ENTITLED "MAKING PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT INTO A LICENSE.

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: AB APPLICATION NUMBER: 95-8247

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☒ Yes ☒ No Field check required.
☒ Yes ☒ No Critical groundwater area.
☒ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☒ No* In form to receipt.

Field check by: _____

Date: _____

Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department. Copies sent by: _____ Date: _____
☐ Idaho Fish and Game Department. _____
☐ Idaho Department of Lands. _____
☐ U.S. Bureau of Land Management. _____
☐ U.S. Forest Service. _____
☐ Other _____

PROCESSING:

- ☐ Yes ☐ No Platted by: _____ Map No. _____
☐ Yes ☐ No Other rights on same place of use. _____
☒ Yes ☐ No* In form for advertising.
☒ Yes ☐ No Final date for protests: 1/17/83
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 1/83
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☐ Yes ☒ No Access port required.
☒ Yes ☒ No Will water be delivered by watermaster? If yes, what district? Twin Lakes
12/17/82 Date of priority recommended.
Special conditions of approval or cover letter.

By: Reyn Date: 1/10/83

STATE OFFICE REVIEW:

2/1/83 26 05 (Twin Lakes)

- ☐ See attached sheet for more information.

By: Reyn Date: 1/31/83

RECEIVED

JAN 25 1983

95-8247

GUMM, EMMETT H. &/or MARIAN E.

E. 1708 LONGFELLOW ST., SPOKANE, WA 99207

Source: TWIN LAKES tributary to RATHDRUM CREEK

Date Filed: 12/17/1982

Amount: 0.19 CFS

Diversion Point: SESE Sec 35 T 53N R 05W, KOOTENAI Co.

Use: IRRIGATION	(0.09 CFS)	from 03/15 to 11/15
DOMESTIC	(0.10 CFS)	from 01/01 to 12/31

Place of Use: NESE SESE Sec 35 T 53N R 05W FOR 3 ACRES

Diversion Means: PUMP AND PIPE.