

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

19

T-51N

P.D.

P.U.

R-5W

R.R.

Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

MICROFILMED

JB Stone
(Applicant)
President

AFFIDAVIT OF PUBLICATION

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s)
have been filed to appropriate the
public waters of the State of Ida-
ho:

95-8246

IDAHO ASPHALT SUPPLY INC.
W. 4325 PRAIRIE AVE., POST
FALLS, ID 83654

Source: GROUNDWATER

Date Filed: 12/16/1982

Amount: 0.20 CFS

Diversion Point: SESE SWSE Sec

19 T 51N R 05W, KOOTENAI Co.

Use: INDUSTRIAL (0.20 CFS)

from 01/01 to 12/31; DOMESTIC

(0.02 CFS) from 01/01 to 12/31

Place of Use: SESE SWSE Sec 19

T 51N R 05W

Diversion Means: WELL AND

PUMP.

95-8247

GUMM, EMMETT H. &/or
MARIAN E.

E. 1708 LONGFELLOW ST.,

SPOKANE, WA 99207

Source: TWIN LAKES tributary

to RATHDRUM CREEK

Date Filed: 12/17/1982

Amount: 0.19 CFS

Diversion Point: SESE Sec 35 T

53N R 05W, KOOTENAI Co.

Use: IRRIGATION (0.09 CFS)

from 03/15 to 11/15; DOMESTIC

(0.10 CFS) from 01/01 to 12/31

Place of Use: NESE SESE Sec 35

T 53N R 05W FOR 3 ACRES

Diversion Means: PUMP AND

PIPE.

95-8248

EVERGREEN WATER ASSN.

S. 3995 YELLOWSTONE TRAIL,

COEUR D'ALENE, ID 83814

Source: GROUNDWATER

Date Filed: 12/22/1982

Amount: 0.04 CFS

Diversion Point: NWSE Sec 33 T

50N R 03W, KOOTENAI Co.

Use: DOMESTIC (0.04 CFS) from

01/01 to 12/31

Place of Use: NWSE Sec 33 T 50N

R 03W

Diversion Means: PUMP.

The permit(s) will be subject
to all prior water rights. Protests
must be filed with the Director,
Dept. of Water Resources, 4065
Gov't Way, Coeur d'Alene, Id,
83814 on or before JANUARY 17,
1983.

KEN DUNN, Dir.

Legal 406

Dec. 30, 1982, Jan. 9, 1983

STATE OF IDAHO, } ss.
County of Kootenai,

Arlene Hancock being first duly sworn
upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The Notice

of which the annexed is a printed copy, was published in the regular Shriner issue of said newspaper for 2 consecutive Weeks commencing on the 30 day of Dec, 1982, and ending on the 6 day of Jan, 1983, and such publication was made as often during said period as said Daily newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.

Subscribed and sworn to before me this 6 day of January, 1983.

Robert J. Mander
Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

LEADER

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT SUPPLEMENT

RECEIVED
JUN 26 1989

Department of Water Resources

Yes No

- (☒) () B/U Acknowledgement Letter Sent pm 2/3/88 (INITIAL & DATE)
() (☒) Aerial Photo Date Requested _____ by _____
(☒) () Quad Sheet
() (☒) GL Plat
() (☒) Copies of overlapping License Field Report Claim
() () Photo PD/PU
() () Correspondence (Date) _____
() () Other (List) _____

PERMIT 95-8246

EXAM COMPLETED BY Louis Dubovatz

DATE 2/13/88

SR AGENT REVIEW

DATE 8/8/88

REGIONAL MANAGER REVIEW

DATE 6/89

ENTERED ON COMPUTER BY


DATE 6/13/89

PRELIMINARY OVERLAP REVIEW BY J King

DATE 2-88

(☒) NO OVERLAP FOUND


Point
of
Diversion



NOT FILMED

OT 07 1991

95-8246



TANK	CONTENTS	AGGREGATE VOLUME (GAL.)
2-5, 7, 21, 22	Base asphalt	2,400,000
6-12, 23-25, 28-30, E, F	Asphalt emulsions	400,000
A, B	Naphtha	33,300
C, D	No. 1 stove oil	33,300
1, 1A	Dust control oil	24,800

LEGEND

*** Fence



Above ground storage tank

ecology & environment, Inc.

Job: T10-8707-008

Waste Site: ID0117


Drawn by: D. P.

Date: Oct. 12, 1987

MICROFILMED

OCT 07 1991

FIGURE 1
SITE MAP
IDAHO ASPHALT SUPPLY, INC.
Hauser, ID



PERMIT HOLDER IDaho ASPHALT SUPPLY INC PERMIT # 96-8246

P D TWP 51 RGE 5W SEC 19 SESE, SWSE

P/U TWP RGE SEC SESE

SOURCE GROUNDWATER

TRIBUTARY TO

MAP PLOT 27 IRR. ACRES

USGS QUAD 6-52


SCALE 7 1/2

F-2

RECEIVED
OCT 07 1991

SCHEMATIC

Provide a schematic diagram showing the location of the well in the quarter-quarter with respect to houses, roads, other wells or readily identifiable features.



Inspected by Jeri's Subroad

Date 7/13/88

MICROFILMED
OCT 07 1991

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.

1. WELL OWNER

Name Idaho Asphalt Supply, Inc.
Address W. 4325 Prairie Ave., Post Falls ID 83854
Owner's Permit No. 95-8246

7. WATER LEVEL

Static water level 140 feet below land surface.
Flowing? ☐ Yes ☒ No G.P.M. flow _____
Artesian closed-in pressure _____ p.s.i.
Controlled by: ☐ Valve ☐ Cap ☐ Plug
Temperature _____ °F. Quality good

2. NATURE OF WORK

☒ New well ☐ Deepened ☐ Replacement
☐ Abandoned (describe method of abandoning) _____

8. WELL TEST DATA

☐ Pump ☐ Bailor ☒ Air ☐ Other _____

Discharge G.P.M.	Pumping Level	Hours Pumped
80+ ESTIMATED AIRLIFT		

3. PROPOSED USE

☐ Domestic ☐ Irrigation ☐ Test ☐ Municipal
☒ Industrial ☐ Stock ☐ Waste Disposal or Injection
☐ Other _____ (specify type)

9. LITHOLOGIC LOG

Hole Diam.	Depth		Material	Water	
	From	To		Yes	No
8"	0	83	Boulders, cobble, gravel		XX
6"	83	160	Cobble, gravel, coarse		XX
6"	160	182	Gravel, coarse, some fine silt		X
6"	182	192	Gravel, coarse		X

4. METHOD DRILLED

☐ Rotary ☒ Air ☐ Hydraulic ☐ Reverse rotary
☐ Cable ☐ Dug ☐ Other _____

5. WELL CONSTRUCTION

Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____

Thickness	Diameter	From	To
.250 inches	8 inches	+ 1 feet	59 feet
.250 inches	6 inches	1 1/2 feet	192 feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet

Was casing drive shoe used? ☒ Yes ☐ NoWas a packer or seal used? ☐ Yes ☒ NoPerforated? ☐ Yes ☒ NoHow perforated? ☐ Factory ☐ Knife ☐ Torch

Size of perforation _____ inches by _____ inches

Number	From	To
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet

Well screen installed? ☐ Yes ☒ No

Manufacturer's name _____

Type _____ Model No. _____

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____

Placed from _____ feet to _____ feet

Surface seal depth 59 Material used in seal: ☐ Cement grout☒ Puddling claySealing procedure used: ☐ Slurry pit ☐ Temp. surface casing☒ Overbore to seal depthMethod of joining casing: ☐ Threaded ☒ Welded ☐ Solvent

Weld

☐ Cemented between strata

Describe access port _____

NO PVC Liner Installed

1 ea. 8" Drive shoe installed

1 ea. 6" Drive shoe installed

RECEIVED


MAR 30 1983

Department of Water Resources
Northern District Office

MICROFILMED

6. LOCATION OF WELL

Sketch map location must agree with written location.



Subdivision Name _____

Lot No. _____ Block No. _____

County Kootenai1/4 SE 1/4 Sec. 19, T. 51N N/S. R. 5W E/W.

10.

Work started 3/18/83 finished 3/22/83

11. DRILLERS CERTIFICATION

I/We certify that all minimum well construction standards were
complied with at the time the rig was removed.Firm Name PONDEROSA DRILLING Firm No. 228E. 6010 Broadway
Address Spokane, WA 99206 Date 3/22/83Signed by (Firm Official) W. Scott Barratt

and

(Operator) Keith Vermillion

Keith Vermillion

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 95-08246

Priority: December 16, 1982

Maximum Diversion Rate: 0.20 CFS
Maximum Diversion Volume:¹ 13.2 AF

This is to certify, that IDAHO ASPHALT SUPPLY INC.

W. 4325 PRAIRIE AVE.

POST FALLS, ID 83854

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated December 16, 1982; and has submitted Proof of Beneficial Use on December 10, 1987. An examination indicates that the works have a diversion capacity of .200 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
INDUSTRIAL	04/01 to 11/01	0.20 CFS	12.6 AF
DOMESTIC	01/01 to 12/31	0.02 CFS	0.6 AF
	Totals	0.20 CFS	13.2 AF

LOCATION OF POINT(S) OF DIVERSION:

SESE , Sec. 19, Township 51N, Range 05W
KOOTENAI County

PLACE OF USE: INDUSTRIAL
TWN RGE SEC

51N 05W 19 SWSE SESE

PLACE OF USE: DOMESTIC
TWN RGE SEC

51N 05W 19 SESE

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.

RECORDED

OCT 07 1991

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE


WATER RIGHT NO. 95-08246

CONDITIONS/REMARKS:

5. Domestic use is for an office.
6. Industrial use is for the production of asphalt emulsion and cleaning of equipment.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 1st
day of OCTOBER, 1991.

Acting for


R. Keith Higginson, Director

OCT 07 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant IDAHO ASPHALT SUPPLY, INC. Phone 773-0563
Post office address W. 4325 PRAIRE AVE. POST FALLS, ID 83854
2. Source of water supply GROUNDWATER which is a tributary of _____
3. Location of point of diversion is SE $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 19 Township 51N
Range 5W B.M. KOOTENAI County, additional points of diversion if any: _____
SW SE SEC 19 T51N R5W

4. Water will be used for the following purposes:

Amount 0.20 for INDUSTRIAL purposes from JAN 1 to DEC 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount 0.02 for DOMESTIC purposes from JAN 1 to DEC 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 0.20 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. WELL & PUMP

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is 6 inches; proposed depth of well is 250 feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years (minimum 1 year - maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation: SE SE
(1) Give the place of use of water: SW $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 19 Township 51N
Range 5W B.M. _____

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water 1.

(5) If water is to be used for other purposes describe: USE WILL BE IN THE ~~FIELD~~
PRODUCTION OF ASPHALT EMULSION AND CLEANING
EQUIPMENT, ALSO REST ROOM FACILITIES.

TOTALS

c. Describe any other water rights used for the same purposes as described above. WATER IS

LUMBER PLANT


Application

11

applicant to make this filing


This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.



(Applicant)
President

Proposed money 12/16/1982

Received by JS Date 12/6/82 Time 3:52 PM
Preliminary check by JS Fee \$ 30.00
Received by JS Date 12/16/82 (25766)
Publication prepared by JS Date 12/23/82
Published in Crowd's Blue Green
Publication dates 12/30/82 - 1/6/83
Publication approved JS Date 1/10/83
Protests filed by: JS
Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by JS

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 95-8246, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before February 1, 19 88.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other: Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.

Witness my hand this 16th day of February, 1983.

D. Allen Saylor
Chief, Operations Bureau

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

POWER OF ATTORNEY

The undersigned holder(s) of Permit/Application No. 95-8246 of the
Department of Water Resources of the State of Idaho hereby nominates _____
Dan Murphy, whose address is W.4325 Prairie Ave., Post Falls, Id.
as attorney-in-fact, with full authority to act for and on behalf of the undersigned in all
matters pertaining to the above numbered permit or application. Such acts shall include,
but not be limited to, the filing of application, receiving of all notices, the signing and
filing of applications for extension of time and for amendments of said permits, and the
submission of proofs of completion of works and beneficial use of water.

Dated this 13 day of December, 19 82.

Idaho Asphalt Supply, Inc.

by: John B. Stone

John B. Stone, President

STATE OF IDAHO)
) ss.
County of Bonneville)

On this 13th day of December, 19 82, personally
appeared before me the signer(s) of the above instrument, who duly acknowledged to me
that he (she) (they) executed the same.

seal

Roxane Stone
Notary Public

Residing at Idaho Falls, Idaho

My Commission expires:
4-83

Tax #11,592 Kelly Realty Letter Order #76956 4-4-79

That portion of the Southeast quarter of Section 19, Township 51 North, Range 5 W.B.M., Kootenai County, State of Idaho, more particularly described as follows:

Commencing at the Southwest corner of said Southeast quarter; thence South $88^{\circ}28'27''$ East along the South line of the Southeast quarter, 1240.38 feet to the point of beginning; thence North $1^{\circ}31'33''$ East, 538.60 feet to a point on the B.N.R.R. Company, right of way; thence South $54^{\circ}48'48''$ East along the B.N.R.R. Company right of way line, 971.71 feet to a point on the South line of the Southeast quarter; thence North $88^{\circ}28'27''$ West along the South line of the Southeast quarter 808.79 feet to the point of beginning.

Tax Code No. (60-5)

AFFIDAVIT OF PUBLICATION

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

95-0546
IDAHO ASPHALT SUPPLY INC.
W. 4225 PRAIRIE AVE., POST
FALLS, ID 83854
Source: GROUNDWATER
Date Filed: 12/16/1982
Amount: 0.30 CFS
Diversion Point: SESE SWSE Sec
19 T 51N R 06W, KOOTENAI Co.
Use: INDUSTRIAL (0.30 CFS)
from 01/81 to 12/81; DOMESTIC
(0.02 CFS) from 01/81 to 12/81
Place of Use: SESE SWSE Sec 19
T 51N R 06W
Diversion Means: WELL AND
PUMP.

95-0547
GUMM, EMMETT R. &/or
MARIAN E.
E. 1708 LONGFELLOW ST.,
SPOKANE, WA 99207
Source: TWIN LAKES tributary
to RATHDRUM CREEK
Date Filed: 12/17/1982
Amount: 0.19 CFS
Diversion Point: SESE Sec 30 T
51N R 06W, KOOTENAI Co.
Use: IRRIGATION (0.19 CFS)
from 02/15 to 11/83; DOMESTIC
(0.19 CFS) from 01/81 to 12/81
Place of Use: NESE SESE Sec 30
T 51N R 06W FOR 3 ACRES
Diversion Means: PUMP AND
PIPE.

95-0548
EVERGREEN WATER ASSN.
S. 3005 YELLOWSTONE TRAIL,
COEUR D'ALENE, ID 83814
Source: GROUNDWATER
Date Filed: 12/18/1982
Amount: 2.00 CFS
Diversion Point: TWIN Sec 30 T
51N R 06W, KOOTENAI Co.
Use: DOMESTIC (2.00 CFS) from
01/81 to 12/81
Place of Use: TWIN Sec 30 T 51N
R 06W
Diversion Means: PUMP.

The permit(s) will be subject
to all prior water rights. Permits
must be filed with the Director,
Dept. of Water Resources, 200
Gov't Way, Coeur d'Alene, ID,
83814 on or before JANUARY 17,
1983.

KEVIN DUNN, Dir.

Legal 408
Dec. 30, 1982, Jan. 2, 1983

STATE OF IDAHO,
County of Kootenai, } ss.

Arlene Hancock being first duly sworn
upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The Notice

of which the annexed is a printed copy, was published in the regular Monday issue of said newspaper for 2 consecutive Weeks commencing on the 30 day of Dec, 1982, and ending on the 6 day of Jan, 1983, and such publication was made as often during said period as said daily newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.

Arlene Hancock

Subscribed and sworn to before me this 6 day of January, 1983.

Robert M. Anderson
Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

LEADER

and
(Operator) LELV
(If different than the Drilling Supervisor)

October 3, 1991

IDAHO ASPHALT SUPPLY INC.
W. 4325 PRAIRIE AVE.
POST FALLS ID 83854

RE: WATER RIGHT NO. 95-08246

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

SHARLA CURTIS
Technical Records Specialist

SC:blm

Enclosure

RECEIVED
OCT 07 1991

LICENSE REVIEW CHECKLIST

Permit No. 95-8246

Name/Address change? ok ✓

Priority date Advance? yes no ✓

Memo to advance n/a
Order to reinstate needed? yes no ✓

Total cfs Limited by fee
Limited by capacity

Total volume Limited by flow

Capacity Chart checked for AF rate/ac n/a
Actual measurement checked n/a
Theoretical checked ✓
If greater than permit, check for other rts n/a

Source Changed? yes no ✓
If so, is memo needed to clarify? n/a

P/D Verify with map ✓ permit ✓
More than one per 1/4? Remember remark n/a
Check p/d overlap

Uses Check irrigation period of use w/ chart ✓

P/U Verify with map ✓ permit ✓
> 5 acres irrigated, run overlap n/a

Remarks More than one p/d in 1/4 n/a
Description of non-irrig uses
Special overlap condition

Conditions -	Dates/Misc. -
Measuring device <u> </u>	Water Dist <u>n/a</u>
W.Master control <u> </u>	App Rec'd <u>✓</u>
Overlap <u> </u>	Proof Rec'd <u>✓</u>
Water quality <u> </u>	
Other <u> </u>	

CHECK FOR ADJ. CLAIM Needed according to proof filed
Filed - needs amended
Add'l fee required
Not filed
Not needed

Comments/Changes to Examiner's Recommendations:

OCT 07 1991

License ✓ 10-day 30-day

Back of field report signed?
Reviewer Seibert Date 6/5/91 Review time min.

RECEIVED
JUN 26 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT SUPPLEMENT

Department of Water Resources

Yes No

PERMIT 95-8246

- (☒) () B/U Acknowledgement Letter Sent pm 2/3/88 (INITIAL & DATE)
() (☒) Aerial Photo Date Requested _____ by _____
(☒) () Quad Sheet
() (☒) GL Plat
() (☒) Copies of overlapping License Field Report Claim
() () Photo PD/PU
() () Correspondence (Date) _____
() () Other (List) _____

EXAM COMPLETED BY Louis Sukovat DATE 7/13/88
SR AGENT REVIEW JK DATE 8/88
REGIONAL MANAGER REVIEW WJA DATE 6/89
ENTERED ON COMPUTER BY pm DATE 6/13/89
PRELIMINARY OVERLAP REVIEW BY JKing DATE 2-88
(☒) NO OVERLAP FOUND

Point
of
Diversion

207H MED

BT 07 1991

95-8246

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION


1. Owner: Idaho Asphalt Supply, Inc. Permit No. 95-8246
Current Address: W. 4325 Prairie Ave. Post Falls, Id 83854 Phone No. 773-0563
2. Accompanied by: Dan Murphy EXAM. DATE: 7/13/88
Address: SAME Phone No. 773-0563
Relationship to Permit Holder: Plant Manager
3. Source: ground water tributary to

B. OVERLAP REVIEW

1. Other water rights with same place of use: none IK ☐ Copies Attached
2. Other water rights with same point of diversion: none IK ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☒ Alternative diagram attached



Scale: 1" =

2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required). ☐ Aerial Photo Attached (required for irrigation of 10 acres or more).
☐ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

Well with 2.5 HP pump supplies office and boiler and
emulsion tanks. Office is supplied by a 1" buried line
Boiler and emulsion are supplied by 9" buried line.

☐ See Remarks on page 4 for continuation

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Submersible	7.5			

**Code to correspond with No. on map and aerial photo*

5. Point(s) of Diversion:

[illegible]


Indicate Method of Determination

6. Place(s) of Use:

[illegible]

Do not use this space


OCT 07 1981



MICROFILMED

OCT 07 1991

**FIGURE 1
SITE MAP
IDAHO ASPHALT SUPPLY, INC.
Houser, ID**



PERMIT HOLDER IDAHO ASPHALT SUPPLY INC PERMIT # 86-8246

P D TWP 51 RGE 5W SEC 19 SESE, SWSE

P/U TWP RGE SEC SESE

OCT 07 1991

SOURCE GROUNDWATER

TRIBUTARY TO

MAP PLOT 27 IRR. ACRES

USGS QUAD E-52 SCALE 7 1/2

F-2

Volume calculations

Volume (boilers)
consumption

Boiler season
April 2 to October 30
= 213 days

$$10,000 \text{ gal/day} = 1337 \text{ ct/day}$$

$$\frac{213 \text{ days}}{\text{yr}} \times \frac{1337 \text{ ct}}{\text{day}} = 284,781 \text{ ct/yr}$$
$$= 6.54 \text{ ata}$$

Volume Emulsion Process

Emulsion Season

* Emulsion only on working
days.

June 1 to August 31
= 92 days

$$* 92 \text{ days} \times \frac{\text{wk}}{7 \text{ days}}$$
$$= 13.14 \text{ wk}$$

Consumption

30,000 gal/day

$$5 (13.14 \text{ wk}) = 66 \text{ days}$$

or 4011 ct/day

$$\frac{4011 \text{ ct}}{\text{day}} \times \frac{66 \text{ day}}{\text{yr}} = 264,726 \text{ ct/yr}$$
$$= 6.08 \text{ ata}$$

Total volume used for industrial purposes

$$\begin{array}{r} 6.54 \text{ ata} \\ 6.08 \text{ ata} \\ \hline 12.62 \text{ ata} \end{array}$$

MICROFILMED

OCT 07 1991

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

$$P = 40 \text{ psi}$$

$$H = 140 \text{ ft}$$

$$H_p = 7.5$$

$$\epsilon = \pm 7\%$$

E. FLOW CALCULATIONS

☒ Additional Computation Sheets Attached

1. Measured Method:

2. Alternate Method for Checking Purposes:

$$Q = \frac{8.8(H_p)\epsilon}{2.31(P) + H} = .198 \text{ cfs or } .2 \text{ cfs}$$

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3); Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \text{SEE ATTACHED SHEET}$

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$

2. Volume Calculations for Other Uses:

1 Domestic = .02 cfs or .6 a ft

OCT 07 1991

H. REMARKS AND OVERLAP REVIEW ANALYSIS

NONE

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Industrial	4/1	11/1	.2 cfs	12.6 afa
Domestic	4/1	12/31	.02 cfs	.6 afa
Totals:			.20 cfs	13.2 afa


2. Recommended Amendments

- ☐ Change P.D. as reflected above
- ☐ Change P.U. as reflected above

J. AUTHENTICATION

Field Examiner's Name Louis Sukovaty
 Signature [Signature]
 Certification Date _____
 Field Report Preparation Date 7/12/88

CONSULTANT SEAL




K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

OCT 02 1991

SCHEMATIC

Provide a schematic diagram showing the location of the well in the quarter-quarter with respect to houses, roads, other wells or readily identifiable features.



Inspected by John S. Surood

Date 7/13/88

RECEIVED
OCT 07 1991

State of Idaho
Department of Water Resources
WELL INSPECTION FORM

This form should be completed by the examiner when conducting a field examination to determine the extent of beneficial use of water from a well or whenever a well is inspected for other reasons. The form should be forwarded to Groundwater Protection Section in the State Office upon completion.

1. Legal Description of well location. Twp. 51N, Rge. 5W,
Sec. 19, Qtr./Qtr. SESE or Lot _____
2. Owner Idaho Asphalt Supply Inc.
Address W. 4325 Prairie Ave., City Post Falls, State Id
3. Approx. date of well construction 1983
Well Driller Ponderosa drilling
4. Casing: Diameter 8" on surface Condition good
6" at 8344
5. Casing length above land surface 2'
6. Well depth (ft) 192 Flowing _____ Temp. _____
Access port _____
7. Condition of piping and valving good
8. Evidence of well seal no
9. Shut in pressure or static water level 140
10. Evidence of leakage around the casing no
11. Does well need repair no
12. Comments NONE

RECEIVED
OCT 07 1991

(OVER)

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

[illegible]

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
COMMENCEMENT OF WORKS

Permit No. 95-8246

Name(s) of Permit Holder(s): Idaho Asphalt Supply, Inc.

Post Office Address: W. 4325 Prairie Ave. West Falls, ID 83854

Per. No. (208) 773-0563/0564

☒ I hereby certify that construction of diversion works on the above referenced permit began on 18 March 1983. I understand that I must continue to develop the water system with due diligence to maintain a valid permit.


☐ I hereby certify that construction of diverting works on the above referenced project has not yet begun due to the following reason beyond my control*:

*Note: A financing difficulty is
not an acceptable reason.

18 March 1983
Date

David P. Murphy, Jr.
Signature of Permit Holder
Idaho Asphalt Supply, Inc.

IDAHO ASPHALT SUPPLY, INC.
W 4325 PRAIRIE 773-0563
POST FALLS, IDAHO 83854



MICROFILMED

OCT 07 1991



MAR

RECEIVED

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES
Northern Region

JOHN V. EVANS
Governor
A. KENNETH DUNN
Director

4055 Government Way
Coeur d'Alene, ID 83814
(208) 765-4639

FEBRUARY 3, 1988

IDAHO ASPHALT SUPPLY
W. 4325 PRAIRIE AVE
POST FALLS, ID 83854

RE: Permit No. 95-8246

Dear Permit Holder:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a Water Right License can be issued, a field examination must be made by a representative of this department.

A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office by phone or in person.

Sincerely,

/s/
TOM D. KING
Senior Water Resource Agent

cc: IDWR - State Office

MICROFILMED

MAR 04 1988

RECEIVED
DEC 17 1987

For Office Use Only
Fee Received 50.00
Date 12/20/87
Receipt # 41863
Receipt by [Signature]
Reviewed by [Signature]
Sent to region 14-88

RECEIVED
DEC 10 1987
Department of Water Resources
Northern District Office
Department of Water Resources
Northern District Office

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 95-8246

Name(s) of Permit Holder: IDAHO ASPHALT SUPPLY, INC. ✓

Post Office Address: W.4325 Prairie Ave., Post Falls, ID 83854 ✓

Telephone No. (208) 773-0563/0564 ✓

Source of Water: Ground water ✓

Extent of Use:

Domestic one office ✓ (number of households) Stockwater N/A (number and type of stock)

Irrigation N/A (acres) Other/Remark Industrial ✓

Total rate and/or volume for which proof is submitted 0.20 cfs acre-feet

Show the date water was first diverted and beneficially used under this permit: 28 March 1983

Measuring Device: Required? Yes ✓ No
Installed? Yes ✓ No
Fee enclosed \$50.00 ✓
(See License Examination Fee Schedule)

Flow Measurement Port: Required? Yes ✓ No
Installed? Yes ✓ No

Person to contact to accompany the Department representative during the field examination:

Daniel P. Murphy, Jr., Plant Manager, Idaho Asphalt Supply, Inc. (208) 773-0563/0564
(Name) (Telephone Number)

W.4325 Prairie Ave., Post Falls, ID 83854
(Address)

RECEIVED
MAR 04 1988

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

12-2-87 Rosine Stone President, Idaho Asphalt Supply, Inc.
Date Signature of Permit Holder (and title, if appropriate)

138123
CERTIFIED MAIL
November 30, 1987

IDAHO ASPHALT SUPPLY INC.
W. 4325 PRAIRIE AVE.
POST FALLS, ID 83854

PROOF DUE NOTICE

RE: Permit No. 95-8246

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before February 1, 1988. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a completed field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this Department on or before the above described proof due date, or the permit will no longer be of any force nor effect.

Sincerely,

RITA FLECK
Secretary/Records Manager

Enclosures

MICROFILMED

MAR 04 1988

S T E O F I D A H O
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

IDAHO ASPHALT SUPPLY INC.
W. 4325 PRAIRIE AVE.
POST FALLS, ID 83854

MARCH 01, 1983

RE: PERMIT NO. 95-8246

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

THE 1982 IDAHO LEGISLATURE ADDED A REQUIREMENT THAT AS A PERMIT HOLDER YOU MUST COMMENCE THE EXCAVATION OR CONSTRUCTION OF DIVERTING WORKS WITHIN ONE YEAR OF THE DATE THE PERMIT WAS ISSUED, AND YOU MUST PROCEED DILIGENTLY UNTIL THE PROJECT IS COMPLETED. THE ENCLOSED BLUE CARD MUST BE COMPLETED AND RETURNED TO THIS OFFICE AS SOON AS YOU COMMENCE CONSTRUCTION, NO LATER THAN ONE YEAR FROM THE DATE THE PERMIT WAS APPROVED.

WE HAVE ENCLOSED INSTRUCTIONS ENTITLED "MAKING PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT INTO A LICENSE.

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: JK

APPLICATION NUMBER: 95-8246

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.

Field check by: _____

Date: _____

Comments: _____

☒ Fee.

☒ Yes ☒ No Field check required.

☐ Yes ☒ No Critical groundwater area.

☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____

☒ Yes ☐ No* In form to receipt.

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: _____ Date: _____

PROCESSING:

☐ Yes ☐ No Platted by: _____ Map No. _____

☐ Yes ☐ No Other rights on same place of use. _____

☒ Yes ☐ No* In form for advertising.

☐ Yes ☒ No Final date for protests: 1/17/83 ✓

☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

☒ Affidavit of publication received. Date: 1/83 ✓

☒ Application published correctly. If not, record action taken: _____

☒ Fee amount, receipt date & number, recorded on application.

☒ Publication dates and paper, recorded on application.

☒ Protests, dates, withdrawal, etc., recorded on application.

☒ Recommendation & initial, recorded on application.

☐ Yes ☒ No Measuring device required.

☐ Yes ☒ No Access port required.

☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? _____

✓ 12-16-82 Date of priority recommended.

Special conditions of approval or cover letter. _____

By: _____ Date: _____

STATE OFFICE REVIEW:

SW/L17 26

☒ See attached sheet for more information.

By: [Signature] Date: 2/15/83

RECEIVED
FEB 11 1983

Department of Water Resources

95-8246-

IDAHO ASPHALT SUPPLY INC.

W. 4325 PRAIRIE AVE., POST FALLS, ID 83854

Source: GROUNDWATER

Date Filed: 12/16/1982

Amount: 0.20 CFS

Diversion Point: SESE SWSE Sec 19 T 51N R 05W, KOOTENAI Co.

Use: INDUSTRIAL	(0.20 CFS)	from 01/01 to 12/31
DOMESTIC	(0.02 CFS)	from 01/01 to 12/31

Place of Use: SESE SWSE Sec 19 T 51N R 05W

Diversion Means: WELL AND PUMP.