

AFFIDAVIT OF PUBLICATION

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

95-8218

HEINEMANN, CZENZI
Rt. 3 BOX 34, HAYDEN LAKE,
ID 83833

Source: LANCASTER CREEK
tributary to HAYDEN CREEK
SPRINGS tributary to HAYDEN
CREEK

Date Filed: 03/30/1982

Amount: 0.20 CFS 5.0 AC-FT

Diversion Point: SESW Sec 22

22 T 52N R 03W, KOOTENAI Co.
Use: FISH PROP. STORAGE (5.0
AC-FT) from 01/01 to 12/31; DI-
VERSION TO STORAGE (0.20
CFS) from 01/01 to 12/31

Place of Use: SESW SWSE Sec 22
T 52N R 03W
Diversion Means: PONDS AND
PIPE.

95-8219

EIXENBERGER, CHUCK
1171 MONARCH ST., POST
FALLS, ID 83854

Source: SPRING tributary to
SINKS

Date Filed: 03/07/1982

Amount: 0.08 CFS

Diversion Point: SWSW Sec 05T
51N R 05W, KOOTENAI Co.

Use: STOCKWATER (0.02 CFS)
from 01/01 to 12/31; DOMESTIC
(0.04 CFS) from 01/01 to 12/31

Place of Use: SWSW Sec 05T 51N
R 05W

Diversion Means: DEVELOPED
SPRING AND PUMP.

95-4310

WEAVER, ROBERT
14312 KIPLING LANE, TUSTIN,
CA 92680

Source: SPRING tributary to
PEND OREILLE LAKE

Priority Date: 01/01/1908

Amount: 0.04 CFS 1.2 AC-FT

Diversion Point: NENE Sec 34 T
54N R 02W, KOOTENAI Co.

Use: DOMESTIC (0.04 CFS) from
01/01 to 12/31

Place of Use: SWNE Sec 34 T 54N
R 02W

If issued, the permit(s) will be
subject to all prior water rights.
Protests against the granting of
any permit must be filed with the
Director of the Idaho Department
of Water Resources, 4035 Gov't
Way, Coeur d'Alene, ID, 83814 on
or before SEPTEMBER 27, 1982.

A. KENNETH DUNN

Director

Legal 940

Sept. 9, 1982

STATE OF IDAHO,
County of Kootenai,

ss.

Allen Hancock being first duly sworn
upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The Application

of which the annexed is a printed copy, was published in the regular Thursday issue of said newspaper for 2 consecutive weeks, commencing on the 9 day of Sept, 1982 and ending on the 16 day of Sept, 1982 and such publication was made as often during said period as said daily newspaper was regularly issued.


4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.

Allen Hancock
Subscribed and sworn to before me this 16 day of Sept, 1982

SEP 21 1982


Department of Water Resources
LEADER
Northern District Office

Roberta Bradley
Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.



MICROFILMED
APR 1980





Scale 1" = 100'

Inlet 28" wide wooden flume 36" deep (24" water @ time of exam)

A. 24" diversion dam

B. 8" 0° grade CMP

C. 8" CMP Overflow

D. Irrigation pump & pipe
(not part of this Exam)

E. 16" CMP With V-notch weir

F. 8" CMP flow between ponds

Attachment A 95-8218

Pond #1. $110' \times 45' = 4950$ } $9700' \times 14'$ deep
 $50' \times 95' = 4750$ } $= 135800 \text{ cu ft}$

#2. $\frac{1150^2}{4} = 1963$ } $10688' \times 11'$ deep
 $\frac{43 \times 50}{2} = 1185$ } $= 117568 \text{ cu ft}$
 $95' \times 80' = 7600$

3). $65' \times 20' = 1300$ } $16025' \times 9'$ deep
 $155' \times 95' = 14725$ } $= 144225 \text{ cu ft}$

4). $115' \times 50' = 5750' \times 7'$ deep = 40250 cu ft

$\frac{437843 \text{ Total cu ft}}{43560} = \frac{10 \text{ AF}}{2} = 5$

5 AF

Side Slope on ponds extreme
divide AF by 2

$4\frac{3}{4}$ in H_2O over V-notch weir
U of I ext bulletin #170

$4\frac{3}{4}" = 0.225 \text{ cfs}$

$0.20(1.9835)365 = 144.8 \text{ AF}$

G. 6" CMP perforated through
bog

MICROFILMED

MAR 23 1990

WARREN R. SMITH

NO IRRIGATION
95-0356

CREEK

WOODS

D. SMITH
DOMESTIC WATER ONLY
NO IRRIGATION
95-0353

WOODS

LANCASTER

U.S. GOVERNMENT
NO IRRIGATION

WOODS

POND

CLEARED

WOODS

E TANK

ART HEINEMANN
DOMESTIC WATER - 26 AC
IRRIGATED - BALANCE OF LAND
NOT IRRIGATED
95-0173

Ponds fed by Lancaster Creek
runoff & springs in
bottom of ponds

CLEARED

22

MICROFILMED

MAR 23 1990

TWP. 52N RGE. 3W SEC. 22 MAP #16 HAYDEN LAKE DEGREE MAP SCALE 1" = 40'

DATE OF FIELD EXAM 10/31/84

FIELD REPORT MAP PERMIT # 95-8218

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 95-08218

Priority: September 3, 1982

Maximum Diversion Rate: 0.20 CFS
Maximum Diversion Volume:¹ 144.8 AF

This is to certify, that CZENZI HEINEMANN
RT. 3 BOX 34

HAYDEN LAKE, ID 83835 has complied with the terms and conditions
of the permit, issued pursuant to Application for Permit dated August 30, 1982; and
has submitted Proof of Beneficial Use on December 5, 1983. An examination indicates
that the works have a diversion capacity of .230 cfs of water from:

LANCASTER CREEK
SPRINGS

tributary to HAYDEN CREEK
tributary to HAYDEN CREEK

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
FISH PROPAGATION	01/01 to 12/31	0.20 CFS	144.8 AF

LOCATION OF POINT(S) OF DIVERSION:

SESW , Sec. 22, Township 52N, Range 03W
SWSE , Sec. 22, Township 52N, Range 03W
KOOTENAI County

PLACE OF USE: FISH PROPAGATION

TWN RGE SEC

52N 03W 22 SESW SWSE

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Use of water under this water right is subject to control by the watermaster of State Water District No. 95A
6. Facility volume = 10 acre feet.

MICROFILMED


MAR 23 1990

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE
WATER RIGHT NO. 95-08218

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 8th
day of February, 1990.

Acting for


R. Keith Higginson, Director

MICROFILMED

MAR 23 1991

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF PERMIT NO. 95-8218 IN THE
NAME OF CZENZI HEINEMANN

)
) ORDER OF REINSTATEMENT
)
)

WHEREAS, the Department has issued the above-captioned permit with the condition that proof of construction of works and application of water to beneficial use be submitted on or before December 1, 1983; and,

WHEREAS, the Department has notified the permit holder by certified mail that proof was due and instructed the permit holder as to the steps to be taken to make said proof; and,

WHEREAS, the Department has notified the permit holder that the permit has lapsed for failure of the permit holder to submit proof of beneficial use; and,

WHEREAS, Section 42-218a of the Idaho Code provides that a permit may be reinstated upon a showing of reasonable cause within sixty days of the date of the notice of lapsing; and,

WHEREAS, the permit holder has provided a reasonable showing as to why said permit should be reinstated by submitting proof of beneficial use on December 5, 1983;

IT IS, THEREFORE, HEREBY ORDERED that Permit No. 95-8218 be REINSTATED and the priority advanced to September 3, 1982

Dated this 7th day of February, 1984.


L. GLEN SAXTON
Chief, Operations Bureau

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant CLENZI HEINEMANN Phone 772 5163
Post office address RT 3 BOX 34 HAYDEN LAKE ID. 83835
2. Source of water supply LANCASTER CREEK + SPRINGS which is a tributary of HAYDEN CREEK
3. Location of point of diversion is SW $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 22 Township 52N
Range 3W B.M. KOOTENAI County, additional points of diversion if any: SE SW, SEC 22, T52N, R3W

4. Water will be used for the following purposes:
Amount .20 for FISH PROP. purposes from JAN 1 to DEC. 31 (both dates inclusive)
(cfs or acre-feet per annum) STORAGE FOR
Amount SAF for FISH PROP. purposes from 1-1 to 12-31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. .20 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works: (SEE ALSO REMARKS UNDER 10)

a. Description of ditches, flumes, pumps, headgates, etc. 2 PIPES 6"/DIA. FROM CREEK ENTER
2 STORAGE PONDS. 8"/DIA. OUTLET BETWEEN THEM. 8"/DIA. OUTLET INTO A
THIRD POND. 8"/DIA. OUTLET INTO CREEK. MIDDLE POND HAS ANCILLARY POND.

b. Height of storage dams 4 feet, active reservoir capacity 5 acre-feet; total reservoir capacity 5 acre-feet, materials used in storage dam: CLAY

Period of year when water will be diverted to storage 1-1 to 12-31 inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 1 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: SE 1/4 of SW 1/4 }
SW $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 22 Township 52N
Range 3W B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water _____.

(5) If water is to be used for other purposes describe: COMMERCIAL FISH RAISING
-5000 LBS/YR (TROUT MUST HAVE COOL, OXYGENATED WATER.
ADÉQUATE STREAM FLOW IS NEEDED TO KEEP GASES FROM
COLLECTING IN TOXIC AMOUNTS UNDER ICE).

[illegible]

WATER LICENSE NO. 29232 FOR .30 C.F.S. FOR IRRIGATION
PRIORITY DEC. 21, 1960

CEZNI HEINEMANN

SAME

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the


applicant to make this filing

OF LANCASTER CREEK HAS A FOUR INCH PIPE
ENTERING FROM CREEK AND A 6" OUTLET

RETURN.

ALL FIVE PONDS TO BE STOCKED WITH DIFFERENT-SIZED RAINBOW TROUT.

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Gay H. Brineman
(Applicant)

Proposed Permit 8/30/1982

Received by JK Date 8-30-82 Time 11:30 AM

Preliminary check by JK Fee \$ 30.00

Received by me Date 8/30/82 (2-1341)

Publication prepared by me Date 9/2/82

Published in Journal of Water Resources

Publication dates 9/9-16/82

Publication approved me Date 12/23/82

Protests filed by: none

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by me

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 95-8218, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or be-

fore December 1, 19 83.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. Other: Use of water under this permit is subject to control by the watermaster of State Water District No. 95A, Hayden Lake. Permanent measuring devices must be installed in such a manner that the amount of water entering the reservoir and the amount of water released from the reservoir can be measured.

Witness my hand this 17th day of November, 1982.

J. Allen Gayton
Chief, Operations Bureau

NOTICE OF CORRECTION

Notice is hereby given that Application for permit No. 95-8218
in the Name of Czenzi Heinemann
was advertised incorrectly on 9/9 and 9/16/82
xxxxxx.

The diversion point was incorrectly advertised as the SESW, SESW
Sec 22 T52N R03W; whereas, correctly it should be the SESW, SWSE
Sec 22 T52N R03W.

Any protest/~~consent~~ to the above-referenced correction must be filed
with the State of Idaho Department of Water Resources, 4055 Government
Way, Coeur d'Alene, Idaho 83814, on or before October 25, 1982.

A. KENNETH DUNN
Director

Published in the Coeur d'Alene Press on
October 7 and 14, 1982

*ever
not over.*

AFFIDAVIT OF PUBLICATION

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

95-0218
HEINEMANN, CZENZI
Rt. 3 BOX 34, HAYDEN LAKE,
ID 83833

Source: LANCASTER CREEK
tributary to HAYDEN CREEK
SPRINGS tributary to HAYDEN
CREEK

Date Filed: 08/30/1982

Amount: 0.20 CFS 5.0 AC-FT

Diversion Point: SESEW Sec 22

22 T 52N R 03W, KOOTENAI Co.
Use: FISH PROP. STORAGE (5.0
AC-FT) from 01/01 to 12/31; DI-
VERSION TO STORAGE (0.20
CFS) from 01/01 to 12/31
Place of Use: SESEW SWSE Sec 22
T 52N R 03W
Diversion Means: PONDS AND
PIPE.

95-0219
EIXENBERGER, CHUCK
1171 MONARCH ST., POST
FALLS, ID 83854

Source: SPRING tributary to
SINKS

Date Filed: 08/07/1982

Amount: 0.06 CFS

Diversion Point: SESEW Sec 05T
51N R 03W, KOOTENAI Co.

Use: STOCKWATER (0.06 CFS)
from 01/01 to 12/31; DOMESTIC
(0.04 CFS) from 01/01 to 12/31

Place of Use: SESEW Sec 05T 51N
R 03W
Diversion Means: DEVELOPED
SPRING AND PUMP.

95-0220
WEAVER, ROBERT
14312 KIPLING LANE, TUSTIN,
CA 92680

Source: SPRING tributary to
PEND OREILLE LAKE

Priority Date: 01/01/1980

Amount: 0.04 CFS 1.2 AC-FT

Diversion Point: NENE Sec 34 T
54N R 03W, KOOTENAI Co.

Use: DOMESTIC (0.04 CFS) from
01/01 to 12/31

Place of Use: NENE Sec 34 T 54N
R 03W

If issued, the permit(s) will be
subject to all prior water rights.
Protests against the granting of
any permit must be filed with the
Director of the Idaho Department
of Water Resources, 400 Gov't
Way, Coeur d'Alene, ID, 83814 on
or before SEPTEMBER 27, 1982.

A. KENNETH DUNN
Director

Legal 949

Sept. 9, 1982

STATE OF IDAHO,
County of Kootenai,

} ss.

Alexander Lancaster being first duly sworn
upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The Application

of which the annexed is a printed copy, was published in the regular Press issue of said newspaper for 2 consecutive weeks, commencing on the 9 day of Sept, 1982, and ending on the 16 day of Sept, 1982, and such publication was made as often during said period as said daily newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.

RECEIVED
Subscribed and sworn to before me this 16 day of Sept, 1982.

SEP 21 1982

Robert M. Zandy
Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

Department of Water Resources
LEADER
Northern District Office

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO, }
County of Kootenai, } ss.

NOTICE OF CORRECTION
Notice is hereby given that Application for Permit No. 95-8218 in the Name of Czezi Heinemann was advertised incorrectly on 9/9 and 9/16/82.

The diversion point was incorrectly advertised as the SESW, SESW Sec 22 T52N R03W; whereas, correctly it should be the SESW, SWSE Sec 21 T52N R03W.

Any protest to the above-referenced correction must be filed with the State of Idaho Department of Water Resources, 4066 Government Way, Coeur d'Alene, Idaho 83814, on or before October 25, 1982.

A. KENNETH DUNN
Director

Legal 73
Oct. 7, 14, 1982

Coleen Hancock being first duly sworn upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The Correction

of which the annexed is a printed copy, was published in the regular Thursday issue of said newspaper for 2 consecutive weeks, commencing on the 7 day of Oct, 1982 and ending on the 14 day of Oct, 1982, and such publication was made as often during said period as said daily newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.

RECEIVED

OCT 17 1982

Department of Water Resources
Northern District Office

Subscribed and sworn to before me this 14 day of Oct, 1982.

Roberta Mander
Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

February 22, 1990

RE: Permit No. 95-8218

Czenzi Heinemann
Rt. 3, Box 34
Hayden Lake, ID 83835

Dear Mr. Heinemann:

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Should you have any questions regarding this matter, please feel free to contact our office.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

MAR 23 1990

MEMORANDUM

TO: FILE 95-8218

FROM: JIM JOHNSON

RE: ADJUSTMENT TO FIELD EXAM

DATE: January 15, 1990

=====

Storage for fish propagation should not have been recommended under this right. Volume of the fish ponds is not normally considered as "stored" water. The volume associated with raceways in a fish propagation facility is used as a measure of the extent to which development of fish propagation has occurred and is listed on the license as facility volume.

The diversion to storage use identified on the permit was changed to 0.20 cfs for fish propagation use.

NOT FILMED

MAR 23 1990

November 28, 1989

CZENZI HEINEMANN
RT. 3 BOX 34
HAYDEN LAKE, ID 83835

RE: PERMIT NO. 95-08218

Dear Permit Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

MAR 23 1990

MEMORANDUM

TO: FILE

FROM: ROXANNE MCCARTHY

RE: ANNUAL VOLUME FOR FISH PROPAGATION

DATE: 7-SEP-1989

=====

Per a memo dated 1-15-88, volume is calculated in this way:

1. calculate changes per hour:
total flow into facility x 3600/facility volume(cf)=changes
 2. calculate annual volume:
facility volume(AF) x changes x 8760=AFA
 3. calculate volume given by permitted flow:
flow rate(cfs) x 1.9835 x 365 days=AFA
 4. recommend lower figure
-

1. 0.225 cfs x 3600/ 437,843 cf= 0.00185
2. 10.0 AF x 0.00185 x 8760= 162.1 AFA
3. 0.20 cfs x 1.9835 x 365 days= 144.8 AFA

RECOMMENDATION:

144.8 AFA


MICROFILMED

MAR 23 1990

Department of Water Resources
Permit No. 95-8218

Irrigation - give acres served by system at time of exam.																			
Place(s) of Use:			Indicate Method of Determination <u>DECREE MAP</u>																
Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
52N	3W	22												X			X		
			Total Acres _____																

10. Other water rights on these lands 95-0173 / 95-7681
11. Other water right diverted from same p.d. 95-0173 / 95-7681
12. **Diversion and Delivery System Diagram:** Indicate all major components and distances between components. Indicate ditch size/pipe i.d. as applicable. Indicate on systems with measurement port the distance between the port and the nearest component/pipe bend/restriction both upstream and downstream, and the inside pipe diameter at the measurement port. On multiple diversion systems indicate how diversion systems are connected.



13. ☒ Photo of Diversion & System Attached
- ☒ Aerial Photo of Place of Use Attached or Map of Irrigated Acreage Attached

14. Remarks

15. Recommended Amendments
- ☐ Change P.D. as reflected above
- ☐ Change P.U. as reflected above
- ☒ Add P.D. as reflected above
- ☐ Add P.U. as reflected above
- ☐ Other
- ☐ None

16. Examiner's/Consultant's Signature *John* Date 10/31/84

Consultant's License Number

IDWR Director's Authorization to Conduct

Beneficial Use Examination

Date

CONSULTANT SEAL

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
LICENSING REPORT

RECEIVED
MAY 2 1985

95-8218
Permit No.

Department of Water Resources

1. Measurement Calculations

- a) Field Measurement Calculations (Include theoretical capacities and system capacity)

Attachment A

Applied for 0.20 cfs

- b) Volume Calculations for Irrigation:

$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{IR} \text{ and } V_{D.R.} =$ _____

- c) Volume Calculations for Other Uses:

Attachment B

2. Overlap Review

- a) Other water rights with same place of use: 95-0173 95-7681

- b) Other water rights with same point of diversion: 95-0173 95-7681

- c) Analysis:

Not for same purpose ~ no effect.

MICROFILMED

MAR 23 1990


Permit No.	Priority	Amount	App. Date	Date Proof Submitted	System Capacity
------------	----------	--------	-----------	----------------------	-----------------

- | 6. Beneficial Use | Period of Use
From
To | Rate of Diversion
Q (cfs) | Annual Volume
V (afa) |
|------------------------|-----------------------------|------------------------------|--------------------------|
| Diversion to Storage | 1-1
12-31 | 0.00 0.20 | 144.8 5.0 |
| Fish Propagation | 1-1
12-31 | 0.20 | 144.8 |
| Storage for Fish Prop. | 1-1
12-31 | | 5.0 |

- [illegible]


9. Recommended Conditions/Remarks:


11. Examiner's Signature William J. King
Checked in Regional Office by Bob Karpis
Approved in State Office by _____
Date 11/2/81
Date 7/20/85
Date _____



MICROFILMED

NOV 2 1970





Scale 1" = 100'

Inlet 28" wide wooden flume 36" deep (24" water @ time of exam)

A. 24" diversion dam

B. 8" 0° grade CMP

C. 8" CMP Overflow

D. Irrigation pump pipe
(not part of this Exam)

E. 16" CMP With V-notch wier

F. 8" CMP flow between ponds

Attachment A 95-8218

Pond #1. $110' \times 45' = 4950$ } $9700' \times 14'$ deep
 $50' \times 95' = 4750$ } $= 135800 \text{ cu ft}$

#2. $\frac{\pi 50^2}{4} = 1963$ } $10688' \times 11'$ deep
 $\frac{45 \times 50}{2} = 1125$ } $= 117568 \text{ cu ft}$
 $95' \times 80' = 7600$

3). $65' \times 20' = 1300$ } $16025' \times 9'$ deep
 $155' \times 95' = 14725$ } 144225 cu ft

4). $115' \times 50' = 5750' \times 7'$ deep = 40250 cu ft

$\frac{437843}{43560} \text{ Total cu ft} = \frac{10 \text{ AF}}{2} = 5$

5 AF

Side Slope on ponds extreme
divide AF by 2

$4\frac{3}{4}$ in h_2O over V-notch wier
UofI ext bulletin #170

$4\frac{3}{4}" = 0.225 \text{ cfs}$

$0.20(1.9835)^{3/2} = 144.8 \text{ AF}$

G. 6" CMP perforated through
bog

MICROFILMED

MAR 23 1990

WARREN R. SMITH

NO IRRIGATION
95-0356

WOODS

CREEK

LANCASTER

U.S. GOVERNMENT
NO IRRIGATION

WOODS

W. SMITH
DOMESTIC WATER ONLY
NO IRRIGATION
95-0353

WOODS

POND

CLEARED

WOODS

E TANK

ART HEINEMANN
DOMESTIC WATER - 26 AC
IRRIGATED - BALANCE OF LAND
NOT IRRIGATED
95-0173

Ponds fed by Lancaster Creek
runoff & springs in
bottom of ponds

CLEARED

22

MICROFILMED

MAR 23 1990

TWP. 52N RGE. 3W SEC. 22 MAP #16 HAYDEN LAKE DEGREE MAP SCALE 1" = 40'

DATE OF FIELD EXAM 10/31/84

FIELD REPORT MAP PERMIT # 95-8218



STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

NORTHERN REGION

A. Kenneth Dunn
Director

Suite No. 9
4055 Government Way
Coeur d'Alene, Idaho 83814
(208) 667-6484

October 24, 1984

Mr. Czenzi Heinemann
Rt. 3 Box 34
Hayden Lake, Id. 83835

Re: 95-8218

Dear Mr. Heinemann:

I would like to conduct the required field examination of your fish-rearing facilities this fall.

In order to accomplish this, please contact me at this office to schedule a date and time when you or your appointee can meet with me to demonstrate the system.

Sincerely,

TOM D. KING
Senior Water Resource Agent

TDK/pms

MICROFILMED

MAR 23 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Northern Region

JOHN V. EVANS
Governor
A. KENNETH DUNN
Director

4055 Government Way
Coeur d'Alene, ID 83814
(208) 667-6484

FEBRUARY 16, 1984

CZENZI HEINEMANN
RT. 3 BOX 34
HAYDEN LAKE ID 83835

RE: Permit No. 95-8218

Dear Permit Holder:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Enclosed please find a copy of an order involving your permit.

Before a Water Right License can be issued, a field examination must be made by a representative of this department.

A condition of approval of your original permit required the installation of a measuring device which, according to the proof card submitted by you, has not been installed. A measuring device must be installed and operating at the time the field examination is made. If a measuring device is not installed your permit may be subject to cancellation.

A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office by phone at 667-6484 or in person at our office.

Sincerely,

/S/
TOM D. KING
Senior Water Resource Agent

cc: IDWR - State Office

Enclosure

RECEIVED
MAR 23 1984

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 95-8218.

Name(s) of Permit Holder: CZENZI HEINEMANN

Post Office Address: Rt. 3, Box 34 HAYDEN LAKE, ID. 83835

Tel. No. 772-5163

Source of Water: LANCASTER CK. & SPRINGS

Extent of Use: ☐ Domestic (number of households)
☐ Stockwater (number and type of stock)
☐ Irrigation (acres)
☒ Other Fish Prop

Measuring Device: Required? ☒ Yes ☐ No Installed? ☒ Yes ☐ No
Access Port: Required? ☐ Yes ☐ No Installed? ☐ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

11/28/83

Date

Cenzi Heinemann
Signature of Permit Holder

HEINEMAN

Rt. 3 Box 34

HAYDEN LAKE, IDAHO

83835



IDAHO DEPARTMENT OF ~~Department of~~ Water Resources
STATEHOUSE
BOISE, IDAHO 83720



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

HEINEMANN, CZENZI
RT. 3 BOX 34
HAYDEN LAKE, ID 83835

LAPSE NOTICE

DECEMBER 01, 1983

DEAR PERMIT HOLDER:

YOU ARE HEREBY NOTIFIED THAT UNDER THE PROVISIONS OF SECTION 42-218A OF THE IDAHO CODE, PERMIT NO. 95-8218 HAS LAPSED. THIS OFFICE DID NOT RECEIVE EITHER AN ACCEPTABLE NOTICE THAT YOU HAVE COMPLETED THE PROJECT (PROOF OF BENEFICIAL USE) BY THE DATE REQUIRED ON YOUR PERMIT OR AN ACCEPTABLE REQUEST FOR AN EXTENSION OF TIME. YOU WERE PROVIDED THE PROPER FORMS IN OUR PROOF DUE NOTICE TO YOU DATED SEPTEMBER 30, 1983.

YOUR PERMIT CANNOT BE REINSTATED UNLESS YOU SUBMIT THE STATEMENT OF BENEFICIAL USE POSTCARD OR SUBMIT AN EXTENSION OF TIME REQUEST SHOWING REASONABLE CAUSE FOR DELAY. EITHER THE COMPLETED POSTCARD OR THE EXTENSION REQUEST MUST BE RECEIVED BY THIS OFFICE WITHIN SIXTY DAYS OF THE DATE OF THIS LAPSE NOTICE OR THE PERMIT WILL NO LONGER BE OF ANY FORCE OR EFFECT.

A STATEMENT OF BENEFICIAL USE POSTCARD AND A REQUEST FOR EXTENSION OF TIME FORM ARE AGAIN ENCLOSED FOR YOUR USE. PLEASE NOTE THAT A FEE OF \$15.00 MUST ACCOMPANY AN EXTENSION OF TIME REQUEST AND THAT ONLY ONE EXTENSION OF TIME CAN BE GRANTED UNLESS THE PROJECT HAS NOT BEEN COMPLETED BECAUSE OF LACK OF A NECESSARY APPROVAL BY A GOVERNMENTAL AGENCY OR BY LITIGATION.

L. GLEN SAXTON
CHIEF, OPERATIONS BUREAU

ENCLOSURES

LGS:RF

CERTIFICATION OF MAILING

I hereby certify that on 12-12-1983
a copy/an original of this document was
deposited in the United States mail,
postage prepaid addressed to the
individual(s) named above.

Rita Elser

UNRECORDED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

138050

HEINEMANN, CZENZI
RT. 3 BOX 34
HAYDEN LAKE, ID 83835

PROOF DUE NOTICE

SEPTEMBER 30, 1983

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 95-8218 WAS THAT PROOF OF THE EXTENT OF YOUR BENEFICIAL USE MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE DECEMBER 01, 1983. (SEE LAST PAGE OF YOUR APPROVED PERMIT OR YOUR LAST APPROVED EXTENSION REQUEST). ENCLOSED IS A POSTCARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU OR A PREVIOUS OWNER OF THIS PERMIT HAVE NOT RECEIVED A PRIOR EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME IF THE DELAY IS FOR REASONABLE CAUSE AS PROVIDED IN SECTION 42-204, IDAHO CODE. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED. AN EXTENSION OF TIME REQUEST FORM IS ENCLOSED FOR YOUR CONVENIENCE.

EITHER THE BENEFICIAL USE POSTCARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE DESCRIBED PROOF DUE DATE. IF NEITHER IS RECEIVED, THE DEPARTMENT WILL SEND YOU A LAPSE NOTICE. WITHIN SIXTY (60) DAYS OF THE MAILING OF THE LAPSE NOTICE, THE PERMIT WILL NO LONGER BE OF ANY FORCE NOR EFFECT.

SINCERELY,

RITA FLECK
SECRETARY/RECORDS MANAGER

ENCLOSURES

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

HEINEMANN, CZENZI
RT. 3 BOX 34
HAYDEN LAKE, ID 83835

NOVEMBER 23, 1982

RE: PERMIT NO. 95-8218

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

WE HAVE ENCLOSED INSTRUCTIONS ENTITLED "MAKING PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT. ALSO ENCLOSED FOR YOUR CONVENIENCE IS THE STATEMENT OF BENEFICIAL USE POSTCARD THAT MUST BE SUBMITTED WHEN YOUR PROJECT IS COMPLETED.

BE SURE TO NOTE THE SPECIAL CONDITION REQUIRING YOU TO INSTALL A LOCKABLE DEVICE THAT WILL PROVIDE THE WATERMASTER CONTROL OF YOUR DIVERSION.

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE

[Handwritten signature/initials]

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: JK

APPLICATION NUMBER: 95-8218

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☐ Yes ☒ No
☐ Yes ☒ No
☐ Yes ☒ No
☐ Yes ☒ No*

Field check by: _____

Date: _____

Comments: _____

Field check required.

Critical groundwater area.

Request dam safety information. Sent by: _____ Date: _____

In form to receipt.

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department.
☒ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: _____ Date: _____

m 9/9/82

PROCESSING:

- ☐ Yes ☐ No
☐ Yes ☐ No

Platted by: _____ Map No. _____

Other rights on same place of use. _____

- ☒ Yes ☐ No*

In form for advertising.

Final date for protests: 10/25/82

- ☐ Yes ☒ No

Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 10/15/82
☒ Application published correctly. If not, record action taken: wrong P/D - made
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No
☐ Yes ☒ No
☐ Yes ☒ No

Measuring device required.

Access port required.

Will water be delivered by watermaster? If yes, what district? 95-A

8/30/82 Date of priority recommended.

Special conditions of approval or cover letter. _____

STATE OFFICE REVIEW:

By: SLW/LIB, LOI

Date: 10/26/82 18A

3LW/LIB, LOI

05/95A Hayden Lake

- ☐ See attached sheet for more information.

By: SLW/LIB, LOI

Date: 11/10/82

RECEIVED

NOV 02 1982

POINT OF DIVERSION AND STREAM INDEX INFORMATION

RECEIVED
JUL 10 1968

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-------	-----	-----	-----	--------------	---------------	-------

IDAHO STREAM CODE INDEX

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-------	-----	-----	-----	--------------	---------------	-------

IDAHO STREAM CODE INDEX

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-------	-----	-----	-----	--------------	---------------	-------

IDAHO STREAM CODE INDEX

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-------	-----	-----	-----	--------------	---------------	-------

IDAHO STREAM CODE INDEX

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-------	-----	-----	-----	--------------	---------------	-------

IDAHO STREAM CODE INDEX

95-8218

HEINEMANN, CZENZI

RT. 3 BOX 34, HAYDEN LAKE, ID 83835

Source: LANCASTER CREEK tributary to HAYDEN CREEK
SPRINGS tributary to HAYDEN CREEK

Date Filed: 08/30/1982

Amount: 0.20 CFS 5.0 AC-FT

Diversion Point: SWSE SESW Sec 22 T 52N R 03W, KOOTENAI Co.

Use: FISH PROP. STORAGE (5.0 AC-FT) from 01/01 to 12/31
DIVERSION TO STORAGE (0.20 CFS) from 01/01 to 12/31

Place of Use: SESW SWSE Sec 22 T 52N R 03W

Diversion Means: PONDS AND PIPE.

RECEIVED
07/11/1982



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
NORTHERN REGION

John V. Evans
Governor

A. Kenneth Dunn
~~C. Stephen Black~~
Director

Suite No. 1
4055 Government Way
Coeur d'Alene, Idaho 83814
(208) 667-6484

September 9, 1982

Dept. of Fish & Game
2320 Government Way
Coeur d'Alene, Id. 83814

Re: 95-8218

Gentlemen:

Enclosed is a recent filing with this Department that may be of
interest to you.

Sincerely,

ROBERT G. HAYNES, P.E.
Regional Supervisor

RGH

Enc. - Application

RECEIVED
SEP 14 1982
FISH & GAME
COEUR D'ALENE