


[illegible]

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Donald E. Supper
(Applicant)

(Applicant)




COEUR D'ALENE INDIAN
p N° 48 North Range N° 4 West of the

F e e d

10° Standard Parallel North

Sec. 5. Sec. 4. Sec. 3.
Survey by W. Claydon Miller in 1892



could be alone Lake.


Will be up two weeks Christmas.

if you want some one there to help check it.

Map inclosed,

Sincerely,

D. Ed Supper



State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

License of Water Right No. 95-8217 Priority August 23, 1982 Amount 0.08 cfs

THIS IS TO CERTIFY, that Robert Nilon or Winano Wilan or William Bokamis or Elizabeth Bakus or Joanne Hafner or Donald Tupper of Vancouver, Washington, has complied with the terms and conditions of Permit No. 95-8217 issued pursuant to Application for Permit dated August 23, 1982, and has submitted proof to the Department of Water Resources on November 22, 1982, that he has applied water to a beneficial use; an examination by the Department indicates that the works have a capacity for the diversion of 0.08 cfs of water from a groundwater source, tributary to _____, and that the permit holder has applied to a beneficial use and established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
Domestic (4 Units)	from <u>January 1</u> to <u>December 31</u>	at <u>0.08</u> cfs and	<u>4.8</u> acre feet
	from _____ to _____	at _____ cfs and	_____
	from _____ to _____	at _____ cfs and	_____

(both dates inclusive)

Subject, however, to the condition that no more than 0.08 cfs of water be diverted at any one time, and that the amount of water so diverted and to which such right is entitled and confirmed is for the purpose aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed 4.8 acre feet per year, said waters to be diverted within the Gov. Lot 3 (SE $\frac{1}{4}$ NW $\frac{1}{4}$) Section 16, Twp 48N, Rge 4W in the County of Kootenai

Description and location of place of use:

Twp.	Range	Sec.	NEW				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				Totals
			NEW	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NEW	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NEW	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NEW	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
48N	4W	16								GL 3									

Total number of acres irrigated _____

place of use also known as Indian Bay Subdivision

NOTE: Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use herein described, and is subject to all prior water rights, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 5TH day of JANUARY, 19 84.

Acting for the Director

Norman C Young

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT APPROVED

To appropriate the public waters of the State of Idaho

Robert Nilan, or Winona Wilam, or William Bokamis, or Elizabeth Bakus

1. Name of applicant Joanne Hafner, or Donald Tupper Phone 806 695-0814

Post office address 7112 NE 63rd Ave Vancouver, Wa. 98661

2. Source of water supply GROUNDWATER which is a tributary of _____

3. Location of point of diversion is GL ~~40~~ 3 (SE, NW, NESW) RC 10/13/82
Township 48N

Range 4W B.M. Kootenai County, additional points of diversion if any: _____

AKA Lot 3 Indian Bay Subd

4. Water will be used for the following purposes:

Amount 0.16 for DOMESTIC purposes from JAN 1 to DEC 31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 0.16 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. WELL & PUMP

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is 6 inches; proposed depth of well is 150 feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 1 years (minimum 1 year – maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation: (SE, NW, NESW) RC 10/13/82
(1) Give the place of use of water: GL ~~40~~ 3 1/4 of Section 16 Township 48N

Range 4W B.M. AKA Lot 3 & 4 Indian Bay Subd

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water 4.

(5) If water is to be used for other purposes describe: _____

[illegible]

"Longthillme" from Coed Rhondda Lake for Tupper & Harber


10 APR HAFENSE

WATER USES

the

marks

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Donald C. Lipp
(Applicant)

AFFIDAVIT OF PUBLICATION

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

95-8215
KELLY, LESTER J. &/or
LOYCE
E. 12404 SHAWNEE DR.,
SPOKANE, WA 99208
Source: COEUR D ALENE
LAKE tributary to SPOKANE
RIVER
Date Filed: 08/24/1982
Amount: 0.06 CFS
Diversion Point: LOT 02 Sec 15 T
48N R 04W, KOOTENAI Co.
Use: DOMESTIC (0.06 CFS) from
04/01 to 11/01
Place of Use: LOT 02 Sec 15 T 48N
R 04W
Diversion Means: PUMP, TANK
AND PIPE.

95-8216
DEWEY, DONALD G. &/or
KETH
RT. 1 BOX 84, WORLEY, ID 83878
Source: GROUNDWATER
Date Filed: 08/25/1982
Amount: 0.14 CFS
Diversion Point: LOT 01 Sec 04 T
47N R 04E, KOOTENAI Co.
Use: IRRIGATION (0.04 CFS)
from 03/15 to 11/15; DOMESTIC
(0.14 CFS) from 01/01 to 12/31
Place of Use: LOT 01 Sec 04 T 47N
R 04W FOR 2 ACRES
Diversion Means: WELL, PUMP
AND PIPE.

95-8217
TUPPER, DONALD
NILAN, ROBERT
WILAN, WINANO
BAKAMIS, WILLIAM
BAKUS, ELIZABETH
HAFNER, JOANNE
7112 N.E. 63RD AVE., VAN-
COUVER, WA 98061
Source: GROUNDWATER
Date Filed: 08/23/1982
Amount: 0.16 CFS
Diversion Point: LOT 03 Sec 16 T
48N R 04W, KOOTENAI Co.

Use: DOMESTIC (0.16 CFS) from
01/01 to 12/31
Place of Use: LOT 03 Sec 16 T 48N
R 04W
Diversion Means: WELL AND
PUMP

96-8095
BAYVIEW WATER COOP WA-
TER USERS ASSN.
P. O. Box 571, BAYVIEW, ID
83803

Source: GROUNDWATER
Date Filed: 08/25/1982
Amount: 0.20 CFS
Diversion Point: NESW Sec 34 T
54N R 02W, KOOTENAI Co.
Use: IRRIGATION (0.08 CFS)
from 03/15 to 11/15; DOMESTIC
(0.20 CFS) from 01/01 to 12/31
Place of Use: NESW Sec 34 T 54N
R 02W FOR 4 ACRES
Diversion Means: WELL AND
PUMP

If issued, the permit(s) will be
subject to all prior water rights.
Protests against the granting of
any permit must be filed with the
director of the Idaho Department
of Water Resources, 4055 Gov't
Way, Coeur d'Alene, Id, 83814 on
or before SEPTEMBER 20, 1982.

A. KENNETH DUNN
Director

STATE OF IDAHO,
County of Kootenai,

} ss.

Adlene Hancock being first duly sworn
upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The Application

of which the annexed is a printed copy, was published in the regular Thursday issue of said newspaper for 2 consecutive weeks, commencing on the 2 day of Sept, 1982, and ending on the 9 day of Sept, 1982, and such publication was made as often during said period as said daily newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.

Subscribed and sworn to before me this 9 day of Sept

Roberta Zimsky
Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

RECEIVED
SEP 23 1982

DEPARTMENT OF
WATER RESOURCES
LEADER

9/13/82

SEP 23 1982

January 10, 1984


RE: Permit No. 95-8217

Donald E. Tupper, et al
7112 NE 63 Ave.
Vancouver, WA 98661

Dear Mr. Tupper:

Enclosed herewith is a copy of the Water Right License issued on the above referenced Permit.

Sincerely,



JIM JOHNSON
Water Distribution Supervisor

JJ:kw
Enclosure

MICROFILMED

10 DAY LICENSE REVIEW

License vs. Permit

- ☒ No. correct A & B
- ☒ Priority date correct
- ☒ Amount equal to or less than
- ☒ Name same
- ☒ Permit date correct
- ☒ - Proof due date correct
- ☒ Source correct
- ☒ Use correct
- ☒ Period of use/use correct
- ☒ Rate of diversion/use equal to or less than
- ☒ Point of diversion description same or different
- ☒ County same
- ☒ Place of use description same or different
- ☒ Other water used on p/u?

License vs. Field Exam

- ☒ Amount for rate of diversion correct
- ☒ Capacity correct
- ☒ Amount for each use correct
- ☒ Total amount correct
- ☒ Volume for each use correct
- ☒ Total volume correct
- ☒ Field exam showing p/d correct
- ☒ Field exam showing p/u correct
- ☒ Does field exam show more land irrigated than permit allows?
- ☒ Overlap review complete
- ☒ Conditions of approval correct
- ☒ - Initial field exam

Cover Letter vs. License

- ☒ Name correct
- ☒ Number correct
- ☒ Amount correct
- ☒ P/D description correct
- ☒ P/U description correct
- ☒ Priority correct
- ☒ Conditions correct
- ☒ Initial license
- ☒ Sign letter

Name

Jim

Date

12-20-83

MICROFILMED



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

December 19, 1983

RE: Permit No. 95-8217

Donald E. Tupper, et al
7112 NE 63 Ave.
Vancouver, WA 98661

Dear Mr. Tupper:

A representative of this department has made an examination of the works covered by your Permit No. 95-8217, and has found the following:

Amount of water that can be recognized as groundwater for use under Idaho law: 0.08 cfs Source:

The maximum quantity diverted shall not exceed 4.8 acre feet per year.

Point(s) of diversion: Gov. Lot 3 (SE $\frac{1}{4}$ NW $\frac{1}{4}$) Section 16, Twp 48N, Rge 4W

Beneficial use: Domestic use for 4 units within SE $\frac{1}{4}$ NW $\frac{1}{4}$ Section 16, Twp 48N, Rge 4W

Priority date established: August 23, 1982

Conditions (if any):

If you do not concur with these findings please contact us within 10 days, otherwise a water license will be issued as set forth above.

Sincerely,

JIM JOHNSON
Water Distribution Supervisor

JJ:kw

MICROFILMED

Remarks Mr. Zupper informed me that the pump is a 2 H.P @ 100' 8/16/93-JK

MAP (Attach Aerial Photo)

[illegible]

SCHEMATIC DIAGRAM OF SYSTEM

(Include distance from pump to measuring device, if applicable.)

Point(s) of diversion: GLS (55NW), Loc 16, T48N R4W

Place(s) of Use same as permit.

[illegible]

Recommended Amendments:

- ☐ Change P.D., as reflected above
- ☐ Change P.U., as reflected above

☐ Add P.D. as reflected above
☒ None
☐ Add P.U. as reflected above
☐ Other

Examiner's Signature _____

Approved by _____

Date _____


Date 11/29/83

Date _____

12-20-83

Date _____

✓



P N° 45

F



Sec. 5.

Sec. 4.

Sec. 3.

Survey

by

H. C. [illegible]

[illegible]

FILED

JAN 1910

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Northern Region

JOHN V. EVANS
Governor
A. KENNETH DUNN
Director

4055 Government Way
Coeur d'Alene, ID 83814
(208) 667-6484

March 3, 1983

Donald E. Tupper
7112 NE 63 Ave.
Vancouver, WA 98661

RE: 95-8217

Dear Mr. Tupper:

We acknowledge receipt of your statement of completion of water development and use for the above-referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We do not know at this time when he will be able to conduct the examination, however, the examiner will try to contact you at the time he makes the examination so that you may show him the system. If you will not be available to show the system, please provide this office with the name and address of someone who will be able to do so. Your permit will remain valid until the examination is made.

If you have any questions concerning the field examination, please contact this office. Please be sure to use the above-referenced permit number in all future correspondence concerning this examination.

Very truly yours,

TOM D. KING
Senior Water Resource Agent

TDK/pms

cc: IDWR - State Office

MICROFILMED

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 95-8217.

Name(s) of Permit Holder: DONALD E. TUPPER

Post Office Address: 7112 NE. 63 AVE

VANCOUVER - WA 98661 Tel. No. 206 695-0814

Source of Water: WELL

Extent of Use: ☒ Domestic 4 (number of households)
☐ Stockwater (number and type of stock)
☐ Irrigation (acres)
☐ Other

Measuring Device: Required? ☒ Yes ☐ No Installed? ☐ Yes ☒ No
Access Port: Required? ☐ Yes ☒ No Installed? ☒ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

Nov 18, 82
Date

Donald E. Tupper
Signature

D.E. + 4 PER

7112 NE. 63 AVE

LANCERVILLE WA

98661 PHONE 206-6950814



IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

PLACE
13 CENT
STAMP
HERE

95-8217
RECEIVED

NOV

1982

Department of Water Resources

D.E. TUPPER
7112 N.E. 63 AVE
VANCOUVER, WA.
98661



UNITED STATES POSTAL SERVICE

DAVID R. TUTT HILL JR. P.E.
IDAHO DEPT. OF WATER
RESOURCES
STATEHOUSE.
BOISE, IDAHO 83720

Dear Sir:

This well has been in operation since September 1973.

It supplies four families.

It can be checked any time because it is in a pit in the ground and has yard hydrants for fire protection and is left on.


It is located on line road 22 at Rockford bay,

could I alone take it.
it'll be up two
weeks Christmas.
if you want some-
one there to help
check it.

Map inclosed.

Sincerely,

D. Eel Lupper



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

TUPPER, DONALD
7112 N.E. 63RD AVE.
VANCOUVER, WA 98661

OCTOBER 26, 1982

RE: PERMIT NO. 95-8217

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

WE HAVE ENCLOSED INSTRUCTIONS ENTITLED "MAKING PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT. ALSO ENCLOSED FOR YOUR CONVENIENCE IS THE STATEMENT OF BENEFICIAL USE POSTCARD THAT MUST BE SUBMITTED WHEN YOUR PROJECT IS COMPLETED.

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE

RECEIVED
OCT 27 1982

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: LB

APPLICATION NUMBER: 95-8217

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☐ Yes ☒ No* In form to receipt.

Field check by: _____

Date: _____

Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: _____

Date: _____

PROCESSING:

- ☐ Yes ☐ No Platted by: _____ Map No. _____
☐ Yes ☐ No Other rights on same place of use. _____
☒ Yes ☐ No* In form for advertising.
Final date for protests: 9/20/82 ✓
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 9/13/82 ✓
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☐ Yes ☒ No Access port required.
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? _____
8/23/82 Date of priority recommended.
Special conditions of approval or cover letter. _____

By: RMA

Date: 9/30/82

STATE OFFICE REVIEW:

SLW/L16

04

- ☒ See attached sheet for more information.

By: [Signature]

Date: 10/13/82

RECEIVED
OCT 08 1982

Department of Water Resources

RECEIVED
OCT 28 1965

POINT OF DIVERSION AND STREAM INDEX INFORMATION

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-------	-----	-----	-----	--------------	---------------	-------

IDAHO STREAM CODE INDEX

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-------	-----	-----	-----	--------------	---------------	-------

IDAHO STREAM CODE INDEX

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-------	-----	-----	-----	--------------	---------------	-------

IDAHO STREAM CODE INDEX

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-------	-----	-----	-----	--------------	---------------	-------

IDAHO STREAM CODE INDEX

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-------	-----	-----	-----	--------------	---------------	-------

IDAHO STREAM CODE INDEX

95-8217-

TUPPER, DONALD
NILAN, ROBERT
WILAN, WINANO
BAKAMIS, WILLIAM
BAKUS, ELIZABETH
HAFNER, JOANNE

7112 N.E. 63RD AVE., VANCOUVER, WA 98661

Source: GROUNDWATER

Date Filed: 08/23/1982

Amount: 0.16 CFS

Diversion Point: LOT 03 Sec 16 T 48N R 04W, KOOTENAI Co.

Use: DOMESTIC (0.16 CFS) from 01/01 to 12/31

Place of Use: LOT 03 Sec 16 T 48N R 04W

Diversion Means: WELL AND PUMP.

08-23-1982