

AFFIDAVIT OF PUBLICATION

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

94-7226

BISSELL, ANGELO &/or JOYCE
RT. 1 BOX 44, HARRISON, ID
83833

Source: SPRING tributary to
COEUR D'ALENE LAKE

Date Filed: 08/18/1982

Amount: 0.14 CFS 1.5 AC-FT
Diversion Point: LOT 02 Sec 17 T
47N R 03W, KOOTENAI Co.

Use: IRRIGATION (0.14 CFS)
from 03/15 to 11/15; IRRIGA-
TION STORAGE (1.5 AC-FT)
from 01/01 to 12/31; IRRIGA-
TION FROM STORAGE (1.5 AC-
FT) from 03/15 to 11/15

Place of Use: SENW Sec 17 T 47N
R 03W FOR 7 ACRES

Diversion Means: POND,
SPRING, PUMP AND
SPRINKLERS.

95-8214

KIEFER, WILLIAM
P. O. BOX 363, RATHDRUM, ID
83858

Source: TWIN LAKES tributary
to RATHDRUM CREEK

Date Filed: 08/18/1982

Amount: 0.02 CFS

Diversion Point: LOT 02 Sec 35 T
53N R 05W, KOOTENAI Co.

Use: IRRIGATION (0.02 CFS)
from 03/15 to 11/15

Place of Use: SWSE Sec 35 T 53N
R 05W FOR 1 ACRES

Diversion Means: PUMP AND
PIPE.

If issued, the permit(s) will be
subject to all prior water rights.
Protests against the granting of
any permit must be filed with the
director of the Idaho Department
of Water Resources, 4055 Gov't
Way, Coeur d'Alene, Id, 83814 on
or before SEPTEMBER 13, 1982.

A. KENNETH DUNN
Director

Legal 882

Aug. 26, Sept. 2, 1982

STATE OF IDAHO,
County of Kootenai,

ss.

Allen Hancock being first duly sworn
upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The

of which the annexed is a printed copy, was published in the regular Thursday
issue of said newspaper for 2 consecutive weeks,
commencing on the 26 day of Aug, 1982, and
ending on the 2 day of Sept, 1982, and such
publication was made as often during said period as said daily
newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.

Subscribed and sworn to before me this

2

day of

Sept

1982

SEP 3 1982

Roberta Z. Enley
Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

LEADER

Department of Water Resources
Northern District Office

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT SUPPLEMENT

Yes No
(☒) () B/U Acknowledgement Letter Sent 11/9/87 PERMIT 95-8214
(☒) () Aerial Photo Date Requested _____ (INITIAL & DATE)
(☒) () Quad Sheet _____ by _____
(☒) () GL Plat _____
() () Copies of overlapping License Field Report Claim
() () Photo PD/PU
() () Correspondence (Date) _____
() () Other (List) _____


EXAM COMPLETED BY _____ DATE _____
SR AGENT REVIEW _____ DATE _____
REGIONAL MANAGER REVIEW RSB DATE 6/8/90
ENTERED ON COMPUTER BY _____ DATE _____
PRELIMINARY OVERLAP REVIEW BY J King DATE 1-88
(☒) NO OVERLAP FOUND

95-8214



MICROFILMED
JAN 18 1991

95-8214



Surveyed

Sec. 26.

MICROFILMED

JAN 18 1991

The above Map of Township N. 25. North of Range 1. E. Boise Meridian, Idaho notes of the survey thereof on file in this Office is strictly correct.



PERMIT HOLDER William Kiefer PERMIT # 95-8284
 P D TWP 53N RGE 5W SEC 35 Q.L.2 (SWSE)
 P/U TWP RGE SEC SAME

MICROFILMED

JAN 18 1971

SOURCE TWIN LAKES TRIBUTARY TO RATHDRUM CR
 MAP PLOT 27 IRR. ACRES 1/2 USGS QUAD E-3 SCALE 1 1/2 MIN

September 17, 1987

KIEFER, WILLIAM
P.O. BOX 363
RATHDRUM, ID 83858

LAPSE NOTICE

RE: Permit No. 95-8214

Dear Permit Holder:

You are hereby notified that under the provisions of Section 42-218a, Idaho Code, the above referenced water permit has lapsed. This office did not receive either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time. You were provided the proper forms in our proof due notice to you dated June 30, 1987.

Your permit cannot be reinstated unless you submit proof of beneficial use or submit an extension of time request showing reasonable cause for delay. Either the completed proof of beneficial use submittal (including the examination fee or a completed field examination report) or the extension request form together with the \$15 fee must be received by this Department within sixty days of the date of mailing of this lapse notice.

A proof of beneficial use form and a request for extension of time form are again enclosed for your use. Please note that only one extension of time can be granted unless the project has not been completed because of lack of a necessary approval by a governmental agency or by litigation which might bring title to the water in question.

Sincerely,

L. GLEN SAXTON
Chief, Operations Bureau

Enclosures

RECEIVED

MAR 17 1988

CERTIFICATION OF MAILING

I hereby certify that on 9-18-1987
a copy/original of this document was
deposited in the United States mail,
postage prepaid addressed to the
individual(s) named above.

Bill Fluck

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 95-08214

Priority: September 18, 1982

Maximum Diversion Rate:

0.02 CFS

Maximum Diversion Volume:¹

3.5 AF

This is to certify, that WILLIAM KIEFER

P.O. BOX 363

RATHDRUM, ID 83858

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated August 18, 1982; and has submitted Proof of Beneficial Use on October 2, 1987. An examination indicates that the works have a diversion capacity of .020 cfs of water from:

TWIN LAKES

tributary to RATHDRUM CREEK

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/01 to 11/01	0.02 CFS	3.5 AF

LOCATION OF POINT(S) OF DIVERSION: LOT 1(SWSE), Sec. 35, Township 53N, Range 05W
KOOTENAI County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
53N	05W	35	LOT 1(SWSE)	1		1

Total number of acres irrigated:

1

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Use of water under this water right is subject to control by the watermaster of State Water District No. 95C

MICROFILMED

JAN 18 1991


State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 95-08214

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 20th
day of December, 1990.

Attest:


R. Keith Higginson, Director



MICROFILMED

JAN 18 1991

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE STATE OF IDAHO

IN THE MATTER OF PERMIT NO. 95-8214 IN THE
NAME OF WILLIAM KIEFER

ORDER OF REINSTATEMENT

WHEREAS, the Department has issued the above-captioned permit with the condition that proof of construction of works and application of water to beneficial use (proof of beneficial use) be submitted on or before September 1, 1987; and,

WHEREAS, the Department notified the permit holder by certified mail that proof was due and instructed the permit holder of the steps to be taken to submit the proof of beneficial use; and,

WHEREAS, the Department has notified the permit holder that the permit has lapsed for failure of the permit holder to submit the proof of beneficial use; and,

WHEREAS, Section 42-218a of the Idaho Code provides that a permit may be reinstated upon a showing of reasonable cause within sixty days of the date of the notice of lapsing; and,

WHEREAS, the permit holder has provided a reasonable showing why the permit should be reinstated by submitting proof of beneficial use on October 2, 1987;

IT IS, THEREFORE, HEREBY ORDERED that Permit No. 95-8214 be REINSTATED and the priority advanced to September 18, 1982.

Dated this 8th day of October, 1987.

RECEIVED

MAR 17 1988

L. Glen Saxton
L. GLEN SAXTON, Chief, Operations Bureau

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant William Kiefer Phone 687-0183

Post office address Box 363, Rathdrum, Id 83858

2. Source of water supply Twin Lake which is a tributary of Rathdrum Creek

3. Location of point of diversion is GL 1/4 of 2 (SWSE) RC 9/28/82 Township 53N

Range 5W B.M. Kootenai County, additional points of diversion if any: _____

AKA: Loc 4E5 Block C Lake Forest Home sites

4. Water will be used for the following purposes:

Amount 0.02 for Irrigation purposes from 3-15 to 11-15 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 0.02 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. PUMP & PIPE LINE

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: _____ 1/4 of _____ 1/4 of Section _____ Township _____

Range 5W B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water _____.

(5) If water is to be used for other purposes describe: _____

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

Dec 35
T53N R50W
x-80
P/L

Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

X William P. Kiefer
(Applicant)

Received by Mr. [Signature] Date 8/18/82 Time noon

Preliminary check by JD Fee \$ 30.00

Received by Mr. [Signature] Date 8/18/82 (24321)

Publication prepared by per Date 8/9/82

Published in Grand View Area

Publication dates 8/26-9/2/82

Publication approved Mr. [Signature] Date 9/1/82

Protests filed by: none

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by [Signature]

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 95-8214, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before September 1, 19 87.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other: Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.
Use of water under this permit is subject to control by the watermaster of State Water District for Twin Lakes.

Witness my hand this 29th day of September, 1982.

A. Allen Sauton
Chief, Operations Bureau

AFFIDAVIT OF PUBLICATION

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

94-7226

BISSELL, ANGELO &/or JOYCE
RT. 1 BOX 44, HARRISON, ID
83833

Source: SPRING tributary to
COEUR D ALENE LAKE

Date Filed: 08/18/1982

Amount: 0.14 CFS 1.5 AC-FT

Diversion Point: LOT 02 Sec 17 T
47N R 03W, KOOTENAI Co.

Use: IRRIGATION (0.14 CFS)
from 03/15 to 11/15; IRRIGA-
TION STORAGE (1.5 AC-FT)
from 01/01 to 12/31; IRRIGA-
TION FROM STORAGE (1.5 AC-
FT) from 03/15 to 11/15

Place of Use: SENW Sec 17 T 47N
R 03W FOR 7 ACRES

Diversion Means: POND,
SPRING, PUMP AND
SPRINKLERS.

95-8214

KIEFER, WILLIAM
P. O. BOX 363, RATHDRUM, ID
83858

Source: TWIN LAKES tributary
to RATHDRUM CREEK

Date Filed: 08/18/1982

Amount: 0.02 CFS

Diversion Point: LOT 02 Sec 35 T
53N R 05W, KOOTENAI Co.

Use: IRRIGATION (0.02 CFS)
from 03/15 to 11/15

Place of Use: SWSE Sec 35 T 53N
R 05W FOR 1 ACRES

Diversion Means: PUMP AND
PIPE.

If issued, the permit(s) will be
subject to all prior water rights.
Protests against the granting of
any permit must be filed with the
director of the Idaho Department
of Water Resources, 4065 Gov't
Way, Coeur d'Alene, Id, 83814 on
or before SEPTEMBER 13, 1982.

A. KENNETH DUNN
Director

Legal 882

Aug. 20, Sept. 2, 1982

STATE OF IDAHO,
County of Kootenai,

} ss.

Allen Hancock being first duly sworn
upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The Appl

of which the annexed is a printed copy, was published in the regular Thursday issue of said newspaper for 2 consecutive weeks commencing on the 26 day of Aug, 1982 and ending on the 2 day of Sept, 1982 and such publication was made as often during said period as said daily newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.

Subscribed and sworn to before me this 2 day of Sept

RECEIVED
1982

SEP 3 1982

Robert J. Menley
Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

LEADER

Department of Water Resources
Northern District Office

December 21, 1990

WILLIAM KIEFER
P.O. BOX 363
RATHDRUM, ID 83858

RE: WATER RIGHT NO. 95-08214

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:blm

Enclosure

MICROFILMED

JAN 18 1991

LICENSE REVIEW CHECKLIST

Permit No. 95-8214

Name/Address change? ok ☒

Priority date Advance? yes no ☒
Memo to advance

Order to reinstate needed? yes no ☒

Total cfs Limited by fee

Total volume Limited by capacity amt. req'd for/ac.

Limited by flow

Capacity Chart checked for AF rate/ac ☒ 3.5

Actual measurement checked NONE

Theoretical checked NONE

If greater than permit, check for other rts

Source Changed? yes no ☒

If so, is memo needed to clarify?

P/D Verify with map permit

More than one per 1/4? Remember remark

Check p/d overlap N/A

Uses Check irrigation period of use w/ chart 4/1-11/1

P/U Verify with map permit

> 5 acres irrigated, run overlap N/A

Remarks More than one p/d in 1/4

Description of non-irrig uses

Special overlap condition

Conditions -

Measuring device

W.Master control

Overlap R30

Water quality

Other

Dates/Misc. -

Water Dist

App Rec'd

Proof Rec'd

CHECK FOR ADJ. CLAIM

Needed according to proof filed

Filed - needs amended

Not filed - send form

Not needed ☒

Comments/Changes to Examiner's Recommendations:

JAN 18 1991

License 10-day

30-day

Back of field report signed? ☒

Reviewer J. Curtis Date 11-26-90 Review time 12 min.

MEMORANDUM


TO: File 95-8214

FROM: Sharla

DATE: November 26, 1990

RE: P/D & P/U Description

The examiner lists the point of diversion description as Gov. Lot 2 (SWSE), S35. Lot 2 is actually the SESW; Lot 1 is the SWSE. The examiner's placement of the point of diversion and place of use on the field report's attached map is the SWSE. Therefore, the point of diversion will be listed as Lot 1(SWSE).



SENIOR AGENT REVIEW

RECEIVED
JUN 27 1990

Check List
for
Beneficial Use Field Report

Department of Water Resources

Permit 9508214

✓ **A. GENERAL INFORMATION**

- ✓ 1. Name and address are most current available. (Check BU statement)
✓ 2. Exam Date
✓ 3. Source (Check Permit)

✓ **B. OVERLAP REVIEW**

- ✓ 1. & 2. (Rule 5,1,4)

✓ **C. SYSTEM DESCRIPTION**

- ✓ 1. Diversion System Diagram (Rule 5,1,3 / 5,1,4)
✓ 2. USGS (Rule 5,1,7 / 5,1,9) Aerial (Rule 5,1,17)
✓ 3. Word Picture (Rule 5,1,3 / 5,1,4)
✓ 4. Diversion (Rule 5,1,3)
✓ 5. Compare with USGS Map, Land Survey Maps, Aerial Photos and Permit.
✓ 6. Irrigation (Rule 5,1,8)

✓ **D. FLOW MEASUREMENTS** Check math (Rule 5,1,13 / 5,1,14)

✓ **E. FLOW CALCULATIONS** Check math (Rule 5,1,13 / 5,1,14)

✓ **F. OPTIONAL**

✓ **G. VOLUME CALCULATIONS**

- ✓ Three significant figures and no more than 1/10's (Rule 6,1,2)
Fish (Rule 5,1,11) number stock, homes, etc... (Rule 5,1,12)

✓ **H. REMARKS AND OVERLAP ANALYSES**

- ✓ All actual uses listed; all permitted uses not used, also listed; (Rule 5,1,2):
✓ Overlaps (Rule 5,1,4):
✓ Return flows (Rule 5,1,5):
✓ Conditions (Rule 5,1,6).

✓ **I. RECOMMENDATIONS**

- ✓ 1. Municipal (Rule 5,1,10): Compare with items E & G, permit, fee, capacity
(Rule 5,1,15): Measured flows for each use listed separately (Rule 5,1,14).
Period of year (Rule 5,1,13)
✓ 2. Compare permit to exam for amendments (Rule 5,1,16)

✓ **J. AUTHENTICATION**

- ✓ Name, Signature, Certification Date, Exam Date.

✓ **WELL INSPECTION REPORT**

- ✓ Check with permit and well log for discrepancies


Signature [Signature]

Date 7/19/89

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT SUPPLEMENT


Yes No
(☒) () B/U Acknowledgement Letter Sent 11/9/87 (INITIAL & DATE)
(☒) () Aerial Photo Date Requested _____ by _____
(☒) () Quad Sheet
(☒) () GL Plat
() () Copies of overlapping License Field Report Claim
() () Photo PD/PU
() () Correspondence (Date) _____
() () Other (List) _____

EXAM COMPLETED BY _____ DATE _____
SR AGENT REVIEW _____ DATE _____
REGIONAL MANAGER REVIEW RSA DATE 6/8/90
ENTERED ON COMPUTER BY _____ DATE _____
PRELIMINARY OVERLAP REVIEW BY J. King DATE 1-88
(☒) NO OVERLAP FOUND
95-0745



MICROFILMED
JAN 18 1991

95-08214



The above Map of Township T. 253 North
 Range 10 West, Section
 notes of the survey shown on the inside of the map.

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
JUN 27 1990

Department of Water Resources

A. GENERAL INFORMATION


1. Owner: William J. J. J. (SEE REMARKS) Permit No. 95-8214
Phone No. 687 0883
Current Address: Box 563 Rathdrum ID 83358
2. Accompanied by: _____ EXAM. DATE: 6/20/89
Address: _____ Phone No. _____
Relationship to Permit Holder: _____
3. Source: Twin Lake tributary to Rathdrum Creek

B. OVERLAP REVIEW

1. Other water rights with same place of use: NONE
_____ ☐ Copies Attached
2. Other water rights with same point of diversion: NONE
_____ ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = NTS

2. ☐ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required). ☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).
☐ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

3. Narrative: Description (As operating at time of measurement, indicate pressure, number of sprinklers, etc.)

Integrated w/ 5/32 in. oxygen hose and hose terminals
Spools running out to tanks

[Faint, illegible markings]

☐ See Remarks on page 4 for continuation

Well or Division Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
		1/2		Wheaton	

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

[illegible]

6. Place(s) of Use: *AKA LOT 5 Black CR*
LOT 4 LAKE FOREST HOMESITES
MAP Indicate Method of Determination

[illegible]

Do not use this space


D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:



E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

ONE Acre 0.02 cfs

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3); Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5) / (7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{IR} = \frac{1}{.02} \times \frac{3.5}{245} = 3.5$

$V_{DR} = [\frac{3.5}{.02} \text{ (cfs)}] \times \text{Days in Irrigation Season} \times 1.9835 = 9.7$

$V = \text{Smaller of } V_{IR} \text{ and } V_{DR} = 3.5$

2. Volume Calculations for Other Uses:

MAILED

JAN 18 1991

H. REMARKS AND OVERLAP REVIEW ANALYSIS

~~New owner John D. Hall of 2300 N. Lake Forest Dr. Subdivided lot 83858~~
 New Owner Michael Coy
 W 9330 LAKE FOREST DR.
 RATHDRUM, ID 83858

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use *Large Area*
 Period of Use From *3/15* To *11/15*
 Rate of Diversion Q (cfs) *0.02*
 Annual Volume V (afa) *3.5 4.20*

Totals:

0.02 *3.5 4.20*

2. Recommended Amendments

- ☐ Change P.D. as reflected above
- ☐ Add P.D. as reflected above
- ☐ Change P.U. as reflected above
- ☐ Add P.U. as reflected above

- ☒ None
- ☐ Other


J. AUTHENTICATION

Field Examiner's Name *Harold E. Farnow*
 Signature *Harold E. Farnow*
 Certification Date *2/17/89*
 Field Report Preparation Date *June 28, 1989*

K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.



RECORDED
 JAN 18 1991



PERMIT HOLDER William Kiefer PERMIT # 95-8214
 P D TWP 53N RGE 5W SEC 35 Q.L.2 (SUSE)
 P/U TWP RGE SEC SAME

RECORDED & INDEXED

JAN 18 1961

SOURCE TWIN LAKES TRIBUTARY TO RAHDUM CR
 MAP PLOT 27 IRR. ACRES 1/2 USGS QUAD E-3 SCALE 1/4" MIN

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Northern Region

JOHN V. EVANS
Governor
A. KENNETH DUNN
Director

4055 Government Way
Coeur d'Alene, ID 83814
(208) 765-4639

NOVEMBER 9, 1987

WILLIAM KIEFER
BOX 363
RATHDRUM, ID 83858

RE: Permit No. 95-8214

Dear Permit Holder:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Enclosed please find a copy of an order involving your permit.

Before a Water Right License can be issued, a field examination must be made by a representative of this department.

A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office by phone or in person.

Sincerely,

/s/
TOM D. KING
Senior Water Resource Agent

cc: IDWR - State Office

RECORDED

MAR 17 1988

CALCULATION OF NEW PRIORITY DATE

FROM: RITA FLECK

TO: FILE # 95-8214

DATE: 10-08-87

Date proof received

275

Oct. 2, 1987

Proof due

-244

Sept. 1, 1987

Number of day proof late

31

Priority date

+230

Aug. 18, 1982

New priority date

261

Sept. 18, 1982

Remarks:

RECEIVED

JAN 18 1991

RECEIVED

OCT 02 1987

STATE OF IDAHO

no enc. 99
Department of Water Resources

PROOF OF BENEFICIAL USE

For Office Use Only
Fee Received _____
Date _____
Receipt # _____
Receipt by _____
Reviewed by _____
Sent to region _____

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 95-8214

Name(s) of Permit Holder: WILLIAM P KIEFER

Post Office Address: Box 363 Rathdrum Idaho

Telephone No. 687-0883

Source of Water: TWIN LAKES

Extent of Use:

Domestic _____ (number of households) Stockwater _____ (number and type of stock)

Irrigation 2 LOTS (acres) Other/Remark _____

Total rate and/or volume for which proof is submitted .02 cfs 3.000 sq ft acre-feet

Show the date water was first diverted and beneficially used under this permit: 8-13-1982

Measuring Device: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☒ No

Fee enclosed \$ _____
(See License Examination Fee Schedule)

Flow Measurement Port: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☒ No

Person to contact to accompany the Department representative during the field examination:

WILLIAM P KIEFER 687-0883
(Name) (Telephone Number)

Box 363 Rathdrum Idaho
(Address)

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

MICROFILMED

MAR 17 1988

9-28-87
Date

William P Kiefer
Signature of Permit Holder (and title, if appropriate)

William Greer
Box 363
Rathdrum, Idaho

83 858



Department of Water Resources
Statehouse
Boise, Idaho

83720

WARNING

CANCELLED OR LAPSED

This permit has been officially CANCELLED or LAPSED.

Ninety days following the date of official action this file will be DESTROYED.

September 17, 1987

KIEFER, WILLIAM
P.O. BOX 363
RATHDRUM, ID 83858

LAPSE NOTICE

RE: Permit No. 95-8214

Dear Permit Holder:

You are hereby notified that under the provisions of Section 42-218a, Idaho Code, the above referenced water permit has lapsed. This office did not receive either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time. You were provided the proper forms in our proof due notice to you dated June 30, 1987.

Your permit cannot be reinstated unless you submit proof of beneficial use or submit an extension of time request showing reasonable cause for delay. Either the completed proof of beneficial use submittal (including the examination fee or a completed field examination report) or the extension request form together with the \$15 fee must be received by this Department within sixty days of the date of mailing of this lapse notice.

A proof of beneficial use form and a request for extension of time form are again enclosed for your use. Please note that only one extension of time can be granted unless the project has not been completed because of lack of a necessary approval by a governmental agency or by litigation which might bring title to the water in question.

Sincerely,

L. GLEN SAXTON
Chief, Operations Bureau

Enclosures

RECEIVED

MAR 17 1988

Ben Fleck

9-18-1987

138757
CERTIFIED MAIL
June 30, 1987

KIEFER, WILLIAM
P.O. BOX 363
RATHDRUM, ID 83858

PROOF DUE NOTICE

RE: Permit No. 95-8214

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before September 1, 1987. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a completed field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this Department on or before the above described proof due date, or the permit will no longer be of any force nor effect.

Sincerely,

RITA FLECK
Secretary/Records Manager

Enclosures

RECEIVED
MAR 17 1988

S T E O F I D A H O
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

KIEFER, WILLIAM
P.O. BOX 363
KATHDRUM, ID 83858

OCTOBER 13, 1982

RE: PERMIT NO. 95-8214

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

SINCERELY,

DAVID R. TOTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: LB APPLICATION NUMBER: 95-8214

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No* In form to receipt.

Field check by: _____
Date: _____
Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department. Copies sent by: _____ Date: _____
☐ Idaho Fish and Game Department. _____
☐ Idaho Department of Lands. _____
☐ U.S. Bureau of Land Management. _____
☐ U.S. Forest Service. _____
☐ Other _____

PROCESSING:

- ☐ Yes ☐ No Platted by: _____ Map No. _____
☐ Yes ☐ No Other rights on same place of use. _____
☒ Yes ☐ No* In form for advertising.
Final date for protests: 9/13/82 ✓
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 9/3/82 ✓
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☐ Yes ☒ No Access port required.
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? _____
✓ 8/13/82 Date of priority recommended.
Special conditions of approval or cover letter.

Subject to control of Watermaster upon completion
of Twin Lakes decree

By: RJA Date: 8/12/82
STATE OFFICE REVIEW: return receipt
SLW/LR 2605 (Twin Lakes)
☐ See attached sheet for more information.
By: Tobyn Date: 9/28/82

RECEIVED
SEP 21 1982

POINT OF DIVERSION AND STREAM INDEX INFORMATION

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
IDAHO STREAM CODE INDEX						

95-8214

KIEFER, WILLIAM

P.O. BOX 363, RATHDRUM, ID 83858

Source: TWIN LAKES tributary to RATHDRUM CREEK

Date Filed: 08/18/1982

Amount: 0.02 CFS

Diversion Point: LOT 02 Sec 35 T 53N R 05W, KOOTENAI Co.

Use: IRRIGATION (0.02 CFS) from 03/15 to 11/15

Place of Use: SWSE Sec 35 T 53N R 05W FOR 1 ACRES

Diversion Means: PUMP AND PIPE.