

AFFIDAVIT OF PUBLICATION

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

94-7225

MINOR, BRIAN
2623 DEANNE DR., HACIENDA
HEIGHTS, CA 91745
Source: UNNAMED STREAM
tributary to SINKS
Date Filed: 08/09/1982
Amount: 0.20 CFS
Diversion Point: LOT 02 Sec 13 T
48N R 01W, KOOTENAI Co.
Use: IRRIGATION (0.20 CFS)
from 03/15 to 11/15
Place of Use: LOT 02 Sec 13 T 48N
R 01W FOR 11 ACRES
Diversion Means: PUMP AND
PIPE.

95-8211

ROUSE, RICHARD J.
721 W. HAYCRAFT ST., COEUR
D'ALENE, ID 83814
Source: GROUNDWATER
Date Filed: 08/08/1982
Amount: 0.08 CFS
Diversion Point: SWNW Sec 35 T
50N R 04W, KOOTENAI Co.
Use: DOMESTIC (0.08 CFS) from
01/01 to 12/31
Place of Use: SWNW Sec 35 T 50N
R 04W
Diversion Means: WELL, PUMP
AND PIPELINE.

95-8212

CRUPPER, BURTON K.
RT. 1 BOX 865A, RATHDRUM
ID 83858
Source: GROUNDWATER
Date Filed: 08/05/1982
Amount: 0.04 CFS
Diversion Point: NENE Sec 26 T
52N R 04W, KOOTENAI Co.
Use: IRRIGATION (0.03 CFS)
from 04/01 to 10/15; STOCK-
WATER (0.02 CFS) from 01/01 to
12/31; DOMESTIC (0.04 CFS)
from 01/01 to 12/31
Place of Use: NENE Sec 26 T 52N
R 04W FOR 10 ACRES
Diversion Means: PUMP, PIPE
AND SPRINKLERS.

If issued, the permit(s) will be
subject to all prior water rights.
Protests against the granting of
any permit must be filed with the
director of the Idaho Department
of Water Resources, 4065 Gov't
Way, Coeur d'Alene, Id, 83814 on
or before SEPTEMBER 7, 1982.
A. KENNETH DUNN
Director

Legal 855
Aug. 19, 26, 1982

STATE OF IDAHO,
County of Kootenai,

} ss.

Arthur Hancock being first duly sworn
upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The *Application*

of which the annexed is a printed copy, was published in the regular *Press* issue of said newspaper for *2* consecutive *weeks*, commencing on the *19* day of *Aug*, 19*82* and ending on the *26* day of *Aug*, 19*82*, and such publication was made as often during said period as said *Press* newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.

Arthur Hancock
Subscribed and sworn to before me this *26* day of *Aug*, 19*82*.

AUG 26 1982


Robert J. Manley
Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

Department of Water Resources
Northern District Office

LEADER

MICROFILMED

T50M
R4W



MICROFILMED

NOV 24 1989



PERMIT HOLDER RICHARD J. ROUSE

PERMIT # 95-8211

P D TWP 50N RGE 4W SEC 35 SWNW

MICROFILMED

P/U TWP 50N RGE 4W SEC 35 SWNW

NOV 24 1989

SOURCE GROUND WATER

TRIBUTARY TO L

MAP PLOT 24

IRR. ACRES 0

USGS QUAD F-4

SCALE 7 1/2"

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION


1. Owner: Richard Rouse Permit No. 95-5527
Current Address: 619 W. Haycraft, Coeur d'Alene, Wa 83814 Phone No. _____
2. Accompanied by: Mrs. Rouse EXAM. DATE: 6/9/88
Address: ☐ SAME Phone No. SAME
Relationship to Permit Holder: Spouse
3. Source: groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: NONE ☐ Copies Attached
2. Other water rights with same point of diversion: NONE ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = _____

2. ☐ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required). ☐ Aerial Photo Attached (required for irrigation of 10 acres or more).
☐ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 95-08211

Priority: August 8, 1982

Maximum Diversion Rate: 0.04 CFS
Maximum Diversion Volume:¹ 1.2 AF

This is to certify, that RICHARD J. ROUSE
619 W. HAYCRAFT

COEUR D ALENE, ID 838140000 has complied with the terms and conditions
of the permit, issued pursuant to Application for Permit dated August 8, 1982; and
has submitted Proof of Beneficial Use on July 6, 1987. An examination indicates
that the works have a diversion capacity of .040 cfs of water from a **GROUNDWATER**
source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.04 CFS	1.2 AF

LOCATION OF POINT(S) OF DIVERSION:

SWNW , Sec. 35, Township 50N, Range 04W
KOOTENAI County

PLACE OF USE: DOMESTIC

TWN RGE SEC


50N 04W 35 SWNW

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to reflect cropping patterns or acceptable standards of water delivery efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Domestic use is for 1 home.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 20TH
day of NOVEMBER, 1989.

Attest:


R. Keith Higginson, Director

MICROFILMED

NOV 24 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant Richard J. Rouse Phone 765-5527
Post office address 721 W. Hayercraft, Coeur d'Alene, Id. 83814
2. Source of water supply Groundwater which is a tributary of _____
3. Location of point of diversion is SW $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 35 Township 50N
Range 4W B.M. Kootenai County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 0.08 for Domestic purposes from 1-1 to 12-31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 0.08 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. well, pump & pipeline

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is 4" inches; proposed depth of well is 73 feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years (minimum 1 year - maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: SW $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 35 Township 50N

Range 4W B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water 2.

(5) If water is to be used for other purposes describe: _____

[illegible]


App. F. J. (June 1974) (1974)

Dep't. Mrs. Keith Brennan

the applicant, describe the arrangement enabling the

Exemption

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

x R. J. Rouse
(Applicant)

MICROFILMED

A. Allen Gayton
Chief, Operations Bureau

Witness my hand this 29th day of September, 1982.

- d. Other: Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.
The issuance of this permit in no way grants any right-of-way or easement across the land of another.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before September 1, 19 87.
- a. SUBJECT TO ALL PRIOR WATER RIGHTS.

1. Approval of said application is subject to the following limitations and conditions:

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 95-8211, and said application is hereby APPROVED.

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

Received by DLB Date 8/8/82 Time 2:00pm
Preliminary check by DLB Fee \$ 30.00
Received by DLB Date 8/12/82 (2-1312)
Publication prepared by DLB Date 8/12/82
Published in Current Affairs
Publication dates 8/19 + 26/82
Publication approved DLB Date 8/21/82
Protests filed by: none
Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by DLB

AFFIDAVIT OF PUBLICATION

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

94-7228

MINOR, BRIAN
2833 DEANNE DR., HACIENDA
HEIGHTS, CA 91745

Source: UNNAMED STREAM
tributary to SINKS

Date Filed: 08/09/1982

Amount: 0.20 CFS

Diversión Point: LOT 02 Sec 13 T
48N R 01W, KOOTENAI Co.

Use: IRRIGATION (0.20 CFS)
from 03/15 to 11/15

Place of Use: LOT 02 Sec 13 T 48N
R 01W FOR 11 ACRES

Diversión Means: PUMP AND
PIPE.

95-8211

ROUSE, RICHARD J.
721 W. HAYCRAFT ST., COEUR
D'ALENE, ID 83814

Source: GROUNDWATER

Date Filed: 08/09/1982

Amount: 0.05 CFS

Diversión Point: SWNW Sec 36 T
50N R 04W, KOOTENAI Co.

Use: DOMESTIC (0.05 CFS) from
01/01 to 12/31

Place of Use: SWNW Sec 36 T 50N
R 04W

Diversión Means: WELL, PUMP
AND PIPELINE.

95-8212

CRUPPER, BURTON K.
RT. 1 BOX 865A, RATHDRUM
ID 83858

Source: GROUNDWATER

Date Filed: 08/09/1982

Amount: 0.04 CFS

Diversión Point: NENE Sec 26 T
52N R 04W, KOOTENAI Co.

Use: IRRIGATION (0.03 CFS)
from 04/01 to 10/15; STOCK-

WATER (0.01 CFS) from 01/01 to
12/31; DOMESTIC (0.04 CFS)
from 01/01 to 12/31

Place of Use: NENE Sec 26 T 52N
R 04W FOR 10 ACRES

Diversión Means: PUMP, PIPE
AND SPRINKLERS.

If issued, the permit(s) will be
subject to all prior water rights.
Protests against the granting of
any permit must be filed with the
director of the Idaho Department
of Water Resources, 4065 Gov't
Way, Coeur d'Alene, Id, 83814 on
or before SEPTEMBER 7, 1982.

A. KENNETH DUNN
Director

STATE OF IDAHO.

County of Kootenai,

} ss.

Robert Hancock being first duly sworn
upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The Application

of which the annexed is a printed copy, was published in the regular issue issue of said newspaper for 2 consecutive weeks commencing on the 19 day of Aug, 1982, and ending on the 26 day of Aug, 1982, and such publication was made as often during said period as said newspaper newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.

Subscribed and sworn to before me this 26 day of Aug, 1982.

Department of Water Resources
Northern District Office

LEADER

Robert Hancock
Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

November 21, 1989

RICHARD J. ROUSE
619 W. HAYCRAFT
COEUR D ALENE, ID 838140000

RE: PERMIT NO. 95-08211

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

NOV 24 1989

October 26, 1989

RICHARD J. ROUSE
619 W. HAYCRAFT
COEUR D ALENE, ID 838140000

RE: PERMIT NO. 95-08211

Dear Permit Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

NOV 24 1989

POINT OF DIVERSION OVERLAP REVIEW

WR-NUMBER	TWP	RNG	SC	TRACT	LT	#SOURCE	#NAME
				1\4 1\4 1\4			
9508211	50N	04W	35	SW NW		GROUNDWATER	ROUSE, RICHARD J.
NO MATCHES FOR THIS POD							

12/20/2010

2010

RECEIVED
JUN 26 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT SUPPLEMENT

Department of Water Resources

PERMIT 95-8211

Yes No

- (☒) () B/U Acknowledgement Letter Sent _____ (INITIAL & DATE)
() (☒) Aerial Photo Date Requested _____ by _____
(☒) () Quad Sheet
(☒) () GL Plat
() (☒) Copies of overlapping License Field Report Claim
() () Photo PD/PU
() () Correspondence (Date) _____
() () Other (List) _____

EXAM COMPLETED BY John Duke

DATE 6/9/88

SR AGENT REVIEW

JK

DATE 6/29/88

REGIONAL MANAGER REVIEW

PMR

DATE 6/89

ENTERED ON COMPUTER BY

JK

DATE 6/13/89

PRELIMINARY OVERLAP REVIEW BY

JK King

DATE 1-88

(☒) NO OVERLAP FOUND

95-4888

95-1079

FILM DID NOT DEVELOPE 20

MICROFILMED

NOV 24 1989

95-8211

Topographic map showing land parcels, water bodies, and elevation contours. Key features include:

- Water Bodies:** CASCO BAY, KID ISLAND BAY, Stevens Point, Nigge, Three Mile Pt.
- Land Parcels and Owners:**
 - PEYTON INV. CO.
 - VERA MILLHEISLER
 - CLINTON GREENFIELD
 - ST. JOE BOOM CO.
 - VERA MILLHEISLER
 - CLINTON GREENFIELD
 - ST. JOE BOOM CO.
 - VERA MILLHEISLER
 - CLINTON GREENFIELD
 - ST. JOE BOOM CO.
- Elevation and Contours:** ELEVATION 2124, SHORE LINE 103 MILES, 100, 200, 300, 400, 500, 600, 700, 800, 900, 1000, 1100, 1200, 1300, 1400, 1500, 1600, 1700, 1800, 1900, 2000, 2100, 2200, 2300, 2400, 2500, 2600, 2700, 2800, 2900, 3000, 3100, 3200, 3300, 3400, 3500, 3600, 3700, 3800, 3900, 4000, 4100, 4200, 4300, 4400, 4500, 4600, 4700, 4800, 4900, 5000, 5100, 5200, 5300, 5400, 5500, 5600, 5700, 5800, 5900, 6000, 6100, 6200, 6300, 6400, 6500, 6600, 6700, 6800, 6900, 7000, 7100, 7200, 7300, 7400, 7500, 7600, 7700, 7800, 7900, 8000, 8100, 8200, 8300, 8400, 8500, 8600, 8700, 8800, 8900, 9000, 9100, 9200, 9300, 9400, 9500, 9600, 9700, 9800, 9900, 10000.
- Other Labels:** RD, T50M, R4W, PENCER, FIRST ADDITION TO CASCO BAY, SUBD. OF LOTS 1 & 2, SUBD. OF BLK. B, H.L. DAY, HENRY L. DAY, NEEDHAM CAMPFIRE CAMP, ARTHUR L. FALL, E.R. BROUSSEAU, NOV 24 1989.

NOV 24 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

Permit No. 95-5527

1. Owner: Richard Rouse

Phone No. _____

Current Address: 619 W. Haycraft, Coeur d'Alene, Wa 83814

2. Accompanied by: Mrs. Rouse

EXAM. DATE: 6/9/88

Address: ☐ SAME

Phone No. SAME

Relationship to Permit Holder: Spouse

3. Source: groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: NONE

☐ Copies Attached


2. Other water rights with same point of diversion: NONE

☐ Copies Attached

☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = _____

2. ☐ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

- ☐ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater.

- ☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).

MICROFILMED

NOV 24 1989

RECEIVED

JUN 26 1989

Department of Water Resources

3. Narrative: Description (As operating at time of measurement, indicate pressure, number of sprinklers, etc.)

A six inch diameter well with a 1/4 hp submersible pump buried in a 4x4 case in the driveway directly in front of the house. A buried line (III) then runs into the basement of the house.

☐ See Remarks on page 4 for continuation

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	submersible				

***Code to correspond with No. on map and aerial photo**

5. Point(s) of Diversion:

[illegible]

6. Place(s) of Use:


Indicate Method of Determination

[illegible]

Do not use this space

NOV 24 1989

UNION



T 50M
R 4 W

PENCER

CASCO BAY

FIRST ADDITION TO
CASCO BAY

PEYTON INV. CO.

MOONEY

VERA
MILLHEISLER

NIER, JR.

SUBD. OF LOTS 1 & 2

SUBD. OF BLK. B

H.L.
DAY

HENRY L. DAY
NEENAH LU
CAMPFIRE
CAMP

HENRY L. DAY

VERA
MILLHEISLER

E.R.
BROUSSEAU

Kid Island
North Cape

NO. F. MURPHY &
H.W. MASON 113

ARTHUR L. FALL

CLINTON
GREENFIELD

Stevens Point

D.M. BAILEY


ST. JOE BOOM CO.

Three Mile Pt.

Nigge

MICROFILMED

NOV 24 1989



PERMIT HOLDER RICHARD J. ROUSE PERMIT # 95-8211

P D TWP 50N RGE 4W SEC 35 SWNW

NOT RECORDED

P/U TWP 50N RGE 4W SEC 35 SWNW

NOV 24 1989

SOURCE GROUND WATER TRIBUTARY TO

MAP PLOT 24 IRR. ACRES 0 USGS QUAD F-4 SCALE 7 1/2"

Do not use this space


D. FLOW MEASUREMENTS *NONE*

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:



E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

1 HOME

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) : Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

*1 HOME .04 cfs
1.2 af*

MICROFILMED

NOV 24 1989

H. REMARKS AND OVERLAP REVIEW ANALYSIS

NO A/E

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use

DOMESTIC

Period of Use
From To

1-1 12-31

Rate of Diversion
Q (cfs)

.04 cfs

Annual Volume
V (af)

1.2 af

Totals:

.04 cfs

1.2 af

2. Recommended Amendments

- ☐ Change P.D. as reflected above
☐ Change P.U. as reflected above

- ☐ Add P.D. as reflected above
☐ Add P.U. as reflected above

- ☒ None
☐ Other

J. AUTHENTICATION

Field Examiner's Name

Louis Sukoraty

Signature

Certification Date


5/15/88

Field Report Preparation Date

6/9/88

K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

CONSULTANT SEAL



MICROFILMED

NOV 24 1989

WCF 11/14/89

State of Idaho
Department of Water Resources
WELL INSPECTION FORM

This form should be completed by the examiner when conducting a field examination to determine the extent of beneficial use of water from a well or whenever a well is inspected for other reasons. The form should be forwarded to Groundwater Protection Section in the State Office upon completion.

1. Legal Description of well location. Twp. 50N, Rge. 4W,
Sec. 35, Qtr./Qtr. SWNW or Lot —
2. Owner RICHARD ROUSE
Address 619 Haycraft, City Courd'Alene, State ID
3. Approx. date of well construction 1975
Well Driller Associated Well
4. Casing: Diameter 6" Condition NOT VISIBLE
5. Casing length above land surface Buried inside a 4x4 Vertical CMP
6. Well depth (ft) 85' Flowing No Temp. —
Access port NO VISIBLE
7. Condition of piping and valving good
8. Evidence of well seal NOT VISIBLE
9. Shut in pressure or static water level 25'
10. Evidence of leakage around the casing NOT VISIBLE
11. Does well need repair —
12. Comments THE WELL IS BURIED IN THE DRIVE
WAY IN FRONT OF THE HOUSE AND ITS ACTUAL
CONDITION CAN'T BE TOLD WITH OUT DIGGING
IT UP.

(OVER)

MICROFILMED


NOV 24 1989

JUN 6 1990

WR 238-I (Rev. 8/88)

SCHEMATIC

Provide a schematic diagram showing the location of the well in the quarter-quarter with respect to houses, roads, other wells or readily identifiable features.



Inspected by [Signature]

Date 6/10/88

MICROFILMED

NOV 24 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
OCT 28 1982
COMMENCEMENT OF WORKS

Permit No.

95-8286837

Name(s) of Permit Holder(s):

Richard J. Pousa

Post Office Address:

721 W. Haycraft Ch. Idaho.

83814

Tel. No. 260-5527

☒ I hereby certify that construction of diversion work on the above referenced permit began on this well (date)

continue to develop the water system with due diligence and maintain a valid permit.



☐ I hereby certify that construction of diverting works on the above referenced project has not yet begun due to the following reason beyond my control:

*Note: A financing difficulty is not an acceptable reason.

Date

Signature of Permit Holder

R. J. P...
721 W. Faircraft
Coeur d'Alene, Idaho 83814



NOV 24 1982
RECEIVED
NOV 24 1982
RECEIVED

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Northern Region

JOHN V. EVANS
Governor
A. KENNETH DUNN
Director

4055 Government Way
Coeur d'Alene, ID 83814
(208) 765-4639

AUGUST 11, 1987

RICHARD ROUSE
619 W. HAYCRAFT
COEUR D ALENE, ID 83814

RE: Permit No. 95-8211

Dear Permit Holder:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a Water Right License can be issued, a field examination must be made by a representative of this department.

A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office by phone or in person.

Sincerely,

/S/
TOM D. KING
Senior Water Resource Agent

cc: IDWR - State Office

MICROFILMED

NOV 24 1989

RECEIVED
JUL 10 1987
Department of Water Resources
Northern District Office

RECEIVED

JUL 10 1987

For Office Use Only

Fee Received - - -

Date 7/16/87

Receipt # - - -

Receipt by [initials]

Reviewed by [initials]

Sent to region 2

STATE OF IDAHO Department of Water Resources

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 95-8211

Name(s) of Permit Holder: RICHARD J. ROUSE

Post Office Address: 619 W. HEYCRIFT COGAR D'ALENE, ID 83814

Telephone No. 765-5527

Source of Water: GW

Extent of Use:

Domestic 1 (number of households) Stockwater _____ (number and type of stock)

Irrigation _____ (acres) Other/Remark _____

Total rate and/or volume for which proof is submitted 0.04 cfs _____ acre-feet

Show the date water was first diverted and beneficially used under this permit: _____

Measuring Device: Required? Yes No
Installed? Yes No

Fee enclosed \$ ✓
(See License Examination Fee Schedule)

Flow Measurement Port: Required? Yes No
Installed? Yes No

Person to contact to accompany the Department representative during the field examination:

SAME
(Name)

(Telephone Number)

3960 WESTWAY DR. KIDD ISLAND BAY ← ADDRESS OF WHICH HOME UPON WHICH WELL IS LOCATED
(Address)

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

7/16/87
Date

x R. J. Rouse
Signature of Permit Holder (and title, if appropriate)

AUG 25 1987

FILED

138755
CERTIFIED MAIL
June 30, 1987

ROUSE, RICHARD J.
721 W. HAYCRAFT ST.
COEUR D ALENE, ID 83814

PROOF DUE NOTICE

RE: Permit No. 95-8211

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before September 1, 1987. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a completed field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this Department on or before the above described proof due date, or the permit will no longer be of any force nor effect.

Sincerely,

RITA FLECK
Secretary/Records Manager

Enclosures

MICROFILMED

AUG 25 1987

S T A T E O F I D A H O
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

ROUSE, RICHARD J.
721 W. HAYCRAFT ST.
COEUR D ALENE, ID 83814

OCTOBER 13, 1982

RE: PERMIT NO. 95-8211

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE

RECEIVED

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: AB

APPLICATION NUMBER: 958211

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No* In form to receipt.

Field check by: _____

Date: _____

Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: _____ Date: _____

PROCESSING:

- ☐ Yes ☐ No Platted by: _____ Map No. _____
☐ Yes ☐ No Other rights on same place of use. _____

- ☒ Yes ☐ No* In form for advertising.
Final date for protests: 9/7/82 ✓
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 8/27/82 ✓
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☐ Yes ☒ No Access port required.
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? _____
9/18/82 ✓ Date of priority recommended.
Special conditions of approval or cover letter. _____

By: PHH Date: 9/16/82

STATE OFFICE REVIEW:

- Return receipt
SLW/LI2 26 04
☐ See attached sheet for more information.
By: TPBYN Date: 9/28/82

RECEIVED
SEP 21 1982

POINT OF DIVERSION AND STREAM INDEX INFORMATION

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
IDAHO STREAM CODE INDEX						

95-8211-

ROUSE, RICHARD J.

721 W. HAYCRAFT ST., COEUR D'ALENE, ID 83814

Source: GROUNDWATER

Date Filed: 09/08/1982

Amount: 0.08 CFS

Diversion Point: SWNW Sec 35 T 50N R 04W, KOOTENAI Co.

Use: DOMESTIC (0.08 CFS) from 01/01 to 12/31

Place of Use: SWNW Sec 35 T 50N R 04W

Diversion Means: WELL, PUMP AND PIPELINE.