

# AFFIDAVIT OF PUBLICATION

STATE OF IDAHO,  
County of Kootenai, } ss.

## NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

95-8191

MAC PHEE, CRAIG &/or JOHN A.

S. 3345 BOOTHE PARK RD.,  
COEUR D'ALENE, ID 83814  
Source: COEUR D'ALENE  
LAKE tributary to SPOKANE  
RIVER

Priority Date: 01/01/1990

Amount: 0.03 CFS

Diversión Point: SENW Sec 33 T

50N R 03W, KOOTENAI Co.

Use: DOMESTIC (0.03 CFS) from

01/01 to 12/31

Place of Use: SENW Sec 33 T 50N

R 03W

95-8192

WATSON, SHIRLEY K.

P.O. BOX 197, RATHDRUM, ID

83858

Source: RATHDRUM CREEK

tributary to SINKS

Date Filed: 06/10/1992

Amount: 0.14 CFS

Diversión Point: SWSW Sec 17 T

52N R 04W, KOOTENAI Co.

Use: IRRIGATION (0.10 CFS)

from 03/15 to 11/15; DOMESTIC

(0.04 CFS) from 01/01 to 12/31

Place of Use: SWSW Sec 17 T 52N

R 04W FOR 5 ACRES

Diversión Means: PUMP &

PIPE.

95-8193

SUTTON, DOUGLAS L.

W. 7450 STACH RD., COEUR

D'ALENE, ID 83814

Source: GROUNDWATER

Date Filed: 06/11/1992

Amount: 0.04 CFS

Diversión Point: NENW Sec 30 T

50N R 04W, KOOTENAI Co.

Use: DOMESTIC (0.04 CFS) from

01/01 to 12/31

Place of Use: NENW Sec 30 T 50N

R 03W

Diversión Means: WELL &

PUMP.

95-8194

CAPTAIN KIDD ASSN.

STAR RT. KIDD ISLAND BAY,

COEUR D'ALENE, ID 83814

Source: COEUR D'ALENE

LAKE tributary to SPOKANE

RIVER

Date Filed: 06/10/1992

Amount: 0.13 CFS

Diversión Point: NESW Sec 35 T

50N R 04W, KOOTENAI Co.

Use: IRRIGATION (0.02 CFS)

from 03/15 to 11/15; FIRE PRO-

TECTION (0.12 CFS) from 01/01

to 12/31

Place of Use: NESW Sec 35 T 50N

R 04W FOR 1 ACRES

Diversión Means: PUMP &

PIPE.

95-8195

RICHARD, ROY D.

RT. 1 BOX 58A, WORLEY, ID

83876

Source: SPRING tributary to

COEUR D'ALENE LAKE

Date Filed: 06/10/1992

Amount: 0.04 CFS

Diversión Point: SESW Sec 24 T

47N R 04W, KOOTENAI Co.

Use: DOMESTIC (0.04 CFS) from

01/01 to 12/31

Place of Use: SESW SWSW Sec

24 T 47N R 04W

Diversión Means: PUMP &

PIPE.

95-8067

HORNER, STANLEY

SCNELLE, G. F.

FILLEN, ELMER &/or WILLIE

CLOSSON, EVELYN

BISHOP, ROBERT

FOUNTAIN, DALE

P.O. BOX 124, BAYVIEW, ID

83893

Source: GROUNDWATER

Date Filed: 06/16/1992

Amount: 0.11 CFS

Diversión Point: NENE Sec 04 T

53N R 02W, KOOTENAI Co.

Use: DOMESTIC (0.11 CFS) from

01/01 to 12/31

Place of Use: NENE Sec 03 T 53N

R 03W

Diversión Means: WELL, PUMP

& PIPE.

If issued, the permit(s) will be

subject to all prior water rights.

Protests against the granting of

any permit must be filed with the

Director of the Idaho Department

of Water Resources, 4666 Gov't

Way, Coeur d'Alene, ID 83814 on

or before JULY 12, 1992.

A. KENNETH DUNN

Director

Legal 608

June 24, July 1, 1992

*Allen Hancock* being first duly sworn  
deposes and says:

I am now and at all times hereinafter mentioned was a citizen of the United  
President of the State of Idaho, over the age of twenty-one years and not a  
the above entitled action.

I am now and at all times hereinafter mentioned was the printer (principal  
the "Coeur d'Alene Press," a newspaper printed and published daily except  
on Coeur d'Alene, Kootenai County, Idaho, and having a general circulation  
county.

The *Application*

the annexed is a printed copy, was published in the regular *Press*  
said newspaper for *2* consecutive *times*

ing on the *24* day of *June*, 19*82*, and

in the *1* day of *July*, 19*82*, and such

on was made as often during said period as said *daily*

er was regularly issued.

That said newspaper has been continuously and uninterruptedly published in  
tenai County, during a period of more than seventy-eight consecutive weeks  
tely prior to the first publication of said notice.

*Allen Hancock*

scribed and sworn to before me this *24* day of *July*


RECEIVED  
JUL 6 1992

*Roberta Stanley*  
Notary Public for the State of Idaho,  
residing at Coeur d'Alene, Idaho.  
Department of Water Resources  
Northern District Office

OK  
7/6/92

MICROFILMED


NOT TO SCALE



NEW IRRIGATED  
AREA



OLD IRRIGATED  
AREA



MICROFILMED

NOV 24 1989



STATE OF IDAHO  
DEPARTMENT OF WATER RESOURCES  
BENEFICIAL USE FIELD REPORT SUPPLEMENT II

P H O T O G R A P H S



MICROFILMED

NOV 24 1989

State of Idaho  
Department of Water Resources

# WATER RIGHT LICENSE

WATER RIGHT NO. 95-08192

Priority: July 8, 1982

Maximum Diversion Rate:

0.02 CFS

Maximum Diversion Volume:<sup>1</sup>

1.2 AF

This is to certify, that SHIRLEY K. WATSON

P.O. BOX 197

RATHDRUM, ID 83858

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated June 16, 1982; and has submitted Proof of Beneficial Use on July 23, 1987. An examination indicates that the works have a diversion capacity of .020 cfs of water from:

RATHDRUM CREEK

tributary to SINKS

source, and a water right has been established as follows:

| <u>BENEFICIAL USE</u> | <u>PERIOD OF USE</u> | <u>RATE OF DIVERSION</u> | <u>ANNUAL VOLUME</u> |
|-----------------------|----------------------|--------------------------|----------------------|
| IRRIGATION            | 03/15 to 11/15       | 0.02 CFS                 | 1.2 AF               |

LOCATION OF POINT(S) OF DIVERSION:

SWSW , Sec. 17, Township 52N, Range 04W  
KOOTENAI County

PLACE OF USE: IRRIGATION

| <u>TWN</u> | <u>RGE</u> | <u>SEC</u> | <u>ACRES</u> | <u>ACRES</u> | <u>ACRES</u> | <u>TOTAL</u> |
|------------|------------|------------|--------------|--------------|--------------|--------------|
| 52N        | 04W        | 17         | SWSW         | 0.3          |              | 0.3          |

Total number of acres irrigated: 0.3

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to reflect cropping patterns or acceptable standards of water delivery efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 20<sup>TH</sup> day of NOVEMBER, 1987.

**MICROFILMED**

Acting for

*R. Keith Higginson*  
R. Keith Higginson, Director

NOV 24 1987

270A

BEFORE THE DEPARTMENT OF WATER RESOURCES  
OF THE STATE OF IDAHO

IN THE MATTER OF PERMIT NO. 95-8192 IN THE )  
NAME OF SHIRLEY K. WATSON ) ORDER OF REINSTATEMENT  
\_\_\_\_\_ )

WHEREAS, the Department has issued the above-captioned permit with the condition that proof of construction of works and application of water to beneficial use (proof of beneficial use) be submitted on or before July 1, 1987; and,

WHEREAS, the Department notified the permit holder by certified mail that proof was due and instructed the permit holder of the steps to be taken to submit the proof of beneficial use; and,

WHEREAS, the Department has notified the permit holder that the permit has lapsed for failure of the permit holder to submit the proof of beneficial use; and,

WHEREAS, Section 42-218a of the Idaho Code provides that a permit may be reinstated upon a showing of reasonable cause within sixty days of the date of the notice of lapsing; and,

WHEREAS, the permit holder has provided a reasonable showing why the permit should be reinstated by submitting proof of beneficial use on July 23, 1987;

IT IS, THEREFORE, HEREBY ORDERED that Permit No. 95-8192 be REINSTATED and the priority advanced to July 8, 1982.

Dated this 17<sup>th</sup> day of August, 1987.

REPROFILMED

AUG 25 1987

*L. Glen Saxton*  
L. GLEN SAXTON, Chief, Operations Bureau

STATE OF IDAHO  
DEPARTMENT OF WATER RESOURCES  
APPLICATION FOR PERMIT

**APPROVED**

To appropriate the public waters of the State of Idaho

1. Name of applicant Shirley K. Watson Phone 687-0858  
Post office address PO Box 197 Rathdrum, Id.  
2. Source of water supply Rathdrum Ck which is a tributary of Sinks  
3. Location of point of diversion is SW  $\frac{1}{4}$  of SW  $\frac{1}{4}$  of Section 17 Township 52N  
Range 4W B.M. Kootenai County, additional points of diversion if any: \_\_\_\_\_

4. Water will be used for the following purposes:

Amount 0.04 for Domestic purposes from 1-1 to 12-31 (both dates inclusive)  
(cfs or acre-feet per annum)  
Amount 0.10 for IRRIGATION purposes from 3-15 to 11-15 (both dates inclusive)  
(cfs or acre-feet per annum)  
Amount \_\_\_\_\_ for \_\_\_\_\_ purposes from \_\_\_\_\_ to \_\_\_\_\_ (both dates inclusive)  
(cfs or acre-feet per annum)  
Amount \_\_\_\_\_ for \_\_\_\_\_ purposes from \_\_\_\_\_ to \_\_\_\_\_ (both dates inclusive)  
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 0.14 cubic feet per second and/or b. \_\_\_\_\_ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Pump & pipeline to  
place of use

b. Height of storage dam \_\_\_\_\_ feet, active reservoir capacity \_\_\_\_\_ acre-feet; total reservoir  
capacity \_\_\_\_\_ acre-feet, materials used in storage dam: \_\_\_\_\_

Period of year when water will be diverted to storage \_\_\_\_\_ to \_\_\_\_\_ inclusive.  
(Month/Day) (Month/Day)

c. Proposed well diameter is \_\_\_\_\_ inches; proposed depth of well is \_\_\_\_\_ feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial

use is 5 years (minimum 1 year - maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: SW  $\frac{1}{4}$  of SW  $\frac{1}{4}$  of Section 17 Township 52N  
Range 4W B.M.

(2) Amount of power to be generated: \_\_\_\_\_ horsepower under \_\_\_\_\_ feet of head.

(3) List number of each kind of livestock to be watered \_\_\_\_\_

(4) Name of municipality to be served \_\_\_\_\_, or number of families to be  
supplied with domestic water one.

(5) If water is to be used for other purposes describe: \_\_\_\_\_

[illegible]

5

NONE

This is in addition to 95-7771

47

25

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the

applicant to make this filing

---

emarks

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

DEC 17  
TSSN R44)

+ P.D.  
12/14

Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

x Shirley Watson  
(Applicant)

100

Received by TK Date 6/16/82 Time 9:00am  
Preliminary check by AB Fee \$ 30.00  
Received by pr Date 6/16/82 (01369)  
Publication prepared by pr Date 6/17/82  
Published in Idaho Observer  
Publication dates 6/24 & 7/1/82  
Publication approved pr Date 7/6/82  
Protests filed by: none  
Copies of protests forwarded by \_\_\_\_\_  
Hearing held by \_\_\_\_\_  
Recommended for approval denial by pr Date \_\_\_\_\_  
pr

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 95-8192, and said application is hereby APPROVED.  
1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before July 1, 19 87.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other: Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.

Witness my hand this 22nd day of July, 19 82.

D. Allen Sayton  
Chief, Operations Bureau

# AFFIDAVIT OF PUBLICATION

STATE OF IDAHO,

County of Kootenai,

ss.

## NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

95-8121

MAC PHEE, CRAIG &/or JOHN A.

S. 346 BOOTHE PARK RD., COEUR D'ALENE, ID 83814  
Source: COEUR D'ALENE LAKE tributary to SPOKANE RIVER

Priority Date: 01/01/1930

Amount: 0.03 CFS

Diversion Point: SENW Sec 33 T

50N R 03W, KOOTENAI Co.

Use: DOMESTIC (0.03 CFS) from

01/01 to 12/31

Place of Use: SENW Sec 33 T 50N

R 03W

95-8122

WATSON, SHIRLEY K.  
P.O. BOX 197, RATHDRUM, ID 83854

Source: RATHDRUM CREEK

tributary to SINKS

Date Filed: 06/14/1982

Amount: 0.14 CFS

Diversion Point: SWSW Sec 17 T

52N R 04W, KOOTENAI Co.

Use: IRRIGATION (0.10 CFS)

from 03/15 to 11/15; DOMESTIC

(0.04 CFS) from 01/01 to 12/31

Place of Use: SWSW Sec 17 T 52N

R 04W FOR 6 ACRES

Diversion Means: PUMP &

PIPE

95-8123

SUTTON, DOUGLAS L.  
W. 7463 STACH RD., COEUR D'ALENE, ID 83814

Source: GROUNDWATER

Date Filed: 06/11/1982

Amount: 0.04 CFS

Diversion Point: NENW Sec 20 T

50N R 04W, KOOTENAI Co.

Use: DOMESTIC (0.04 CFS) from

01/01 to 12/31

Place of Use: NENW Sec 20 T 50N

R 03W

Diversion Means: WELL &

PUMP

95-8124

CAPTAIN KIDD ARSN  
STAR RT. KIDD ISLAND BAY,  
COEUR D'ALENE, ID 83814

Source: COEUR D'ALENE

LAKE tributary to SPOKANE

RIVER

Date Filed: 06/19/1982

Amount: 0.12 CFS

Diversion Point: NESW Sec 35 T

50N R 04W, KOOTENAI Co.

Use: IRRIGATION (0.02 CFS)

from 03/15 to 11/15; FIRE PRO-

TECTION (0.12 CFS) from 01/01

to 12/31

Place of Use: NESW Sec 35 T 50N

R 04W FOR 1 ACRES

Diversion Means: PUMP &

PIPE

95-8125

RICHARD, ROY D.  
RT. 1 BOX 90A, WORLEY, ID 83676

Source: SPRING tributary to

COEUR D'ALENE LAKE

Date Filed: 06/10/1982

Amount: 0.04 CFS

Diversion Point: SESW Sec 24 T

47N R 04W, KOOTENAI Co.

Use: DOMESTIC (0.04 CFS) from

01/01 to 12/31

Place of Use: SESW SWSW Sec

24 T 47N R 04W

Diversion Means: PUMP &

PIPE

95-8067

HORNER, STANLEY  
SCHELLE, G. F.

FILLEN, ELMER &/or WILLIE

CLOSSON, EVELYN

BISHOP, ROBERT

FOUNTAIN, DALE

P.O. BOX 124, BAYVIEW, ID 83823

Source: GROUNDWATER

Date Filed: 06/16/1982

Amount: 0.11 CFS

Diversion Point: NENE Sec 03 T

53N R 02W, KOOTENAI Co.

Use: DOMESTIC (0.11 CFS) from

01/01 to 12/31

Place of Use: NENE Sec 03 T 53N

R 03W

Diversion Means: WELL, PUMP

& PIPE

If issued, the permit(s) will be

subject to all prior water rights.

Protests against the granting of

any permit must be filed with the

Director of the Idaho Department

of Water Resources, 4005 Gov't

Way, Coeur d'Alene, ID 83814 on

or before JULY 12, 1982.

A. KENNETH DUNN

Director

Legal 604

June 24, July 1, 1982

*Alene Hancock* being first duly sworn  
deposes and says:

I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party to the above entitled action.

I am now and at all times hereinafter mentioned was the printer (principal) of the "Coeur d'Alene Press," a newspaper printed and published daily except on Sundays, at Coeur d'Alene, Kootenai County, Idaho, and having a general circulation of approximately 10,000 copies in Kootenai County.

The *Application*

the annexed is a printed copy, was published in the regular issue of said newspaper for *2* consecutive *weeks* ending on the *24* day of *June*, 1982, and on the *1* day of *July*, 1982, and such publication was made as often during said period as said *daily* newspaper was regularly issued.

That said newspaper has been continuously and uninterruptedly published in Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.

*Alene Hancock*  
scribed and sworn to before me this *24* day of *July*, 1982.

*Roberta Stanley*  
Notary Public for the State of Idaho,  
residing at Coeur d'Alene, Idaho.  
Department of Water Resources  
Northern District Office

MICROFILMED

November 21, 1989

SHIRLEY K. WATSON  
P.O. BOX 197  
RATHDRUM, ID 83858

RE: PERMIT NO. 95-08192

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON  
Water Rights Supervisor

JJ:sc

Enclosure

RECORDED  
INDEXED

NOV 24 1989

October 23, 1989

SHIRLEY K. WATSON  
P.O. BOX 197  
RATHDRUM, ID 83858

RE: PERMIT NO. 95-08192

Dear Permit Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

JIM JOHNSON  
Water Rights Supervisor

JJ:sc

Enclosure

**MICROFILMED**

NOV 24 1989

STATE OF IDAHO  
DEPARTMENT OF WATER RESOURCES  
**BENEFICIAL USE FIELD REPORT**

Permit No. 95-8192

**A. GENERAL INFORMATION**

1. Owner: Shirley K. ~~Watson~~ Watson

Phone No. (208) 687-2594

Current Address: P.O. Box 194 Rathdrum ID 83858

2. Accompanied by: No one

EXAM. DATE: 9/18/88

Address: —

Phone No. —

Relationship to Permit Holder: —

3. Source: Rathdrum Cr. tributary to Sinks

**B. OVERLAP REVIEW**

1. Other water rights with same place of use: None

☐ Copies Attached


2. Other water rights with same point of diversion: 95-7771 - same system

☐ Copies Attached

☐ Copies of Field Exam's Attached

**C. SYSTEM DESCRIPTION**

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☒ Alternative diagram attached



Scale: 1" = NTS

NOV 24 1988

2. ☐ Copy of U.S.G.S. Quadrangle Attached  
Showing location(s) of point(s) of diversion and  
place(s) of use (required).

☐ Aerial Photo Attached  
(required for irrigation of 10 acres or more).

☐ Photo of Diversion and System Attached  
(required for all but single household domestic groundwater, and stockwater).

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

✓ 3 Hp pump pumping from Rathdrum creek supplying water to new lawn through 1" white above ground P.V.C. pipe. Part of the lawn watered ~~is~~ <sup>partly</sup> is covered under water "95-7771. This is the same system just extended.

☐ See Remarks on page 4 for continuation

|                                       |            |     |                  |           |                                   |
|---------------------------------------|------------|-----|------------------|-----------|-----------------------------------|
| Well or Diversion Identification No.* | Motor Make | Hp  | Motor Serial No. | Pump Make | Pump Serial No. or Discharge Size |
|                                       | Wagner     | 1/3 | AAK1W            | Goulds    | 1"                                |
|                                       |            |     |                  |           |                                   |
|                                       |            |     |                  |           |                                   |
|                                       |            |     |                  |           |                                   |

*\*Code to correspond with No. on map and aerial photo*

**5. Point(s) of Diversion:**

[illegible]

**6. Place(s) of Use:**

**Indicate Method of Determination**


| Twp. | Rge. | Sec. | NE¼ |     |     |     |     |     |     |     | NW¼ |     |     |     |     |     |     |     | SW¼ |     |     |     |     |     |     |     | SE¼ |     |     |     |  |  |  |  |
|------|------|------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|--|--|--|--|
|      |      |      | NE¼ | NW¼ | SW¼ | SE¼ | NE¼ | NW¼ | SW¼ | SE¼ | NE¼ | NW¼ | SW¼ | SE¼ | NE¼ | NW¼ | SW¼ | SE¼ | NE¼ | NW¼ | SW¼ | SE¼ | NE¼ | NW¼ | SW¼ | SE¼ | NE¼ | NW¼ | SW¼ | SE¼ |  |  |  |  |
| S2N  | 4w   | 17   |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |  |  |  |  |
|      |      |      |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |  |  |  |  |
|      |      |      |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |  |  |  |  |
|      |      |      |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |  |  |  |  |
|      |      |      |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |  |  |  |  |
|      |      |      |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |  |  |  |  |
|      |      |      |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |  |  |  |  |
|      |      |      |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |  |  |  |  |
|      |      |      |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |  |  |  |  |
|      |      |      |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |  |  |  |  |
|      |      |      |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |  |  |  |  |
|      |      |      |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |  |  |  |  |
|      |      |      |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |  |  |  |  |
|      |      |      |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |  |  |  |  |
|      |      |      |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |  |  |  |  |
|      |      |      |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |  |  |  |  |
|      |      |      |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |  |  |  |  |
|      |      |      |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |  |  |  |  |
|      |      |      |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |  |  |  |  |
|      |      |      |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |  |  |  |  |
|      |      |      |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |  |  |  |  |
|      |      |      |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |  |  |  |  |
|      |      |      |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |  |  |  |  |
|      |      |      |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |  |  |  |  |
|      |      |      |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |  |  |  |  |
|      |      |      |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |  |  |  |  |
|      |      |      |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |  |  |  |  |
|      |      |      |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |  |  |  |  |
|      |      |      |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |  |  |  |  |
|      |      |      |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |  |  |  |  |

**Do not use this space**

NOV 24 1989


**RECEIVED**

NOT TO SCALE



MICROFILMED

NOV 24 1989





Do not use this space

#### D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

| Measurement Equipment | Type | Make | Model No. | Serial No. | Size | Calib. Date |
|-----------------------|------|------|-----------|------------|------|-------------|
|                       |      |      |           |            |      |             |
|                       |      |      |           |            |      |             |
|                       |      |      |           |            |      |             |
|                       |      |      |           |            |      |             |

2. Measurements:

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

#### E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

Same System as 95-7771  
 $Q = .02 \text{ cfs}$

2. Alternate Method for Checking Purposes:

#### F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: \_\_\_\_\_ psi x 2.31 = \_\_\_\_\_ ft (1); Dynamic pumping level: \_\_\_\_\_ ft (2)

Total Head: (1) + (2) = \_\_\_\_\_ (3); Flow rate: \_\_\_\_\_ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = \_\_\_\_\_ (5)

Meter Input KW: 3.6 x \_\_\_\_\_ KH x \_\_\_\_\_ CTR or \_\_\_\_\_ MULT x \_\_\_\_\_ PTR x \_\_\_\_\_ N/ \_\_\_\_\_ T = \_\_\_\_\_ (6)

Meter Input HP: (6) x 1.34 = \_\_\_\_\_ (7)

Panel Input KW: \_\_\_\_\_ Ave PF x \_\_\_\_\_ Ave Volts x \_\_\_\_\_ Ave Amps x .001732 = \_\_\_\_\_ (6)

Panel Input HP: (6) x 1.34 = \_\_\_\_\_ (7) Efficiency: (5)/(7) x 100 = \_\_\_\_\_ %

#### G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \frac{1.3}{3.5} \times 1.2 \text{ ata}$

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = \frac{.02}{245} \times 9.7 \text{ ata}$

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 1.2 \text{ ata}$

2. Volume Calculations for Other Uses:

**MICROFILMED**

NOV 24 1989

H. REMARKS AND OVERLAP REVIEW ANALYSIS

NOT TO EXCEED 0.03 cfs PER 3.5 AF  
WHEN COMBINED WITH 95-7771. TOTAL APPEAL ONE NEED  
WHEN COMBINED, JK

I. RECOMMENDATIONS

1. Recommended Amounts

| Beneficial Use | Period of Use<br>From To | Rate of Diversion<br>Q (cfs) | Annual Volume<br>V (afa) |
|----------------|--------------------------|------------------------------|--------------------------|
| IRRIGATION     | 3/15 11/15               | .02 cfs                      | 1.2 afa                  |

2. Recommended Amendments

- ☐ Change P.D. as reflected above
- ☐ Add P.D. as reflected above
- ☒ None
- ☐ Other
- ☐ Change P.U. as reflected above
- ☐ Add P.U. as reflected above

J. AUTHENTICATION


Field Examiner's Name: LOUIS SAKOYAN  
Signature: [Signature]  
Certification Date: 5/15/88  
Field Report Preparation Date: 9/19/88

K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

DM 7/14/89

NOT RECORDED  
NOV 24 1989

CONSULTANT SEAL



STATE OF IDAHO  
DEPARTMENT OF WATER RESOURCES  
BENEFICIAL USE FIELD REPORT SUPPLEMENT  
C O N T E N T S

(☒) B/U Acknowledgment Letter Sent

This Examination Report Contains the Following Documents.

(☒) Field Report      (☒) Quad Sheet      ( ) Gov. Lot Plat      (☒) Rules Check list

( ) Aerial Photo      (☒) Photo PD/PU

Number of Diagrams Attached 1      Number of Calculation Sheets Attached \_\_\_\_\_

( ) Correspondence (Date) \_\_\_\_\_

( ) Other (List) Overlap 95-07771

Contacts:

Remarks:

Exam Completed By *Don L. Johnson*      Date 12/19/88

Sr. Agent Review \_\_\_\_\_      Date \_\_\_\_\_

Regional Manager Review *RYA*      Date 6/89

PERMIT NUMBER 95-8192

**MICROFILMED**

NOV 24 1989

**RECEIVED**  
JUN 26 1989


Department of Water Resources

Examination For Beneficial Use Field Report Check List      Rule 5

- ✓  
-----5,1,2. Permitted uses partially developed by the permit holder shall be described. Permitted uses which were not developed by the permit holder shall be noted. Uses determined to exist which are not authorized by the permit being examined shall also be noted.
- ✓  
-----5,1,3. A concise description of the diversion works and a general description of the distribution works shall be given. This description must trace the water from the point of diversion to and including the place of use and the return to a public water source, if any. The make, capacity, serial number and model number of all pumps, boosters or measuring devices associated with the point of diversion at the source of the water supply shall be described on the field report.
- ✓  
-----5,1,4. Any interconnection of the water use being examined with other water rights or with other conveyance systems shall be described on the field report. Any reservoir, diversion dam, shall be included. This description shall be in the form of a concise word picture of the storage of water, if stored, its release, redirection and conveyance to the place of use. A schematic diagram of the project works shall also be provided in the field report.
- ✓  
-----5,1,5. If water is returned to a public water source after use, a legal description of the point where the water is returned and source to which discharge is made shall be provided. Examples of uses which generally have an effluent discharge include fish propagation and power facilities. (MINING)
- ✓  
-----5,1,6. The method of compliance with each condition of approval of a permit shall be shown on the field report by the examiner.
- ✓  
-----5,1,7. If the water is used for irrigation, the boundaries of the various irrigated areas and the location of the project works providing water to each shall be platted on the proof maps and the full or partial acreage in each legal subdivision of 40 acres or government lot shall be shown.
- ✓  
-----5,1,8. Irrigated acreage shall be shown on the field report to the nearest whole acre in a legal subdivision except the acreage shall be shown to the nearest one-tenth acre for permits covering land of five acres or less.
- ✓  
-----5,1,9. Where a permit has been developed as separate distribution systems from more than one point of diversion, the separate areas irrigated from each point of diversion shall be shown on the proof maps as described hereinbefore and the legal subdivisions embracing the irrigated areas for each such respective point of diversion together with the total irrigated area shall be described.
- ✓  
-----5,1,10. The field examiner does not need to show total volume of water for municipal and fire protection uses on the field report unless the project works provide for storage of water.
- ✓  
-----5,1,11. The total number of holding/rearing ponds and the dimensions and volume of the ponds shall be shown on the field report for fish rearing or fish propagation use. The annual volume shall be calculated based on the changes of water per hour.
- ✓  
-----5,1,12. Information shall be submitted concerning the beneficial use that has been made of the water unless the purpose of use is for irrigation. For example, for stockwater use, the number and type of stock watered shall be provided. Similar indications of the extent of beneficial use shall be provided for all other non-irrigation uses.
- ✓  
-----5,1,13. Information on the period during each year that the water is used shall be described for each use.
- ✓  
-----5,1,14. For permits having more than one use, the diversion rate measured for each use shall be described.
- ✓  
-----5,1,15. The amount (rate and/or volume) of water shall be limited by the smaller of the permitted amount, the amount upon which the license examination fee is paid, the capacity of the diversion works or the amount beneficially used, including any statutory limitation of the duty of water.
- ✓  
-----5,1,16. Suggested amendments shall be noted on the field report when the place of use, point of diversion, period or nature of use is different from the approved permit or from previously approved amendments.
- ✓  
-----5,1,17. An aerial photo must accompany field reports involving ten (10) or more irrigated acres unless waived by the director. If existing photos are not available, the director will accept a USGS Quadrangle map at the largest scale available.

STATE OF IDAHO  
DEPARTMENT OF WATER RESOURCES  
BENEFICIAL USE FIELD REPORT SUPPLEMENT II

PHOTOGRAPHS



NOT RECORDED

NOV 24 1969

State of Idaho  
DEPARTMENT OF WATER RESOURCES  
FIELD REPORT

55

95-7771

Permit No.

## CONTACT WITH PERMIT HOLDER

DATE

INITIALS

REMARKS

Appointment letter mailed:

Telephone call made:

(List Telephone No. used)

Appointment scheduled for:

(Date, time, location)

## EXAMINATION

Date 2/1/83

Accompanied by App

Total Q measured - est. 0.02

If source is surface water, estimate total flow of source

Methods of measurement Est/calc

Meets Permit requirements? yes

Measurement calculations: 2 sprinklers similar to Rainbird - 20 each =  $\frac{(2) \times 0.3}{100} = 0.02 \text{ cfs}$ approx one acre  
no domestic $V = 1 \times 3.5 = 3.5 \text{ AF}$  $V = 0.02 \times 1.9835 \times 245 = 9.7 \text{ AF}$ 

| WELL/DIVERSION*<br>NO. | HP  | MOTOR<br>MAKE | MOTOR<br>SERIAL NO. | PUMP<br>MAKE | PUMP<br>SERIAL NO. | MEASURING<br>DEVICE TYPE | CONDITION OF<br>MEAS. DEV. | REMARKS |
|------------------------|-----|---------------|---------------------|--------------|--------------------|--------------------------|----------------------------|---------|
|                        | 1/2 | Wagner        | 5607                | HTL          | not                |                          |                            |         |

System Description 1/2 hp pump with garden hose to simple and lawn sprinklers

\*Code with map on reverse side. Disregard code if only one.

## RECOMMENDED AMOUNTS

USE

Irrigation requirement = 3.5

AFA/AB

Q (cfs)

V (afg)

FROM

TO

0.02

3.5

3-15

4-15

Total

0.02

3.5

Remarks

MICROFILMED

NOV 24 1989

STATE OF IDAHO  
DEPARTMENT OF WATER RESOURCES  
Northern Region

JOHN V. EVANS  
Governor  
A. KENNETH DUNN  
Director

4055 Government Way  
Coeur d'Alene, ID 83814  
(208) 765-4639

SEPTEMBER 16, 1987

SHIRLEY K. WATSON  
P.O. BOX 197  
RATHDRUM, ID 83858

RE: Permit No. 95-8192

Dear Permit Holder:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Enclosed please find a copy of an order involving your permit.

Before a Water Right License can be issued, a field examination must be made by a representative of this department.

A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office by phone or in person.

Sincerely,

/S/  
TOM D. KING  
Senior Water Resource Agent

cc: IDWR - State Office

**MICROFILMED**

NOV 24 1989

CALCULATION OF NEW PRIORITY DATE

FROM: RITA FLECK

TO: FILE # *95-8192*

DATE: *8-14-1987*

Date proof received

*204*

*July 23, 1987*

Proof due

*-182*

*July 1*

Number of day proof late

*22*

Priority date

*+167*

*June 16, 1982*

New priority date

*189*

*July 8, 1982*

Remarks:

**FILED**

AUG 25 1987

Form 217  
03/86

RECEIVED

JUL 23 1987

No ✓ Rec'd D.J.B.  
Department of Water Resources

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

For Office Use Only  
Fee Received \_\_\_\_\_

Date \_\_\_\_\_

Receipt # \_\_\_\_\_

Receipt by \_\_\_\_\_

Reviewed by \_\_\_\_\_

Sent to region 8-14-87

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 95-8192

Name(s) of Permit Holder: SHIRLEY K. WATSON ✓

Post Office Address: PO Box 197 ✓

RATHDRUM ID. 83858 ✓

Source of Water: RATHDRUM CREEK OUT OF TWIN LAKES ✓ Telephone No. 208 687-2594

Extent of Use:

Domestic \_\_\_\_\_ (number of households)

Irrigation SPRINKLE  
1/3 ACRE ✓ (acres)

Stockwater \_\_\_\_\_ (number and type of stock)

Other/Remark \_\_\_\_\_

Total rate and/or volume for which proof is submitted \_\_\_\_\_

Show the date water was first diverted and beneficially used under this permit: 1979 0.03 cfs 1/3 acre approx acre-feet

Measuring Device: Required? ☐ Yes ☒ No  
Installed? ☐ Yes ☒ No

Fee enclosed \$ N/A  
(See License Examination Fee Schedule)

Flow Measurement Port: Required? ☐ Yes ☒ No  
Installed? ☐ Yes ☒ No

Person to contact to accompany the Department representative during the field examination:

SHIRLEY K. WATSON  
(Name)

687-2594  
(Telephone Number)

PO Box 197 RATHDRUM ID. 83858  
(Address)

The above information is my true statement of the extent to which the above numbers permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

FILED

AUG 25 1987

8-20-87  
Date

Shirley K. Watson ✓  
Signature of Permit Holder (and title, if appropriate)

\* based on amount of land irrigated

July 15, 1987

WATSON, SHIRLEY K.  
P.O. BOX 197  
RATHDRUM, ID 83858

**LAPSE NOTICE**

RE: Permit No. 95-8192

Dear Permit Holder:

You are hereby notified that under the provisions of Section 42-218a, Idaho Code, the above referenced water permit has lapsed. This office did not receive either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time. You were provided the proper forms in our proof due notice to you dated April 30, 1987.

Your permit cannot be reinstated unless you submit proof of beneficial use or submit an extension of time request showing reasonable cause for delay. Either the completed proof of beneficial use submittal (including the examination fee or a completed field examination report) or the extension request form together with the \$15 fee must be received by this Department within sixty days of the date of mailing of this lapse notice.

A proof of beneficial use form and a request for extension of time form are again enclosed for your use. Please note that only one extension of time can be granted unless the project has not been completed because of lack of a necessary approval by a governmental agency or by litigation which might bring title to the water in question.

Sincerely,

L. GLEN SAXTON  
Chief, Operations Bureau

Enclosures

**MICROFILMED**

AUG 25 1987

7-16-1987

*Peter Fleck*

STATE OF IDAHO  
DEPARTMENT OF WATER RESOURCES

STATEHOUSE  
BOISE, IDAHO 83720  
(208) 334-4440  
CERTIFIED MAIL  
APRIL 30, 1987

WATSON, SHIRLEY K.  
P.O. BOX 197  
RATHDRUM, ID 83858

138786

PROOF DUE NOTICE

RE: PERMIT NO. 95-8192

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF THE ABOVE REFERENCED WATER PERMIT WAS THAT PROOF OF THE EXTENT OF YOUR BENEFICIAL USE MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE JULY 1, 1987. (SEE LAST PAGE OF YOUR APPROVED PERMIT OR YOUR LAST APPROVED EXTENSION REQUEST.) ENCLOSED IS A FORM WHICH WHEN ACCOMPANIED BY THE LICENSE EXAMINATION FEE OR A COMPLETED FIELD EXAMINATION REPORT PREPARED BY A CERTIFIED WATER RIGHT EXAMINER MAY BE USED TO SUBMIT THE REQUIRED PROOF.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU OR A PREVIOUS OWNER OF THIS PERMIT HAVE NOT RECEIVED A PRIOR EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME IF THE DELAY IS FOR REASONABLE CAUSE AS PROVIDED IN SECTION 42-204, IDAHO CODE. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION WHICH MIGHT BRING TITLE TO THE WATER IN QUESTION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED. AN EXTENSION OF TIME REQUEST FORM IS ENCLOSED FOR YOUR CONVENIENCE.

EITHER AN ACCEPTABLE PROOF OF BENEFICIAL USE SUBMITTAL OR AN ACCEPTABLE REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE DESCRIBED PROOF DUE DATE. IF NEITHER IS RECEIVED, THE DEPARTMENT WILL SEND YOU A LAPSE NOTICE. WITHIN SIXTY (60) DAYS OF THE MAILING OF THE LAPSE NOTICE, THE PERMIT WILL NO LONGER BE OF ANY FORCE NOR EFFECT.

SINCERELY,

RITA FLECK  
SECRETARY/RECORDS MANAGER

ENCLOSURES

MICROFILMED

AUG 25 1987

**STATE OF IDAHO**  
**DEPARTMENT OF WATER RESOURCES**

---

**STATEHOUSE**  
**BOISE, IDAHO 83720**  
**(208) 334-4440**

**WATSON, SHIRLEY K.**  
**P.O. BOX 197**  
**RATHDRUM, ID 83858**

**AUGUST 03, 1982**

**RE: PERMIT NO. 95-8192**

**DEAR PERMIT HOLDER:**

**ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.**

**WE HAVE ENCLOSED A FORM ENTITLED "MAKING PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT INTO A LICENSE.**

**SINCERELY,**

**DAVID R. TUTHILL, JR., P.E.**  
**SUPERVISOR, WATER ALLOCATION SECTION**

**ENCLOSURE**

**RECEIVED**

State of Idaho  
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: LB

APPLICATION NUMBER: 95-8192

CHECK:

- ☒ Source.  
☒ Point of diversion.  
☒ County.  
☒ Quantity of water and period of use.  
☒ Description of diverting works.  
☒ Time required for beneficial use of water.  
☒ Place of use or acres irrigated.  
☒ Map.  
☒ Signature.  
☒ Fee.  
☒ Yes ☒ No Field check required.  
☒ Yes ☒ No Critical groundwater area.  
☒ Yes ☒ No Request dam safety information. Sent by: \_\_\_\_\_ Date: \_\_\_\_\_  
☒ Yes ☒ No In form to receipt.

Field check by: \_\_\_\_\_

Date: \_\_\_\_\_

Comments: \_\_\_\_\_

\*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: \_\_\_\_\_

SEND COPIES TO:

- ☐ Idaho State Health Department.  
☐ Idaho Fish and Game Department.  
☐ Idaho Department of Lands.  
☐ U.S. Bureau of Land Management.  
☐ U.S. Forest Service.  
☐ Other \_\_\_\_\_

Copies sent by: \_\_\_\_\_

Date: \_\_\_\_\_

PROCESSING:

- ☐ Yes ☐ No  
☐ Yes ☐ No

Platted by: \_\_\_\_\_

Map No. \_\_\_\_\_

Other rights on same place of use. 95-7771

- ☒ Yes ☐ No\*  
☐ Yes ☒ No

In form for advertising.

Final date for protests: 7/12/82

Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 7/6/82  
☒ Application published correctly. If not, record action taken: \_\_\_\_\_  
☒ Fee amount, receipt date & number, recorded on application.  
☒ Publication dates and paper, recorded on application.  
☒ Protests, dates, withdrawal, etc., recorded on application.  
☒ Recommendation & initial, recorded on application.  
☐ Yes ☒ No Measuring device required.  
☐ Yes ☒ No Access port required.  
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? \_\_\_\_\_  
6/16/82 Date of priority recommended.

Special conditions of approval or cover letter. \_\_\_\_\_

By: RJA

Date: 7/13/82

STATE OFFICE REVIEW:

SW/LIZ

26

- ☐ See attached sheet for more information.

By: [Signature]

Date: 7/20/82

RECEIVED

JUL 19 1982

Department of Water Resources

UNRECORDED

POINT OF DIVERSION AND STREAM INDEX INFORMATION

| TRACT | SEC | TWP | RGE | gov't<br>lot | rediv.<br>(R) | REACH |
|-------|-----|-----|-----|--------------|---------------|-------|
|-------|-----|-----|-----|--------------|---------------|-------|

IDAHO STREAM CODE INDEX

| TRACT | SEC | TWP | RGE | gov't<br>lot | rediv.<br>(R) | REACH |
|-------|-----|-----|-----|--------------|---------------|-------|
|-------|-----|-----|-----|--------------|---------------|-------|

IDAHO STREAM CODE INDEX

| TRACT | SEC | TWP | RGE | gov't<br>lot | rediv.<br>(R) | REACH |
|-------|-----|-----|-----|--------------|---------------|-------|
|-------|-----|-----|-----|--------------|---------------|-------|

IDAHO STREAM CODE INDEX

| TRACT | SEC | TWP | RGE | gov't<br>lot | rediv.<br>(R) | REACH |
|-------|-----|-----|-----|--------------|---------------|-------|
|-------|-----|-----|-----|--------------|---------------|-------|

IDAHO STREAM CODE INDEX

| TRACT | SEC | TWP | RGE | gov't<br>lot | rediv.<br>(R) | REACH |
|-------|-----|-----|-----|--------------|---------------|-------|
|-------|-----|-----|-----|--------------|---------------|-------|

IDAHO STREAM CODE INDEX

95-8192

WATSON, SHIRLEY K.

P.O. BOX 197, RATHDRUM, ID 83858

Source: RATHDRUM CREEK tributary to SINKS

Date Filed: 06/16/1982

Amount: 0.14 CFS

Diversion Point: SWSW Sec 17 T 52N R 04W, KOOTENAI Co.

|                 |            |                     |
|-----------------|------------|---------------------|
| Use: IRRIGATION | (0.10 CFS) | from 03/15 to 11/15 |
| DOMESTIC        | (0.04 CFS) | from 01/01 to 12/31 |

Place of Use: SWSW Sec 17 T 52N R 04W FOR 5 ACRES

Diversion Means: PUMP & PIPE.

MICROFILMED