

RECEIVED
JUN 26 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT SUPPLEMENT

Department of Water Resources

Yes No

- PERMIT 95-8189
- (☒) () B/U Acknowledgement Letter Sent 7-24-87 JK (INITIAL & DATE)
- () (☒) Aerial Photo Date Requested _____ by _____
- (☒) () Quad Sheet
- (☒) () GL Plat
- () (☒) Copies of overlapping License Field Report
- (☒) () Photo PD/PU
- (☒) () Correspondence (Date) 2/2/88
- () () Other (List) _____

EXAM COMPLETED BY Sam King DATE 2-9-88

SR AGENT REVIEW _____ DATE _____

REGIONAL MANAGER REVIEW OK DATE 6/89

ENTERED ON COMPUTER BY _____ DATE 6/13/89

PRELIMINARY OVERLAP REVIEW BY King DATE 1/87

(☒) NO OVERLAP FOUND

No review due to size

1-27-88 - 509-924-3962 - LET MSG - NEIGHB
RD SOUTH THEN WEST
GLASS ON FIRST FLOOR NE
NEXT LOT 1/2 HP 3/4" AL
EAST & SOUTH P.T

MICROFILMED

NOV 24 1989

LETTER FOR INFO

95-8



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

Permit No. 95-8189

1. Owner: GEORGE RODKEY Phone No. 509-924-3962

Current Address: 14703 E. VALLEY WAY SPOKANE, WA, 99216

2. Accompanied by: NONE EXAM. DATE: 1-28-88

Address: " Phone No. NONE

Relationship to Permit Holder: NONE

3. Source: SPOKANE R. tributary to COLUMBIA R.

B. OVERLAP REVIEW

1. Other water rights with same place of use: NONE

☐ Copies Attached

2. Other water rights with same point of diversion: NONE

☐ Copies Attached

☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



MICROFILMED

NOV 24 1989

Scale: 1" = NTS

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).


☒ Photo of Diversion and System Attached

(required for all but single household domestic groundwater, and stockwater.

☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).

RECEIVED
JUN 26 1989
Department of Water Resources

38





PERMIT HOLDER GEORGE RODKEY

PERMIT # 95-8189

P D TWP 50N RGE 5W SEC 11 L.3, (SENE)

MICROFILMED

P/U TWP 50N RGE 5W SEC 11 L.3

NOV 24 1989

SOURCE SPOKANE R.

TRIBUTARY TO COLUMBIA R.

MAP PLOT 24

IRR. ACRES 1

USGS QUAD F-3

SCALE 7 1/2 MIN

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 95-08189

Priority: June 1, 1982

Maximum Diversion Rate:
Maximum Diversion Volume:¹

0.02 CFS
10.0 AF

This is to certify, that GEORGE RODKEY
14703 E. VALLEY WAY
SPOKANE, WA 99216

has complied with the terms and conditions
of the permit, issued pursuant to Application for Permit dated June 1, 1982; and
has submitted Proof of Beneficial Use on May 12, 1987. An examination indicates
that the works have a diversion capacity of .020 cfs of water from:

SPOKANE RIVER

tributary to COLUMBIA RIVER

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/01 to 11/01	0.02 CFS	10.0 AF

LOCATION OF POINT(S) OF DIVERSION: LOT 3(SENE), Sec. 11, Township 50N, Range 05W
KOOTENAI County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
50N	05W	11	LOT 3(ENE)	0.3		0.3

Total number of acres irrigated: 0.3

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to reflect cropping patterns or acceptable standards of water delivery efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .03 cfs per acre nor more than 3.5 afa per acre for the lands above.

MICROFILMED

NOV 24 1989


State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 95-08189

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 20TH day of NOVEMBER, 1989.

ATTEST:


R. Keith Higginson, Director



NOV 24 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant George Rodkey Phone 509-924-3962
Post office address 14703 E. Valley Way Spokane, Wa. 99216
2. Source of water supply Spokane River which is a tributary of (SENE) RC 7/12/82
3. Location of point of diversion is 1/4 of 643 1/4 of Section 11 Township 50N
5W - pms from map.
Range 24W B.M. Kootenai County, additional points of diversion if any: AKA

4. Water will be used for the following purposes:

Amount 0.02 for Irrigation purposes from 3-15 to 11-15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 0.02 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Pump & pipeline

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years (minimum 1 year - maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: _____ 1/4 of _____ 1/4 of Section _____ Township _____
Range _____ B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water _____.

(5) If water is to be used for other purposes describe: _____

[illegible]

3NON

John

[Signature]

applicant to make this filing

10.

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

TSOW
R5W

PD
PH

Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

George W. Parker
(Applicant)

Received by Date 6/1/82 Time 2:45pm

Preliminary check by LT Fee \$ 30.00

Received by Date 6/3/82 (21309)

Publication prepared by Date 6/3/82

Published in

Publication dates 6/10 - 6/17/82

Publication approved Date 6/3/82

Protests filed by:

Copies of protests forwarded by

Hearing held by Date

Recommended for approval denial by

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 95-8189, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before July 1, 19 87.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. Other:

Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.

Witness my hand this 19th day of July, 1982.

D. Allen Gayton
Chief, Operations Bureau

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO, }
County of Kootenai, } ss.

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

95-8187

JOHNSON, ROY ALLAN
P. O. BOX 613, HAYDEN LAKE,
ID 83835

Source: WINDY CREEK tribu-
tary to HAYDEN CREEK

Date Filed: 06/01/1982

Amount: 0.08 CFS

Diversion Point: NENW Sec 28 T
51N R 03W, KOOTENAI Co.

Use: IRRIGATION (0.04 CFS)
from 03/15 to 10/31; DOMESTIC
(0.08 CFS) from 01/01 to 12/31

Place of Use: SESW Sec 21 T 51N
R 03W FOR 2 ACRES

Diversion Means: PUMP &
PIPELINE.

95-8188

PETERSON, ELDON
P. O. BOX 1344, POST FALLS, ID,
83854

Source: GROUNDWATER

Date Filed: 05/27/1982

Amount: 0.04 CFS

Diversion Point: NESW Sec 13 T
50N R 06W, KOOTENAI Co.

Use: DOMESTIC (0.04 CFS) from
01/01 to 12/31

Place of Use: NESW Sec 13 T 50N
R 06W

Diversion Means: WELL &
PUMP.

95-8189

RODKEY, GEORGE
14703 E. VALLEY WAY,
SPOKANE, WA 99216

Source: SPOKANE RIVER tribu-
tary to COLUMBIA RIVER

Date Filed: 06/01/1982

Amount: 0.02 CFS

Diversion Point: LOT 03 Sec 11 T
50N R 05W, KOOTENAI Co.

Use: IRRIGATION (0.02 CFS)
from 03/15 to 11/15

Place of Use: LOT 03 Sec 11 T 50N
R 05W FOR 1 ACRES

Diversion Means: PUMP &
PIPELINE.

95-8063

PEMBERTON, HAROLD O.
P. O. BOX 53, BAYVIEW, ID
83803

Source: OLD MAID CREEK tribu-
tary to PEND OREILLE LAKE

Date Filed: 05/28/1982

Amount: 0.20 CFS 0.5 AC-FT

Diversion Point: NESW Sec 34 T
54N R 02W, KOOTENAI Co.

Use: IRRIGATION (0.02 CFS)
from 03/15 to 11/15; IRRIGA-
TION STORAGE (0.5 AC-FT)

from 03/15 to 11/15; IRRIGA-
TION FROM STORAGE (0.5 AC-
FT) from 03/15 to 11/15; RECRE-

ATION STORAGE (0.5 CFS) from
01/01 to 12/31; DIVERSION TO

STORAGE (0.20 CFS) from 01/01
to 12/31

Place of Use: NESW Sec 34 T 54N
R 02W FOR 1 ACRES

Diversion Means: DITCH &
POND

If issued, the permit(s) will be
subject to all prior water rights.

Protests against the granting of
any permit must be filed with the

director of the Idaho Department
of Water Resources, 4055 Gov't

Way, Coeur d'Alene, Id, 83814 on
or before JUNE 28, 1982.

A. KENNETH DUNN
Director

Legal 561
June 10, 17, 1982

Arden Hancock being first duly sworn
upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The Application for Water Rights

of which the annexed is a printed copy, was published in the regular Thurs issue of said newspaper for 2 consecutive weeks commencing on the 10 day of June, 1982, and ending on the 17 day of June, 1982 and such publication was made as often during said period as said daily newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.

Arden Hancock

Subscribed and sworn to before me this 17 day of June, 1982

Robert D. Dwyer
Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

LEADER

November 21, 1989

GEORGE RODKEY
14703 E. VALLEY WAY
SPOKANE, WA 99216

RE: PERMIT NO. 95-08189

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

NOV 24 1989

October 23, 1989

GEORGE RODKEY
14703 E. VALLEY WAY
SPOKANE, WA 99216

RE: PERMIT NO. 95-08189

Dear Permit Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

NOV 24 1989

POINT OF DIVERSION OVERLAP REVIEW

WR-NUMBER	TWP	RNG	SC	TRACT	LT	#SOURCE	#NAME
				1\4 1\4 1\4			
9508189	50N	05W	11		3	SPOKANE RIVER	RODKEY, GEORGE
				NO MATCHES FOR THIS POD			

MICROFILMED

NOV 24 1965

RECEIVED
JUN 26 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT SUPPLEMENT

Department of Water Resources

Yes No

PERMIT 95-8189

- (☒) () B/U Acknowledgement Letter Sent 7-24-87 JK (INITIAL & DATE)
() (☒) Aerial Photo Date Requested _____ by _____
(☒) () Quad Sheet
(☒) () GL Plat
() (☒) Copies of overlapping License Field Report
(☒) () Photo PD/PU
(☒) () Correspondence (Date) 2/2/88
() () Other (List) _____

EXAM COMPLETED BY Sam King DATE 2-9-88
SR AGENT REVIEW _____ DATE _____
REGIONAL MANAGER REVIEW OK DATE 6/89
ENTERED ON COMPUTER BY _____ DATE 6/13/89
PRELIMINARY OVERLAP REVIEW BY King DATE 1/89
(☒) NO OVERLAP FOUND

No review due to size

1-27-88 - 509-924.3962 - LET MSG - NEIGHB

RD SOUTH THEN WEST

GRASS ON FIRST FLOOR NE

NEXT LOT 1/2 HP 3/4" AL

EAST & SOUTH P.T

MICROFILMED

NOV 24 1989

LETTER FOR INFO

95-8





STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

NORTHERN REGION

A. Kenneth Dunn
Director

Suite No. 9
4055 Government Way
Coeur d'Alene, Idaho 83814
(208) 765-4639

February 2, 1988

Mr. George Rodkey
14703 E. Valley Way
Spokane, Wa. 99216

JUN 6 1988

RECEIVED
FEB 8 1988

Department of Water Resources
Northern District Office

Department of Water Resources

Re: 95-8189

Dear Mr. Rodkey:

I have conducted the required on-site examination of your water system. To facilitate the licensing process, please answer the following questions and return this letter as quickly as possible.

If the pump IS submersible, please complete the following:

Size of outlet: 3/4 Size of main line: 3/4
Is the water used for lawn/garden? yes
Inside plumbing? no
H.P. 3/4 Depth of pump: 2 ft below lawn

If the pump is NOT submersible, please complete the following:

Size of outlet: 3/4 Size of main line: 3/4
Is the water used for lawn/garden? yes
Inside plumbing? no
Motor Make: 3/4 Serial/Model No. IC 56K 2817
H.P. 3/4 Pump Make: Homest centrifugal
Pump Serial/Model No. 390-79

If you have any questions, or if it is more convenient to call, please contact me at this number - 765-4639.

Sincerely,

Tom D. King

TOM D. KING
Senior Water Resource Agent

MICROFILMED

NOV 24 1989

TDK/pms

The pump is used to water the small lawn perhaps 24 hours one or two times weekly from May to September - depending on the weather.

TDK

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

Permit No. 95-8189

1. Owner: GEORGE RODKEY Phone No. 509-924-3962

Current Address: 14703 E. VALLEY WAY SPOKANE, WA, 99216

2. Accompanied by: NONE EXAM. DATE: 1-28-88

Address: " Phone No. NONE

Relationship to Permit Holder: NONE

3. Source: SPOKANE R. tributary to COLUMBIA R.

B. OVERLAP REVIEW

1. Other water rights with same place of use: NONE

☐ Copies Attached


2. Other water rights with same point of diversion: NONE

☐ Copies Attached

☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



MICROFILMED

NOV 24 1989

Scale: 1" = NTS

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☒ Photo of Diversion and System Attached

(required for all but single household domestic groundwater, and stockwater.

☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).

RECEIVED
JUN 26 1989

Department of Water Resources

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

3/4" PVC W/ PUMP & STAND PIPE

☐ See Remarks on page 4 for continuation

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size

***Code to correspond with No. on map and aerial photo**

5. Point(s) of Diversion:

[illegible]

6. Place(s) of Use:

Indicate Method of Determination.

[illegible]

MICROFILMED

NOV 24 1989

Do not use this space

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:



E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

$\frac{35(140)}{43560} = .24 \text{ ACRE}$

1. Measured Method:

$\frac{1}{4} \text{ ACRE } 0.01 \text{ cfs}$

2. Alternate Method for Checking Purposes:

$\frac{8.8(1.75) 70\%}{2.3(20) + 50} = 0.05 \text{ cfs}$

$\text{APP: } 0.02 \text{ cfs}$

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3); Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

$\frac{3.6 \text{ AF/A}}{1/4 \text{ ACRE}} = .9 \text{ AF}$

MICROFILMED

NOV 24 1989

H. REMARKS AND OVERLAP REVIEW ANALYSIS

PUMP NOT IN SERVICE @ TIME OF EXAM

ACR 0.25

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use

IRIGATION

Period of Use
From To

3-15

11-15

Rate of Diversion
Q (cfs)

0.02

Annual Volume
V (afa)

9

2. Recommended Amendments

- ☐ Change P.D. as reflected above
- ☐ Change P.U. as reflected above

- ☐ Add P.D. as reflected above
- ☐ Add P.U. as reflected above
- ☐ None
- ☐ Other

J. AUTHENTICATION

Field Examiner's Name

Tom D. King

Signature

Tom D. King

Certification Date

5/15/87


Field Report Preparation Date

1-28-88

K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.


Reviewed: Rayanne McElroy 7/13/89

MICROFILMED
NOV 24 1989




TOWNSHIP 50 N., RANGE 56 W. B. M.
KOOTENAI COUNTY, IDAHO

38



FILED

24 1989



PERMIT HOLDER GEORGE RODREY

PERMIT # 95-8189

P D TWP 50N RGE 5W SEC 11 @ L.3, (SENE)

MICROFILMED

P/U TWP 50N RGE 5W SEC 11 L.3

NOV 24 1989

SOURCE SPOKANE R.

TRIBUTARY TO COLUMBIA R.

MAP PLOT 24

IRR. ACRES 1

USGS QUAD F-3

SCALE 7 1/2 MIN

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
COMMENCEMENT OF WORKS

Permit No. 95-8189

Name(s) of Permit Holder(s): George Rodkey

Post Office Address: 14703 VALLEYWAY

Spokane, wa 99216

Tel. No. 509-924-3962

☐ I hereby certify that construction of diversion works for the above referenced permit began on June 1988 (date) and that I must continue to develop the water system with due diligence to maintain a valid permit.

☐ I hereby certify that construction of diverting works on the above referenced project has not yet begun due to the following reason beyond my control*:


*Note: A financing difficulty is not an acceptable reason.

8-30-1982

Date

George R. Rodkey
Signature of Permit Holder

G W RUDKEY
14703 E VALLEYWAY
SPOKANE WA 99216



MICROFILMED

NOV 24 1982



RECEIVED

SEP 1 1982

Department of Water Resources

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Northern Region

JOHN V. EVANS
Governor
A. KENNETH DUNN
Director

4055 Government Way
Coeur d'Alene, ID 83814
(208) 765-4639

JULY 22, 1987

GEORGE RODKEY
14703 E. VALLEY WAY
SPOKANE, WA 99216

RE: Permit No. 95-8189

Dear Permit Holder:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a Water Right License can be issued, a field examination must be made by a representative of this department.

A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office by phone or in person.

Sincerely,

/s/
TOM D. KING
Senior Water Resource Agent

cc: IDWR - State Office

MICROFILMED

NOV 24 1989

03/86

RECEIVED

MAY 12 1987

no level 83

Department of Water Resources

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

For Office Use Only

Fee Received _____

Date _____

Receipt # _____

Receipt by _____

Reviewed by _____

Sent to region _____

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. L 95-8-2847 95-8189Name(s) of Permit Holder: George RodkeyPost Office Address: 14703 E. Valley WaySpokane, WA 99216Telephone No. 924-3962Source of Water: Spokane River

Extent of Use:

Domestic _____ (number of households)

Stockwater _____ (number and type of stock)

Irrigation _____ (acres)

Other/Remark plan to use & are using

to water lawn & shrubs and use as emergency water supply if necessary.
It is only about 1/2 in down - watered 2-3 X /wk - controlled

Total rate and/or volume for which proof is submitted 0-.04 cfs 0.02 75' x 150' acre-feetShow the date water was first diverted and beneficially used under this permit: May, 1986

Measuring Device: Required? ☐ Yes ☒ No
 Installed? ☐ Yes ☒ No

Fee enclosed \$ _____
 (See License Examination Fee Schedule)

Flow Measurement Port: Required? ☐ Yes ☒ No
 Installed? ☐ Yes ☒ No

Person to contact to accompany the Department representative during the field examination:

Mrs. George Rodkey
 (Name)

924-3962
 (Telephone Number)

14703 E. Valley Way

Spokane, WA 99216
 (Address)

MICROFILMED

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

JUL 10 1987


May 7, 1987
 Date

George A. Rodkey
 Signature of Permit Holder (and title, if appropriate)

J. W. Rodkey
14703 E. Valleyway
Spokane WA 99216

MICROFILMED

JUL 10 1987



Idaho State Dept. of Water Resources
Statehouse

Boise, Idaho

83720

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL
APRIL 30, 1987

138 484

RODKEY, GEORGE
14703 E. VALLEY WAY
SPOKANE, WA 99216

PROOF DUE NOTICE

RE: PERMIT NO. 95-8189

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF THE ABOVE REFERENCED WATER PERMIT WAS THAT PROOF OF THE EXTENT OF YOUR BENEFICIAL USE MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE JULY 1, 1987. (SEE LAST PAGE OF YOUR APPROVED PERMIT OR YOUR LAST APPROVED EXTENSION REQUEST.) ENCLOSED IS A FORM WHICH WHEN ACCOMPANIED BY THE LICENSE EXAMINATION FEE OR A COMPLETED FIELD EXAMINATION REPORT PREPARED BY A CERTIFIED WATER RIGHT EXAMINER MAY BE USED TO SUBMIT THE REQUIRED PROOF.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU OR A PREVIOUS OWNER OF THIS PERMIT HAVE NOT RECEIVED A PRIOR EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME IF THE DELAY IS FOR REASONABLE CAUSE AS PROVIDED IN SECTION 42-204, IDAHO CODE. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION WHICH MIGHT BRING TITLE TO THE WATER IN QUESTION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED. AN EXTENSION OF TIME REQUEST FORM IS ENCLOSED FOR YOUR CONVENIENCE.

EITHER AN ACCEPTABLE PROOF OF BENEFICIAL USE SUBMITTAL OR AN ACCEPTABLE REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE DESCRIBED PROOF DUE DATE. IF NEITHER IS RECEIVED, THE DEPARTMENT WILL SEND YOU A LAPSE NOTICE. WITHIN SIXTY (60) DAYS OF THE MAILING OF THE LAPSE NOTICE, THE PERMIT WILL NO LONGER BE OF ANY FORCE NOR EFFECT.

SINCERELY,

RITA FLECK
SECRETARY/RECORDS MANAGER

ENCLOSURES

MICROFILMED

JUL 10 1987

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

RODKEY, GEORGE
14703 E. VALLEY WAY
SPOKANE, WA 99216

AUGUST 03, 1982

RE: PERMIT NO. 95-8189

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

WE HAVE ENCLOSED A FORM ENTITLED "MAKING PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT INTO A LICENSE.

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE

RECEIVED

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: LB

APPLICATION NUMBER: 95-8189

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☐ Yes ☒ No* In form to receipt.

Field check by: _____

Date: _____

Comments: _____

REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☒ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: _____

Date: _____

PROCESSING:

- ☐ Yes ☐ No
☐ Yes ☐ No

Platted by: _____ Map No. _____

Other rights on same place of use. _____

- ☒ Yes ☐ No*

In form for advertising.

Final date for protests: 6/28/82

- ☐ Yes ☒ No

Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 6/18/82
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.

- ☐ Yes ☒ No

Measuring device required.

- ☐ Yes ☒ No

Access port required.

- ☐ Yes ☒ No

Will water be delivered by watermaster? If yes, what district? _____

- ☒ Yes ☒ No

Date of priority recommended. 6/11/82

Special conditions of approval or cover letter. _____

By: RWH

Date: 6/30/82

STATE OFFICE REVIEW:

return receipt

SLW/LIZ

26

- ☐ See attached sheet for more information.

By: _____

Date: 7/12/82

RECEIVED
JUL 06 1982

11/11/83

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't lot (R) REACH

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't lot (R) REACH

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't lot (R) REACH

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't lot (R) REACH

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't lot (R) REACH

95-8189

RODKEY, GEORGE

14703 E. VALLEY WAY, SPOKANE, WA 99216

Source: SPOKANE RIVER tributary to COLUMBIA RIVER

Date Filed: 06/01/1982

Amount: 0.02 CFS

Diversion Point: LOT 03 Sec 11 T 50N R 03W KOOTENAI Co.

Use: IRRIGATION (0.02 CFS) from 03/15 to 11/15

Place of Use: LOT 03 Sec 11 T 50N R 05W FOR 1 ACRES

Diversion Means: PUMP & PIPELINE.

5W changed
in Longlake
6/9/82
per



STATE OF IDAHO

DEPARTMENT OF LANDS

STATEHOUSE, BOISE, IDAHO 83720

GORDON C. TROMBLEY
DIRECTOR

STATE BOARD OF LAND COMMISSIONERS

JOHN V. EVANS
GOVERNOR AND PRESIDENT
PETE T. CENARRUSA
SECRETARY OF STATE
DAVID H. LEROY
ATTORNEY GENERAL
JOE R. WILLIAMS
STATE AUDITOR
JERRY L. EVANS
SUP'T OF PUBLIC INSTRUCTION

June 9, 1982

Department of Water Resources
Northern Region
4055 Government Way
Coeur d'Alene, ID 83814

RE: 95-8189
Rodkey, G.

Gentlemen:

Thank you for the copy of the above numbered diversion application. The applicant will be required to make application for a temporary permit and an encroachment permit from the Department of Lands in addition to your diversion permit.

The applicant is being notified.

Very truly yours,

William A. Scribner
WILLIAM A. SCRIBNER, CHIEF
Bureau of Navigable Waters

WAS:bv

Department of Water Resources
Northern District Office