

AFFIDAVIT OF PUBLICATION

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

95-8184

PFLUGRAD, MYRON
P. O. BOX 432, ENDICOTT, WA 99125

Source: HAYDEN LAKE tributary to SINKS

Date Filed: 05/14/1982

Amount: 0.04 CFS

Diversion Point: LOT 06 Sec 10 T 51N R 03W, KOOTENAI Co.

Use: DOMESTIC (0.04 CFS) from 01/01 to 12/31

Place of Use: LOT 06 Sec 10 T 51N R 03W

Diversion Means: PUMP AND PIPE.

95-8185

HOHMAN PARTNERSHIP
311 MONTGOMERY ST., POST FALLS, ID 83854

Source: GORUNDWATER

Date Filed: 05/18/1982

Amount: 0.14 CFS

Diversion Point: NWSW Sec 09 T 50N R 05W, KOOTENAI Co.

Use: STOCKWATER (0.02 CFS) from 01/01 to 12/31; DOMESTIC (0.12 CFS) from 01/01 to 12/31

Place of Use: NWSW Sec 09 T 50N R 05W

Diversion Means: WELL AND PUMP

95-8186

MC CARTHY, JAMES R. &/or MARGUERITE

RT. 1 BOX 199B, BURTON, WA 98103

Source: SPRING tributary to COEUR D'ALENE LAKE

Date Filed: 05/17/1982

Amount: 0.08 CFS

Diversion Point: LOT 01 Sec 25 T 49N R 04W, KOOTENAI Co.

Use: DOMESTIC (0.08 CFS) from 01/01 to 12/31

Place of Use: LOT 01 Sec 25 T 49N R 04W

Diversion Means: COLLECTION BOX.

96-8060

ENTENMAN, MARK
E. 2800 FRENCH GULCH RD., COEUR D'ALENE, ID 83814

Source: SPRING tributary to SAGE CREEK

Date Filed: 05/18/1982

Amount: 0.20 CFS

Diversion Point: SESE Sec 31 T 53N R 02W, Kootenai Co.

Use: IRRIGATION (0.08 CFS) from 03/15 to 11/15; STOCKWATER (0.02 CFS) from 01/01 to 12/31; POWER (0.20 CFS) from 01/01 to 12/31; DOMESTIC (0.04 CFS) from 01/01 to 12/31

Place of Use: SESE Sec 31 T 53N R 02W FOR 1 ACRES

Diversion Means: COLLECTION BOX, PIPE AND GENERATOR.

96-8061

HACKNEY WATER & SEWER DIST.

P. O. BOX 492, ATHOL, ID 83901

Source: GROUNDWATER

Date Filed: 05/18/1982

Amount: 1.00 CFS

Diversion Point: NWNW Sec 11 T 53N R 03W, KOOTENAI Co.

Use: IRRIGATION (1.00 CFS) from 03/15 to 11/15; COMMERCIAL (0.20 CFS) from 01/01 to 12/31; DOMESTIC (1.00 CFS) from 01/01 to 12/31; FIRE PROTECTION (1.00 CFS) from 01/01 to 12/31

Place of Use: NENW NWNW SWNW SENW Sec 11 T 53N R 03W FOR 60 ACRES

Diversion Means: WELL AND PUMP

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the director of the Idaho Department of Water Resources, 4055 Gov't Way, Coeur d'Alene, Id, 83814 on or before JUNE 14, 1982.

A. KENNETH DUNN
Director

Legal 496

STATE OF IDAHO,
County of Kootenai,

} ss.

Allen Hancock being first duly sworn upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The Application of Water Rights

of which the annexed is a printed copy, was published in the regular Thurs issue of said newspaper for 2 consecutive time commencing on the 27 day of May, 1982 and ending on the 3 day of June, 1982 and such publication was made as often during said period as said daily newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.

Allen Hancock

RECEIVED

subscribed and sworn to before me this 3 day of June, 1982.

JUN 7 1982

Department of Water Resources
Northern District Office

Roberta D. Stanley
Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT SUPPLEMENT

RECEIVED
JUN 26 1989

Department of Water Resources

Yes No
(☒) () B/U Acknowledgement Letter Sent 7-22-87 (INITIAL & DATE)
() (☒) Aerial Photo Date Requested _____ by _____
(☒) () Quad Sheet
() (☒) GL Plat
() () Copies of overlapping License Field Report
() () Photo PD/PU
() () Correspondence (Date) _____
() () Other (List) 96-4066


EXAM COMPLETED BY J King DATE 2-88
SR AGENT REVIEW JK DATE 3-88
REGIONAL MANAGER REVIEW PMT DATE 6/89
ENTERED ON COMPUTER BY JK DATE 6/13/89
PRELIMINARY OVERLAP REVIEW BY J King DATE 1-88
() ☒ NO OVERLAP FOUND

96-4066

96-4296 - GARY MUNDLIN ~ GW

96-8356 - BYER - PMT -

1-27-88 - WELL APPEARS TO BE GOING DRY INSUFFICIENT FOR ONE MORE



NOV 24 1989

MICROFILMED

95-0100

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

Permit No. 95-8185

1. Owner: HOHMAN PARTNERSHIP

Phone No. 773-4415

Current Address: 311 MONTGOMERY, POST FALLS ID. 83854

2. Accompanied by: LARRY RICE

EXAM. DATE: 2-26-88

Address: 2100 RIVERVIEW DR POST FALLS ID.

Phone No. 773-2396

Relationship to Permit Holder: HOMES CONTRACT BUYER

3. Source: GROUNDWATER tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: 95-4066

☐ Copies Attached


2. Other water rights with same point of diversion: NONE

☐ Copies Attached

☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = NTS

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☒ Photo of Diversion and System Attached

(required for all but single household domestic groundwater, and stockwater.

☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).

RECEIVED
JUN 26 1989
Department of Water Resources



PERMIT HOLDER HOHMAN PARTNERSHIP

PERMIT # 958185

P D TWP 50N RGE 5W SEC 9 NW SW

P/U TWP RGE SEC SAME

SOURCE GROUNDWATER

TRIBUTARY TO

MAP PLOT 24

IRR. ACRES

USGS QUAD F-3

SCALE 7 1/2 MIN

MICROFILMED
NOV 24 1989

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 95-08185

Priority: May 18, 1982

Maximum Diversion Rate: 0.04 CFS
Maximum Diversion Volume:¹ 1.4 AF

This is to certify, that HOHMAN PARTNERSHIP
311 MONTGOMERY ST.
POST FALLS, ID 83854

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated May 18, 1982; and has submitted Proof of Beneficial Use on June 1, 1987. An examination indicates that the works have a diversion capacity of .040 cfs of water from a **GROUNDWATER** source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
STOCKWATER	01/01 to 12/31	0.02 CFS	0.2 AF
DOMESTIC	01/01 to 12/31	0.04 CFS	1.2 AF
	Totals	0.04 CFS	1.4 AF

LOCATION OF POINT(S) OF DIVERSION:

NWSW , Sec. 9, Township 50N, Range 05W
KOOTENAI County

PLACE OF USE: DOMESTIC

TWN RGE SEC

50N 05W 9 NWSW

PLACE OF USE: STOCKWATER, same as DOMESTIC use

CONDITIONS/REMARKS:


1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to reflect cropping patterns or acceptable standards of water delivery efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Domestic use is for 1 home.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 20TH day of NOVEMBER, 1989.

MICROFILMED

NOV 24 1989

Attest:


R. Keith Higginson, Director

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant HOHMAN PARTNERSHIP Phone _____
Post office address 311 MONTGOMERY, POST FALLS, ID 83854
2. Source of water supply GROUNDWATER which is a tributary of _____
3. Location of point of diversion is NW $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 9 Township 50N
Range 5W B.M. KOOTENAI County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 0.12 for DOMESTIC purposes from JAN 1 to DEC 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount 0.02 for STOCKWATER purposes from JAN 1 to DEC 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 0.14 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. WELL & PUMP

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is 6 inches; proposed depth of well is 525 feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years (minimum 1 year – maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: NW $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 9 Township 50N
Range 5W B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered 20 HEAD OF STOCK

(4) Name of municipality to be served _____, number of families to be supplied with domestic water 3

If water is to be used for other purposes describe: _____

MICROFILMED

[illegible]

22

Who owns the property at the point of diversion


Applicant

None

TOTALS

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

MICROFILMED

Clifford C. Holman - Partner
(Applicant)

MICROFILMED

A. Allen Saylor
Chief, Operations Bureau

Witness my hand this 24th day of June, 1982.

- d. Other: Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- fore June 1, 1987.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before
- a. SUBJECT TO ALL PRIOR WATER RIGHTS.

1. Approval of said application is subject to the following limitations and conditions:
of Idaho No. 95-8185, and said application is hereby APPROVED.

This is to certify that I have examined Application for Permit to appropriate the public waters of the State

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

Received by KC Date 5/18/82 Time 4:30
Preliminary check by JS Fee \$ 30.00
Received by KC Date 5/18/82 # 81320
Publication prepared by Conn. Allen Saylor Date 5/19/82
Published in 5/27-6/3/82
Publication approved per Date 6/7/82
Protests filed by: None
Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by JS _____
KC

AFFIDAVIT OF PUBLICATION

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

95-8184

PFLUGRAD, MYRON
P. O. BOX 432, ENDICOTT, WA 99125

Source: HAYDEN LAKE tributary to SINKS

Date Filed: 05/14/1982

Amount: 0.04 CFS

Diversion Point: LOT 04 Sec 10 T 51N R 03W, KOOTENAI Co.

Use: DOMESTIC (0.04 CFS) from 01/01 to 12/31

Place of Use: LOT 04 Sec 10 T 51N R 03W

Diversion Means: PUMP AND PIPE.

95-8185

HOHMAN PARTNERSHIP
311 MONTGOMERY ST., POST FALLS, ID 83854

Source: GROUNDWATER

Date Filed: 05/18/1982

Amount: 0.14 CFS

Diversion Point: NWSW Sec 09 T 50N R 05W, KOOTENAI Co.

Use: STOCKWATER (0.02 CFS) from 01/01 to 12/31; DOMESTIC (0.12 CFS) from 01/01 to 12/31

Place of Use: NWSW Sec 09 T 50N R 05W

Diversion Means: WELL AND PUMP

95-8186

MC CARTHY, JAMES R. &/or MARQUERITE

RT. 1 BOX 199B, BURTON, WA 98103

Source: SPRING tributary to COEUR D'ALENE LAKE

Date Filed: 05/17/1982

Amount: 0.08 CFS

Diversion Point: LOT 01 Sec 23 T 49N R 04W, KOOTENAI Co.

Use: DOMESTIC (0.08 CFS) from 01/01 to 12/31

Place of Use: LOT 01 Sec 23 T 49N R 04W

Diversion Means: COLLECTION BOX.

95-8080

ENTENMAN, MARK

E. 2800 FRENCH GULCH RD., COEUR D'ALENE, ID 83814

Source: SPRING tributary to SAUM CREEK

Date Filed: 05/18/1982

Amount: 0.20 CFS

Diversion Point: SESE Sec 31 T 43N R 02W, Kootenai Co.

Use: IRRIGATION (0.08 CFS) from 03/15 to 11/15; STOCKWATER (0.02 CFS) from 01/01 to 12/31; POWER (0.20 CFS) from 01/01 to 12/31; DOMESTIC (0.04 CFS) from 01/01 to 12/31

Place of Use: SESE Sec 31 T 43N R 02W FOR 1 ACRES

Diversion Means: COLLECTION BOX, PIPE AND GENERATOR.

95-8081

HACKNEY WATER & SEWER DIST.

P. O. BOX 492, ATHOL, ID 83801

Source: GROUNDWATER

Date Filed: 05/18/1982

Amount: 1.00 CFS

Diversion Point: NWNW Sec 11 T 53N R 03W, KOOTENAI Co.

Use: IRRIGATION (1.00 CFS) from 03/15 to 11/15; COMMERCIAL (0.20 CFS) from 01/01 to 12/31; DOMESTIC (1.00 CFS) from 01/01 to 12/31; FIRE PROTECTION (1.00 CFS) from 01/01 to 12/31

Place of Use: NWNW Sec 11 T 53N R 03W FOR 60 ACRES

Diversion Means: WELL AND PUMP

If issued, the permit(s) will be subject to all prior water rights.

Protests against the granting of any permit must be filed with the director of the Idaho Department of Water Resources, 4050 Gov't Way, Coeur d'Alene, Id, 83814 on or before JUNE 14, 1982.

A. KENNETH DUNN

Director

Legal 496

STATE OF IDAHO,
County of Kootenai,

} ss.

Allen Hancock being first duly sworn upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The Application of Water Rights

of which the annexed is a printed copy, was published in the regular Thursday issue of said newspaper for 2 consecutive times commencing on the 27 day of May, 1982 and ending on the 3 day of June, 1982 and such publication was made as often during said period as said daily newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.

Allen Hancock

RECEIVED

Subscribed and sworn to before me this 3 day of June, 1982

JUN 7 1982

Department of Water Resources
Northern District Office

Roberta Stanley
Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

November 21, 1989

HOHMAN PARTNERSHIP
311 MONTGOMERY ST.
POST FALLS, ID 83854

RE: PERMIT NO. 95-08185

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

NOV 24 1989

October 26, 1989

HOHMAN PARTNERSHIP
311 MONTGOMERY ST.
POST FALLS, ID 83854

RE: PERMIT NO. 95-08185

Dear Permit Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

RECEIVED

NOV 24 1989

POINT OF DIVERSION OVERLAP REVIEW

WR-NUMBER	TWP	RNG	SC	TRACT	LT	#SOURCE	#NAME
				1\4 1\4 1\4			
9508185	50N	05W	9	NW SW		GROUNDWATER	HOHMAN PARTNERSHIP
9504066						SPRING	HOHMAN, C. C.
9504296						GROUNDWATER	MUNDLIN, GARY
9508356						GROUNDWATER	BYER, DAVID

100-7142

MAY 24 1984

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT SUPPLEMENT

JUN 8 9 1989

Department of Water Resources

PERMIT 95-8185

Yes No
(☒) () B/U Acknowledgement Letter Sent 7-22-87 (INITIAL & DATE)
() (☒) Aerial Photo Date Requested _____ by _____
(☒) () Quad Sheet
() (☒) GL Plat
() () Copies of overlapping License Field Report
() () Photo PD/PU
() () Correspondence (Date) _____
() () Other (List) 95-4066

EXAM COMPLETED BY J King DATE 2-88
SR AGENT REVIEW JK DATE 3-88
REGIONAL MANAGER REVIEW MM DATE 6/89
ENTERED ON COMPUTER BY JK DATE 6/13/89
PRELIMINARY OVERLAP REVIEW BY J King DATE 1-88
() ☒ OVERLAP FOUND

95-4066

95-4296 - GARY MUNDLIN ~ GOW

95-8356 - BYER - PMT -

1-27-88 - WELL APPEARS TO BE GOING DRY INSUFFICIENT FOR ONE HOLE

NOV 24 1989

MICROFILMED

95-4066

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

Permit No. 95-8185

1. Owner: HOHMAN PARTNERSHIP

Phone No. 773-4415

Current Address: 311 MONTGOMERY, POST FALLS ID. 83854

2. Accompanied by: LARRY RICE

EXAM. DATE: 2-26-88

Address: 2100 RIVERVIEW DR POST FALLS ID.

Phone No. 773-2396

Relationship to Permit Holder: HOME CONTRACT BUYER

3. Source: GROUNDWATER tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: 95-4066

☐ Copies Attached


2. Other water rights with same point of diversion: NONE

☐ Copies Attached

☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = NTS

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☐ Aerial Photo Attached
(required for irrigation of 10 acres or more)

☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater.)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

6" X 528' WELL. 3 HP SUBMERSIBLE PUMP 2" LINE TO 15,000 GAL. CONCRETE RESERVOIR. 3/4" LINE FROM RES. TO BOOSTER & PRESSURE TANK THENCE TO HOME. 3/4" LINE FROM RES TO 180 GTS PUMP, GARDEN HOSE AND SPRINKLER. HOSE CAN ALSO FILL STOCK TANK.

☐ See Remarks on page 4 for continuation

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	SUBMERSIBLE	3			2"
Booster	RED JACKET	3/4	5KCT 63ABN	RED JACKET	3/4"
1R2	PACIFIC	23/4	5KCT 976281		3/4"

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
				NW 3/4	9	SON	SW	KOOTENAI	MAP/ASSESSOR


6. Place(s) of Use:

Twp.	Rge.	Sec.	NE 1/4	NE 1/4 SW 1/4	NE 1/4 SE 1/4	NW 1/4	NW 1/4 SW 1/4	NW 1/4 SE 1/4	SW 1/4	SW 1/4 SE 1/4	SE 1/4	Totals
SON	SW	9										DS

Do not use this space

NOV 24 1989

RECORDED



PERMIT HOLDER HONMAN PARTNERSHIP

PERMIT # 958185

P D TWP 50N RGE 5W SEC 9 NW SW

P/U TWP RGE SEC SAME

SOURCE GROUNDWATER

TRIBUTARY TO

MAP PLOT 24 IRR. ACRES

USGS QUAD F-3

SCALE 7 1/2 MIN

MICROFILMED
NOV 2 1989

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:



E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

2. Alternate Method for Checking Purposes:

ONE HOME .04
STOCK .02

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

MICROFILMED

NOV 24 1985

ONE HOME 1.04
STOCK 2-10 .2

H. REMARKS AND OVERLAP REVIEW ANALYSIS

STOCK WATER ADDED - SOME COMMERCIAL BEET

STOCK WATER FROM POND WHICH WAS DRY AT TIME OF EXAM - UNUSUAL

DIVERSION W/STRENGTH - MIKE BRENN

95-4066 IS FOR POND ON ADJACENT PROPERTY

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Stock	1-1	12-31	1.02	1.2
Domestic	1-1	12-31	1.04	1.2
Totals:				
			1.04	1.4

2. Recommended Amendments

- ☐ Change P.D. as reflected above
- ☐ Change P.U. as reflected above
- ☐ Add P.D. as reflected above
- ☐ Add P.U. as reflected above
- ☐ Other
- ☐ None

J. AUTHENTICATION


Field Examiner's Name Tom King

Signature Tom King

Certification Date 5/15/87

Field Report Preparation Date 2-22-88

CONSULTANT SEAL



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

Tom King 7/13/89

NOV 34 1987

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Northern Region

JOHN V. EVANS
Governor
A. KENNETH DUNN
Director

4055 Government Way
Coeur d'Alene, ID 83814
(208) 765-4639

JULY 22, 1987

HOHMAN PARTNERSHIP
311 MONTGOMERY
POST FALLS, ID 83854

RE: Permit No. 95-8185

Dear Permit Holder:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a Water Right License can be issued, a field examination must be made by a representative of this department.

A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office by phone or in person.

Sincerely,

/S/
TOM D. KING
Senior Water Resource Agent

cc: IDWR - State Office

MICROFILMED

NOV 24 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
COMMENCEMENT OF WORKS

Permit No. 95-8185
Name(s) of Permit Holder(s): HOLMAN PARTNERSHIP
Post Office Address: 311 MONTGOMERY, POST FALLS, IDAHO
83854 Tel. No: 208-733-4415



☒ I hereby certify that construction of diversion works for the above referenced permit began on 8-1-82 (date). I understand that I must continue to develop the water system with due diligence to maintain a valid permit.

☐ I hereby certify that construction of diverting works on the above referenced project has not yet begun due to the following reason beyond my control*:

*Note: A financing difficulty is not an acceptable reason.

9-9-82
Date

C. E. Holman
Signature of Permit Holder



MICROFILMED

NOV 24 1989



RECEIVED

SEP 13 1982

Department of Water Resources

**IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720**

Form 217
03/86

RECEIVED

JUN 04 1987

RECEIVED

JUN 1 1987

For Office Use Only
Fee Received _____
Date _____
Receipt # _____
Receipt by N/A
Reviewed by N/A
Sent to region 1657

Department of Water Resources

STATE OF IDAHO

Department of Water Resources
Northern District Office

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 95-81837

Name(s) of Permit Holder: HOLMAN PARTNERSHIP ✓

Post Office Address: 311 MONTGOMERY, POST FALLS, IDA. 83854

Telephone No. 773-4407

Source of Water: WELL ✓

Extent of Use:

Domestic ONE (number of households) Stockwater (2) HEAD - BEEF (number and type of stock)

Irrigation _____ (acres) Other/Remark _____

Total rate and/or volume for which proof is submitted 0.4 cfs _____ acre-feet

Show the date water was first diverted and beneficially used under this permit: 5-20-82

Measuring Device: Required? Yes ☒ No ☐
Installed? Yes ☐ No ☐ Fee enclosed \$ N/A
(See License Examination Fee Schedule)

Flow Measurement Port: Required? Yes ☒ No ☐
Installed? Yes ☐ No ☐

Person to contact to accompany the Department representative during the field examination:

LARRY RICE OR SHARON RICE 773-2396
(Name) (Telephone Number)

2100 W. RIVERVIEW DR. POST FALLS, IDA. 83854
(Address)

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

MICROFILMED

JUL 10 1987

6-28-87
Date

Lloyd C. Holman - Partner
Signature of Permit Holder (and title, if appropriate)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL
MARCH 31, 1987

138923

HOHMAN PARTNERSHIP
311 MONTGOMERY ST.
POST FALLS, ID 83854

PROOF DUE NOTICE

RE: PERMIT NO. 95-8185

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF THE ABOVE REFERENCED WATER PERMIT WAS THAT PROOF OF THE EXTENT OF YOUR BENEFICIAL USE MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE JUNE 1, 1987. (SEE LAST PAGE OF YOUR APPROVED PERMIT OR YOUR LAST APPROVED EXTENSION REQUEST.) ENCLOSED IS A FORM WHICH WHEN ACCOMPANIED BY THE LICENSE EXAMINATION FEE OR A COMPLETED FIELD EXAMINATION REPORT PREPARED BY A CERTIFIED WATER RIGHT EXAMINER MAY BE USED TO SUBMIT THE REQUIRED PROOF.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU OR A PREVIOUS OWNER OF THIS PERMIT HAVE NOT RECEIVED A PRIOR EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME IF THE DELAY IS FOR REASONABLE CAUSE AS PROVIDED IN SECTION 42-204, IDAHO CODE. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION WHICH MIGHT BRING TITLE TO THE WATER IN QUESTION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED. AN EXTENSION OF TIME REQUEST FORM IS ENCLOSED FOR YOUR CONVENIENCE.

EITHER AN ACCEPTABLE PROOF OF BENEFICIAL USE SUBMITTAL OR AN ACCEPTABLE REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE DESCRIBED PROOF DUE DATE. IF NEITHER IS RECEIVED, THE DEPARTMENT WILL SEND YOU A LAPSE NOTICE. WITHIN SIXTY (60) DAYS OF THE MAILING OF THE LAPSE NOTICE, THE PERMIT WILL NO LONGER BE OF ANY FORCE NOR EFFECT.

SINCERELY,

HITA FLECK
SECRETARY/RECORDS MANAGER

ENCLOSURES

MICROFILMED

JUL 10 1987

July 13, 1982

RE: Permit No. 95-8185

Hohman Partnership
311 Montgomery
Post Falls, ID 83854

Gentlemen:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the fourth page.

The 1982 Idaho Legislature added a requirement that as a permit holder you must commence the excavation or construction of diverting works within one year of the date the permit was issued, and must proceed diligently until the project is completed. The enclosed blue card must be completed and returned to this office as soon as you commence construction, no later than one year from the date the permit was approved.

We have enclosed a form entitled "Making Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit into a license.

Sincerely,

DAVID R. THOMILL, JR., PEE
Supervisor, Water Allocation Section

DRT:kw
Enclosures

RECEIVED
JUL 15 1982
WATER ALLOCATION SECTION

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: AB

APPLICATION NUMBER: 95-8185

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☐ Yes ☒ No* In form to receipt.

Field check by: _____

Date: _____

Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: _____ Date: _____

PROCESSING:

- ☐ Yes ☐ No Platted by: _____ Map No. _____
☐ Yes ☐ No Other rights on same place of use. _____
☒ Yes ☐ No* In form for advertising.
☒ Yes ☒ No Final date for protests: 6/14/82 ✓
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 6/7/82 ✓
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☐ Yes ☒ No Access port required.
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? _____
☒ 5/18/82 Date of priority recommended.
☒ Special conditions of approval or cover letter. _____

By: RAH Date: 6/14/82

STATE OFFICE REVIEW:

SW/LI2 26

- ☐ See attached sheet for more information.

By: Kay Date: 6/22/82

RECEIVED

JUN 16 1982

POINT OF DIVERSION AND STREAM INDEX INFORMATION

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
IDAHO STREAM CODE INDEX						

95-8185

HOHMAN PARTNERSHIP

311 MONTGOMERY ST., POST FALLS, ID 83854

Source: GROUNDWATER

Date Filed: 05/18/1982

Amount: 0.14 CFS

Diversion Point: NSW Sec 09 T 50N R 05W, KOOTENAI Co.

Use: STOCKWATER	(0.02 CFS)	from 01/01 to 12/31
DOMESTIC	(0.12 CFS)	from 01/01 to 12/31

Place of Use: NSW Sec 09 T 50N R 05W

Diversion Means: WELL AND PUMP.

MICROFILMED