



STATE OF IDAHO DEPARTMENT OF WATER RESOURCES

NORTHERN REGION

REMARKS / PHOTOS

PERMIT # 95-8177

DATE

INITIALS



MICROFILMED

JAN 10 1989



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
NORTHERN REGION

REMARKS / PHOTOS

PERMIT # 95-8177

DATE

INITIALS



MICROFILMED
JAN 10 1989



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
NORTHERN REGION

REMARKS / PHOTOS

PERMIT # 95-8177

DATE

INITIALS



MicroFILMED


JAN 10 1989

SYSTEM LAYOUT

Handle Mobile
ne Park
Box 144
ndrum, Idaho
83858
ner & Developer
ohn L. Calapp
J. Calapp
l description
ET 30
andle Village
on 27 T-52N
WRM

le Approx
= 15 ft.

Approved
ptic Tanks
Drain Fields
Drain Lines
- 2" water lines
- 1 1/2" water "
- 3/4" " " - 36'
Main light poles
meter Poles




Collector Street

Spaces 1-
45' x 100'
Spaces 13-
50' x 100'

Property - 1136 Deep
Park Total - 745' deep

JAN 10 1989

Attachment #



TWP 52N N, RGE 4W SEC 27 SWSW
EXAM DATE 6 / 1 / 87 MAP # E54 PERMIT # 95-8177

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 95-08177

Priority: May 4, 1982 Amount: 0.15 CFS 13.0 AFA

This is to certify, that QUENTIN CALAPP
FLORA CALAPP

E. 5175 HWY. 53

RATHDRUM, ID 838580000

has complied with the terms and conditions of the permit issued pursuant to Application for Permit dated May 4, 1982, and has submitted proof to the Department of Water Resources on April 8, 1987, that water has been applied to a beneficial use; an examination by the Department indicates that the works have a diversion capacity of .210 cfs of water from a GROUNDWATER source and that a water right has been established as follow:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>VOLUME</u>
IRRIGATION	03/15 to 11/15	0.03 CFS	7.0 AFA
DOMESTIC	01/01 to 12/31	0.15 CFS	6.0 AFA
	Totals	0.15 CFS	13.0 AFA

LOCATION OF POINT OF DIVERSION(S):

SWSW , Sec. 27, Township 52N, Range 04W
KOOTENAI County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
52N	04W	27	SWSW	2		2

Total number of acres irrigated: 2

PLACE OF USE: DOMESTIC, same as IRRIGATION use

CONDITIONS/REMARKS:

1. The right to the use of water hereby confirmed is limited to the amount which can actually be beneficially used and is restricted and appurtenant to the lands or place of use and to the purpose herein described, as provided by the laws of Idaho.
2. This right is subject to all prior water rights and may be forfeited by five years of non-use.
3. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.

MICROFILMED

JAN 10 1989



State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 95-08177

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 22nd
day of NOVEMBER, 1988

Acting for the Director



RECORDED

JAN 10 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant Quentin &/or Flora Calapp Phone 687-0458

Post office address Rt. 1 Box 144, Rathdrum, Id. 83858

2. Source of water supply Groundwater which is a tributary of _____

3. Location of point of diversion is SW $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 27 Township 52N

Range 4W B.M. Kootenai County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 0.15 for Domestic purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount 0.02 for Stockwater purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount 0.03 for Irrigation purposes from 3/15 to 11/15 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 0.20 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Well, pump and tank.

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is 8 inches; proposed depth of well is 277 feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

a. If water is **not** for irrigation:

(1) Give the place of use of water: SW $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 27 Township 52N

Range 4W B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered 6 cattle

Name of municipality to be served _____, or number of families to be

supplied with domestic water ten.

If water is to be used for other purposes describe: Ten trailer home hookups

RECORDED

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the

Applicants

Applicants


This water right is for 10 additional hookups. 95-7716 was for the

2 Total number of acres to be irrigated

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

52N 4W



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

MICROFILMED

Flora Joy Calapp
(Applicant)

MICROFILMED

J. Allen Saylor
Chief, Operations Bureau

Witness my hand this 22nd day of June, 1982.

- d. Other: Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- for June 1, 19 87.
- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before

1. Approval of said application is subject to the following limitations and conditions:

of Idaho No. 95-8177, and said application is hereby APPROVED.

This is to certify that I have examined Application for Permit to appropriate the public waters of the State

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

Recommended for approval denial by *J. Allen Saylor*

Hearing held by _____ Date _____

Copies of protests forwarded by _____

Protests filed by: *none*

Publication approved *pm* Date *5/24/82*

Publication dates *5/3-20/82*

Published in *Grand Allen News*

Publication prepared by *pm* Date *5/10/82*

Received by *pm* Date *5/14/82 (5:10 PM)*

Preliminary check by *JK* Fee \$ *30.00*

Received by *pm* Date *5/18/82* Time *9:28 AM*

Proposed Priority 5/4/1982

AFFIDAVIT OF PUBLICATION

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

95-8176

McSWAIN, GEORGE P.
P. O. BOX 116, COEUR D
ALENE, ID 83814
Source: COEUR D ALENE
LAKE tributary to SPOKANE
RIVER

Date Filed: 05/05/1982
Amount: 0.04 CFS
Diversion Point: LOT 04 Sec 36 T
50N R 04W, KOOTENAI Co.
Use: DOMESTIC (0.04 CFS) from
01/01 to 12/31
Place of Use: LOT 04 Sec 36 T 50N
R 04W
Diversion Means: PUMP, TANK
AND PIPELINE.

95-8177

CALAPP, QUENTIN &/or
FLORA
RT. 1 BOX 144, RATHDRUM, ID
83858

Source: GROUNDWATER
Date Filed: 05/04/1982
Amount: 0.20 CFS
Diversion Point: SWSW Sec 27 T
52N R 04W, KOOTENAI Co.
Use: IRRIGATION (0.03 CFS)
from 03/15 to 11/15; STOCK-
WATER (0.02 CFS) from 01/01 to
12/31; DOMESTIC (0.15 CFS)
from 01/01 to 12/31
Place of Use: SWSW Sec 27 T 52N
R 04W FOR 2 ACRES
Diversion Means: WELL, PUMP
AND TANK.

95-8178

BAILEY, WILLIAM H.
JORGANS, LOGAN
6991 N. MT. CARROL, COEUR D
ALENE, ID 83814

Source: SPRING tributary to
COEUR D ALENE LAKE
Date Filed: 05/04/1982
Amount: 0.08 CFS
Diversion Point: LOT 05 Sec 30 T
48N R 04W, KOOTENAI Co.
Use: DOMESTIC (0.08 CFS) from
01/01 to 12/31
Place of Use: LOT 05 Sec 30 T 48N
R 04W
Diversion Means: DEVELOPED
SPRING, PUMP AND
PIPELINE.

96-8056

WESTWOOD WATER INC.
P. O. BOX 554, SPIRIT LAKE, ID
83869

Source: GROUNDWATER
Date Filed: 04/29/1982
Amount: 0.20 CFS
Diversion Point: SESW Sec 15 T
53N R 04W, KOOTENAI Co.
Use: DOMESTIC (0.20 CFS) from
01/01 to 12/31
Place of Use: NWNW NENW
SWNW SENW NWNE NENE
SWNE SENE NWSW NESW
SWSW SESW NWSE NESE SWSE
SESE Sec 15 T 53N R 04W
Diversion Means: WELL, PUMP
AND PIPELINE.

If issued, the permit(s) will be
subject to all prior water rights.
Protests against the granting of
any permit must be filed with the
director of the Idaho Department
of Water Resources, 4055 Gov't
Way, Coeur d'Alene, Id, 83814 on
or before JUNE 1, 1982.

A. KENNETH DUNN
Director

STATE OF IDAHO,
County of Kootenai,

} ss.

Alexander Hancock being first duly sworn
upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The *Appl. for Water Right*

of which the annexed is a printed copy, was published in the regular *Issue* issue of said newspaper for *2* consecutive *weeks*, commencing on the *13* day of *May*, 1982 and ending on the *20* day of *May*, 1982 and such publication was made as often during said period as said *daily* newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.

Alexander Hancock
Subscribed and sworn to before me this *20* day of *May*, 1982.

Roberta Z. only
Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

Department of Water Resources
LEADER DISTRICT OFFICE

MICROFILMED

November 23, 1988

QUENTIN CALAPP
FLORA CALAPP
E. 5175 HWY. 53
RATHDRUM, ID 838580000

RE: PERMIT NO. 95-08177

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

RECORDED
JAN 10 1989

RECEIVED

JUN 29 1987

Form 219-S.A.
5/87

Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Permit No. 95-8177

Staff Analysis Sheet
for
Beneficial Use Field Report

A. Prior to Conducting the Exam, the File Contains:

- (X) Blank Field Report Form
- (X) Copy of Permit
- (X) Copies of any Amendments/Orders with Conditions of Approval
- (X) Computer Data Proof Report
- (X) Copy of U.S.G.S. Quad
- (X) Check for Government Lots. If so, make a copy of Government Plat

Overlap Review

PD Index Y (Initial and Date)

PD Index R (Initial and Date)

Possible Overlap? Yes X No X

95-7716

Aerial Photo

Required? Yes _____ No ✓

Attached? Yes _____ No _____

Reason for absence of aerial photo: _____

- (X) Appointment Made
- (X) Telephone Conversation Memo Attached
- (X) Scheduling Letter Sent _____ (Initial and Date)
- Remarks _____

B. After Conducting the Exam, the File Contains:

- (X) Fully completed and signed Field Report Form
- (X) Photographs of Point of Diversion and Place of Use
- (X) Corrected Computer Data Proof Report with recommended License information, and date and signature of examiner.

C. Review and Processing:

Exam Completed Jennifer Anger 6-1-87 (Signature of Examiner and Date)
Exam Reviewed by Senior Water Resource Agent JA 6/87 (Initial and Date)
Exam Reviewed by Manager of Regional Office JA 6/24/87 (Initial and Date)
Exam Date Entered in Computer JA 6/24/87 (Initial and Date)
Exam Sent to State Office JA 6/25/87 (Initial and Date)
Copy of Staff Analysis Sheet Sent to Manager of Regional Office and Original
Refiled in White File _____ (Initial and Date)



STATE OF IDAHO DEPARTMENT OF WATER RESOURCES


NORTHERN REGION

REMARKS / PHOTOS

PERMIT # **95-8177**

DATE

INITIALS



MICROFILMED

JAN 10 1989



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
NORTHERN REGION

REMARKS / PHOTOS

PERMIT # 95-8177

DATE

INITIALS



MICROFILMED

JAN 10 1989




STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
NORTHERN REGION

REMARKS / PHOTOS

PERMIT # 95-8177

DATE


INITIALS



MICROFILMED

JAN 10 1989

SYSTEM LAYOUT



Spaces 1-
45' x 100'

Spaces 13-
50' x 100'

Collector Street

Property - 1136' Deep

Work Total - 745' deep

JAN 10 1989

UNRECORDED

Shop
Garage

Office
Trailer Home

Vacant
Lot

1507 144

35558

Developed

Calapp

Calapp

description

T 30

andle Village

on 27 T-52N

WRM

Approx

15 ft.

Approved

ptic Tanks

Drain Fields

Drain Lines

2" water lines

1 1/2" water "

3/4" " " - 36'

Main light poles

eter Poles

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

License of Water Right No. 95-7716 Priority April 5, 1977 Amount 0.15 cfs

THIS IS TO CERTIFY, that Quentin E/or Flora Calapp
of Boothdrum, Idaho has complied with the terms and conditions of Permit
No. 95-7716 issued pursuant to Application for Permit dated April 5, 1977
and has submitted proof to the Department of Water Resources on February 23, 1982
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of 0.15 cfs of water from a groundwater source
tributary to _____ and that the permit holder has applied to a beneficial use and
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
Domestic (10 units)	from <u>January 1</u> to <u>December 31</u>	at <u>0.15</u> cfs and <u>12.0</u> acre feet	
	from _____ to _____	at _____ cfs and _____	
	from _____ to _____	at _____ cfs and _____	

(both dates inclusive)

Subject, however, to the condition that no more than 0.15 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and controlled for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
12.0 acre feet per year, said waters to be diverted within the SW/4SW/4, Section 27, Twp.
52N, Rge. 4W in the County of Kootenai

Description and location of place of use:

Twp.	Range	Sec.	NE 1/4				NW 1/4				SW 1/4				Total
			NE	NW	SE	SW	NE	NW	SE	SW	NE	NW	SE	SW	
52N	4W	27												X	

Total number of acres irrigated _____

NOTE: Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.


The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use herein described, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 31 day of
August 19 82

Director

MICROFILMED

JAN 10 1989



TWP 52N N, RGE 4W SEC 27 SWSW
EXAM DATE 6 / 1 / 67 MAP # E54 PERMIT # 95-8177

RECEIVED

JUN 29 1987

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 95-8177

1. Owner: Quentin Calapp
Current Address: E. 5175 HWY. 53, Rathdrum, Idaho 83853

Phone No. _____

2. Accompanied by: _____ EXAM. DATE: 6-1-87

Address: SAME Phone No. _____

Relationship to Permit Holder: _____

3. Source: _____ tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: 95-7716

☒ Copies Attached

2. Other water rights with same point of diversion: 95-7716

☒ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☒ Alternative diagram attached Attachment #1

10 of the homes on this
Attachment are covered by
Lic # 95-7716

MicroFILMED

JAN 10 1989

Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☐ Photo of Diversion and System Attached

(required for all but single household domestic groundwater, and stockwater.

☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

From 10 hp Submersible through 2" PVC to 1000 gal press tank, then divides into three 2" lines which breaks down to 1" line which distributes the water to 20 homes. 10 homes are covered by #95-7716 plus 1/2 ac lawn/garden for each.

Press - 20-40 hp

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
		10			

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			SW	SW	27	52N	4W	Kootenai	Map - permit

6. Place(s) of Use:

Indicate Method of Determination

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
52N	4W	27				20							Don't know						
52N	4W	27											2						2
																			2

Total

MICROFILMED

JAN 10 1989

Do not use this space

Do not use this space

JAN 10 1989

MICROFILMED

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

None

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

$$Q = \frac{8.8(10)(.75)}{2.3(20) + 260} = .216$$

2. Alternate Method for Checking Purposes:

$Q = .18 \text{ cfs}$ via permit

No static head logs available so this is based on interpolation
 $Q = .18 \text{ cfs}$ via max. instantaneous water req. for Dom. use

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3)

; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 7.0$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 76.4$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 7.0 \text{ AF}$$

2. Volume Calculations for Other Uses:

Dom. lawn & garden is not to exceed 12 AF From T.C. 95-7116.

Presently less than 2 Ac. are being irr., irr combined with

Dom. lawn & garden is not to exceed 12 AF.

$$\therefore V_{ir} = 7 \text{ AF} \quad V_{\text{lawn \& garden}} = 6 \text{ AF per 10 homes}$$

MICROFILMED

JAN 10 1989

H. REMARKS AND OVERLAP REVIEW ANALYSIS

OVER LAP DUE TO P.D. *k*

DOES NOT
 95-7716 overlaps due to PU *k* and PD, The combined flow of lic. #95-7716 and #95-8177 cannot exceed *k* 0.20 cfs, while the volume of #95-8177 *k* combined with domestic town *k* not exceed 12 AF and the rate combined *k* with domestic use can not exceed 7 AFs. #95-8177 adds on an additional 10 *k* to the existing system covered by lic #95-7716

MICROFILMED

k INSTANTANEOUS DEMAND FOR 20 HOMES = 0.20 cfs
 INSTANTANEOUS DEMAND FOR 10 HOMES = 0.15 cfs
 NO STOCK

I. RECOMMENDATIONS

1. Recommended Amounts


Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
10 Domestic	1/1	12/31	0.15	6 AF
TRF			0.05	7 AF
Totals:			0.18	12 AF 13 AF

2. Recommended Amendments

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

J. AUTHENTICATION

Field Examiner's Name Jennifer Argraves
 Signature Jennifer Argraves
 Certification Date _____
 Field Report Preparation Date _____



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

Reanne McElrathy 11/4/85

MICROFILMED

JAN 10 1989

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES
Northern Region

JOHN V. EVANS
Governor
A. KENNETH DUNN
Director

4055 Government Way
Coeur d'Alene, ID 83814
(208) 765-4639

MAY 13, 1987

QUENTIN CALAPP
E. 5175 HWY. 53
RATHDRUM, ID 83858

RE: Permit No. 95-8177

Dear Permit Holder:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a Water Right License can be issued, a field examination must be made by a representative of this department.

A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office by phone or in person.

Sincerely,

/S/
TOM D. KING
Senior Water Resource Agent

cc: IDWR - State Office

MICROFILMED

JAN 10 1989

RECEIVED

APR 8 1987

Department of Water Resources
Northern District Office

RECEIVED

APR 16 1987

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

For Office Use Only
Fee Received 50.00
Date 4/9/87
Receipt # 38269
Receipt by [Signature]
Reviewed by [Signature]
Sent to region 2787

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 95-8177

Name(s) of Permit Holder: Flora and Quentin Calapp ✓

Post Office Address: E. 5175 HWY 53 RATHBURN ID. 83858 ✓

Telephone No. 208-687-2615

Source of Water: Well 8" casing 276' approx ✓

Extent of Use:

Domestic 10 ✓ (number of households) Stockwater 0 (number and type of stock)

Irrigation 2 (lawn & garden) ✓ (acres) Other/Remark water rights

This is in addition to 95-7716 which was for 10 hookups. There are 20 hookups total.

Total rate and/or volume for which proof is submitted 0.18 ✓ cfs _____ acre-feet

Show the date water was first diverted and beneficially used under this permit: 1982

Measuring Device: Required? Yes ☒ No
Installed? Yes ☐ No

Fee enclosed \$ 50.00 ✓
(See License Examination Fee Schedule)

Flow Measurement Port: Required? Yes ☒ No
Installed? Yes ☐ No

Person to contact to accompany the Department representative during the field examination:

Applicant (CALL BEFORE DOING EXAM)
(Name)

(Telephone Number)

Same as above.

(Address)

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

MICROFILMED

JUL 10 1987

4/8/87

Date

Quentin L Calapp
Flora Jay Calapp
Signature of Permit Holder (and title, if appropriate)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL
MARCH 31, 1987

138920

CALAPP, QUENTIN & FLORA
RT. 1 BOX 144
RATHDRUM, ID 83858

PROOF DUE NOTICE

RE: PERMIT NO. 95-8177

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF THE ABOVE REFERENCED WATER PERMIT WAS THAT PROOF OF THE EXTENT OF YOUR BENEFICIAL USE MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE JUNE 1, 1987. (SEE LAST PAGE OF YOUR APPROVED PERMIT OR YOUR LAST APPROVED EXTENSION REQUEST.) ENCLOSED IS A FORM WHICH WHEN ACCOMPANIED BY THE LICENSE EXAMINATION FEE OR A COMPLETED FIELD EXAMINATION REPORT PREPARED BY A CERTIFIED WATER RIGHT EXAMINER MAY BE USED TO SUBMIT THE REQUIRED PROOF.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU OR A PREVIOUS OWNER OF THIS PERMIT HAVE NOT RECEIVED A PRIOR EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME IF THE DELAY IS FOR REASONABLE CAUSE AS PROVIDED IN SECTION 42-204, IDAHO CODE. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION WHICH MIGHT BRING TITLE TO THE WATER IN QUESTION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED. AN EXTENSION OF TIME REQUEST FORM IS ENCLOSED FOR YOUR CONVENIENCE.

EITHER AN ACCEPTABLE PROOF OF BENEFICIAL USE SUBMITTAL OR AN ACCEPTABLE REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE DESCRIBED PROOF DUE DATE. IF NEITHER IS RECEIVED, THE DEPARTMENT WILL SEND YOU A LAPSE NOTICE. WITHIN SIXTY (60) DAYS OF THE MAILING OF THE LAPSE NOTICE, THE PERMIT WILL NO LONGER BE OF ANY FORCE NOR EFFECT.

SINCERELY,

RITA FLECK
SECRETARY/RECORDS MANAGER

ENCLOSURES

MICROFILMED

JUL 10 1987

S T E O F I D A H O
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

CALAPP, QUENTIN & FLORA
RT. 1 BOX 144
RATHDRUM, ID 83858

JULY 06, 1982

RE: PERMIT NO. 95-8177

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

WE HAVE ENCLOSED A FORM ENTITLED "MAKING PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT INTO A LICENSE.

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE

MICROFILMED

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: JK

APPLICATION NUMBER: 95-8177

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No* In form to receipt.

Field check by: _____

Date: _____

Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department. Copies sent by: _____ Date: _____
☐ Idaho Fish and Game Department. _____
☐ Idaho Department of Lands. _____
☐ U.S. Bureau of Land Management. _____
☐ U.S. Forest Service. _____
☐ Other Preshandle Health _____ 6/3/82

PROCESSING:

- ☐ Yes ☐ No Platted by: _____ Map No. _____
☐ Yes ☐ No Other rights on same place of use. 95-7716 See Form 100 on Permit
☒ Yes ☐ No* In form for advertising. 6/1/82 ✓
Final date for protests: _____
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 5/21/82 ✓
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☐ Yes ☒ No Access port required.
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? _____
5/4/82 Date of priority recommended.
Special conditions of approval or cover letter. _____

By: [Signature]

Date: 6/3/82

STATE OFFICE REVIEW:

SW/L12

26

See attached sheet for more information.

By: [Signature]

Date: 6/15/82

RECEIVED
JUN 10 1982

POINT OF DIVERSION AND STREAM INDEX INFORMATION

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
IDAHO STREAM CODE INDEX						

95-8177

CALAPP, QUENTIN &/or FLORA

RT. 1 BOX 144, RATHDRUM, ID 83858

Source: GROUNDWATER

Date Filed: 05/04/1982

Amount: 0.20 CFS

Diversion Point: SWSW Sec 27 T 52N R 04W, KOOTENAI Co.

Use: IRRIGATION	(0.03 CFS)	from 03/15 to 11/15
STOCKWATER	(0.02 CFS)	from 01/01 to 12/31
DOMESTIC	(0.15 CFS)	from 01/01 to 12/31

Place of Use: SWSW Sec 27 T 52N R 04W FOR 2 ACRES

Diversion Means: WELL, PUMP AND TANK.

MICROFILMED



STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

NORTHERN REGION

John V. Evans
Governor

A. Kenneth Dunn
~~xx Stephen Allen~~
Director

Suite No. 1
4055 Government Way
Coeur d'Alene, Idaho 83814
(208) 667-6484

June 3, 1982

Panhandle Health District
2195 Ironwood Court
Coeur d'Alene, Id. 83814

Re: 95-8177

Gentlemen:

Enclosed is a recent filing with this Department that may be
of interest to you.

Sincerely,

ROBERT G. HAYNES, P.E.
Regional Supervisor

pms

Enc. - Application

MICROFILMED