



d, and published by the Geological Survey
S and USC&GS
Aerial photographs by R-55 plotter
taken 1954. Field check 1957
tion. 1927 North American datum
based on Idaho coordinate system, west zone
versal Transverse Mercator grid ticks,
in blue
es areas in which only landmark buildings are shown
as indicate approximate locations
ations are shown in brown

UTM GRID AND 1957 MAGNETIC NORTH DECLINATION AT CENTER OF SHEET

0°06' 21" 373 MILS

SCALE 1:62,500

CONTOUR INTERVAL 40 FEET


DOTTED LINES REPRESENT 20 FOOT CONTOURS

DATUM IS MEAN SEA LEVEL

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS

FOR SALE BY U.S. GEOLOGICAL SURVEY, DENVER, COLORADO 80225 OR WASHINGTON, D.C. 20242

A FOLDER DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST




- ROAD CLASSIFICATION
- | | |
|---------------------------------|---|
| Primary highway, hard surface | Light-duty road, hard or improved surface |
| Secondary highway, hard surface | Unimproved road |
| Interstate Route | U. S. Route |
| | State Route |

ROCKFORD BAY, IDAHO
SW/4 COEUR D'ALENE 15' QUADRANGLE
N4730-W11652.5/7.5
1981
DMA 2679 III SW—SERIES V893

(HARRISON) 2678 IV NE

NOV 01 1994



Sec. 21.

NOV 01 1994

?

PERMIT # 95-08517


STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
FIELD REPORT SUPPLEMENT

PHOTOGRAPHS

DD




Pump



PA did
not develop

RECEIVED

NOV 01 1994



DD

Pump



PM did
not develop

MAILED 11/1

NOV 01 1994

ON

NOTICE OF APPLICATION
FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

95-8157

WATSON, ROCKY
STAR ROUTE, COEUR D
ALENE, ID 83814
Source: ROCKFORD CREEK
tributary to COEUR D ALENE
LAKE
Date Filed: 03/02/1982
Amount: 6.00 CFS
Diversion Point: NWSW Sec 07 T
48N R 04W, KOOTENAI Co.
Use: IRRIGATION (0.10 CFS)
from 03/15 to 11/15; POWER (6.00
CFS) from 01/01 to 12/31
Place of Use: NWSW Sec 07 T 48N
R 04W FOR 5 ACRES.
Diversion Means: DAM & GEN-
ERATOR.

95-8158

WASHINGTON STATE UNIVER-
SITY
PULLMAN, WA 99164
Source: COEUR D ALENE
LAKE tributary to SPOKANE
RIVER
Date Filed: 02/10/1982
Amount: 0.20 CFS
Diversion Point: LOT 05 Sec 04 T
47N R 04W, KOOTENAI Co.
Use: IRRIGATION (0.09 CFS)
from 06/01 to 09/30; FIRE PRO-
TECTION (0.20 CFS) from 01/01
to 12/31
Place of Use: LOT 05 Sec 04 T 47N
R 04 W FOR 3 ACRES
Diversion Means: PUMP &
PIPELINE.

95-8159

HEBENER, GARY L.
P. O. BOX 1886, COEUR D
ALENE, ID 83814
Source: GROUNDWATER
Date Filed: 02/26/1982
Amount: 0.67 CFS

Diversion Point: NWNW Sec 29 T
50N R 04W, KOOTENAI Co.
Use: IRRIGATION (0.10 CFS)
from 03/15 to 10/15; STOCK-
WATER (0.01 CFS) from 01/01 to
12/31; DOMESTIC (0.67 CFS)
from 01/01 to 12/31

Place of Use: SWSW SESW Sec
20 T 50N R 04W NENW NWNW
Sec 29 T 50N R 04W FOR 12
ACRES
Diversion Means: WELL &
PUMP.

95-8160

STANBURY, PATRICK H. &/or
ILENE
S. 700 MADISON ROAD, POST
FALLS, ID 83854
Source: GROUNDWATER
Date Filed: 02/26/1982
Amount: 0.10 CFS
Diversion Point: LOT 03 Sec 08 T
50N R 05W, KOOTENAI Co.
Use: STOCKWATER (0.02 CFS)
from 01/01 to 12/31; DOMESTIC
(0.08 CFS) from 01/01 to 12/31
Place of Use: SENW LOT 03 Sec
08 T 50N R 05W
Diversion means: WELL &
PUMP.

95-8161

HERBENER, GARY L.
STAR ROUTE, COEUR D
ALENE, ID 83814
Source: COEUR D ALENE
LAKE tributary to SPOKANE
RIVER
Date Filed: 02/26/1982
Amount: 0.80 CFS
Diversion Point: SENE Sec 09 T
49N R 04W, KOOTENAI Co.
Use: IRRIGATION (0.80 CFS)
from 04/01 to 11/15; STOCK-
WATER (0.01 CFS) from 01/01 to
12/31; DOMESTIC (0.04 CFS)
from 01/01 to 12/31
Place of Use: NWNE SWNE Sec
09 T 49N R 04W FOR 40 ACRES
Diversion Means: PUMP &
PIPELINE.

95-8162

CAIRES, STEPHEN J.
1355 MEADOW BROOK ACRES
RD., COEUR D ALENE, ID 83814
Source: SPRING tributary to
SINKS
Date Filed: 03/04/1982
Amount: 0.20 CFS
Diversion Point: SWSW Sec 21 T
50N R 04W, KOOTENAI Co.
Use: IRRIGATION (0.18 CFS)
from 03/15 to 11/15; STOCK WA-
TER (0.02 CFS) from 01/01 to
12/31; DOMESTIC (0.04 CFS)

from 01/01 to 12/31

Place of Use: SWSW Sec 21 T 50N
R 04W FOR 9 ACRES
Diversion Means: DEVELOPED
SPRING WITH PUMP & PUMP-
LINE.

96-8038

THORNTON, DON N.
25682 E. LINCOLN, ORANGE
GROVE, CA.
Source: GROUNDWATER
Date filed: 03/03/1982
Amount: 0.08 CFS
Diversion Point: SWNE Sec 10 T
53N R 03W, KOOTENAI Co.
Use: DOMESTIC (0.08 CFS) from
01/01 to 12/31
Place of Use: SWNE SENE Sec
10 T 53N R 03W
Diversion Means: WELL &
PUMP.

96-8039

BANGERTER, ROBERT A.
1207 VALEWOOD CT.,
SPOKANE, WA 99218
Source: SPIRIT LAKE tributary
to SINKS
Date Filed: 02/26/1982
Amount: 0.02 CFS
Diversion Point: LOT 01 Sec 24 T
53N R 05W, KOOTENAI Co.
Use: DOMESTIC (0.20 CFS) from
04/01 to 10/15
Place of Use: LOT 01 Sec 24 T 53N
R 05W
Diversion Means: PUMP &
PIPELINE.

96-8040

SILVER WATER SYSTEM
BOX 25, BAYVIEW, ID 83803
Source: GROUNDWATER
Date Filed: 03/03/1982
Amount: 0.20 CFS
Diversion Point: NESW Sec 34 T
54N R 02W, KOOTENAI Co.
Use: IRRIGATION (0.10 CFS)
from 03/15 to 11/15; DOMESTIC
(0.20 CFS) from 01/01 to 12/31;
Place of Use: NESW NWSW Sec
34 T 54N R 02W FOR 5 ACRES
Diversion Means: WELL &
PUMP.

If issued, the permit(s) will be
subject to all prior water rights.
Protests against the granting of
any permit must be filed with the
director of the Idaho Department
of Water Resources, 4055 Gov't
Way, Coeur d'Alene, Id, 83814 on
or before MARCH 29, 1982.

A. KENNETH DUNN
Director

Legal 230
March 11, 18, 1982

being first duly sworn

inafter mentioned was a citizen of the United
over the age of twenty-one years and not a

inafter mentioned was the printer (principal
newspaper printed and published daily except
county, Idaho, and having a general circulation

was published in the regular

consecutive

day of March, 1982, and

of March, 1982, and such
aid period as said

continuously and uninterruptedly published in
of more than seventy-eight consecutive weeks

ion of said notice

e this 18 day of March

Roberto Manley
Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

MICROFILMED

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 95-08157

Priority: March 2, 1982

Maximum Diversion Rate:

0.07 CFS

Maximum Diversion Volume:

15.0 AF

This is to certify, that ROCKY WATSON

PO BOX 518

COEUR D ALENE ID 83814

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated March 2, 1982; and has submitted Proof of Beneficial Use on April 17, 1992. An examination indicates that the works have a diversion capacity of .070 cfs of water from:

ROCKFORD CREEK

tributary to COEUR D ALENE LAKE

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.07 CFS	15.0 AF

LOCATION OF POINT(S) OF DIVERSION:

NWSW , Sec. 7, Township 48N, Range 04W
KOOTENAI County

PLACE OF USE: IRRIGATION

TWN RGE SEC

48N 04W 7

ACRES

NWSW 5

ACRES

ACRES

TOTAL

5

Total number of acres irrigated:

5

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount that can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 3.0 afa per acre for the lands above.

NOV 01 1994


State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 95-08157

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 9TH
day of September, 1974.


Acting for R. Keith Higginson, Director



MAILED

NOV 01 1974

RECEIVED
APR 17 1992

OFFICE USE ONLY
Amt. of Fee \$ 50.00
Date 4-17-92
Receipt No. 2023832
Receipt by WR

Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 95-08157 Telephone No. 208-664-9500
2. Name(s) of Permit Holder(s): Rocky WATSON
3. Mailing Address: PO Box 518, Coeur d'Alene, ID 83816
4. Source of Water: Fighting Creek
Rockford (4/17/92 Klg) Date Drilled: _____
If GROUNDWATER, Well Driller's Name: _____

OPTIONAL:

Pump horsepower: _____ Pressure (psi): _____ Dynamic pumping level (ft.): _____

5. Extent of Use (as authorized by the permit):

Domestic _____ (No. of households) Stockwater _____ (No. and type of stock)
Irrigation 5 (No. of acres) Other _____

6. Total rate and/or volume for which proof is submitted .055 cfs OR _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? _____ Yes ☒ No Installed? _____ Yes ☒ No

OR

Flow Measurement Port: Required? ☒ Yes _____ No Installed? ☒ Yes _____ No

8. Fee Enclosed: \$ 50.00 (See License Fee Schedule on back of Instruction Sheet)

9. Person to contact to accompany the Department representative during field examination of the water system.

Rocky Watson 208-664-9500
Name Telephone No.
9500 Rockford Bay rd, Coeur d'Alene, ID 83814
Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

4-14-92
Date

Rocky Watson
Signature (and title, if on behalf of a company or organization)

RECORDED
MAY 22 1992

State of Idaho
Department of Water Resources
Request for Extension of Time

Cont.
Page 2

Work that has been completed:

Earth embankment is in place
The bridge abutment structure is in place
The conduit under the dam is in place with the shut-off gate valve
The compound areas have been sloped and seeded

Reasons why the work is not completed: Continued from page 1

When going through the permit process and contacting state and local agencies, it was believed, in the opinion of those agencies that a permit was not required of the Army Corp of Engineers. We have complied with the Corp's request and stopped work. The only work that has proceeded was with their approval. To date, they have received the plans on the earth embankment, the plans on the spillway, plans on the bridge abutment, the irrigation pickup, the topographical showing the impoundment area and volume of water to be retained.

We are waiting on the final design by the engineers on the overflow gate, interlock between the earthen keyway and the overflow gate, fuse pocket around the end of the dam and the fish ladder. Once these last phases are complete, the Corp will act on the permit request, and we can, again, start construction. For these reasons, we request a permit extension to June 1, 1995. Also, see attached certified letter from the Army Corp of Engineers of the Cease and Desist Order.

RECEIVED
JUN 8 1990



REPLY TO
ATTENTION OF:

CERTIFIED MAIL
DEPARTMENT OF THE ARMY
WALLA WALLA DISTRICT, CORPS OF ENGINEERS
WALLA WALLA, WASHINGTON 99362-9265

July 14, 1988

Operations Division

SUBJECT: NPW No. 071-OYC-4-003287

CEASE AND DESIST ORDER

Mr. Rocky Watson
Post Office Box 518
Coeur d'Alene, Idaho 83814

Dear Mr. Watson:

You are hereby notified that you have been identified as being responsible for an activity in waters of the United States without obtaining the required Department of the Army permit prior to beginning the work described as follows:

The discharge of dirt and rock for the construction of an impoundment structure in Fighting and Bellgrove Creeks, located in Sec. 7, T.48N., R.4W., Boise Meridian, in Kootenai County, Idaho.

Pursuant to the authority and provisions of Section 404 of the Clean Water Act (33 U.S.C. 1344) and Department of the Army regulations (33 CFR 320, et seq.) published in accordance with this Act, you are hereby ORDERED to immediately CEASE AND DESIST any and all such unauthorized activities in waters of the United States, including wetlands.

Your cooperation in this matter will be appreciated. Non-compliance with the above order may result in referral of this matter for appropriate legal action.

To assist in the evaluation of this unauthorized work, you are requested to provide the following information to this office by July 29, 1988:

- a. Detailed drawings of all completed and proposed construction at this site.
- b. The name, address, and qualifications of the person(s) responsible for design and construction of the project.
- c. The purpose of the project.

MICROFILMED


JUN 29 1990

d. The reason why construction was started without obtaining a Department of the Army permit.

You are also welcome to voluntarily provide any information you feel may be pertinent to our investigation and evaluation of this unauthorized activity. Information provided or otherwise obtained during this investigation, along with recommendations made by appropriate Federal, state, and local agencies, will be evaluated in determining the appropriate course of action to be taken in this case. Possible courses of action may include legal action, requiring the complete or partial restoration of the aquatic environment, and/or issuance of an after-the-fact permit for the subject activity. Pending a determination of the appropriate course of action to be taken in this case, your application is returned.

Please contact Mr. Brad Daly at (509) 522-6723 or Mr. Mike Doherty at (208) 765-7237 with regard to any questions you may have concerning this matter.

BY AUTHORITY OF THE SECRETARY OF THE ARMY:


James B. Royce
Colonel, Corps of Engineers
District Engineer

Enclosure

Copies furnished:

Idaho Department of Water Resources
Northern District Office
Route 5, Box 203, Suite #9
Coeur d'Alene, Idaho 83814

Environmental Protection Agency
Region X
1200 Sixth Avenue, Mail Stop 423
Seattle, Washington 98101

Idaho Department of Health and Welfare
Coeur d'Alene Field Office
2110 Ironwood Parkway
Coeur d'Alene, Idaho 83814

RECEIVED

JUN 29 1990

Copies furnished: Cont'd

Idaho Department of Fish and Game
2320 Government Way
Coeur d'Alene, Idaho 83814

U.S. Fish and Wildlife Service
Division of Ecological Services
4696 Overland Road, Room 576
Boise, Idaho 83705

MICROFILMED

JUN 29 1990

4/8
RECEIVED

JUN 01 1987

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

REQUEST FOR EXTENSION OF TIME

For Office Use Only

\$15 FEE Received by 44Date 6-2-87Receipt # 42514

Department of Water Resources

To provide additional time in which to submit proof
of beneficial use for a water right permit

The Idaho Department of Water Resources will consider this form as a request that the permit holder(s) be granted an additional period of time in which to complete development of a water right under the provisions of Section 42-204, Idaho Code.

Permit No. 95-8157Name(s) of Permit Holder: ROCKY WATSONPost Office Address: P.O. BOX 518COEUR D'ALENE, IDAHOTelephone No. 208-664-9500Date Proof is Due: MAY 27, 1987

Describe what work has been completed toward the development of this water right: #1 - DIVERSION COMPLETE
(This must be filled out! If no work has been completed, show "none".)

#2 PIPING, VALVES FOR POWER COMPLETE; #3 DAM COMPLETE; #4 UP-STREAM EROSION STOPPED;#5 WATER FOR IRRIGATION BEING USEDCosting \$ 6,000.00

The permit holder(s) has been unable to complete the remainder of the work for the following reasons:

SEE ATTACHMENT

Permit holder(s) request an extension to JUNE 1ST, 19 90.
(1 yr. minimum)

Rocky Watson
(Signature)*

*IF OTHER THAN PERMIT HOLDER,
POWER OF ATTORNEY MUST BE SUPPLIED.

FEE: \$15.00

ACTION OF THE DEPARTMENT OF WATER RESOURCES

IT IS HEREBY ORDERED that the above request for extension of time be APPROVED and the time within which to submit proof of beneficial use is extended to June 1, 1990.

MICROFILMED

JUL 10 1987

Signed this 18th day of June, 19 87.

J. Allen Saxton
Chief, Operations Bureau

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant Rocky Watson Phone 667-2879
Post office address Star Route Coeur d'Alene ID 83814
2. Source of water supply Rockford Creek which is a tributary of Coeur d'Alene Lake
3. Location of point of diversion is NW $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 7 Township 48N
Range 4W B.M. Kootenai County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount .10 for Irrigation purposes from 3-15 to 11-15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount 6 for Power purposes from 1-1 to 12-31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

- a. 6.0 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

- a. Description of ditches, flumes, pumps, headgates, etc. Dam and generator

- b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

- c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years (minimum 1 year - maximum 5 years).

8. Description of proposed uses:

- a. If water is not for irrigation:
(1) Give the place of use of water: NW $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 7 Township 48N
Range 4W B.M.
(2) Amount of power to be generated: 5KW horsepower under 20 feet of head.
(3) List number of each kind of livestock to be watered _____
(4) Name of municipality to be served _____, or number of families to be supplied with domestic water _____

If water is to be used for other purposes describe: _____

MICROFILMED

1100

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the

1 ddy
1 ddy

100%

_____ *den*

~~_____~~

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of State of Idaho as herein set forth.

Rocky Watson
(Applicant)

RECEIVED
JAN 10 1960

MICROFILMED

J. Allen Gayton
Chief, Operations Bureau

Witness my hand this 21st day of June, 1982.

d. Other: Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.
An access port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.
This permit is subject to the provisions of Sections 42-205 through 42-210, Idaho Code, restricting the sale, transfer, assignment, or mortgage of this permit. Failure to comply with these provisions is cause for immediate cancellation of this permit.
This permit does not constitute Idaho Public Utilities Commission or Federal Energy Regulatory Commission approval that may be required. This project shall be operated in a manner that will not conflict or interfere with the future diversion of water for irrigation or other beneficial consumption.

- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

1. Approval of said application is subject to the following limitations and conditions:

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 95-8157, and said application is hereby APPROVED.

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

Received by RMH Date 3/2/82 Time 3:30 PM
Preliminary check by JK Fee \$ 145.00
Received by RMH Date 3/2/82 # 21160
Publication prepared by JK Date 3/4/82
Published in C.D.A. P.M.A.
Publication dates 2/11 - 3/18/82
Publication approved RMH Date 3/22/82
Protests filed by: none
Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by RMH

Proposed Priority 3/2/1982

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
AFFIDAVIT FOR WATER RIGHTS TO BE USED
FOR POWER PURPOSES

A. Establishment of Residency: (Complete either 1, or 2).

1. Individual Applicant or Individual Members of a Partnership:

I, Rocky Watson of Coeur d'Alene,
(name) (city)

county of Kootenai, State of Idaho, being duly sworn, do
hereby certify that I am a bona fide resident of the State of Idaho.

2. Corporation:

I, _____ of _____,
(name) (city)

County of _____, State of Idaho, being duly sworn, depose
and say: That I am the designated registered agent of the _____

_____ : that as such I am in charge of the registered
(name of corporation)

office of the said corporation as required by Section 30-1-12, Idaho Code, at

_____ Idaho, wherein are kept the corporate records required
(city)

by Section 30-1-52, Idaho Code: and that _____
(name of corporation)

is a corporation qualified to do business in the State of Idaho under the laws of
the State of Idaho.

B. Ownership of Facilities: (To be completed for hydropower projects only)

The hydropower facility to be developed pursuant to the attached Application for
Permit:

(check one)

☒ Will not utilize existing man-made irrigation facilities such as a dam or a
canal.

☐ Will utilize existing man-made irrigation facilities such as a dam or a canal,
and permission of the owner is documented in an affidavit attached hereto.

☐ Will utilize existing man-made irrigation facilities such as a dam or a canal
and the owner of the facilities is the signee of this affidavit.

State of Idaho _____)
County of Kootenai) ss.

Rocky Watson
Applicant

On this 2 day of March, 1982, personally
appeared before me the signer(s) of the above instrument, who duly acknowledged
to me that he (she) (they) executed the same.

Rae G. Haynes
Notary Public, residing at
COA

seal

My commission expires:

Lifetime

REPROFILMED



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

September 12, 1994

ROCKY WATSON
PO BOX 518
COEUR D ALENE ID 83814

RE: WATER RIGHT NO. 95-08157

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit. If you have any questions, please contact me within 10 days of receipt of this license.

Sincerely,

A handwritten signature in cursive script that reads 'Shelley W. Keen'.

Shelley W. Keen
Water Rights Supervisor

SK:dc

Enclosure

RECEIVED

NOV 01 1994

LICENSE REVIEW CHECKLIST



PERMIT NO. 95-8157 DATE 8-25-94

NAME	Yes ☒ No ☐	Or <u>Address</u> Change? _____
PRIORITY DATE	☐ ☒	Advance? _____ Advanced to: _____ Order to reinstate needed? _____ Incorrect fee for rate recommended? <u>NO</u>
SOURCE	☐ ☒	Changes or just clarification of originally intended source? _____ Notice of Intent to Void necessary? _____
POINT OF DIV	☐ ☒	Amendment needed? _____ Overlaps? _____
PLACE OF USE	☐ ☒	Amendment needed? _____ Overlaps? _____
DIV RATE	☐ ☒	Measurement Q = <u>.07</u> Theoretical Q = _____ <u>5 x .02 = .10</u> <u>30 GPM = .07 CFS</u> Capacity: <u>.07</u> Combined rates exceed capacity _____ Permit/fee limits: <u>1.0</u> Allowable: <u>.07</u>
ANNUAL VOLUME	☐ ☒	Season of use: <u>D/3.0 (3-15 to 11-15)</u> Calculations: <u>5 x 3 = 15</u> Flow limit: _____ cfs x _____ x 1.9835 = _____ Combined volumes exceed capacity/allowable _____
USES	☐ ☒	Change in Nature of Use or additional uses? _____ Amendment necessary? _____
REMARKS	☐ ☒	Multiple p/d(s) in ¼ ¼? _____ Other _____
CONDITIONS	☐ ☒	Measuring/Locking Devices _____ Watermaster control - District _____ <u>R29</u> Irrigation Overlap _____ Water Quality _____ Other <u>Delete power CONDITIONS</u>
COMMENTS: <u>Delete power use - NOT DEVELOPED.</u>		

RECOMMENDED	CFS	VOLUME	LICENSE ☒
<u>Irrigation</u>	<u>.07</u>	<u>15</u>	ADJUSTMENT MEMO NEEDED _____
_____	_____	_____	1ST AMENDMENT LETTER _____
_____	_____	_____	FINAL AMENDMENT LETTER _____
TOTALS			



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
JUN 30 1994

Department of Water Resources

A. GENERAL INFORMATION

ROCKY WATSON
P.O. BOX 518
COEUR D'ALENE ID 838140000

Permit No. 95-08127
Phone No. 664-9500

1. Owner: _____
Current Address: _____
2. Accompanied by: Rocky Watson EXAM. DATE: 6/2/92
Address: _____ Phone No. _____
Relationship to Permit Holder: _____


3. Source: Rockford Creek tributary to Coeur d'Alene Lake

B. OVERLAP REVIEW

1. Other water rights with same place of use: None ☐ Copies Attached
2. Other water rights with same point of diversion: None ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = NTS

NOV 01 1994

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and place(s) of use (required).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).
☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

A 1.5 hp pump in Backford creek pumped water through 2" steel line into a box where 2" main PVC went to 2 acres and another 2" main PVC went to 3 acres. From the 2" PVC 1" PVC went to the heads.

☐ See Remarks on page 4 for continuation

Well or Diversion Identification No.*	A-0 Smith 1.5	Motor Make	~~ATM~~	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
					(48M2FC11C)	~~Centex~~	

***Code to correspond with No. on map and aerial photo**

5. Point(s) of Diversion:

[illegible]

6. Place(s) of Use:

Indicate Method of Determination.

[illegible]

Do not use this space

D. FLOW MEASUREMENTS *None* ☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

E. FLOW CALCULATIONS ☐ Additional Computation Sheets Attached

1. Measured Method:

2. Alternate Method for Checking Purposes: $(10)(3.0 \text{ GPM heads}) = 30 \text{ GPM} = .07 \text{ cfs}$

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = (5)(3.0) = 15.0 \text{ AF}$

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = (.07)(245)(1.9835) = 34.0$

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 15.0 \text{ AF}$

2. Volume Calculations for Other Uses:

NOV 01 1994

CONSULTANT SEAL

242

Ver. 21.

500
 75
 575
 6.00
 575
 575


?

PERMIT # 95-08517

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
FIELD REPORT SUPPLEMENT

PHOTOGRAPHS

DD



Pump

Pu did
not develop

NOV 01 1994

DD

AMP



PM did
not develop

RECEIVED

NOV 01 1994

April 24, 1992

ROCKY WATSON
P.O. BOX 518
COEUR D ALENE ID 838140000

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 95-08157

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the NORTHERN Regional Office in Coeur D' Alene at (208)765-4639.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

c: IDWR - Region

MICROFILMED
MAY 22 1992

ROCKY WATSON
P.O. BOX 518
COEUR D ALENE ID 838140000

March 31, 1992

CERTIFIED MAIL

NO. 138802

RE: PERMIT NO. 95-08157 **PROOF DUE NOTICE**

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before June 1, 1992.

(See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Karen L. Gustafson
Secretary/Records Manager

Enclosures

MICROFILMED

MAY 22 1992

June 8, 1990

Rocky Watson
P. O. Box 518
Coeur d'Alene, ID 83814

Dear Mr. Watson:

Re: Permit No. 95-8157

Enclosed is a copy of the approved request for extension of time. The time within which to submit proof of beneficial use is extended to June 1, 1992.

It is important that you work diligently toward the completion of this project during the construction period allowed. The department may not be able to grant additional requests.

If you have any questions, please feel free to contact this office.

Sincerely,

RITA I. FLECK
Secretary/Records Manager

Enclosure

MICROFILMED

JUN 29 1990

138587

March 31, 1990

ROCKY WATSON
P.O. BOX 518
COEUR D ALENE, ID 838140000

PROOF DUE NOTICE

RE: PERMIT NO. 95-08157

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before June 1, 1990.

(See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

MICROFILMED

JUN 29 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
COMMENCEMENT OF WORKS

Permit No. 95-8157
Name(s) of Permit Holder(s): Rocky Watson
Post Office Address: PO Box 513
CDA, ID

☒ I hereby certify that construction of diversion works for the above referenced permit began on Aug 1989 (date). I understand that I must continue to develop the water system with due diligence to maintain a valid permit.

☐ I hereby certify that construction of diverting works on the above referenced project has not yet begun due to the following reason beyond my control:

*Note: A financing difficulty is not an acceptable reason.

May 28th
Date

Rocky Watson
Signature of Permit Holder

PLACE
STAMP
HERE

RECEIVED

JUN 01 1987

MICROFILMED

JUN 29 1990



Department of Water Resources

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

June 24, 1987

Rocky Watson
P. O. Box 518
Coeur d'Alene, ID 83814

Dear Mr. Watson:

Re: Permit No. 95-8157

Enclosed is a copy of the approved request for extension of time. The time within which to submit proof of beneficial use is extended to June 1, 1990.

Sincerely,

RITA I. FLECK
Secretary/Records Manager

Enclosure

MICROFILMED

JUL 10 1987



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 450 W. State Street, Boise, Idaho

CECIL D. ANDRUS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

EXTENSION OF TIME

June 10, 1987

Rocky Watson
P. O. Box 518
Coeur d'Alene, ID 83814

PERMIT NO. 95-8157

We are in receipt of the \$15 extension fee for Extension(s) of Time to provide additional time in which to submit proof of beneficial use on a water right permit.

Your request for extension(s) of time is being reviewed by staff. You will be informed of our decision when review has been completed.

Enclosed is our receipt No. 42514.

Roberta Garrett
Records Supervisor

Enclosure

MICROFILMED

JUL 10 1987

Rocky and Mary Watson
Star Route
Coeur d'Alene, ID 83814

May 27, 1987

RECEIVED

JUN 01 1987

Department of Water Resources

ATTACHMENT A

Dear Sirs:

Since the issuance of this permit on June 1st, 1982, I have diligently worked toward the completion of this project. I request an extension of three years because the beginning of the project was delayed due to an erosion problem up-stream off of my property and beyond my control. We dealt with the U.S. Department of Agriculture Soil Conservation Service starting September 13, 1983 and, in conjunction with the Worley Road District, we cured the erosion problem.

This was a lengthy process but we did cure the problem and the dam itself has been completed. The diversion is completed and the pipes and valves are installed for the power application. We are pumping water from the pond with a portable pump to irrigate a nearby orchard. We do not have spill-way gates on the top of the dam completed and we do not have the complete permanent irrigation system installed.

When the Idaho Department of Fish and Game first reviewed the permit, they thought it was a barren creek and had no opinion of the dam. As we began the construction of the dam and the pond it came to our attention that it was an active migration stream for cutthroat. The Department of Fish and Game requested that we limit our activity in the creek bed during the cutthroat migration which, again, delayed our construction work (copy of Fish and Game letter is enclosed).

For these reasons, I respectfully request an extension of my permit to June 1st, 1990. In three years time, we will have the irrigation system installed and working. By fall we will have the overflow gates installed and the last of the structure work will be completed.

Awaiting your reply.

Sincerely,

Rocky Watson
ROCKY WATSON

MICROFILMED

JUL 10 1987

P A Y E E : DETACH THIS STATEMENT BEFORE DEPOSITING CHECK

THE WATSON AGENCY

DATE	ACCOUNT OR INVOICE NO.	DESCRIPTION	AMOUNT	DISCOUNT OR DEDUCTION	NET AMOUNT

MICROFILMED

EMPLOYEE'S
NAME

JUL 10 1987
THE WATSON AGENCY

PAY PERIOD ENDING	HOURS	RATE	GROSS EARNINGS	F.I.C.A.	FED. WITH. TAX	STATE WITH. TAX				NET EARNINGS PAID
	REG. T. O. T.									

EMPLOYEE: THIS IS A STATEMENT OF YOUR EARNINGS AND DEDUCTIONS FOR PERIOD INDICATED. KEEP THIS FOR YOUR PERMANENT RECORD.



May 21, 1987

Region I
2320 Government Way
Coeur d'Alene, Idaho 83814
Telephone: (208) 765-3111

RECEIVED
JUN 01 1987

Department of Water Resources

Mr. Rocky Watson
P.O. Box 518
Coeur d'Alene, ID 83814

Dear Mr. Watson:

In response to our phone conversation concerning your dam on Bellgrove Creek, I would suggest installing a weir structure with removable dam boards. Dam boards could be removed in the spring during high runoff flows to allow for fish passage up and downstream. Adfluvial westslope cutthroat may be present in Bellgrove Creek. Adult cutthroat trout would be migrating upstream to spawn in late April through late May - early June. Juvenile cutthroat trout would be migrating downstream during this same time period.

I recommend that you leave the dam boards out and allow water to flow in the creek until the end of June or first part of July. At that time, you could put the dam boards in and fill your pond, as the majority of the fish will have migrated out of the stream.

This weir and dam board structure should be effective and will certainly be less costly than constructing a fish ladder. We appreciate your concern for minimizing impacts to the fishery resource. Again I remind you that the structure you place in the creek to divert or dam up water must allow for fish passage up and downstream and passage must be provided at the time you install the dam.

If I can be of any further assistance, please call.

Sincerely,

Cynthia A. Robertson

Cynthia A. Robertson
Regional Fishery Biologist

CAR:nk

CC: Bureau of Fisheries
Bureau of Program Coordination

MICROFILMED

JUL 10 1987

EQUAL OPPORTUNITY EMPLOYER

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL
MARCH 31, 1987

138918

WATSON, ROCKY
STAR ROUTE
COEUR D'ALENE, ID 83814

PROOF DUE NOTICE

RE: PERMIT NO. 95-8157

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF THE ABOVE REFERENCED WATER PERMIT WAS THAT PROOF OF THE EXTENT OF YOUR BENEFICIAL USE MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE JUNE 1, 1987. (SEE LAST PAGE OF YOUR APPROVED PERMIT OR YOUR LAST APPROVED EXTENSION REQUEST.) ENCLOSED IS A FORM WHICH WHEN ACCOMPANIED BY THE LICENSE EXAMINATION FEE OR A COMPLETED FIELD EXAMINATION REPORT PREPARED BY A CERTIFIED WATER RIGHT EXAMINER MAY BE USED TO SUBMIT THE REQUIRED PROOF.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU OR A PREVIOUS OWNER OF THIS PERMIT HAVE NOT RECEIVED A PRIOR EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME IF THE DELAY IS FOR REASONABLE CAUSE AS PROVIDED IN SECTION 42-204, IDAHO CODE. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION WHICH MIGHT BRING TITLE TO THE WATER IN QUESTION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED. AN EXTENSION OF TIME REQUEST FORM IS ENCLOSED FOR YOUR CONVENIENCE.

EITHER AN ACCEPTABLE PROOF OF BENEFICIAL USE SUBMITTAL OR AN ACCEPTABLE REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE DESCRIBED PROOF DUE DATE. IF NEITHER IS RECEIVED, THE DEPARTMENT WILL SEND YOU A LAPSE NOTICE. WITHIN SIXTY (60) DAYS OF THE MAILING OF THE LAPSE NOTICE, THE PERMIT WILL NO LONGER BE OF ANY FORCE NOR EFFECT.

SINCERELY,

RITA FLECK
SECRETARY/RECORDS MANAGER

ENCLOSURES

MICROFILMED

JUL 10 1987



WATSON AGENCY

P. O. BOX 518 • COEUR D'ALENE, IDAHO 83814
(208) 664-9500

*Start of Constr
evidence*

July 29, 1985

RECEIVED

AUG 15 1985

Department of Water Resources
Northern District Office

RECEIVED

AUG 21 1985

State of Idaho
Dept. of Water Resources
Northern District
4055 Government Way
Coeur d'Alene, ID 83814

RE: DAM PERMIT 95-8157, Issued March 2, 1982.

Dear Sir,

Department of Water Resources

Per our conversation in your office regarding the above dam permit, construction of the dam was to start within a year of the issuance of the permit. I am now starting the actual construction of the pond and the dam. This letter is to serve as an explanation of why I did not start within a year of date issued.

There was an erosion problem on Belgrove Creek, off of my property. I worked with the road district and the neighbor, Jerry Schriener, for the last two years trying to cure the erosion problem so that the sediment wouldn't fill up the pond and render it useless. The erosion problem has been solved. This was done primarily by the way the road district moved the road. Now the creek no longer washes away at the base of the road every spring. With the erosion problem solved, we are now prepared to proceed with the dam and pond irrigation project. We will have it concluded by 1987, in compliance with our permit.

Very truly yours,

Rocky Watson
ROCKY WATSON
Vice President

ma

MICROFILMED

JUL 10 1987

INDUSTRIAL SECURITY • PATROL
ADVANCED ALARMS
RESIDENTIAL • COMMERCIAL • INDUSTRIAL

S T E O F I D A H O
DEPARTMENT OF WATER RESOURCES

**STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440**

**WATSON, ROCKY
STAR ROUTE
COEUR D ALENE, ID 83814**

JULY 06, 1982

RE: PERMIT NO. 95-8157

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

BE SURE TO NOTE THE SPECIAL CONDITION REQUIRING YOU TO INSTALL A MEASURING DEVICE, OR AN ACCESS PORT TO PROVIDE FOR THE INSTALLATION OF MEASURING EQUIPMENT BY THE DEPARTMENT. ENCLOSED PLEASE FIND A LIST OF MEASURING DEVICE OPTIONS, AND SPECIFICATIONS FOR THE INSTALLATION OF THE ACCESS PORT.

WE HAVE ENCLOSED A FORM ENTITLED "MAKING PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT INTO A LICENSE.

SINCERELY,

**DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION**

ENCLOSURE

MICROFILMED

POWER CALCULATIONS FOR APPLICATION NO.

95-8157

P = Kilowatts .74 X hp

Q = cfs

H = feet

e = efficiency

proposed

5Kw

6.0 cfs

20 ft

?

$$e = \frac{P(11.8)}{QH} = \frac{5(11.8)}{6.0 \times 20} = \frac{59}{120} = .49$$

Based on the above calculations the proposed project must have an 49 % efficiency.

RC 5/18
82

The efficiency calculated is low the applicant may be able to generate more power than shown on the application however the amount generated would still probably be insufficient to justify selling to a power utility.

The application should be approved on the basis that power will not be sold.

Jim

6-9-82

MICROFILMED

NOTICE OF APPLICATION
FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

95-8157
WATSON, ROCKY
STAR ROUTE, COEUR D
ALENE, ID 83814
Source: ROCKFORD CREEK
tributary to COEUR D ALENE
LAKE
Date Filed: 03/02/1982
Amount: 6.00 CFS
Diversion Point: NWSW Sec 07 T
48N R 04W, KOOTENAI Co.
Use: IRRIGATION (0.10 CFS)
from 03/15 to 11/15; POWER (6.00
CFS) from 01/01 to 12/31
Place of Use: NWSW Sec 07 T 48N
R 04W FOR 5 ACRES.
Diversion Means: DAM & GEN-
ERATOR.

95-8158
WASHINGTON STATE UNIVER-
SITY
PULLMAN, WA 99164
Source: COEUR D ALENE
LAKE tributary to SPOKANE
RIVER
Date Filed: 02/10/1982
Amount: 0.20 CFS
Diversion Point: LOT 05 Sec 04 T
47N R 04W, KOOTENAI Co.
Use: IRRIGATION (0.09 CFS)
from 05/01 to 09/30; FIRE PRO-
TECTION (0.20 CFS) from 01/01
to 12/31
Place of Use: LOT 05 Sec 04 T 47N
R 04 W FOR 3 ACRES
Diversion Means: PUMP &
PIPELINE.

95-8159
HEBENER, GARY L.
P. O. BOX 1886, COEUR D
ALENE, ID 83814
Source: GROUNDWATER
Date Filed: 02/26/1982
Amount: 0.87 CFS

Diversion Point: NWNW Sec 29 T
50N R 04W, KOOTENAI Co.
Use: IRRIGATION (0.10 CFS)
from 03/15 to 10/15; STOCK-
WATER (0.01 CFS) from 01/01 to
12/31; DOMESTIC (0.67 CFS)
from 01/01 to 12/31
Place of Use: SWSW SESW Sec
20 T 50N R 04W NENW NWNW
Sec 29 T 50N R 04W FOR 12
ACRES
Diversion Means: WELL &
PUMP.

95-8160
STANBURY, PATRICK H. &/or
ILENE
S. 700 MADISON ROAD, POST
FALLS, ID 83854
Source: GROUNDWATER
Date Filed: 02/26/1982
Amount: 0.10 CFS
Diversion Point: LOT 03 Sec 08 T
50N R 05W, KOOTENAI Co.
Use: STOCKWATER (0.02 CFS)
from 01/01 to 12/31; DOMESTIC
(0.08 CFS) from 01/01 to 12/31
Place of Use: SENW LOT 03 Sec
08 T 50N R 05W
Diversion means: WELL &
PUMP.

95-8161
HERBENER, GARY L.
STAR ROUTE, COEUR D
ALENE, ID 83814
Source: COEUR D ALENE
LAKE tributary to SPOKANE
RIVER
Date Filed: 02/26/1982
Amount: 0.80 CFS
Diversion Point: SENE Sec 09 T
49N R 04W, KOOTENAI Co.
Use: IRRIGATION (0.80 CFS)
from 04/01 to 11/15; STOCK-
WATER (0.01 CFS) from 01/01 to
12/31; DOMESTIC (0.04 CFS)
from 01/01 to 12/31
Place of Use: NWNE SWNE Sec
09 T 49N R 04W FOR 40 ACRES
Diversion Means: PUMP &
PIPELINE.

95-8162
CAIRES, STEPHEN J.
1355 MEADOW BROOK ACRES
RD., COEUR D ALENE, ID 83814
Source: SPRING tributary to
SINKS
Date Filed: 03/04/1982
Amount: 0.20 CFS
Diversion Point: SWSW Sec 21 T
50N R 04W, KOOTENAI Co.
Use: IRRIGATION (0.18 CFS)
from 03/15 to 11/15; STOCK WA-
TER (0.02 CFS) from 01/01 to
12/31; DOMESTIC (0.04 CFS)

from 01/01 to 12/31
Place of Use: SWSW Sec 21 T 50N
R 04W FOR 9 ACRES
Diversion Means: DEVELOPED
SPRING WITH PUMP & PUMP-
LINE.

95-8038
THORNTON, DON N.
25682 E. LINCOLN, ORANGE
GROVE, CA.
Source: GROUNDWATER
Date filed: 03/03/1982
Amount: 0.08 CFS
Diversion Point: SWNE Sec 10 T
53N R 03W, KOOTENAI Co.
Use: DOMESTIC (0.08 CFS) from
01/01 to 12/31
Place of Use: SWNE SENE Sec
10 T 53N R 03W
Diversion Means: WELL &
PUMP.

95-8039
BANGERTER, ROBERT A.
1207 VALEWOOD CT.,
SPOKANE, WA 99218
Source: SPIRIT LAKE tributary
to SINKS
Date Filed: 02/26/1982
Amount: 0.02 CFS
Diversion Point: LOT 01 Sec 24 T
53N R 05W, KOOTENAI Co.
Use: DOMESTIC (0.20 CFS) from
04/01 to 10/15
Place of Use: LOT 01 Sec 24 T 53N
R 05W
Diversion Means: PUMP &
PIPELINE.

95-8040
SILVER WATER SYSTEM
BOX 25, BAYVIEW, ID 83803
Source: GROUNDWATER
Date Filed: 03/03/1982
Amount: 0.30 CFS
Diversion Point: NESW Sec 24 T
54N R 02W, KOOTENAI Co.
Use: IRRIGATION (0.10 CFS)
from 03/15 to 11/15; DOMESTIC
(0.20 CFS) from 01/01 to 12/31;
Place of Use: NESW NWSW Sec
34 T 54N R 02W FOR 5 ACRES
Diversion Means: WELL &
PUMP.

If issued, the permit(s) will be
subject to all prior water rights.
Protests against the granting of
any permit must be filed with the
director of the Idaho Department
of Water Resources, 4055 Gov't
Way, Coeur d'Alene, Id, 83814 on
or before MARCH 29, 1982.

A. KENNETH DUNN
Director

Legal 239
March 11, 18, 1982

ON

being first duly sworn

inafter mentioned was a citizen of the United
over the age of twenty-one years and not a

inafter mentioned was the printer (principal
newspaper printed and published daily except
county, Idaho, and having a general circulation

was published in the regular

consecutive

day of March, 1982 and

of March, 1982, and such

aid period as said

continuously and uninterruptedly published in

of more than seventy-eight consecutive weeks

ion of said notice

is this 18 day of March

Roberta Stanley
Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

MICROFILMED

95-8152

WATSON, ROCKY

STAR ROUTE, COEUR D'ALENE, ID 83814

Source: ROCKFORD CREEK tributary to COEUR D'ALENE LAKE

Date Filed: 03/02/1982

Amount: 6.00 CFS

Diversion Point: NMSM Sec 07 T 48N R 04W, KOOTENAI Co.

Use: IRRIGATION	(0.10 CFS)	from 03/15 to 11/15
POMER	(6.00 CFS)	from 01/01 to 12/31

Place of Use: NMSM Sec 07 T 48N R 04W FOR 5 ACRES

Diversion Means: DAM & GENERATOR.

MICROFILMED

Power Production App of Rocky Watson

$$Q = 6.0, H = 20, e = 50\%, P = 5 \text{ Kw}$$

$$Q = \frac{P(11.8)}{He} = \frac{5(11.8)}{20(.5)} = 5.9 \rightarrow Q$$

MICROFILMED