

AFFIDAVIT OF PUBLICATION

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

95-8138

CARLIN BAY SERVICES CORP.
RT. 2 BOX 163, HARRISON, ID
83833

Source: COEUR D'ALENE LAKE
tributary to SPOKANE RIVER
Date Filed: 09/25/1981

Amount: 0.50 CFS

Diversion Point SWSE Sec 31 T
49N R 03W, KOOTENAI Co.

Use: IRRIGATION (0.25 CFS)
from 04/15 to 10/15; DOMESTIC
(0.25 CFS) from 01/01 to 12/31

Place of Use: NESW NWSW
SWSW SESW Sec 29 T 49 N R 03W

NESE SESE SEec 30 T 49N R 03W
NEVE SENE NESE NWSE

SWSE SESE Sec 31 T 49N R 03W

NWNE NENW NWNW SWNW
SENW Sec 32 T 49N R 03W FOR
570 ACRES

Diversion Means: PUMPS.

If issued, the permit(s) will be
subject to all prior water rights.
Protests against the granting of
any permit must be filed with the
director of the Idaho Department
of Water Resources, 4055 Gov't
Way, Coeur d'Alene, Id, 83814 on
or before NOVEMBER 9, 1981.

A. KENNETH DUNN
Director

Legal 722

Oct. 22, 29, 1981

STATE OF IDAHO,
of Kootenai,

} ss.

Arlene Hancoc

being first duly sworn

ath deposes and says:

I am now and at all times hereinafter mentioned was a citizen of the United
resident of the State of Idaho, over the age of twenty-one years and not a
of the above entitled action.

I am now and at all times hereinafter mentioned was the printer (principal
of the "Coeur d'Alene Press," a newspaper printed and published daily except
in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation
in said county.

3. The

*Application of Water
Rights*

of which the annexed is a printed copy, was published in the regular *Thurs*
issue of said newspaper for *2* consecutive *weeks*
commencing on the *22* day of *Oct*, 19*81*, and
ending on the *29* day of *Oct*, 19*81*, and such
publication was made as often during said period as said *daily*
newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in
said Kootenai County, during a period of more than seventy-eight consecutive weeks
immediately prior to the first publication of said notice.

Arlene Hancoc

Subscribed and sworn to before me this *29* day of *Oct*
19*81*.

Roberta Inmanley

Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

LEADER

RECEIVED
NOV 2 1981

Department of Water Resources
Northern District

MICROFILMED

RECEIVED
JUN 24 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 95-08138
Phone No. 415-478-1050 DAY
415-898-8493 NIGHT

1. Owner: CARLIN BAY SERVICES CORP.
Current Address: BOX 1674 COEUR D'ALENE, ID. 83814

2. Accompanied by: PARKER HANSON EXAM. DATE: 4/12/91
Address: BOX 63 HARRISON, ID. 83833 Phone No. 689-3670

Relationship to Permit Holder: _____

3. Source: COEUR D'ALENE L. tributary to SPOKANE R.

B. OVERLAP REVIEW

1. Other water rights with same place of use: NONE

☐ Copies Attached


2. Other water rights with same point of diversion: NONE

☐ Copies Attached

☐ Copies of Field _____

C. SYSTEM DESCRIPTION

1. Dive
size.



Scale: 1" = NTS

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater.

☐ Aerial Photo Attached
(required for irrigation of 10 acres or more)

MICROFILMED
SEP 17 1992





95-8138





State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 95-08138

Priority: September 25, 1981

Maximum Diversion Rate:

0.50 CFS

Maximum Diversion Volume:

240.0 AF

This is to certify, that CARLIN BAY SERVICES CORP
C/O MIRNA-MAR VANDERHEYDEN
609 W APPLE DR
DELTA CO 81416

has complied with the terms and conditions
of the permit, issued pursuant to Application for Permit dated September 25, 1981; and
has submitted Proof of Beneficial Use on October 22, 1990. An examination indicates
that the works have a diversion capacity of .500 cfs of water from:

COEUR D ALENE LAKE

tributary to SPOKANE RIVER

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.50 CFS	240.0 AF

LOCATION OF POINT(S) OF DIVERSION:

SWSE , Sec. 31, Township 49N, Range 03W
KOOTENAI County

PLACE OF USE: DOMESTIC
TWN RGE SEC

49N 03W 31	NENE	SENE	NESE
Lot 3(NWSE)	Lot 4(SWSE)	Lot 4(SESE)	

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. The issuance of this right in no way grants any right-of-way or easement across the land of another.
6. Domestic use is for 400 homes.


MICROFILMED
SEP 17 1992

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 95-08138

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 10TH
day of July, 1992.

Acting for  R. Keith Higginson, Director

SEP 17 1992

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

For Office Use Only
\$15 FEE Received by if
Date 10-9-86
Receipt 39295

REQUEST FOR EXTENSION OF TIME

To provide additional time in which to submit proof
of beneficial use for a water right permit

RECEIVED
OCT 6 1986

Department of Water Resources

The Idaho Department of Water Resources will consider this form as a request that the permit holder(s) be granted an additional period of time in which to complete development of a water right under the provisions of Section 42-204, Idaho Code.

Permit No. 95-8138

Name(s) of Permit Holder: CARLIN BAY SERVICES CORPORATION

Post Office Address: Route 2, Box 163, Harrison, Idaho, 83833

Telephone No. 208-689-3834

Date Proof is Due: November 1, 1986

Describe what work has been completed toward the development of this water right:
(This must be filled out! If no work has been completed, show "none".)

The following has been constructed and/or installed: Two pumps in lake;
Three 30,000 gallon reservoirs; filter plant; 124 lots have water service
to the lot lines and 9 lots have been hooked-up and are presently being
serviced.

Costing \$ 300,000+

The permit holder(s) has been unable to complete the remainder of the work for the following reasons:

There are 199 lots in the project, 124 of which have been developed and
water has been brought to their lines. The remaining 75 lots are in the
process of being developed, but have not yet been completed. This
extension of time is needed in order to complete development of these 75
lots which will also be serviced by this water system.

Permit holder(s) request an extension to November 1, 1991 By: CARLIN BAY SERVICES CORP.
(1 yr. minimum) Pres..

FEE: \$15.00

IF OTHER THAN PERMIT HOLDER,
POWER OF ATTORNEY MUST BE SUPPLIED.

ACTION OF THE DEPARTMENT OF WATER RESOURCES

IT IS HEREBY ORDERED that the above request for extension of time be APPROVED and the time within
which to submit proof of beneficial use is extended to November 1, 1990.

Signed this 21st day of October, 19 86.

A. Glen Saxton
Chief, Operations Bureau

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant Carlin Bay Services Corporation Phone (208)689-3670
Post office address Route 2, Box 163, Harrison, Idaho 83833
2. Source of water supply Lake Coeur d'Alene which is a tributary of _____
3. Location of point of diversion is SW $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 31 Township 49N
Range 3W B.M. Kootenai County, additional points of diversion if any: None

4. Water will be used for the following purposes:

Amount 0.25 cfs for Domestic purposes from Jan 1 to Dec 31 (both dates inclusive)
(cfs or acre-feet per annum) Lawn
Amount 0.25 cfs for Irrigation purposes from Apr 15 to Oct 15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 0.50 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Submersible Lake Pumps

b. Height of storage dam N/A feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is N/A inches; proposed depth of well is _____ feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial

use is 5 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses: NW $\frac{1}{4}$ NE $\frac{1}{4}$ 32-49-3
E $\frac{1}{2}$ NE $\frac{1}{4}$ 31-49-3 NW $\frac{1}{4}$ 32-49-3
E $\frac{1}{2}$ SE $\frac{1}{4}$ 30-49-3 SE $\frac{1}{4}$ 31-49-3

a. If water is not for irrigation:

(1) Give the place of use of water: SW $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section 29 Township 49N

Range 3W B.M.

(2) Amount of power to be generated: N/A horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered N/A


(4) Name of municipality to be served N/A, or number of families to be supplied with domestic water 400.

(5) If water is to be used for other purposes describe: _____

MICROFILMED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

MICROFILMED

[Signature]
(Applicant)

RECEIVED

Proposed Priority 9/25/1981

Received by TK Date 9/23/81 Time 1:00 PM
Preliminary check by TK Fee \$ 45.00
Received by TK Date 10/17/81 (15365)
Publication prepared by TK Date 10/15/81
Published in Weekend Edition
Publication dates 10/22-29/81
Publication approved TK Date 11/3/81
Protests filed by: None
Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval by TK denial _____

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 95-8138, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before November 1, 19 86.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other: The issuance of this permit in no way grants any right-of-way or easement across the land of another.

Witness my hand this 20 day of November, 19 81

D. Alan Saylor
Chief, Operations Bureau

AFFIDAVIT OF PUBLICATION

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

95-8138

CARLIN BAY SERVICES CORP.
RT. 2 BOX 183, HARRISON, ID
83833

Source: COEUR D'ALENE LAKE
tributary to SPOKANE RIVER

Date Filed: 08/25/1981

Amount: 0.50 CFS

Diversion Point SWSE Sec 31 T
49N R 03W, KOOTENAI Co.

Use: IRRIGATION (0.25 CFS)
from 04/15 to 10/15; DOMESTIC

(0.25 CFS) from 01/01 to 12/31

Place of Use: NESW NWSW
SWSW SESE Sec 30 T 49N R 03W

NESE SESE Sec 30 T 49N R 03W

NESE SESE Sec 31 T 49N R 03W

NWNE NWNE NWNE SWNW
SESE Sec 31 T 49N R 03W FOR
570 ACRES

Diversion Means: PUMPS.

If issued, the permit(s) will be
subject to all prior water rights.
Protests against the granting of
any permit must be filed with the
director of the Idaho Department
of Water Resources, 4055 Gov't
Way, Coeur d'Alene, Id, 83814 on
or before NOVEMBER 9, 1981.

A. KENNETH DUNN

Director

Legal 722

Oct. 22, 29, 1981

STATE OF IDAHO,
of Kootenai, } ss.

Arlene Hancock

being first duly sworn

th deposes and says:

I am now and at all times hereinafter mentioned was a citizen of the United
resident of the State of Idaho, over the age of twenty-one years and not a
f the above entitled action.

I am now and at all times hereinafter mentioned was the printer (principal
f the "Coeur d'Alene Press," a newspaper printed and published daily except
in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation
in Coeur d'Alene county.

3. The

*Application of Water
Rights*

of which the annexed is a printed copy, was published in the regular *Thurs*
issue of said newspaper for *2* consecutive *weeks*
commencing on the *22* day of *Oct*, 19*81*, and
ending on the *29* day of *Oct*, 19*81*, and such
publication was made as often during said period as said *daily*
newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in
said Kootenai County, during a period of more than seventy-eight consecutive weeks
immediately prior to the first publication of said notice.

Arlene Hancock

Subscribed and sworn to before me this *29* day of *Oct*
19*81*

Roberta Manley

Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

RECEIVED
NOV 2 1981

Department of Water Resources
Northern District

RECEIVED

July 13, 1992

CARLIN BAY SERVICES CORP
C/O MIRNA-MAR VANDERHEYDEN
609 W APPLE DR
DELTA CO 81416

RE: WATER RIGHT NO. 95-08138

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

RECEIVED

SEP 17 1992

C arlin
B ay
S ervices
C orporation

Mirna-Mar Vanderheyden
President

~~Business Office Phone 551-1143~~
~~Peasapine, California 91775~~

609 West Apple Drive
Delta, Colorado 81416
303-874-7793

June 16, 1992

RECEIVED
JUN 19 1992

Department of Water Resources

Ms. Pamela Skaggs
Technical Records Specialist
Department of Water Resources
1301 North Orchard Street, Statehouse Mail
Boise, Idaho 83720

Re: Water Right Number 95-08138

Dear Ms. Skaggs:

This will confirm our telephone conversation of this morning wherein I informed you that I reviewed the proposed license which you sent to me on May 20, 1992, and that I concur with the information contained therein.

Please update your files to indicate my new address and telephone number.

Thank you for all of your assistance in this matter, Ms. Skaggs. If you have any questions or require any further information, please don't hesitate to contact me.

Very truly yours,

CARLIN BAY SERVICES CORPORATION

Mirna-Mar Vanderheyden

By: MIRNA-MAR VANDERHEYDEN
President

cc: Ms. Bonnie Reynolds
Mr. Robert Stander
Mr. Robert Brattrud
Mr. Parker Hanson

RECEIVED

SEP 17 1992

May 20, 1992

CARLIN BAY SERVICES CORP
PO BOX 1674
COEUR D ALENE ID 83814

RE: WATER RIGHT NO. 95-08138

Dear Water Right Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

PAMELA SKAGGS
Technical Records Specialist

PS:cz

Enclosure

SEP 17 1992

LICENSE REVIEW CHECKLIST

Permit # 95-08138

Date 05-08-92 21

	Yes	No	
NAME	☐	☒	Address Change?
PRIORITY DATE	☐	☒	Advance? _____
	☐	☒	Memo to Advance
	☐	☒	Order to Reinstate Needed?
TOTAL CFS	☐	☒	Incorrect Fee for rate recommended?
	☐	☒	Disagree with Actual Measurement? <u>(Not clear where taken)</u>
	☒	☐	App. 80 Allowable for 400 DOM / .50 cfs (per permit + capacity)
	☐	☒	Disagree with Theoretical? <u>$(30 \times 8.8 \times .7 = 496)$</u>
	☐	☒	Limited by Capacity? <u>.50 cfs $280' + (2.31 \times 40)$</u>
TOTAL VOLUME			Rate/ac _____ AFA Irr. Season _____
			Standard Irr. Season _____
			Season Recommended _____
	☒	☐	Disagree with Examiner's Calculations?
		☒	<u>$400 \times .6 = 240 \text{ AFA (DOM)}$</u>
		☒	Limited by Flow? <u>$.50 \times 365 \times 1.9835 = 362,240$</u>
SOURCE	☐	☒	Changes? Clarification of <u>Originally</u>
	☐	☒	<u>Intended</u> source
	☐	☒	Notice of Intent to Void.
P/D			Verify with Map
	☐	☒	Amendment Needed? <u>No Lets</u>
	☐	☒	Is Overlap Analysis a Consideration?
P/U			Verify with Map
	☐	☒	Amendment Needed? <u>Drop all except Sec 31</u>
	☐	☒	Is Overlap Analysis a Consideration?
USES	☐	☒	Change(s) in Nature of Use? <u>Drop IRR</u>
	☐	☒	Amendment Needed? _____
REMARKS	☐	☒	Multiple P/Ds in 1/4 1/4? _____
	☒	☐	Non-Irr. Uses <u>DOM / 400 Homes</u>
	☐	☒	Special Overlap Condition _____
	☐	☒	Other _____
CONDITIONS	☐	☒	Measuring Device
	☐	☒	W/Master Control
	☐	☒	Overlap
	☐	☒	Water Quality
			DATES/MISC
		☒	Water Dist.
		☒	App Rec'd
		☒	Exam Made

COMMENTS/MEMOS NEEDED: Can allow up to .50 (capacity + Permit) for 400 DOM
Used 30hp (2-15 h.p. pumps) + 40 psi (low end DOM 40-60)
Reduce P/U

License ☐ 10-Day ☒ 15-Day ☐ Special Correspondence _____

OWNER CODE NAME & ADDRESS PRIORITY DATE WATER USE USE PERIOD FROM TO DIVERSION RATE DIVERSION VOLUME
C CARLIN BAY SERVICES CORP 09/25/1981 DOMESTIC 01-01 12-31 0.50 CFS 240.0 AFA
PO BOX 1674
COEUR D ALENE ID 83814
(415) 472-1050
TOTAL DIVERSION: 0.50 CFS 240.0 AFA

Water Source: COEUR D ALENE LAKE Tributary to: SPOKANE RIVER Stage: LICENSE

Point(s) of Diversion Capacity: 0.50 CFS

Point(s) of Diversion: T49N R03W S31 SW SE

Place of use Legal Description for: DOMESTIC
NE SW
NENE NUNE SWNE SENE : NENW MNW SWNW SENW : NESH NWSE SWSE SESE :
T R S : Lt Ac Lt Ac Lt Ac Lt Ac : Lt Ac Lt Ac Lt Ac Lt Ac : Lt Ac Lt Ac Lt Ac Lt Ac :
49N 03W 31 : D : : : : D 03-D 04-D 04-D :
SE

Pou County: KOOTENAI

Other Water Rights Listing Overlapping Place(s) of use:
95-02095 95-08138

Conditions of Approval:
004 - The issuance of this right in no way grants any right-of-way or
- easement across the land of another.

Remarks: Domestic use is for 400 homes.

Dates: App. Received: 09/25/1981 Priority Date: 09/25/1981
Proof Due Date: 11/01/1990 Proof Made Date: 10/22/1990
Exam Made Date: 04/12/1991 Exam Sent to S.O.:
Licensed Date:

Misc: Water District Number: Field Exam Fee: R (Received)

Audit: 05/11/92 SKAGGS

MEMORANDUM

TO: FILE #95-08138

FROM: PAM SKAGGS *CS*

RE: DIVERSION RATE FOR DOMESTIC

DATE: 11-MAY-1992

=====


I calculated the horsepower equation using 30 h.p. (2-15 h.p. pumps) and used 40 psi as a reasonable assumption.

$$\frac{30 \times 8.8 \times .7}{280' + (2.31 \times 40)} = 0.496 = 0.50 \text{ cfs}$$

The capacity of the system equaled the total diversion approved by the permit. The field examiner found no irrigation and stated that irrigation is not allowed. The permit was approved for 0.50 cfs for irrigation and domestic use, but only domestic use was found. The maximum allowable for 400 homes is approximately 0.80 cfs. I recommend the entire 0.50 cfs for domestic use.

APPROVED

SEP 17 1992



Sec. 16.

Sec. 21.

Sec. 22.

TABLE LAND	TINIER	Sec. 16	Sec. 17	Sec. 18	Sec. 19	Sec. 20	Sec. 21	Sec. 22
------------	--------	---------	---------	---------	---------	---------	---------	---------

STATE OF IDAHO
DEPATRMANT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT SUPPLEMENT
INITIAL CHECK LIST

STATUS
Y/N

N Non-Standard Approval Conditions (If yes attach copy of conditions)
N Measuring Device required
Y Report labled and Quad sheet attached
N Aerial Photo requested: date _____ by _____
N Aerial Photo attached
_____ Subdivision or Ownership Plat attached
Y Government Lot Plat attached
N Additional Information from microfische attached
Y Possible Overlap found, Abstract attached
Y Well log numbered and attached
Y Well inspection form numbered and attached
Y Plotted on exam maps
_____ Ready For Field Examination

Person to contact for Appointment: PARKER HANSON
Phone _____ Address Box 63
HARRISON, ID. 83833

Remarks: 9:00AM

16 mi From FREEN 2.5 past TURNER Bay
LEFT BLACK FIRE PLACE - 3 CEDAR HOLLOW
YELLOW & CREAM GMC

LEPARD & FRAME
RC WORST - GEORGE 5128-30
1/0 122 2400

6,000 g/m. 2650
8900

PERMIT NUMBER

SEP 17 1992

95-8/38

RECEIVED
JUN 24 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

Department of Water Resources

A. GENERAL INFORMATION



- Permit No. 95-08138
1. Owner: CARLIN BAY SERVICES CORP. Phone No. 415-478-1050 DAY
415-898-8483 NIGHT
Current Address: Box 1674 COEUR D'ALENE, ID. 83814
2. Accompanied by: PARKER HANSON EXAM. DATE: 4/12/91
Address: Box 63 HARRISON, ID. 83833 Phone No. 489-3670
Relationship to Permit Holder: _____
3. Source: COEUR D'ALENE L. tributary to SPOKANE R.

B. OVERLAP REVIEW

1. Other water rights with same place of use: NONE ☐ Copies Attached
2. Other water rights with same point of diversion: NONE ☐ Copies Attached ☐ Crosses of Field _____

C. SYSTEM DESCRIPTION

1. Dive
size



Scale: 1" = NTS

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required). ☐ Aerial Photo Attached
(required for irrigation of 10 acres or more)
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater.)

MICROFILMED
SEP 17 1992

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

JUN 24 1991

Department of Water Resources

A. GENE

1. Ow
Cur
2. Acc
Add
Ri
3. Sou

B. OVER

1. Othe

2. Othe


C. SYSTE

1. Diversion S
size/ditch si

95-08138
415-478-1050 DAY
415-898-8483 NIGHT
83814
E: 4/12/91
689-3670

☐ Copies Attach

as of Field



TWO
SUB

TWO 15 HP
SUBMERSIBLE
PUMPS

VERTICLE 4" PIPE

Scale: 1" = NTS

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

- ☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater.

- ☐ Aerial Photo Attached

(required for irrigation of 10 acres or more)

MICROFILMED

SEP 17 1992

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

JUN 24 1991

Department of Water Resources

A. GENE

1. Own

Curr

2. Acc

Add

Re

3. Sou


B. OVER

1. Other

2. Other

C. SYSTEM

1. Diversion System D
size/ditch size/pipe



Scale: 1" = NTS

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater.

☐ Aerial Photo Attached
(required for irrigation of 10 acres or more)

MICROFILMED

SEP 17 1992

RECEIVED
JUN 24 1991

Form 219
6/86

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

Department of Water Resources

A. GENERAL

1. Owner
Cun
2. Address
Add
Ri
3. Source

50 DAY
483 NIGHT

B. OVERVIEW


1. Other

Attach

2. Other

C. SYSTEM

1. Diversion System Diagram:
size/ditch size/pipe i.d. as app



Scale: 1" = NTS

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).
- ☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

- ☐ Aerial Photo Attached
(required for irrigation of 10 acres or more)

MICROFILMED
SEP 17 1992

RECEIVED
JUN 24 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

Department of Water Resources

A. GENE


1. Own
- Cur
2. Acc
- Add
- Ri
3. Sou

B. OVER

1. Other
2. Other

C. SYSTEM

1. Diversion System Diagram: Indicate size/ditch size/pipe i.d. as applicable.



Scale: 1" = NTS

2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).
- ☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).
- ☐ Aerial Photo Attached (required for irrigation of 10 acres or more)

MICROFILMED

SEP 17 1992

RECEIVED
JUN 24 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

Department of Water Resources

A. GENE


1. Ow
Cur
2. Acc
Add
Ri
3. Sou

B. OVER

1. Othc
—
2. Othc
—

C. SYSTE

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = NTS

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).
- ☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).
- ☐ Aerial Photo Attached
(required for irrigation of 10 acres or more)

MICROFILMED

SEP 17 1992

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

TWO 15 H.P. SUBMERSIBLE PUMPS W/ 1" LINE TO 30,000 GAL RESERVOIR
 W/ 6" & FILTERS, A TWO 10 HP PUMPS WHICH DELIVER WATER TO ~~ANOTHER~~
 A SECOND RESERVOIR W/ 6" GRAVITY FLOW PIPELINE TO HOMES &
 TWO 2.5 HP PUMPS WHICH DELIVER WATER TO A THIRD RESERVOIR
~~EXHIBIT~~ WHICH HAS A 6" GRAVITY FLOW PIPELINE TO
 HOMES AND PROVISIONS FOR TWO 5HP PUMPS FOR FUTURE
 ADDITIONS TO THE SYSTEM

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
IN LAKE	SUBMERSIBLE	15	TWO PUMPS		
RES #1	"	10	" "		
" #2	"	1 1/2	" "		

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
	4	NW	SW	SE	31	49N	3W	KOOTENAI	MAP


6. Place(s) of Use:

Indicate Method of Determination *MAP*

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
49N	3W	31	D			D										0	0	0	0

SEP 17 1992

Do not use this space



Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
MICROMETER			73-4-354M		4"	

2. Measurements:

100 gal/min

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method: $\frac{100}{448.8} = 0.22 \text{ cfs}$

2. Alternate Method for Checking Purposes:

$\frac{8.8(10) \text{ to } 8}{280} = 0.40 \text{ cfs}$

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3); Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Ampsx .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

$400 \left(\frac{6}{12} \right) = 240 \text{ AF}$
 $0.22 (365) 1.9835 = 159.3$

SEP 12 1973

H. REMARKS AND OVERLAP REVIEW ANALYSIS

Mr. Hansen said (B.R. 10/19/94) is not allowed

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use From To	Rate of Diversion Q (cfs)	Annual Volume V (afa)
Domestic (400)	1-1	.22	49835759.3
	12-31		

Totals:

.22 159.3

2. Recommended Amendments

- ☐ Change P.D. as reflected above
- ☐ Add P.D. as reflected above
- ☐ Change P.U. as reflected above
- ☐ Add P.U. as reflected above
- ☐ Other
- ☐ None

J. AUTHENTICATION

Field Examiner's Name

Tom D. King

Signature

[Signature]

Certification Date

4/25/91

Field Report Preparation Date

K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.



SEP 14 1992

December 17, 1990

CARLIN BAY SERVICES CORP.
RT. 2 BOX 163
HARRISON, ID 83833

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 95-08138

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the NORTHERN Regional Office in Coeur D' Alene at (208)765-4639.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

MICROFILMED

JAN 17 1991

ANALYSIS SHEET
for
PROOF OF BENEFICIAL USE

Permit No. 95-8138

Date 12-14-90

GENERAL CONSIDERATIONS

Y Name same as permit?
Y Address change? If yes, prepare data entry form.
Y Proof timely received? If no, complete priority advancement below.

SOURCE OF WATER

✓ Surface water source
✓ Ground water source
✓ Drill permit req'd? ✓ Copy in file?
✓ Well log in file?
✓ Amt paid for drilling permit? ✓ Correct?

LICENSE EXAMINATION FEE

Y Required?
100 Amount submitted?
Y Correct amount?

MEASURING DEVICE

N Measuring device or access port required?
✓ Installed?
✓ Waiver requested or needed?

DEFICIENCIES OR ACTION ITEMS

- address change
- proof acceptable

PRIORITY CALCULATION

Date proof received
Date proof due -
No. of days late =
Priority date +
NEW PRIORITY DATE =

For Office Use Only
Amt. of Fee \$ 100.00
Date 10/22/90
Receipt No. 1018462
Received by J. Jackson

RECEIVED
OCT 22 1990

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

Department of Water Resources

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 95-08138 Telephone No. 415-472-1050 (day)
415-898-8483 (nite)

Name(s) of Permit Holder(s): CARLIN BAY SERVICES CORPORATION

Post Office Address: Post Office Box 1674, Coeur d'Alene, Idaho 83814

Source of Water: Surface

If ground water, well driller's name: _____ Date drilled: _____

Extent of Use:
Domestic 200 (No. of households) Irrigation _____ (No. of acres)
Stockwater _____ (No. and type of stock) Other _____

Total rate and/or volume for which proof is submitted .25 cfs _____ acre/feet

Show date water was first diverted and beneficially used under this permit: May, 1980

One of the following may be a condition of approval of your permit:

Measuring device: Required? Yes ☒ No Installed? Yes ☐ No

OR

Flow Measurement Port: Required? Yes ☒ No Installed? Yes ☐ No

Fee Enclosed: \$ 100.00 (See License Examination Fee Schedule)

Person to contact to accompany the Department representative during the field examination:

PARKER A. HANSON

208-689-3670

Name

Telephone No.

Post Office Box 63, Route 2, Harrison, Idaho 83833

Address

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

MICROFILMED

JAN 17 1991

10-10-90

Date

Mirna-Mar Vanderheyden President
Signature (and title if on behalf of a company or organization)

MIRNA-MAR VANDERHEYDEN, P.O. Box 751543, Petaluma, CA
94975-1543

CARLIN BAY SERVICES CORPORATION
Mirna-Mar Vanderheyden
President
Post Office Box 751543
Petaluma, California 94975-1543
415-472-1050

October 15, 1990

RECEIVED
OCT 22 1990

Department of Water Resources

Ms. Rita Fleck
Secretary/Records Manager
Department of Water Resources
1301 North Orchard Street
Statehouse Mail
Boise, Idaho 83720

Re: PERMIT NUMBER 95-08138

Dear Ms. Fleck:

Enclosed herewith is Proof of Beneficial Use together with check in the amount of \$100.00 in payment of License Examination Fee.

If you have any questions or if anything further is required, please call me at the above number during normal working hours.

Thank you very much for your courtesy and assistance in this matter. It is greatly appreciated.

Very truly yours,

CARLIN BAY SERVICES CORPORATION

Mirna-Mar Vanderheyden
By:
President

MICROFILMED

JAN 17 1991

MMV:sf

Enclosures

P.S. As discussed in our telephone conversation, please send me an Application for Permit and Water Right License for the remaining 200 lots which have not yet been hooked up to our water supply under the enclosed Proof of Beneficial Use.

138465
August 31, 1990

CARLIN BAY SERVICES CORP.
RT. 2 BOX 163
HARRISON, ID 83833

PROOF DUE NOTICE

RE: PERMIT NO. 95-08138

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before November 1, 1990. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

MICROFILMED

JAN 17 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
COMMENCEMENT OF WORKS

Permit No. 95-8138
Name(s) of Permit Holder(s): Carlin Bay Services Corp.
Post Office Address: Route 2, Box 163, Harrison, Id
83833 Tel. (208) 689-3834

- ☒ I hereby certify that construction of diversion works on the above referenced permit began on Spring, 1978. I understand that I must continue to develop the water system with due diligence to maintain a valid permit.
- ☐ I hereby certify that construction of diverting works on the above referenced project has not yet begun due to the following reason beyond my control*:

*Note: A financing difficulty is
not an acceptable reason.

8/23/82


Date

Signature of Permit Holder

Mr. Parker A. Hanson

Route 2, Box 163

Harrison, Idaho



MICROFILMED

JAN 17 1991



RECEIVED

AUG 30 1982

Department of Water Resources

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

October 23, 1986

Carlin Bay Services Corporation
Rt. 2 box 163
Harrison, ID 83833

Gentlemen:

Re: Permit No. 95-8138

Enclosed is a copy of the approved request for extension of time. The time within which to submit the statement of beneficial use postcard is extended to November 1, 1990.

If you have any questions concerning your water right, please feel free to contact this office or one of the regional offices.

Sincerely,

RITA I. FLECK
Secretary/Records Manager

Enclosures: Ext. of Time

MICROFILMED

STAFF REVIEW SHEET - EXTENSION OF TIME

Permit No. 95-8138Reviewed by rfDate 10-21-1986

BASIC INFORMATION

y Date stamp received
y Extension received timely
(not prior to 6 month before proof due date or after reinstatement period)
y Fee received and receipted
y Name and signature same as permit
0 Address change (indicate on coding sheet)

BASIS FOR EXTENSION REQUEST

y Has adequate work been completed to demonstrate due diligence?
3 Has the cost incurred been adequate to demonstrate an intent to complete the project?
NA Has the permit been involved in litigation?
a. Swan Falls _____ Dismissed from Swan Falls _____
Other _____ Identify _____
b. Is supporting documentation needed to complete the file? _____
Requested _____
c. Calculate the period of delay

Date litigation completed _____

Date litigation began _____

Total period of delay = _____

Present proof due date + _____

NEW PROOF DUE DATE = _____

NA Is delay by a government agency?
Is supporting documentation needed to complete the file? _____
Requested? _____

ACTION TAKEN - *Recommend approval based on due diligence for 4 years.*

Special conditions or remarks:

NA Reinstatement Date extension received _____ = _____
Proof due date _____ = -
No. of days late _____ = _____
Priority date _____ = +
ADJUSTED PRIORITY DATE _____ = _____

✓ Prepare coding sheet
✓ Change rolodex card



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

A. KENNETH DUNN

Director

Mailing address:

Statehouse

Boise, Idaho 83720

(208) 334-4440

EXTENSION OF TIME

October 10, 1986

Carlín Bay Services Corporation
Route 2, Box 163
Harrison, ID 83833

PERMIT NO. 95-8138

We are in receipt of the \$15 extension fee for Extension(s) of Time to provide additional time in which to submit proof of beneficial use on a water right permit.

Your request for extension(s) of time is being reviewed by staff. You will be informed of our decision when review has been completed.

Enclosed is our receipt No. 39295.

Roberta Garrett
Records Supervisor

Enclosure


MICROFILMED

LAND'S WEST INC.

Only Complete Development on the Lake

Rt. 2 Box 163 Harrison, Idaho 83833

at Carlin Bay on beautiful Lake Coeur d'Alene



Ms. Rita Fleck
Secretary/Records Manager
Department of Water Resources
State of Idaho
Statehouse
Boise, Idaho 83720



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

- - - - -

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL
AUGUST 31, 1986

138279

CARLIN BAY SERVICES CORP.
RT. 2 BOX 163
HARRISON, ID 83833

PROOF DUE NOTICE

RE: PERMIT NO. 95-8138

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF THE ABOVE REFERENCED WATER PERMIT WAS THAT PROOF OF THE EXTENT OF YOUR BENEFICIAL USE MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE NOVEMBER 1, 1986. (SEE LAST PAGE OF YOUR APPROVED PERMIT OR YOUR LAST APPROVED EXTENSION REQUEST.) ENCLOSED IS A FORM WHICH WHEN ACCOMPANIED BY THE LICENSE EXAMINATION FEE OR A COMPLETED FIELD EXAMINATION REPORT PREPARED BY A CERTIFIED WATER RIGHT EXAMINER MAY BE USED TO SUBMIT THE REQUIRED PROOF.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU OR A PREVIOUS OWNER OF THIS PERMIT HAVE NOT RECEIVED A PRIOR EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME IF THE DELAY IS FOR REASONABLE CAUSE AS PROVIDED IN SECTION 42-204, IDAHO CODE. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION WHICH MIGHT BRING TITLE TO THE WATER IN QUESTION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED. AN EXTENSION OF TIME REQUEST FORM IS ENCLOSED FOR YOUR CONVENIENCE.

EITHER AN ACCEPTABLE PROOF OF BENEFICIAL USE SUBMITTAL OR AN ACCEPTABLE REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE DESCRIBED PROOF DUE DATE. IF NEITHER IS RECEIVED, THE DEPARTMENT WILL SEND YOU A LAPSE NOTICE. WITHIN SIXTY (60) DAYS OF THE MAILING OF THE LAPSE NOTICE, THE PERMIT WILL NO LONGER BE OF ANY FORCE NOR EFFECT.

SINCERELY,

RITA FLECK
SECRETARY/RECORDS MANAGER

MICROFILMED

ENCLOSURES

95-8138

A. Kenneth Dunn
XXXXXXXXXX

September 29, 1981

Mr. Parker A. Hansen
Carlin Bay Services Corp.
Rt. 2 Box 163
Harrison, Id. 83833

Dear Mr. Hansen:

We are returning your Check No. 92-55 in the amount of \$45.00 and your Application for Permit for clarification and additional information.

Domestic use from a surface water source does not include irrigation of any type. If you plan to provide water for irrigation of lawns and/or gardens, you must apply for irrigation in Item No. 4 and specify the number of irrigated acreage within each 40-acre tract in Item No. 8.b.

Item No. 8.a.1. does not agree with Item No. 11.

If you have any questions, please contact me at this office.

Sincerely,

TOM D. KING
Senior Water Resource Agent

TDK/pms

Enc. - Check
Application

RECEIVED
SEP 30 1981
FBI - BOISE



STATE OF IDAHO

DEPARTMENT OF LANDS

STATEHOUSE, BOISE, IDAHO 83720

GORDON C. TROMBLEY
DIRECTOR

STATE BOARD OF LAND COMMISSIONERS

JOHN V. EVANS
GOVERNOR AND PRESIDENT
PETE T. CENARRUSA
SECRETARY OF STATE
DAVID H. LEROY
ATTORNEY GENERAL
JOE R. WILLIAMS
STATE AUDITOR
JERRY L. EVANS
SUP'T OF PUBLIC INSTRUCTION

November 13, 1981

Department of Water Resources
Northern Region
4055 Government Way
Coeur d'Alene, ID 83814

Please file

RE: 95-8138
Carlin Bay Services

Gentlemen:

Thank you for the opportunity to review the above numbered application.

The applicant will be required to make application for an easement and encroachment permit from this Department.

The applicant has been notified.

Very truly yours,

William A. Scribner
WILLIAM A. SCRIBNER, Chief
Bureau of Navigable Waters

WAS:bv

cc: Marv Vandenberg

RECEIVED

RECEIVED

NOV 16 1981

Department of Water Resources
Northern District Office

December 15, 1981

RE: Permit No. 95-8138

Carlin Bay Services Corporation
Route #2, Box 163
Harrison, ID 83833

Dear Permit Holders:


Enclosed is a copy of your approved Application for Permit. We direct your attention to the conditions of approval on the fourth page.

We have enclosed a form entitled "Making Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit into a license.

Sincerely,

DAVID R. TUTHILL, JR., P.E.
Supervisor, Water Allocation Section

DRT:kw
Enclosure



State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: JK

APPLICATION NUMBER: 95-8138

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No* In form to receipt.

Field check by: _____

Date: _____

Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☒ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☒ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: JK Date: 10/19/81

PROCESSING:

- ☐ Yes ☐ No Platted by: _____ Map No. _____
☐ Yes ☐ No Other rights on same place of use. _____

- ☒ Yes ☐ No* In form for advertising.
Final date for protests: 11/9/81 ✓
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 11/2/81 ✓
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☐ Yes ☒ No Access port required.
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? _____
☒ 9/25/81 Date of priority recommended.
Special conditions of approval or cover letter. _____

By: JK Date: _____

STATE OFFICE REVIEW:

return receipt w/cover letter

SL w/cond 04

- ☐ See attached sheet for more information.

By: JK Date: 11/18/81

95-8138

CARLIN BAY SERVICES CORP.

RT. 2 BOX 163, HARRISON, ID 83833

Source: COEUR D'ALENE LAKE tributary to SPOKANE RIVER

Date Filed: 09/25/1981

Amount: 0.50 CFS

Diversion Point: SWSE Sec 31 T 49N R 03W, KOOTENAI Co.

Use: IRRIGATION (0.25 CFS) from 04/15 to 10/15
DOMESTIC (0.25 CFS) from 01/01 to 12/31

Place of Use: NESW NWSE SWSW SESE Sec 29 T 49N R 03W NESE SESE
Sec 30 T 49N R 03W NENE SENE NESE NWSE SWSE SESE
Sec 31 T 49N R 03W NNNE NENN NWNW SWNW SENW Sec 32 T 49N R 03W
FOR 570 ACRES

Diversion Means: PUMPS.

MICROFILMED

A. Kenneth Dunn
XXXXXXXXXXXX

November 9, 1981

Mr. William Scribner
Idaho Department of Lands
Statehouse
Boise, Id. 83720

Re: 95-8138

Dear Bill:

Enclosed is a copy of a recent filing that may be of interest to
your Agency.

Sincerely,

ROBERT G. HAYNES, P.E.
Regional Supervisor

pms

Enc. - Application

NOV 11 1981

A. Kenneth Dunn
XXXXXX XXXX

October 19, 1981

Mr. Dave Johann
Dirn. of Environment
2110 Ironwood Parkway
Coeur d'Alene, Id. 83814

Re: 95-8138

Dear Dave:

Enclosed is a copy of a recently filed application that may be
of interest to your Agency.

Sincerely,

ROBERT C. HAYNES, P.E.E
Regional Supervisor

RGH/pms

Enc. - Application

MICROFILMED

LE PARD & FRAME, INC.

CONSULTING ENGINEERS

603 North 4th St. - Phone 664-2121

COEUR D'ALENE, IDAHO 83814

October 9, 1981

Mr. Tom D. King
Senior Water Resource Agent
State of Idaho Department
of Water Resources
Suite No. 1
4055 Government Way
Coeur d'Alene, Idaho 83814


Dear Mr. King:

Subsequent to our meeting this date concerning the Application for Permit for Mr. Parker Hanson's development at Carlin Bay on Lake Coeur d'Alene, I have revised the Application to conform to your new policy concerning surface water appropriation.

Please contact me if you require any additional information.

Thank you.

Very truly yours,

A handwritten signature in dark ink, appearing to read "Gary A. Frame", with a large, stylized initial "G".

Gary A. Frame

GAF:gj
Enclosure
pc: Parker A. Hanson

RECEIVED
OCT 14 1981
Department of Water Resources
Northern District Office