




PD 184

Per telecon w/TOM KING

Jim.
1-15-87

MICROFILMED

MAR 20 1987

TWP. 50 N, RGE. 5W SEC. 18 MAP # 95-8117 MAP SCALE 1:62,500
 DATE OF EXAM 4/3/86 PERMIT # 95-8117

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 95-8117

Priority: July 13, 1981

Amount: .02 CFS

.4 AF

This is to certify, that DORIS SCHOENBERG
S. 2700 CARPENTER LOOP RD.
POST FALLS, ID 83854

has complied with the terms and conditions
of the permit issued pursuant to Application for Permit dated July 13, 1981, and
has submitted proof to the Department of Water Resources on July 13, 1981, that
water has been applied to a beneficial use; an examination by the Department indicates
that the works have a diversion capacity of .02 cfs of water from;

SPRINGS

tributary to SINKS

and that a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>VOLUME</u>
Stockwater	01/01 to 12/31	.02 cfs	.4 af
<u>LOCATION OF POINT OF DIVERSION(S):</u> NWSESE , Sec. 18, Township 50N, Range 5W Kootenai County			

PLACE OF USE: Stockwater

TWN RGE SEC

50N 5W 18 SESE

CONDITIONS/REMARKS:

1. The right to the use of the water hereby confirmed is limited to the amount which can actually be beneficially used and is restricted and appurtenant to the lands or place of use and to the purpose herein described, as provided by the laws of Idaho.
2. This right is subject to all prior water rights and may be forfeited by five years of non-use.
3. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 27th day
of JANUARY, 1987.

MICROFILMED

Acting for the

Director

Norman C. Young

MAR 20 1987

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT **APPROVED**

To appropriate the public waters of the State of Idaho

1. Name of applicant Doris Schoenberg Phone 773-4380

Post office address S. 2700 Carpenter Loop Road, Post Falls, Id. 83854

2. Source of water supply Springs which is a tributary of Skalan Creek

3. Location of point of diversion is 5 POINTS
SE $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 18 Township 50N

Range 5W B.M. Kootenai County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 0.02 for Stockwater purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 0.02 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. _____

Plastic pipe to carry water to stock tank.

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 1 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: SE $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 18 Township 50N
Range 5W B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered 20 head

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water _____.

(5) If water is to be used for other purposes describe: _____

MICROFILMED

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There is no text or other markings on the paper.

marks

If the property is owned by a person other than the applicant, describe the arrangement enabling the

Who owns the land to be irrigated or place of use _____ Applicant

Who owns the property at the point of diversion

Applicant

Describe any other water rights used for the same purposes as described above.

Total number of acres to be irrigated

[illegible]

† Water is for irrigation, indicate acreage in each subdivision in the tabulation below:

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

50N 5W

[illegible]

Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Loris M. Schenberg
(Applicant)

Proposed Priority 7/13/1981

Received by Mr. KIC Date 7/13/81 Time 11:34 AM

Preliminary check by Mr. KIC Fee \$ 30.00

Received by Mr. KIC Date 7/13/81 (18234)

Publication prepared by Mr. KIC Date 7/13/81

Published in Cotton & Water

Publication dates 7/23 + 30/81

Publication approved Mr. KIC Date 8/1/81

Protests filed by: none

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by Mr. KIC

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 95-8117, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before October 1, 19 82.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. Other:

Witness my hand this 24th day of September, 1981.

A. Allen Saxton
Chief, Operations Bureau

AFFIDAVIT OF PUBLICATION

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

95-8116

SCHOENBERG, DORIS
S. 2700 CARPENTER LOOP RD.,
POST FALLS, ID 83854
Source: SPRINGS tributary to
SINKS

Date Filed: 07/13/1981

Amount: 0.20 CFS 5.0 AC-FT

Diversion Point: SESE NESE Sec

18 T 50N R 05W SWSW Sec 17 T

50N R 05W, KOOTENAI Co.

Use: IRRIGATION (0.20 CFS)

from 03/15 to 11/15; IRRIGA-

TION STORAGE (5.0 AC-FT)

from 01/01 to 12/31

Place of Use: NESE SESE Sec 18

T 50N R 05W FOR 13 ACRES

Diversion Means: PIPE, POND,

PUMP AND SPRINKLERS.

95-8117

SCHOENBERG, DORIS

S. 2700 CARPENTER LOOP RD.,

POST FALLS, ID 83854

Source: SKALAN CREEK tributary to

SKALAN CREEK

Date Filed: 07/13/1981

Amount: 0.02 CFS

Diversion Point: SESE Sec 18 T

50N R 05W, KOOTENAI Co.

Use: STOCKWATER (0.02 CFS)

from 01/01 to 12/31

Place of Use: SESE Sec 18 T 50N

R 05W

Diversion Means: PIPE AND

STOCK TANK.

95-8118

SCHOENBERG, DORIS

S. 2700 CARPENTER LOOP RD.,

POST FALLS, ID 83854

Source: SKALAN CREEK tributary to

SPOKANE RIVER

Date Filed: 07/13/1981

Amount: 0.20 CFS

Diversion Point: NESE Sec 18 T

50N R 05W, KOOTENAI Co.

Use: IRRIGATION (0.20 CFS)

from 03/15 to 11/15

Place of Use: NESE Sec 18 T 50N

05W FOR 10 ACRES

Diversion Means: PUMP,

PIPELINE, DIVERSION DAM

AND SPRINKLERS.

95-8119

PREMO, FRANK W.

2101 N. FAIRWAY ST., COEUR

D ALENE, ID 83814

Source: HAYDEN LAKE tributary to

SINKS

Date Filed: 07/15/1981

Amount: 0.04 CFS

Diversion Point: LOT 02 Sec 17 T

51N R 03W, KOOTENAI Co.

Use: DOMESTIC (0.04 CFS) from

01/01 to 12/31

Place of Use: LOT 02 Sec 17 T 51N

R 03W

Diversion Means: PUMP AND

PIPELINE.

If issued, the permit(s) will be

subject to all prior water rights.

Protests against the granting of

any permit must be filed with the

director of the Idaho Department

of Water Resources, 4055 Gov't

Way, Coeur d'Alene, Id, 83814 on

or before AUGUST 10, 1981.

A. KENNETH DUNN

Director

STATE OF IDAHO,

County of Kootenai,

ss.

Cheryl Hollingsworth being first duly sworn
upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The

Notice of Application

of which the annexed is a printed copy, was published in the regular *Thursday* issue of said newspaper for *2* consecutive *weeks* commencing on the *23* day of *July*, 19*81*, and ending on the *30* day of *July*, 19*81*, and such publication was made as often during said period as said *daily* newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.

Subscribed and sworn to before me this *30* day of *July*,

Rebecca M. Moley

Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

LEADER

AUG 13 1981

Department of Water Resources

Notary Public

MICROFILMED



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

CECIL D. ANDRUS

~~JOHN V. EVANS~~

Governor

A. KENNETH DUNN

Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

January 29, 1987

RE: Permit No. 95-8117

Doris Schoenberg
S. 2700 Carpenter Loop Rd.
Post Falls, ID 83854

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

MAR 20 1987

RECOMMENDED AMOUNTS

Lic

3.	Permit No. ✓	Priority	Amount	App. Date	Date Proof Submitted	System Capacity
	95-8117	7-13-1981	0.02 cfs	7-13-1981	7-13-1981	0.02 cfs

4. Permit Holder: DORIS SCHENBERG Schoenberg
 Address: S. 2700 CARPENTER LOOP RD. POST FALLS, ID. 83854 ✓

5. Source: SPRING 5 tributary to SINKS ✓

6. Beneficial Use	Period of Use From To	Rate of Diversion Q (cfs)	Annual Volume V (afa)
<u>STOCK WATER</u> ✓	<u>1-1</u> ✓ <u>12-31</u> ✓	<u>0.02 cfs</u>	<u>0.4</u> ~~0.4~~ AF

Allowable Maximums: 0.02 cfs 0.4 ~~0.4~~ AF

7. Point(s) of Diversion: ✓

No.	Govt. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County
		NW	SE	SE	18	60N	5W	KOOTENAI

8. Place(s) of Use ✓

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
50 N	5 W	18																5	~~0~~
Total Acres <u>5</u>																			

Total Acres 5

9. Recommended Conditions/Remarks:

RECORDED

10. Recommended Amendments

MAR 20 1981

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
- ☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other _____

11. Examiner's Signature J. K. King
 Checked in Regional Office by Bob Haynes
 Approved in State Office by K. Walker

Date 4/21/86
 Date 5/13/86
 Date 12-9-86

STATE OF
DEPARTMENT OF WATER RESOURCES
RECEIVED
MAY 23 1986
95-8117

Permit No.

1. Measurement Calculations
a) Field Measurement Calculations (include theoretical capacities and system capacity)

$QMD = 0.02 cfs$

b) Volume Calculations for Irrigation:

$V_{LR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$
 $V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$
 $V = \text{Smaller of } V_{LR} \text{ and } V_{DR} =$

c) Volume Calculations for Other Uses:

$20 \text{ WD } 0.4 \text{ AF}$

2. Overlap Review

a) Other water rights with same place of use: 95-8116 & 95-8118


b) Other water rights with same point of diversion: 95-8116 & 95-8118

c) Analysis: 95-8116 & 95-8118 For I.R.

MRS. SCHENBERG ALSO HAS STOCK WATER ("CONSTITUTIONAL") RIGHTS
FROM SPRINGS IN SW 1/4, NESE, 18 & FROM SKALAN CREEK
IN SESE & NESE, SEC 18, ALL IN T 50N, R 50W.

RECORDED
MAR 20 1986

10. Other water rights on these lands 95-8116-95-8118 Plus
11. Other water right diverted from same p.d. 11
12. **Diversion and Delivery System Diagram:** Indicate all major components and distances between components. Indicate ditch size/pipe i.d. as applicable. Indicate on systems with measurement port the distance between the port and the nearest component/pipe bend/restriction both upstream and downstream, and the inside pipe diameter at the measurement port. On multiple diversion systems indicate how diversion systems are connected.




13. ☒ Photo of Diversion & System Attached
- ☒ Aerial Photo of Place of Use Attached or Map of Irrigated Acreage Attached

14. Remarks *Photo did not develop*

15. Recommended Amendments
- ☐ Change P.D. as reflected above
- ☐ Add P.D. as reflected above
- ☐ Change P.U. as reflected above
- ☐ Add P.U. as reflected above
16. Examiners/Consultant's Signature *[Signature]* Date *4-3-86*
- Consultant's License Number _____
- IDWR Director's Authorization to Conduct _____
- Beneficial Use Examination _____
- Date _____

CONSULTANT SEAL



104

Per telecon w/Tom King
 Tim
 1-15-87

MICROFILMED
 MAR 20 1987

TWP. 50 N, RGE. 5W SEC. 18 MAP # 95-8117 MAP SCALE 1 inch = 1 mile
 DATE OF EXAM 4/3/86 PERMIT # 95-8117

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Northern Region

JOHN V. EVANS
Governor
A. KENNETH DUNN
Director

4055 Government Way
Coeur d'Alene, ID 83814
(208) 667-6484

December 14, 1981

Mrs. Doris Schoenbers
S. 2700 Carpenter Loop Rd.
Post Falls, Id. 83854

RE: 95-8117

Dear Mrs. Schoenbers:

We acknowledge receipt of your statement of completion of water development and use for the above-referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We do not know at this time when he will be able to conduct the examination, however, the examiner will try to contact you at the time he makes the examination so that you may show him the system. If you will not be available to show the system, please provide this office with the name and address of someone who will be able to do so. Your permit will remain valid until the examination is made.

If you have any questions concerning the field examination, please contact this office. Please be sure to use the above-referenced permit number in all future correspondence concerning this examination.

Very truly yours,

TOM D. KING
Senior Water Resource Agent

TDK/fms

cc: IDWR - State Office

MICROFILMED

DEPARTMENT OF WATER RESOURCES

95-8117

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. _____

Name(s) of Permit Holder: Doris Schoenberg

Post Office Address: S. 2700 Carpenter Loop Road,

Post Falls, Idaho 83854

Tel. No. 773-4380

Source of Water: Spring

Extent of Use: ☐ Domestic _____ (number of households)
☒ Stockwater 20 head _____ (number and type of stock)
☐ Irrigation _____ (acres)
☐ Other _____

Measuring Device: Required? ☐ Yes ☐ No Installed? ☐ Yes ☐ No

Access Port: Required? ☐ Yes ☐ No Installed? ☐ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

July 13, 1981

Date

MICROFILMED

Doris M. Schoenberg
 Signature of Permit Holder

PLACE
TEN CENT
STAMP
HERE



IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

SCHOENBERG, DORIS
S. 2700 CARPENTER LOOP RD.
POST FALLS, ID 83854

SEPTEMBER 29, 1981

RE: PERMIT NO. 95-8117

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

WE HAVE ENCLOSED A FORM ENTITLED "MAKING PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT INTO A LICENSE.

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE

MICROFILMED

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: ICK

APPLICATION NUMBER: 95-8117

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☒ Yes ☒ No Field check required.
☒ Yes ☒ No Critical groundwater area.
☒ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☒ No* In form to receipt.

Field check by: _____

Date: _____

Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: _____ Date: _____

PROCESSING:

- ☐ Yes ☐ No Platted by: _____ Map No. _____
☐ Yes ☐ No Other rights on same place of use. _____

- ☒ Yes ☐ No* In form for advertising.
Final date for protests: 8/10/81 ✓
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 8/18/81 ✓
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☐ Yes ☒ No Access port required.
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? _____
7/13/81 Date of priority recommended.
Special conditions of approval or cover letter. _____

By: RKH Date: 8/20/81

STATE OFFICE REVIEW:

3 w/o cond

☐ See attached sheet for more information.
By: RKH Date: 9/5/81

MICROFILMED

95-8117-

SCHOENBERG, DORIS

S. 2700 CARPENTER LOOP RD., POST FALLS, ID 83854

Source: SPRING tributary to SKALAN CREEK

Date Filed: 07/13/1981

Amount: 0.02 CFS

Diversion Point: SESE Sec 18 T 50N R 05W, KOOTENAI Co.

Use: STOCKWATER (0.02 CFS) from 01/01 to 12/31

Place of Use: SESE Sec 18 T 50N R 05W

Diversion Means: PIPE AND STOCK TANK.

MICROFILMED