




MICROFILMED

APR 14 1981

TWP. 50 NN, RGE. 5 W SEC. 18 MAP # F-2 MAP SCALE 1:62,500
 DATE OF EXAM 4/3/86 PERMIT # 95-8116

A = EXCAVATED SPRING W/1" GRAVITY FLOW TO PT. C.

B = FIVE EXCAVATED SPRINGS W/1" GRAVITY FLOW TO PT. E.

D = EXCAVATED SPRING W/1" GRAVITY FLOW TO PT. F.

G = IRR. SYSTEM WHICH CAN BE ATTACHED @ POINTS C, E, F, J & M

H. PUMP

J. SPRING FED POND 40' D 5' DEEP

K. 3' X 6" X 25' DITCH

L. DIVERSION DAM (WOODEN FRAME & VISQUEEN) (43-596-3)

M. POND 20' X 50' X 5'

W. of ROAD LESS TAX #9147

#9147
1 AC. 02

#7949
15.21 AC.
(43-596-1)


#9201
39.29 AC.
(43-596)


#1989
9 AC.
(43-598)

MICROFILMED
APR 14 1981

SCALE: 1 inch = 200 feet

(A)





State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 95-8116

Priority: July 13, 1981 Amount: .20 CFS 45.5 AFA

This is to certify, that DORIS SCHOENBERG
S. 2700 CARPENTER LOOP RD.
POST FALLS, ID 83854

has complied with the terms and conditions
of the permit issued pursuant to Application for Permit dated July 13, 1981, and
has submitted proof to the Department of Water Resources on July 13, 1981, that
water has been applied to a beneficial use; an examination by the Department indicates
that the works have a diversion capacity of .21 cfs of water from;

SPRINGS tributary to SINKS

and that a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>VOLUME</u>
Irrigation	03/15 to 11/15	.20 cfs	45.5 afa
Irrigation storage	01/01 to 12/31		.1 afa
Irrigation from storage	03/15 to 11/15		.1 afa
Totals		.20 CFS	45.5 AFA

LOCATION OF POINT OF DIVERSION(S): NWSWSW , Sec. 17, Township 50N, Range 5W
NENESE , Sec. 18
SWNESE , Sec. 18
SESESE , Sec. 18
Kootenai County

PLACE OF USE: Irrigation

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
50N	5W	18	NESE 8	NWSE 3	SWSE 1	SESE 1	13
Total number of acres irrigated:							13

PLACE OF USE: Irrigation storage, same as Irrigation use

PLACE OF USE: Irrigation from storage, same as Irrigation use

CONDITIONS/REMARKS:

1. The right to the use of the water hereby confirmed is limited to the amount which can actually be beneficially used and is restricted and appurtenant to the lands or place of use and to the purpose herein described, as provided by the laws of Idaho.
2. This right is subject to all prior water rights and may be forfeited by five years of non-use.
3. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
4. The maximum combined rate of diversion under this right &

MICROFILMED

State of Idaho
Department of Water Resources

PAGE 2

WATER RIGHT LICENSE


WATER RIGHT NO. 95-8116

CONDITIONS/REMARKS:

- Right No. 95-8118 shall not exceed 0.21 cfs.
5. 5 points of diversion located in NWSWSW, S17, T50N, R5W.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 2nd day
of April, 1987.

Acting for the Director



RECORDED

APR 14 1987

State of Idaho
Department of Water Resources

RECEIVED
MAR 20 1987

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 95-8116

Department of Water Resources

Date of Priority: July 13, 1981

Comes now DORIS SCHOENBERG
S. 2700 CARPENTER LOOP RD.
POST FALLS, ID 83854

APPROVED

and represents to the Director of the

Idaho Department of Water Resources:

That he is the owner and holder of Permit to appropriate the Public Waters of the State of Idaho No. 95-8116, and requests that the permit be changed as follows:

Source: SPRINGS

tributary to: SINKS

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>VOLUME</u>
Irrigation	03/15 to 11/15	.20 cfs	45.5 af
Irrigation storage	01/01 to 12/31		.1 af
Irrigation from storage	03/15 to 11/15		.1 af
	Totals	.20 CFS	45.5 AF

LOCATION OF POINT OF DIVERSION(S):

NWSWSW, Sec. 17, Township 50N, Range 5W
NENESE, Sec. 18
SWNESE, Sec. 18
SESESE, Sec. 18

Kootenai County

PLACE OF USE: Irrigation

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
50N	5W	18	NESE 8	NWSE 3	SWSE 1	SESE 1	13

Total number of acres irrigated: 13

PLACE OF USE: Irrigation storage, same as Irrigation use

PLACE OF USE: Irrigation from storage, same as Irrigation use

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed at Post Falls, Idaho, this 17th day of March, 1987.

Doris M. Schoenberg
(Signature)

MICROFILMED

APR 14 1987

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 95-8116

FOR DEPARTMENT USE ONLY

Preliminary check by KW Fee = \$20.00 ✓ Received by CCW Date 3-20-87 #4589

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, A. Kenneth Dunn, of the Department of Water Resources hereby approve the above Application for Amendment for Permit No. 95-8116 with the following;

CONDITIONS/REMARKS:

1. The right to the use of the water hereby confirmed is limited to the amount which can actually be beneficially used and is restricted and appurtenant to the lands or place of use and to the purpose herein described, as provided by the laws of Idaho.
2. This right is subject to all prior water rights and may be forfeited by five years of non-use.
3. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
4. The maximum combined rate of diversion under this right & Right No. 95-8118 shall not exceed 0.21 cfs.
5. 5 points of diversion located in NWSWSW, S17, T50N, R5W.

Witness my hand this 2ND day of April, 1987.

Norman C. Young
(Director)
Acting for the

RECORDED

APR 14 1987

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant Doris Schoenberg Phone 773-4380

Post office address S. 2700 Carpenter Loop Road, Post Falls, Idaho 83854

2. Source of water supply Springs which is a tributary of Sinks

3. Location of point of diversion is SE ^{2 Points} $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 18 Township 50N

Range 5W B.M. Kootenai County, additional points of diversion if any: 5 Points NESE Section 18, T50N, R5W.
5 Points SWSW Section 17, T50N, R5W.

4. Water will be used for the following purposes:

Amount 0.20 for Irrigation purposes from 3/15 to 11/15 (both dates inclusive)
(cfs or acre-feet per annum)

Amount 5.0 ^{A/F} for Str. for Irr. purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount for purposes from to (both dates inclusive)
(cfs or acre-feet per annum)

Amount for purposes from to (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 0.20 cubic feet per second and/or b. 5.0 acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc.
Plastic Pipe will carry water to pump and sprinkler system.

b. Height of storage dam feet, active reservoir capacity acre-feet; total reservoir capacity acre-feet, materials used in storage dam:

Period of year when water will be diverted to storage to inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is inches; proposed depth of well is feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 1 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: $\frac{1}{4}$ of $\frac{1}{4}$ of Section Township
Range B.M.

(2) Amount of power to be generated: horsepower under feet of head.

(3) List number of each kind of livestock to be watered

(4) Name of municipality to be served , or number of families to be supplied with domestic water .

(5) If water is to be used for other purposes describe:

MICROFILMED

[illegible]

Applicant


Applicant

[illegible][illegible]

-12.5- 13*

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Loris M. Schaenherg
(Applicant)

Proposed Priority 7/13/1981

Received by _____ Date 7/13/81 Time 11:30 AM

Preliminary check by HK Fee \$ 30.00

Received by _____ Date 7/13/81 (18234)

Publication prepared by _____ Date 7/16/81

Published in _____

Publication dates 7/23+30/81

Publication approved _____ Date 8/1

Protests filed by: none

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by RMH

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 95-8116, and said application is hereby APPROVED

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before November 1, 1982.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. Other:

Witness my hand this 20 day of October, 1981.

David R. Stewart
Acting Chief, Operations Bureau

AFFIDAVIT OF PUBLICATION

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

95-8116

SCHOENBERG, DORIS
S. 2700 CARPENTER LOOP RD.,
POST FALLS, ID 83854
Source: SPRINGS tributary to
SINKS

Date Filed: 07/13/1981

Amount: 0.20 CFS 5.0 AC-FT

Diversion Point: SESE NESE Sec
18 T 50N R 05W SWSW Sec 17 T
50N R 05W, KOOTENAI Co.

Use: IRRIGATION (0.20 CFS)
from 03/15 to 11/15; IRRIGA-
TION STORAGE (5.0 AC-FT)
from 01/01 to 12/31

Place of Use: NESE SESE Sec 18
T 50N R 05W FOR 13 ACRES
Diversion Means: PIPE, POND,
PUMP AND SPRINKLERS.

95-8117

SCHOENBERG, DORIS
S. 2700 CARPENTER LOOP RD.,
POST FALLS, ID 83854
Source: SPRINGS tributary to
SKALAN CREEK

Date Filed: 07/13/1981

Amount: 0.02 CFS

Diversion Point: SESE Sec 18 T
50N R 05W, KOOTENAI Co.

Use: STOCKWATER (0.02 CFS)
from 01/01 to 12/31

Place of Use: SESE Sec 18 T 50N
R 05W

Diversion Means: PIPE AND
STOCK TANK.

95-8118

SCHOENBERG, DORIS
S. 2700 CARPENTER LOOP RD.,
POST FALLS, ID 83854

Source: SKALAN CREEK tribu-
tary to SPOKANE RIVER

Date Filed: 07/13/1981

Amount: 0.20 CFS

Diversion Point: NESE Sec 18 T
50N R 05W, KOOTENAI Co.

Use: IRRIGATION (0.20 CFS)
from 03/15 to 11/15

Place of Use: NESE Sec 18 T 50N
R 05W FOR 10 ACRES

Diversion Means: PUMP,
PIPELINE, DIVERSION DAM
AND SPRINKLERS.

95-8119

PREMO, FRANK W.
2101 N. FAIRWAY ST., COEUR
D ALENE, ID 83814

Source: HAYDEN LAKE tribu-
tary to SINKS

Date Filed: 07/15/1981

Amount: 0.04 CFS

Diversion Point: LOT 02 Sec 17 T
51N R 03W, KOOTENAI Co.

Use: DOMESTIC (0.04 CFS) from
01/01 to 12/31

Place of Use: LOT 02 Sec 17 T 51N
R 03W

Diversion Means: PUMP AND
PIPELINE.

If issued, the permits will be
subject to all prior water rights.

Protests against the granting of
any permit must be filed with the
director of the Idaho Department
of Water Resources, 4055 Gov't
Way, Coeur d'Alene, Id. 83814 on
or before AUGUST 10, 1981.

A. KENNETH DUNN
Director

STATE OF IDAHO,
County of Kootenai,

ss.

Cheryl Hollingsworth being first duly sworn
upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The

Notice of Application

of which the annexed is a printed copy, was published in the regular *Thursday* issue of said newspaper for *2* consecutive *weeks* commencing on the *23* day of *July*, 19*81*, and ending on the *30* day of *July*, 19*81*, and such publication was made as often during said period as said *daily* newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.

Subscribed and sworn to before me this *30* day of *July*,

Rebecca Adanta Mosley

Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

LEADER

April 3, 1987

DORIS SCHOENBERG
S. 2700 CARPENTER LOOP RD.
POST FALLS, ID 83854

RE: Permit No. 95-8116

Dear Permit Holder(s):

Enclosed herewith is a copy of your Water Right License issued on the above referenced permit along with a copy of your approved application for amendment.

Should you have any questions regarding these documents, please feel free to contact our office.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

APR 14 1987

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
LICENSING REPORT

RECEIVED

MAY 23 1986

95-8116

Permit No.

1. Measurement Calculations

Department of Water Resources

a) Field Measurement Calculations (Include theoretical capacities and system capacity)

THEORETICAL CAPACITY

$$PUMP = \frac{8.8(7) 80\%}{2.33(45) + 10} = .43 cfs \checkmark$$

$$.43 cfs + 0.10 cfs = .53 cfs$$

$$SPRINGS = 10 gpm + 15 gpm + 20 gpm = \frac{45}{448.8} = 0.10 cfs$$

MEASURED

A = 10 gpm

B = 20 gpm

D = 15 gpm

J = 46.8 gpm

91.8 gpm

$$\frac{91.8 gpm}{448.8} = 0.20 cfs \checkmark$$

$$J = 40' \times 5' \therefore \pi 20' (5) = 0.14 AF \checkmark$$

$$\approx 0.1 AF$$

SYSTEM CAPACITY

A = 10 gpm

B = 20 gpm

C = 15 gpm

J = 49.5 gpm (50 psi)

94.5

$$\frac{94.5}{448.8} = 0.21 cfs \checkmark$$

b) Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 13(3.5) = 45.5 \checkmark$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 1.9835(245) \cdot 2 = 97.19 \approx 97.2$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 45.5 \checkmark$$

c) Volume Calculations for Other Uses:

2. Overlap Review

a) Other water rights with same place of use: 95-8117, 95-8118

b) Other water rights with same point of diversion: 95-8117, 95-8118

c) Analysis: 95-8115 95-8117 is stockwater fm pond "J" stock
DRINK FROM POND.95-8118 is for irr. fm. SKALAN CR. WHICH IS DIVERTED INTO
POND "J" THEN PUMPED OUT. ✓95-8118 SHARES PUMP WITH 95-8116 ∴ COMBINED SHOULD
NOT EXCEED 0.21 cfs OK

MICROFILMED

APR 14 1987

30 day P/u

3.	Permit No. ✓	7-13-1981	Amount ✓	0.20 c/s	7-13-1981	Date Proof Submitted	7-13-1981	System Capacity	0.21 c/s ✓
----	--------------	-----------	----------	----------	-----------	----------------------	-----------	-----------------	------------

4. Permit Holder: DORIS SCHENBERG ✓
Address: S. 8700 Carpenter Loop Rd. West Falls, ID 83354 ✓
5. Source: Springs ✓ tributary to SINKS ✓

6. Beneficial Use	Period of Use From To	Rate of Diversion Q (cfs)	Annual Volume V (afa)
STORAGE FOR IRR ✓	1-1 ✓ 12-31 ✓	N/A	500.1 AF
IRR FM STOR ✓	3-15 ✓ 4-15 ✓	N/A	500.1 AF
IRR ✓	3-15 ✓ 11-15 ✓	0.20 cfs	45.5 AF

No.	Govt. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County
A		NE	NE	SE	18	50 N	50	" Kootenai
B	(5 pds)	NM	SW	SW	17	"	"	"
C		SW	NE	SE	18	"	"	"
D		SE	SE	SE	18	"	"	"

7. Point(s) of Diversion:

[illegible]

8. Place(s) of Use

9. Recommended Conditions/Remarks: NOT TO EXCEED 0.21% WHEN

com B. 1180 w/ 95-8118-ok-both, flow into and where
R17 (95-8118, 0.21cfs) sources they are pumped out.

ENTLÖSUNG

APR 14 1981

10. Recommended Amendments

☒ Change P.U. as reflected above ☒ Add P.U. as reflected above ☐ Other ☐

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ ~~None~~

11. Examiner's Signature

Checked in Regional Office by

Approved in State Office by-

Date _____

1-5-87

Date _____

5/5/86

Date _____

28/ve/h

95-8116

Mrs. Schoenberg

will send
amendment
in right away.
per Tom King
3/18/87 kw

she told
Tom she
didn't receive
amendment
until 3/16



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 450 W. State Street, Boise, Idaho

CECIL D. ANDRUS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

February 20, 1987

DORIS SCHOENBERG
S. 2700 CARPENTER LOOP RD.
POST FALLS, ID 83854

RE: Permit No. 95-8116


Dear Permit Holder(s):

The above referenced water right is in the process of being licensed. However, before a license can be issued, your permit must be amended to correspond with the findings of the Department's field examiner.

The enclosed application for amendment contains information that will be included on the license when it is issued. Please review carefully and if you concur, sign the amendment and return with the \$20.00 filing fee within 30 days.

If you do not concur with these findings or if you have any questions, please contact us within the 30-day period.

Sincerely,


JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

APR 14 1987

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

Department of Water Resources

Permit No. 95-8116

Phone No. 773-4380

1. Owner: DORIS SCHOENBERG Phone No. 773-4380
Current Address: 512700 CARPENTER LOOP RD POST FALLS ID 83854

2. Accompanied by: SAME EXAM. DATE: 4/3/86
Address: _____ Phone No. _____

EXAM. DATE: 4/3/86

Relationship to Permit Holder: _____

3. Source: SPRINGS tributary to

Well/Diversion* No.	Motor Make	HP	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
1	BRIGGS	7	GAS DRIVEN		2R

*Code with points of diversion, system diagram & photos on ^{ATTACHED} reverse side. Disregard if only one.

5. **System Description** (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

~~SEE ATTACHED~~ SEE ATTACHED "A"

IRR SYS CONSISTS OF 10 RAINBIRDS W/ $\frac{5}{32}$ NOZZLES @ 45 PSI & 1000 ft OF PERFORATED $\frac{1}{2}$ " HOSE.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
5 GAL BUCKET						
PRESSURE GAUGE						

7. Measurements ☐ Additional data/computation sheets attached

A = 10 GAL/MIN

$$\underline{B = 20 \text{ GAL/M}}$$
$$D = 15 \text{ GAL/M}$$
$$J = 46.9 \text{ GAL/M}$$

8. Point(s) of Diversion: Indicate Method of Determination MAP/ASSESSOR

Indicate Method of Determination *MAP/ASSESSOR*

[illegible]


2. Place(s) of Use: Irrigation - give acres served by system at time of exam.
Indicate Method of Determination MAP ASSESSOR

Place(s) of Use:

Irrigation - give acres served by system at time of exam.

Indicate Method of Determination MAP/ASSESSOR[illegible]

10. Other water rights on these lands 95-8117 & 95-8118
11. Other water right diverted from same p.d. 95-8117
12. **Diversion and Delivery System Diagram:** Indicate all major components and distances between components. Indicate ditch size/pipe i.d. as applicable. Indicate on systems with measurement port the distance between the port and the nearest component/pipe bend/restriction both upstream and downstream, and the inside pipe diameter at the measurement port. On multiple diversion systems indicate how diversion systems are connected.



13. ☒ Photo of Diversion & System Attached
- ☒ Aerial Photo of Place of Use Attached or Map of Irrigated Acreage Attached

14. Remarks *Photo D.O. NOT DEVELOP*

15. Recommended Amendments
- ☐ Change P.D. as reflected above
- ☐ Change P.U. as reflected above
- ☐ Add P.D. as reflected above
- ☐ Add P.U. as reflected above
16. Examiner's/Consultant's Signature *[Signature]* Date *4/3/86*


Consultant's License Number _____

IDWR Director's Authorization to Conduct _____

Beneficial Use Examination _____

Date _____

CONSULTANT SEAL



NOT FILMED

APR 14 1987

TWP. 50NN, RGE. 5W SEC. 18 MAP # F-2 MAP SCALE
 DATE OF EXAM 4/3/86 PERMIT # 95-8116

A = EXCAVATED SPRING W/1" GRAVITY FLOW TO PT. C.

B = FIVE EXCAVATED SPRINGS W/1" GRAVITY FLOW TO PT. E.

D = EXCAVATED SPRING W/1" GRAVITY FLOW TO PT. F.

G = IRR. SYSTEM WHICH CAN BE ATTACHED 2 POINTS 2270

C, E, F, J & M

H. PUMP

J. SPRING FED TONO 40' D 5' DEEP

K. 3' X 6" X 25' DITCH

L. DIVERSION DAM (WOODEN FRAME & DISQUEEN) (43-596-3)

M. POND 30' X 50' X 5'

W. of ROAD LESS TAX #9147

#9147
1 AC.

#7949
15.21 AC.
(43-596-1)

#9201
39.29 AC.
(43-596)

#1989
9 AC.
(43-598)

MICROFILMED

APR 14 1981

SCALE: 1 inch = 200 feet

$$\frac{57 - (280)(140)}{2} = 5$$

APR 14 1987

SCALE: 1 inch = ~~200~~ 400 feet

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES
Northern Region

JOHN V. EVANS
Governor
A. KENNETH DUNN
Director

4055 Government Way
Coeur d'Alene, ID 83814
(208) 667-6484

December 14, 1981

Mrs. Doris Schoenberg
5. 2700 Carpenter Loop Rd.
Post Falls, Id. 83854

RE: 95-8116

Dear Mrs. Schoenberg:

We acknowledge receipt of your statement of completion of water development and use for the above-referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We do not know at this time when he will be able to conduct the examination, however, the examiner will try to contact you at the time he makes the examination so that you may show him the system. If you will not be available to show the system, please provide this office with the name and address of someone who will be able to do so. Your permit will remain valid until the examination is made.

If you have any questions concerning the field examination, please contact this office. Please be sure to use the above-referenced permit number in all future correspondence concerning this examination.

Very truly yours,

TOM D. KING
Senior Water Resource Agent

TDK/fms

cc: IDWR - State Office

RECEIVED
DEC 15 1981
STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 95-8116.

Name(s) of Permit Holder: Doris Schoenberg

Post Office Address: S. 2700 Carpenter Loop Road, Post Falls, Id.

83854

Tel. No. 773-4380

Source of Water: Springs

Extent of Use: ☐ Domestic (number of households)
☐ Stockwater (number and type of stock)
☒ Irrigation 12.5 (acres)
☒ Other Str. for Irr.

Measuring Device: Required? ☐ Yes ☐ No Installed? ☐ Yes ☐ No

Access Port: Required? ☐ Yes ☐ No Installed? ☐ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

July 13, 1981

Date

RECORDED

Doris M. Schoenberg

Signature of Permit Holder

PLACE
TEN CENT
STAMP
HERE



IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

SCHOENBERG, DORIS
S. 2700 CARPENTER LOOP RD.
POST FALLS, ID 83854

OCTOBER 29, 1981

RE: PERMIT NO. 95-8116

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

WE HAVE ENCLOSED A FORM ENTITLED "MAKING PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT INTO A LICENSE.

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE

RECEIVED

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: KK

APPLICATION NUMBER: 95-8116

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No* In form to receipt.

Field check by: _____

Date: _____

Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:


- ☐ Idaho State Health Department. Copies sent by: _____ Date: _____
☐ Idaho Fish and Game Department. _____
☐ Idaho Department of Lands. _____
☐ U.S. Bureau of Land Management. _____
☐ U.S. Forest Service. _____
☐ Other _____

PROCESSING:

- ☐ Yes ☐ No Platted by: _____ Map No. _____
☐ Yes ☐ No Other rights on same place of use. _____
☒ Yes ☐ No* In form for advertising.
Final date for protests: 8/10/81 ✓
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 8/8/81 ✓
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☐ No Measuring device required.
☐ Yes ☐ No Access port required.
☐ Yes ☐ No Will water be delivered by watermaster? If yes, what district? _____
☒ 7/13/81 Date of priority recommended.
Special conditions of approval or cover letter. _____



Department of Water Resources

By: RSK

Date: 8/20/81

STATE OFFICE REVIEW:

SLW/LOA

Con item 86

- ☐ See attached sheet for more information.

By: Relip

Date: 10/14/81

MICROFILMED

95-8116

SCHOENBERG, DORIS

5. 2700 CARPENTER LOOP RD., POST FALLS, ID 83854

Source: SPRINGS tributary to SINKS

Date Filed: 07/13/1981

Amount: 0.20 CFS 5.0 AC-FT

Diversion Point: SESE NESE Sec 18 T 50N R 05W SHSW Sec 17 T 50N R 05W.
KOOTENAI Co.

Use: IRRIGATION (0.20 CFS) from 03/15 to 11/15
IRRIGATION STORAGE (5.0 AC-FT) from 01/01 to 12/31

Place of Use: NESE SESE Sec 18 T 50N R 05W FOR 13 ACRES

Diversion Means: PIPE, POND, PUMP AND SPRINKLERS.

UNRECORDED

A. Kenneth Dunn
XXXXXXXXXXXX

September 18, 1981

Mrs. Doris Schoenberg
S. 2700 Carpenter Loop Road
Post Falls, Id. 83854

Re: 95-8116

Dear Mrs. Schoenberg:

Pursuant to our letter of August 31, 1981, copy of which is enclosed, we still have not received the information necessary in order to process your application for permit.

We are enclosing another copy of the first page of your application. Please fill in Item No. 6.b. and return to our office. As soon as this information is received, we will be able to forward your application to our State Office for processing.

If this data is not received by our office by October 18, 1981, we shall take the necessary steps to have the above-referenced application voided.

Thank you for your cooperation.

Sincerely,

ROBERT G. HAYNES, P.E.
Regional Supervisor

pms
Enc. - Correspondence
Copy of First Page of Application

*Mr. Schoenberg called
9/21/81. Said they decided
not to install pond.
"Pond" was removed from
6.a. on application.
pms
9/21/81*

RECEIVED

A. Kenneth Murn
XXXXX CCCCCXX

August 31, 1981

Mrs. Doris Schoenberg
S. 2700 Carpenter Loop Road
Post Falls, Id. 83854

Re: 95-8116

Dear Mrs. Schoenberg:

We are enclosing a copy of the first page of your Application for Permit. Would you please complete Item 6.b. and return to our office.

A call was made to your residence to obtain this information and the person taking the call said they would be able to furnish the required data within a few days. The call was made on August 21, and to date we have not received this information.

As soon as we receive this data, we will be able to forward your application to our State Office for processing. Thank you for your cooperation.

Sincerely,

Patricia M. Stypa
Senior Secretary

Enc.

RECEIVED