


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.


BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

MICROFILMED

Walter C. Hardy
(Applicant)

TOWNSHIP 52N., RANGE 3W. B. M.
KOOTENAI COUNTY, IDAHO

SCALE 2 IN. = 1 MILE
FOR SALE BY
METSKE MAPS
1110 COMMERCIAL AVENUE
SEATTLE, WASHINGTON



MICROFILMED

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

License of Water Right No. 95-8113 Priority June 30, 1981 Amount 0.04 cfs

THIS IS TO CERTIFY, that Walter C. Hardy
of Hayden Lake, Idaho, has complied with the terms and conditions of Permit
No. 95-8113 issued pursuant to Application for Permit dated June 30, 1981,
and has submitted proof to the Department of Water Resources on June 30, 1981,
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of 0.04 cfs of water from a groundwater source,
tributary to _____, and that the permit holder has applied to a beneficial use and
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
<u>Domestic</u> <u>(3 units)</u>	from <u>January 1</u> to <u>December 31</u>	at <u>0.04</u> cfs and	<u>3.6</u> acre feet
	from _____	_____ cfs and	_____
	from _____	_____ cfs and	_____
	(both dates inclusive)		

Subject, however, to the condition that no more than 0.04 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed is for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
3.6 acre feet per year, said waters to be diverted within the NE $\frac{1}{4}$ SW $\frac{1}{4}$, Section 29, Twp.
52N, Rge. 3W in the County of Kootenai

Description and location of place of use:

Twp.	Range	Section	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				Totals
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
52N	3W	29							X	X					

Total number of acres irrigated _____

NOTE: Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use herein described, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 27TH day of
October _____, 19 82.

Acting for the Director

Norman C. Young

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant Walter C. Hardy Phone 772-3709
Post office address Rt 3 Box 158 Hayden Lake ID 83835
2. Source of water supply Groundwater which is a tributary of _____
3. Location of point of diversion is NE $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 29 Township 52N
Range 3W B.M. Kootenai County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount .04 for Domestic purposes from 1-1 to 12-31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. .04 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. well and Pump

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is 6 inches; proposed depth of well is 280 feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 1 years (minimum 1 year – maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:
(1) Give the place of use of water: NE $\frac{1}{4}$ SW
SE $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 29 Township 52N

Range 3W B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

Name of municipality to be served _____, or number of families to be supplied with domestic water 3.

(5) If water is to be used for other purposes describe: _____

MICROFILMED

[illegible]

None


100%

7004

applicant to make this filing

[illegible]


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

MICROFILMED


(Applicant)

RECEIVED

Proposed Priority 6/30/1981

Received by RAH Date 6/30/81 Time 10:15
Preliminary check by JK Fee \$ 30.00
Received by RAH Date 6/30/81 # 18213
Publication prepared by RAH Date 7/9/81
Published in Grand News
Publication dates 7/16-23/81
Publication approved pm Date 8/5/81
Protests filed by: none

Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by RAH

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 95-8113, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before October 1, 19 82.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other: _____

Witness my hand this 24th day of September, 19 81.

A. Alan Gayton
Chief, Operations Bureau

AFFIDAVIT OF PUBLICATION

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

94-7208

LIVICH, MARTHA JANE &/or
THOMAS S.
P.O. BOX 352, CATALDO, ID
83810

Source: SPRING tributary to
LATOUR CREEK

Date Filed: 05/20/1981

Amount: 0.20 CFS

Diversion Point: NENE Sec 17 T
48N R 01E, KOOTENAI Co.

Use: IRRIGATION (0.14 CFS)
from 04/01 to 10/31; STOCK-
WATER (0.02 CFS) from 01/01 to
12/31; DOMESTIC (0.04 CFS)
from 01/01 to 12/31

Place of Use: NWNE Sec 17 T 48N
R 01E FOR 7 ACRES

Diversion Means: DEVELOPED
SPRING AND GRAVITY-FLOW
SYSTEM.

95-8113

HARDY, WALTER C.
RT. 3 BOX 158, HAYDEN LAKE,
ID 83835

Source: GROUNDWATER

Date Filed: 06/30/1981

Amount: 0.04 CFS

Diversion Point: NESW Sec 29 T
52N R 03W, KOOTENAI Co.

Use: DOMESTIC (0.04 CFS) from
01/01 to 12/31

Place of Use: NESW, SENW Sec
29 T 52N R 03W

Diversion Means: WELL AND
PUMP.

95-8114

BURDETTE, RICHARD W.
5749 RAINBOW HILL RD.,
AGOURA, CA 91301

Source: SPRING tributary to
SINKS

UNNAMED STREAM tributary
to SINKS

Date Filed: 07/07/1981

Amount: 0.06 CFS 0.5 AC-FT

Diversion Point: SESE Sec 17 T
52N R 03W, KOOTENAI Co.

Use: STOCKWATER STORAGE
(0.5 AC-FT) from 01/01 to 12/31;
DOMESTIC (0.06 CFS) from 01/01
to 12/31

Place of Use: SESE Sec 17 T 52N-
R 03W

Diversion Means: DEVELOPED
SPRING, PUMP, PIPELINE,
DAM AND POND.

95-8115

CHATEAUX WATER ASSN. INC.
P.O. BOX 288, HAYDEN LAKE,
ID 83835

Source: GROUNDWATER

Date Filed: 07/07/1981

Amount: 0.52 CFS

Diversion Point: NWSE Sec 22 T
51N R 04W, KOOTENAI Co.

Use: IRRIGATION (0.24 CFS)
from 04/01 to 11/01; DOMESTIC
(0.52 CFS) from 01/01 to 12/31

Place of Use: NWSE Sec 22 T 51N
R 04W FOR 12 ACRES

Diversion Means: WELL, PUMP
AND STORAGE TANK.

If issued, the permit(s) will be
subject to all prior water rights.
Protests against the granting of
any permit must be filed with the
director of the Idaho Department
of Water Resources, 4055 Gov't
Way, Coeur d'Alene, Id, 83814 on
or before AUGUST 1, 1981.

A. KENNETH DUNN
Director

Legal 320

July 18, 23, 1981

STATE OF IDAHO,
County of Kootenai.

} ss.

Cheryl Hollingsworth being first duly sworn
upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The *Notice of Application*

of which the annexed is a printed copy, was published in the regular *Thursday* issue of said newspaper for *2* consecutive *weeks* commencing on the *16* day of *July*, 19*81*, and ending on the *23* day of *July*, 19*81*, and such publication was made as often during said period as said *daily* newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.

Subscribed and sworn to before me this *23* day of *July*, 19*81*.

Roberta Manley
Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

MICROFILMED

November 30, 1982

RE: Permit No. 95-8113

Walter C. Hardy
Route #3, Box 158
Hayden Lake, ID 83835

Dear Mr. Hardy:

Enclosed herewith is a copy of the Water Right License issued on the above referenced Permit.

Sincerely,



JIM JOHNSON
Water Distribution Supervisor

JJ:kw
Enclosure

MICROFILMED
DATE 11/10/82

State of Idaho
DEPARTMENT OF WATER RESOURCES
FIELD REPORT

RECEIVED

SEP 20 1982

95-8113

Permit No.

CONTACT WITH PERMIT HOLDER

DATE

INITIALS

REMARKS

☐ Appointment letter mailed:

☐ Telephone call made:

(List Telephone No. used)

☐ Appointment scheduled for:

(Date, time, location)

EXAMINATION

Date 7-7-82

Accompanied by Mrs John Hardy

Total Q measured -

If source is surface water, estimate total flow of source -

Methods of measurement est.

Meets Permit requirements? yes

Measurement calculations:

3 lines Memo May 13 - 1981

Allow .04 cfs for 3 domestic units
as per permit

WELL/DIVERSION* NO.	HP	MOTOR MAKE	MOTOR SERIAL NO.	PUMP MAKE	PUMP SERIAL NO.	MEASURING DEVICE TYPE	CONDITION OF MEAS. DEV.	REMARKS
								<u>Submer</u>

System Description 6" x 280' well, pump & pipeline

*Code with map on reverse side. Disregard code if only one.

RECOMMENDED AMOUNTS

USE

Domestic

Irrigation requirement =

AFA/Acre

Q (cfs)

V (afa)

FROM

TO

0.04 ✓

0.36 ✓

1-1

12-31

Total

0.04 ✓

0.36 ✓

Remarks Irrigation of 3 std size lots.

11/11/82

~~Examiner, Signature~~

Date

2-8-6

☐ Change P.B. as reflected above

Recommendations: Amend:

Place(s) of Use

Point(s) of diversion: NE SW, Sec 27, T 32N, R 33W

how are

(Include distance from pump to measuring device, if applicable.)


SCHEMATIC DIAGRAM OF SYSTEM

[illegible]

MAP (Attach Aerial Photo)

TOWNSHIP 52 N., RANGE 3 W. B. M.
KOOTENAI COUNTY, IDAHO

SCALE 2 IN. = 1 MILE
FOR SALE BY
METSKE MAPS
111 SOUTH 3RD ST. TACOMA WASHINGTON
1840 THIRD AVE. SEATTLE, WASHINGTON



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Northern Region

JOHN V. EVANS
Governor
A. KENNETH DLINN
Director

4055 Government Way
Coeur d'Alene, ID 83814
(208) 667-6484

May 27, 1982

Mr. Walter C. Hardy
Rt. 3 Box 158
Hayden Lake, Id. 83835

RE: 95-8113

Dear Mr. Hardy:

We acknowledge receipt of your statement of completion of water development and use for the above-referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We do not know at this time when he will be able to conduct the examination, however, the examiner will try to contact you at the time he makes the examination so that you may show him the system. If you will not be available to show the system, please provide this office with the name and address of someone who will be able to do so. Your permit will remain valid until the examination is made.

If you have any questions concerning the field examination, please contact this office. Please be sure to use the above-referenced permit number in all future correspondence concerning this examination.

Very truly yours,

TOM D. KING
Senior Water Resource Agent

TDK/fms

cc: IDWR - State Office

MICROFILMED

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 95-8113

Name(s) of Permit Holder: Walter C Hardy

Post Office Address: Rt 3 Box 158

Hayden Lake ID 83835 Tel. No. 772-3709

Source of Water: Groundwater

Extent of Use: ☒ Domestic 3 (number of households)
☐ Stockwater (number and type of stock)
☐ Irrigation (acres)
☐ Other

Metering Device: Required? ☐ Yes ☒ No Installed? ☐ Yes ☒ No
 Access Port: Required? ☐ Yes ☒ No Installed? ☐ Yes ☒ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

1/30/81
 Date

Walter C Hardy
 Signature of Permit Holder

MICROFILMED

PLACE
TEN CENT
STAMP
HERE

MICROFILMED



IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

HARDY, WALTER C.
RT. 3 BOX 158
HAYDEN LAKE, ID 83835

SEPTEMBER 29, 1981

RE: PERMIT NO. 95-8113

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

WE HAVE ENCLOSED A FORM ENTITLED "MAKING PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT INTO A LICENSE.

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE

MICROFILMED

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: JK

APPLICATION NUMBER: 95-8113

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☒ Yes ☒ No Field check required.
☒ Yes ☒ No Critical groundwater area.
☒ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☒ No* In form to receipt.

Field check by: _____

Date: _____

Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department. Copies sent by: _____ Date: _____
☐ Idaho Fish and Game Department. _____
☐ Idaho Department of Lands. _____
☐ U.S. Bureau of Land Management. _____
☐ U.S. Forest Service. _____
☐ Other _____

PROCESSING:

- ☐ Yes ☐ No Platted by: _____ Map No. _____
☐ Yes ☐ No Other rights on same place of use. _____
☒ Yes ☐ No* In form for advertising. _____
Final date for protests: 8/3/81 ✓
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 8/5/81 ✓
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☐ Yes ☒ No Access port required.
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? _____
☒ 6/30/81 Date of priority recommended.
Special conditions of approval or cover letter. _____

By: Ryk Date: 9/18/81

STATE OFFICE REVIEW:

SL* record

☐ See attached sheet for more information.
By: Ryk Date: 9/17/81

RECEIVED
SEP 02 1981

MICROFILMED

95-8113

HARDY, WALTER C.

RT. 3 BOX 158, HAYDEN LAKE, ID 83835

Source: GROUNDWATER

Date Filed: 06/30/1981

Amount: 0.04 CFS

Diversion Point: NESW Sec 29 T 52N R 03W, KOOTENAI Co.

Use: DOMESTIC (0.04 CFS) from 01/01 to 12/31

Place of Use: NESW SENW Sec 29 T 52N R 03W

Diversion Means: WELL AND PUMP.

MICROFILMED