

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO,

ss.

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

94-7202

CROWS NEST COOPERATIVE WATER ASSN. INC.
RT. 1 BOX 49C, HARRISON, ID 83833

Source: GROUNDWATER

Date Filed: 06/24/1981

Amount: 0.25 CFS

Diversion Point: SWSW Sec 08 T 47N R 03W, KOOTENAI Co.

Use: IRRIGATION (0.25 CFS) from 03/15 to 11/15; DOMESTIC (0.25 CFS) from 01/01 to 12/31

Place of Use: LOT 03 LOT 04 Sec 07 T 47N R 03W SWSW Sec 08 T 47N R 03W LOT 01 Sec 17 T 47N R 03W FOR 55 ACRES

Diversion Means: WELL, PUMP, PIPELINE AND RESERVOIR.

95-8106

KOSANKE, JOHN
MARINE RT. 66 CASCO BAY, COEUR D ALENE, ID 83814

Source: GROUNDWATER

Date Filed: 06/22/1981

Amount: 0.04 CFS

Diversion Point: SESE Sec 21 T 53N R 03W, KOOTENAI Co.

Use: DOMESTIC (0.04 CFS) from 01/01 to 12/31

Place of Use: SESE Sec 21 T 53N R 03W

Diversion Means: WELL, PUMP AND PIPELINE.

95-8107

HOHMAN, WILLIAM
1411 SKYLINE DR., COEUR D ALENE, ID 83814

Source: COEUR D ALENE

LAKE tributary to SPOKANE AND PIPELINE.

RIVER

Date Filed: 06/17/1981

Amount: 0.60 CFS

Diversion Point: NWNW Sec 31 T 49N R 03W, KOOTENAI Co.

Use: IRRIGATION (0.20 CFS) from 04/01 to 10/31; DOMESTIC (0.22 CFS) from 01/01 to 12/31

FIRE PROTECTION (0.60 CFS) from 01/01 to 12/31

Place of Use: NENW NWNW Sec 31 T 49N R 03W FOR 10 ACRES

Diversion Means: PUMP.

95-8108

WARD, SR., WILLIAM P.
STAR RT. CARNIE RD., COEUR D ALENE, ID 83814

Source: GROUNDWATER

Date Filed: 06/18/1981

Amount: 0.06 CFS

Diversion Point: SWSE Sec 05 T 49N R 04W, KOOTENAI Co.

Use: STOCKWATER (0.02 CFS) from 01/01 to 12/31; DOMESTIC (0.04 CFS) from 01/01 to 12/31

Place of Use: SWSE Sec 05 T 49N R 04W

Diversion Means: WELL, PUMP AND PIPELINE.

95-8110

GILMAN, LARRY
P. O. BOX 129, COEUR D ALENE, ID 83814

Source: GROUNDWATER

Date Filed: 06/19/1981

Amount: 0.03 CFS

Diversion Point: NENE Sec 11 T 50N R 05W, KOOTENAI Co.

Use: DOMESTIC (0.03 CFS) from 01/01 to 12/31

Place of Use: NENE Sec 11 T 50N R 05 W

Diversion Means: WELL, PUMP AND PIPELINE.

95-8111

GRIFFIN, LAVERNE
P. O. BOX 336, HAYDEN LAKE, ID 83835

Source: GROUNDWATER

Date Filed: 06/19/1981

Amount: 0.04 CFS

Diversion Point: NWSW Sec 17 T 52N R 03W, KOOTENAI Co.

Use: DOMESTIC (0.04 CFS) from 01/01 to 12/31

Place of Use: NWSW Sec 17 T 52N R 03W

Diversion Means: WELL, PUMP AND PIPELINE.

95-8112

WELCH, MARY JO
P. O. BOX 2313, COEUR D ALENE, ID 83814

Source: GROUNDWATER

Date Filed: 06/23/1981

Amount: 0.20 CFS

Diversion Point: SESW Sec 15 T 50N R 03W, KOOTENAI Co.

Use: IRRIGATION (0.20 CFS) from 03/15 to 11/15; DOMESTIC (0.08 CFS) from 01/01 to 12/31

Place of Use: SESW Sec 15 T 50N R 03W FOR 10 ACRES

Diversion Means: WELL, PUMP AND PIPELINE.

If issued, the permit(s) will be subject to all prior water rights.

Protests against the granting of any permit must be filed with the director of the Idaho Department of Water Resources, 4055 Gov't Way, Coeur d'Alene, Id, 83814 on or before JULY 20, 1981.

A. KENNETH DUNN
Director

Legal 285
July 2, 9, 1981

Langworth being first duly sworn

hereinafter mentioned was a citizen of the United States, over the age of twenty-one years and not a

hereinafter mentioned was the printer (principal) of a newspaper printed and published daily except in Coeur d'Alene, Idaho, and having a general circulation

of *Water Right*

was published in the regular *Thursday* consecutive *weeks*

day of *July*, 19*81*, and

day of *July*, 19*81*, and such

g said period as said *daily*

been continuously and uninterruptedly published in

period of more than seventy-eight consecutive weeks

cation of said notice

pl. D. Langworth

me this *9* day of *July*

Roberta D. Langley

Notary Public for the State of Idaho, residing at Coeur d'Alene, Idaho.

LEADER

134 lines
6298

MICROFILMED

D, A L E N E

Mile
+ 120

ELEVATION 2125

E U R

und Bay

Black Bay

Martin Bay

Gand Bay

Carlin Bay

Boat Ramp

Borrow Pit

MICROFILMED
APR 20 1990

NATIONAL FOREST

COEUR D'ALENE

(MT. COEUR D'ALENE)
2679 II SW

HARRISON
2678 IV NE

24 000

15

47'30"

16

R 4 W

R 3 W

17

ROAD CLASSIFICATION

95-8107

47°3

116°45'

Primary highway

Light-duty road, hard or

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 95-08107

Priority: June 17, 1981

Maximum Diversion Rate:
Maximum Diversion Volume:¹

0.23 CFS
42.0 AF

This is to certify, that WILLIAM HOHMAN
9890 HILLVIEW DR.

HAYDEN LAKE, ID 83835 has complied with the terms and conditions
of the permit, issued pursuant to Application for Permit dated June 17, 1981; and
has submitted Proof of Beneficial Use on August 18, 1983. An examination indicates
that the works have a diversion capacity of .230 cfs of water from:

COEUR D ALENE LAKE

tributary to SPOKANE RIVER

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/01 to 10/31	0.20 CFS	30.0 AF
DOMESTIC	01/01 to 12/31	0.20 CFS	12.0 AF
FIRE PROTECTION	01/01 to 12/31	0.23 CFS	
	Totals	0.23 CFS	42.0 AF

LOCATION OF POINT(S) OF DIVERSION: LOT 1(NWNW), Sec. 31, Township 49N, Range 03W
KOOTENAI County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
49N	03W	31	LOT 1(NENW) 8	LOT 1(NWNW) 2		10
			Total number of acres irrigated:			10

PLACE OF USE: DOMESTIC, same as IRRIGATION use

PLACE OF USE: FIRE PROTECTION, same as IRRIGATION use

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.

MICROFILMED

APR 20 1990

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 95-08107

CONDITIONS/REMARKS:

4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Domestic use is for 20 homes.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 2ND day of APRIL, 1990.

Acting for *Norman C. Young*
R. Keith Higginson, Director

MICROFILMED

APR 20 1990

For Office Use Only	
Fee Received	15 ⁰⁰
Date	7-1-82
Receipt #	24643

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

REQUEST FOR EXTENSION OF TIME

To provide additional time in which to submit
proof of beneficial use on a water right permit

AUG 2 1982

Department of Water Resources

WILLIAM HOFFMAN of 1411 SKYLINE DR., COEUR D'ALENE
(Name) (Address)

State of IDAHO, deposes and says:

That he is the holder, or the duly authorized agent of the holder*, of Permit to Appropriate the Public Water of
the State of Idaho No. 95-8107

That under the terms and conditions of said permit, work thereunder was required to be completed on or before
SEPT 1, 19 82

That he has heretofore performed the following work described under said permit:

(This must be filled out! If no work has been completed put none.)

WATER SYSTEM IS ABOUT 60% COMPLETE.

Costing \$ 20,000

That he is unable to complete the remainder of the work within the required time for the following reasons, to-wit:

DUE UNFORSEEN PROBLEMS, APPROVAL OF THE PROJECT
WAS NOT GRANTED BY "KOOTENAI COUNTY" UNTIL
APRIL, 1982. WE ANTICIPATE COMPLETION BY
OCTOBER 1982 AND WILL SUBMIT THE "PROOF STATEMENT" AT
THAT TIME.

Wherefore, he asks that the Department of Water Resources extend the time for the completion of obligations
under said permit to SEPT 1, 19 83.
(1 yr. minimum, 5 yrs. maximum)

NOTE
AS OF JULY 1, 1980,
THERE IS A \$15.00
CHARGE FOR REQUESTS
FOR EXTENSION OF
TIME.

William Hoffman
(Signature)*

*IF OTHER THAN HOLDER, Power of Attorney must be supplied.

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

IT IS HEREBY ORDERED that the above application for extension of time be APPROVED and the time within
which to submit the statement of beneficial use is extended to September 1, 1983.

Signed this 15th day of September, 1982.

J. Glen Saxton
Chief, Operations Bureau

1411 Skyline Dr.
Coun & Alene, Id.
83814



Idaho Dept. of Water Resources
Statehouse
Boise, Idaho
83720

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant William Hohman Phone 667-4749
Post office address 1411 Skyline Drive, Coeur d'Alene, ID 83814
2. Source of water supply Coeur d'Alene Lake which is a tributary of Spokane River
3. Location of point of diversion is NW $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 31 Township 49N
Range 3W B.M. Kootenai County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 0.22 CFS for Domestic purposes from Jan. 1 to Dec. 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount 0.6 CFS for FIRE PROTECTION purposes from JAN. 1 to DEC. 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount 0.2 CFS for IRRIGATION purposes from APRIL 1 to OCT. 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 0.6 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Submersible pump in the lake.

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 1 years (minimum 1 year -- maximum 5 years).

8. Description of proposed uses:

a. If water is **not** for irrigation: NE $\frac{1}{4}$ of NW $\frac{1}{4}$
(1) Give the place of use of water: NW $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 31 Township 49N
Range 3W B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water 22.

(5) If water is to be used for other purposes describe: Fire Protection.

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

[illegible]

Total number of acres to be irrigated

c. Describe any other water rights used for the same purposes as described above.

9. a. Who owns the property at the point of diversion _____
State of Idaho


b. Who owns the land to be irrigated or place of use

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the

applicant to make this filing.

10. Remarks

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

William J. Hohman
Leonard L. Smith

Leonard L. Smith for William Hohman
(Applicant)

(See attached Power of Attorney)

NOT ATTACHED

Proposed Priority 6/17/1981

Received by 2/13 Date 6/17/81 Time 3:15
Preliminary check by 2/13 Fee \$ 45.00
Received by 2/13 Date 6/17/81 (18190)
Publication prepared by Carol M. Jones Date 6/20/81
Published in _____
Publication dates 2/22-2/27
Publication approved 2/13 Date 7/20/81
Protests filed by: _____
Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by 2/13

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 95-8107, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before

for September 1, 1982.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. Other: The issuance of this permit in no way grants any right-of-way or easement across the land of another.

Witness my hand this 26th day of August, 1981.

Chief, Operations Bureau

D. Allen Sawyer

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO,

ss.

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

94-7202

CROWS NEST COOPERATIVE WATER ASSN. INC.
RT. 1 BOX 49C, HARRISON, ID 83833

Source: GROUNDWATER
Date Filed: 06/24/1981
Amount: 0.25 CFS

Diversión Point: SWSW Sec 08 T 47N R 03W, KOOTENAI Co.
Use: IRRIGATION (0.25 CFS) from 03/15 to 11/15; DOMESTIC (0.25 CFS) from 01/01 to 12/31
Place of Use: LOT 03 LOT 04 Sec 07 T 47N R 03W SWSW Sec 08 T 47N R 03W LOT 01 Sec 17 T 47N R 03W FOR 65 ACRES
Diversión Means: WELL, PUMP, PIPELINE AND RESERVOIR.

95-8106

KOSANKE, JOHN
MARINE RT. 66 CASCO BAY, COEUR D ALENE, ID 83814

Source: GROUNDWATER
Date Filed: 06/22/1981
Amount: 0.04 CFS
Diversión Point: SESE Sec 21 T 53N R 03W, KOOTENAI Co.
Use: DOMESTIC (0.04 CFS) from 01/01 to 12/31
Place of Use: SESE Sec 21 T 53N R 03W
Diversión Means: WELL, PUMP AND PIPELINE.

95-8107

HOHMAN, WILLIAM
1411 SKYLINE DR., COEUR D ALENE, ID 83814
Source: COEUR D ALENE

LAKE tributary to SPOKANE AND PIPELINE RIVER

Date Filed: 06/17/1981
Amount: 0.60 CFS
Diversión Point: NWNW Sec 31 T 49N R 03W, KOOTENAI Co.
Use: IRRIGATION (0.30 CFS) from 04/01 to 10/31; DOMESTIC (0.22 CFS) from 01/01 to 12/31; FIRE PROTECTION (0.60 CFS) from 01/01 to 12/31
Place of Use: NENW NWNW Sec 31 T 49N R 03W FOR 19 ACRES
Diversión Means: PUMP.

95-8108

WARD, SR., WILLIAM P.
STAR RT. CARNIE RD., COEUR D ALENE, ID 83814

Source: GROUNDWATER
Date Filed: 06/18/1981
Amount: 0.06 CFS
Diversión Point: SWSE Sec 06 T 49N R 04W, KOOTENAI Co.
Use: STOCKWATER (0.02 CFS) from 01/01 to 12/31; DOMESTIC (0.04 CFS) from 01/01 to 12/31
Place of Use: SWSE Sec 06 T 49N R 04W
Diversión Means: WELL, PUMP AND PIPELINE.

95-8110

GILMAN, LARRY
P. O. BOX 129, COEUR D ALENE, ID 83814

Source: GROUNDWATER
Date Filed: 06/19/1981
Amount: 0.03 CFS
Diversión Point: NENE Sec 11 T 50N R 05W, KOOTENAI Co.
Use: DOMESTIC (0.03 CFS) from 01/01 to 12/31
Place of Use: NENE Sec 11 T 50N R 05 W
Diversión Means: WELL, PUMP

95-8111
GRIFFIN, LAVERNE
P. O. BOX 336, HAYDEN LAKE, ID 83835

Source: GROUNDWATER
Date Filed: 06/19/1981
Amount: 0.04 CFS
Diversión Point: NWSW Sec 17 T 52N R 03W, KOOTENAI Co.
Use: DOMESTIC (0.04 CFS) from 01/01 to 12/31
Place of Use: NWSW Sec 17 T 52N R 03W
Diversión Means: WELL, PUMP AND PIPELINE.

95-8112

WELCH, MARY JO
P. O. BOX 2313, COEUR D ALENE, ID 83814

Source: GROUNDWATER
Date Filed: 06/23/1981
Amount: 0.20 CFS
Diversión Point: SESW Sec 15 T 50N R 03W, KOOTENAI Co.
Use: IRRIGATION (0.20 CFS) from 03/15 to 11/15; DOMESTIC (0.08 CFS) from 01/01 to 12/31
Place of Use: SESW Sec 15 T 50N R 03W FOR 10 ACRES
Diversión Means: WELL, PUMP AND PIPELINE.

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the director of the Idaho Department of Water Resources, 4065 Gov't Way, Coeur d'Alene, Id. 83814 on or before JULY 20, 1981.

A. KENNETH DUNN
Director

Legal 285
July 2, 9, 1981

being first duly sworn

hereinafter mentioned was a citizen of the United States, over the age of twenty-one years and not a

hereinafter mentioned was the printer (principal) of a newspaper printed and published daily except in Coeur d'Alene, Idaho, and having a general circulation

of Water Right

copy, was published in the regular *Thursday* consecutive *weeks*.

day of *July*, 19*81*, and

day of *July*, 19*81*, and such

g said period as said *daily*

been continuously and uninterruptedly published in a period of more than seventy-eight consecutive weeks

cation of said notice

of the Idaho Department of Water Resources, 4065 Gov't Way, Coeur d'Alene, Id. 83814 on or before JULY 20, 1981.

me this *9* day of *July*, 19*81*

Robert D. Stanley
Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

LEADER

134
62

April 5, 1990

WILLIAM HOHMAN
~~9890 HILLVIEW DR.~~ 311 Montgomery
~~HAYDEN LAKE, ID 83835~~
Post Falls 83854

RE: PERMIT NO. 95-08107

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

APR 20 1990

DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

RECEIVED

MAY 01 1989

Department of Water Resources

AT 10/13

311 Montgomery
Post Falls 83855

MICROFILMED

APR 20 1990

WW

RETURN TO SENDER
NOT DELIVERABLE AS ADDRESSED
UNABLE TO FORWARD
DATE APR 20 1989 CARRIER

April 17, 1989

WILLIAM HOHMAN
9890 HILLVIEW DR.
HAYDEN LAKE, ID 83835

RE: PERMIT NO. 95-08107

Dear Permit Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

APR 20 1990

POINT OF DIVERSION OVERLAP REVIEW

WR-NUMBER	TWP	RNG	SC	TRACT	LT	#SOURCE	#NAME
				1\4 1\4 1\4			
9508107	49N	03W	31	NW NW		COEUR D ALENE LAKE	HOHMAN, WILLIA

MICROFILMED

APR 20 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
LICENSING REPORT

RECEIVED
JAN 6 1986

95-8107
Permit No.

Department of Water Resources

1. Measurement Calculations

a) Field Measurement Calculations (Include theoretical capacities and system capacity)

DIV RATE FOR 20 HOMES = 0.20 cfs PER MEMO 5-13-81

$$\frac{8.8(7.5) 80\%}{2.33(20) + 180} = 0.23 \text{ cfs DOM/IRR}$$

$$\frac{8.8(7.5) 80\%}{2.33(45) + 35} = 0.38 \text{ cfs FIRE PROT} \leftarrow \text{K}$$

b) Volume Calculations for Irrigation:

$$\begin{aligned} V_{I.R.} &= (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \underline{3.0(10)} = 30 \\ V_{D.R.} &= [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = \underline{72.59} \\ V &= \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = \underline{30} \end{aligned}$$

c) Volume Calculations for Other Uses:

$$20 \text{ HOMES @ } .6 \text{ AF CA} = 12 \text{ AF}$$

2. Overlap Review

a) Other water rights with same place of use: none

b) Other water rights with same point of diversion: none

c) Analysis:

MICROFILMED

APR 20 1990

RECOMMENDED AMOUNTS

3.	Permit No.	95-8107	Priority	Amount	0.00 K.M.	App. Date	Date Proof Submitted	System Capacity	0.23
----	------------	---------	----------	--------	--------------	-----------	----------------------	-----------------	------

3.

4. Permit Holder:

Address:

4890 Hillview Dr Hayden Lake, Id. 83833

4/16/58 John

5. Source: Loewy D'Alenq L. tributary to Head Drifts R.

6. Beneficial Use

Period of Use
From To

Rate of Diversion
Q (cfs)

Annual Volume
V (ata)

1812

15-01 1-6

0.20

25

DOM

1-1 12-31

02.0

0.21

FIRE Dept

14

12-31

Σ 2.0

Allowable Maximums:

57.0

0-41

7. Point(s) of Diversion:

[illegible]

8. Place(s) of Use

[illegible]

9. Recommended Conditions/Remarks:

11.

Examiner's Signature

Checked in Regional Office by 2/27/74

Approved in State Office by

Date _____

5/10/77

Uate

8/15/11

Date _____

1	0	1	0
---	---	---	---

☐ Change P.U. as reflected above ☒ Add P.U. as reflected above ☐ Other _____

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None

10. Recommended Amendments

APR 20 1990

MIKROFILMED

RECEIVED

JAN 6 1986

Department of Water Resources
Permit No. 95-8107

Phone No. 772-6843

1. Owner: William Hohmann Phone No. 772-6843
Current Address: 9890 Hillview Dr. Hayden Lake ¹⁰ 483835

10
483835

2. Accompanied by: NONE EXAM. DATE: 12/30/85
Address: 1115 Phone No.

EXAM. DATE: 12/30/85

Relationship to Permit Holder: NONE

3. Source: COEUR D'ALENE LAKE tributary to SPOKANE R.

Well/Diversion* No.	Motor Make	HP	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	RED JACKET	7.5			

*Code with points of diversion, system diagram & photos on reverse side. Disregard if only one.

5. System Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

SUBMERSIBLE PUMP, 2" MAIN TO FILTRATION PLANT 2" LINE
TO 35,000 GPH V.P.S. 6" MAIN TO DIST SYSTEM.

6.	Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
	NONE						

7. Measurements WATER METER ON DOWNSTREAM SIDE OF FILTRATION ☐ Additional data/computation sheets attached

☐ Additional data/computation sheets attached

5 Names 13 STUBS

8. Point(s) of Diversion:	Indicate Method of Determination
	MRF

Indicate Method of Determination

MAF

[illegible]

9. Place(s) of Use: Irrigation - give acres served by system at time of exam.
Indicate Method of Determination MAP

Irrigation - give acres served by system at time of exam.


Indicate Method of Determination

Mr

[illegible]

Total Acres 10

10. Other water rights on these lands NONE
11. Other water right diverted from same p.d. NONE
12. Diversion and Delivery System Diagram: Indicate all major components and distances between components. Indicate ditch size/pipe i.d. as applicable. Indicate on systems with measurement port the distance between the port and the nearest component/pipe bend/restriction both upstream and downstream, and the inside pipe diameter at the measurement port. On multiple diversion systems indicate how diversion systems are connected.



13. ☐ Photo of Diversion & System Attached ☒ Aerial Photo of Place of Use Attached or Map of Irrigated Acreage Attached

14. Remarks AS BUILT PLANS
SOUTH & SOUTH EAST PLAT OF USE AS PART OF
LOTS 1 & 2 BUT SHOW ONLY PART OF LOT 1

15. Recommended Amendments
- ☐ Change P.D. as reflected above
- ☐ Change P.U. as reflected above
- ☐ Add P.D. as reflected above
- ☐ Add P.U. as reflected above
- ☒ None
- ☐ Other

16. Examiner's/Consultant's Signature _____ Date _____
- Consultant's License Number _____
- IDWR Director's Authorization to Conduct _____
- Beneficial Use Examination _____
- Date _____
- CONSULTANT SEAL


REMARKS
ATTACHMENT TO 219A

PERMIT # 95-8107
INITIALS

DATE	REMARKS	INITIALS
7/10/84	FOUND HOMES ~ NO EVIDENCE OF PUMP	JK
7/23/84	772-6842 NO ANS. LETTER SENT	K
8/21/84	" "	K
8/27/84	LETTER SENT ~ CANCEL	K
9/14/84	772-6842 NO ANS	K
9/17/84	MR. HOFFMAN IN OFFICE / I WAS OUT / MR. HOFFMAN TO CONTACT ME 9/18/84	K
9/18/84	NO SHOW	K
9/21/84	772-6842 NO ANS	K
10/1/84	" " "	K
10/3/84	773-7506 SMITH & SMITH Eng. FOR AS BUILTS ~ NONE	K
"	RESERVOIR FOULED NOT PLUMBED ANY HOMES USING WATER?	K
"	LETTER SENT	K
10/4/84	772-6842 NO ANS	K
10/15/84	LETTER SENT	K
7/23/85	" " COUNTY ASSESSOR SEE 1411 SKYLINE AND 1460 FAIRMONT LOOP	K
8/7/85	" RETURNED - PHONE BOOK SEE 9496 HILLVIEW DR, HAVENLAND	K
8/12/85	" SENT	K
11/18/85	" " CANCEL ~ IMPROPERLY ADDRESSED	K
11/19/85	772-6843 LEFT MSG MR. HOFFMAN TO CALL ME	K

MICROFILMED

APR 20 1990



SMITH & SMITH CONSULTING ENG., INC.

P.O. Box 35
401 East Seltice Way
Post Falls, Idaho 83854
(208) 773-7526

December 23, 1985

Tom King
State of Idaho
Dept. of Water Resources
4055 Govt. Way, Suite #9
Coeur d'Alene, Idaho 83814


RE: Westview "As-Builts"

Dear Mr. King:

Enclosed are the "As-Builts" for the referenced water and sewer system. The system is substantially complete and is apparently serving several homeowners.

Please call me if there are any questions regarding the status of this project.

Sincerely,



E.D. Smith, P.E.

EDS/ps

Enclosures

MICROFILMED
APR 20 1990



STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

NORTHERN REGION

A. Kenneth Dunn
Director

Suite No. 9
4055 Government Way
Coeur d'Alene, Idaho 83814
(208) 667-6484

November 18, 1985

Mr. William Hohman
9890 Hillview Dr.
Coeur d'Alene, Id. 83814

-SHOULD BE
HAYDEN LAKE

Re: 95-8107

Dear Mr. Hohman:

Please contact this office and schedule an appointment with a representative of this Department to conduct the examination of your water system described by Permit No. 95-8187.

If this is not done by January 1, 1986, I will be forced to recommend cancellation of Permit No. 95-8187.

If you have any questions, please contact me at this office.

Sincerely,

TOM D. KING
Senior Water Resource Agent

TDK/pms

MICROFILMED

APR 20 1990



STATE OF IDAHO DEPARTMENT OF WATER RESOURCES

NORTHERN REGION

A. Kenneth Dunn
Director

Suite No. 9
4055 Government Way
Coeur d'Alene, Idaho 83814
(208) 667-6484

August 12, 1985

Mr. William Hohman
9890 Hillview Dr.
Hayden Lake, Id. 83835

Re: 95-8107

Dear Mr. Hohman:

I would like to conduct the required field examination of your lakefront property water system.

In order to accomplish this, please contact me at this office to schedule a date and time when you or your appointee can meet with me to demonstrate the system.

Sincerely,

TOM D. KING
Senior Water Resource Agent

TDK/pms

MICROFILMED

APR 20 1990



STATE OF IDAHO DEPARTMENT OF WATER RESOURCES

NORTHERN REGION

A. Kenneth Dunn
Director

Suite No. 9
4055 Government Way
Coeur d'Alene, Idaho 83814
(208) 765-4639

July 23, 1985

Mr. William Hohman
1460 Fairmont Loop
Coeur d'Alene, Id. 83814

Re: 95-8107

Dear Mr. Hohman:

I have obtained this address from the County Assessor, since you have not answered my latest letters.

You must establish a date to demonstrate your system to avoid cancellation of the permit. Please call me so we can set up a date that is mutually convenient.

Sincerely,

TOM D. KING
Senior Water Resource Agent

TDK/pms

MICROFILMED

APR 20 1990

RECEIVED

AUG 1 1985

Department of Water Resources
Northern District Office


STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Northern Region office
4055 Government Way - Suite 9 • Coeur d'Alene, Idaho
83814

Return to
Sender

INSUFFICIENT
-ADDRESS
RETURN TO SENDER



Mr. William Hohman
1460 Fairmont Loop
Coeur d'Alene, Id. 83814



RECEIVED

AUG 7 1985

Department of Water Resources
Northern District Office





STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

NORTHERN REGION

A. Kenneth Dunn
Director

Suite No. 9
4055 Government Way
Coeur d'Alene, Idaho 83814
(208) 667-6484

October 15, 1984

Mr. William Hohman
1411 Skyline Dr.
Coeur d'Alene, Id. 83814

Re: 95-8107

Dear Mr. Hohman:

I have contacted Smith & Smith so the next step is to schedule a time when you or your appointee can meet with me to demonstrate the system.

I also need your current address.

Sincerely,

TOM D. KING
Senior Water Resource Agent

TDK/pms

COUNTY ASSESSOR SEE SKYLINE AND

1460 FAIRMONT LOOP

PHONE BOOK

9890 HILLVIEW DR
HAYDEN LAKE,

MICROFILMED

APR 20 1990



STATE OF IDAHO DEPARTMENT OF WATER RESOURCES

NORTHERN REGION

A. Kenneth Dunn
Director

Suite No. 9
4055 Government Way
Coeur d'Alene, Idaho 83814
(208) 667-6484

October 3, 1984

Mr. William Hohman
1411 Skyline Drive
Coeur d'Alene, Id. 83814

Re: 95-8107

Dear Mr. Hohman:

It seems we are having a difficult time finding each other. I have tried the phone number, 772-6842, on several occasions, but no one answers. I have received various messages that you have contacted this office in an effort to find me.

Please try my office number, 765-4639, on a Monday morning, since we need to set up an appointment to go over the system.

Sincerely,

TOM D. KING
Senior Water Resource Agent

TDK/pms

^{date}
Call Smith & Smith for AS BUILT
773-7526
No AS BUILT
Reservoir poured not plumbed.

MICROFILMED

APR 20 1990



STATE OF IDAHO DEPARTMENT OF WATER RESOURCES

NORTHERN REGION

A. Kenneth Dunn
Director

Suite No. 9
4055 Government Way
Coeur d'Alene, Idaho 83814
(208) 667-6484

August 27, 1984

Holman
Mr. William Holman
1411 Skyline Dr.
Coeur d'Alene, Id. 83814

Dear Mr. Holman:

An examination of the water use under Permit No. 95-8107 was conducted on July 10, 1984.

Since I was unable to locate the system, I requested that you contact me at this office to schedule a time when I can meet with you or your appointee to review the situation.

You have not as yet contacted me, so I must commence cancellation proceedings unless you contact this office by October 1, 1984.

Sincerely,

TOM D. KING
Senior Water Resource Agent

TDK/pms

*Mr. Holman - try to see you tomorrow at 7:30 am - I will call this guy in subdivider. 9/17/84
NO SHOW*

MICROFILMED

APR 20 1990



STATE OF IDAHO DEPARTMENT OF WATER RESOURCES

NORTHERN REGION

A. Kenneth Dunn
Director

Suite No. 9
4055 Government Way
Coeur d'Alene, Idaho 83814
(208) 667-6484

July 23, 1984

Mr. William Hohman
1411 Skyline Dr.
Coeur d'Alene, Id. 83814

Re: 95-8107

Dear Mr. Hohman:

I have attempted to conduct the required examination of your water system, described in Permit No. 95-8107, but it appears that the project is not yet completed.

It is, therefore, imperative that I speak with you to outline your alternatives and to establish a date when you or your agent can accompany me during the examination.


Sincerely,

TOM D. KING
Senior Water Resource Agent

TDK/pms

MICROFILMED

APR 20 1990



D · A L E N E

E U R

MICROFILMED
APR 20 1990

COEUR D'ALENE
NATIONAL FOREST

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Northern Region

JOHN V. EVANS
Governor
A. KENNETH DUNN
Director

4055 Government Way
Coeur d'Alene, ID 83814
(208) 667-6484

SEPTEMBER 6, 1983

WILLIAM HOHMAN
1411 SKYLINE
COEUR D ALENE ID 83814

RE: Permit No. 95-8107

Dear Permit Holder:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this department.

A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office by phone at 667-6484 or in person at our office.

Sincerely,

/S/
TOM D. KING
Senior Water Resource Agent

cc: IDWR - State Office



DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 15-8107

Name(s) of Permit Holder: William Hoffman

Post Office Address: 1411 SKYLINE

COEUR d' ALENE ID. Tel. No. 667-4749

Source of Water: LAKE COEUR d' ALENE

Extent of Use: ☒ Domestic 20 (number of households)
☐ Stockwater (number and type of stock)
☐ Irrigation (acres)
☐ Other pc

Measuring Device: Required? ☐ Yes ☒ No Installed? ☐ Yes ☐ No

Accession: Required? ☐ Yes ☒ No Installed? ☐ Yes ☐ No


The above information is a true statement of the extent to which the above numbered permit has been developed.

7-15-87
Date

William Hoffman
Signature of Permit Holder

MICROFILMED

1460 FAIRMONT
Coeur d'Alene, ID 83814



RECEIVED
AUG 18 1983
Department of Water Resources

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

HOHMAN, WILLIAM
1411 SKYLINE DR.
COEUR D'ALENE, ID 83814

138766

PROOF DUE NOTICE

JUNE 30, 1983

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 95-8107 WAS THAT PROOF OF THE EXTENT OF YOUR BENEFICIAL USE MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE SEPTEMBER 01, 1983. (SEE LAST PAGE OF YOUR APPROVED PERMIT OR YOUR LAST APPROVED EXTENSION REQUEST). ENCLOSED IS A POSTCARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU OR A PREVIOUS OWNER OF THIS PERMIT HAVE NOT RECEIVED A PRIOR EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME IF THE DELAY IS FOR REASONABLE CAUSE AS PROVIDED IN SECTION 42-204, IDAHO CODE. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED. AN EXTENSION OF TIME REQUEST FORM IS ENCLOSED FOR YOUR CONVENIENCE.

EITHER THE BENEFICIAL USE POSTCARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE DESCRIBED PROOF DUE DATE. IF NEITHER IS RECEIVED, THE DEPARTMENT WILL SEND YOU A LAPSE NOTICE. WITHIN SIXTY (60) DAYS OF THE MAILING OF THE LAPSE NOTICE, THE PERMIT WILL NO LONGER BE OF ANY FORCE NOR EFFECT.

SINCERELY,

RITA FLECK
SECRETARY/RECORDS MANAGER

ENCLOSURES

MICROFILMED

September 21, 1982

William Hohman
1411 Skyline Drive
Coeur d'Alene, ID 83814

Dear Mr. Hohman:

Re: Permit No. 95-8107

Enclosed is a copy of the approved request for extension of time. The time within which to submit the statement of beneficial use is extended to September 1, 1983.

Sincerely,

RITA I. FLECK
Sr. Secretary

Enc: Ext. of Time

FROM: JIM

DATE: 9-3-82

TO FILE NO. 95-8107

Subject: Extension of Time Request dated 8-2-1982

Time allowed for delay in permit development caused by ~~Idaho Power litigation~~ ^{KOOTENAI COUNTY}

is determined as follows:

Start of ^{REQUEST} ~~Idaho Power litigation~~

11 - 1981 to 4-1982
~~12/29/1981~~

Proof to Beneficial Use Due

9-1-1982

Period of Delay


6 mos.

New Proof to Beneficial Use Date

see below

The permit development was delayed 6 months because of lack of approval by Kootenai County.

However since the period of delay is so short The extension of time request should be approved for the requested 1 year on bases of due diligence. IF additional time is required then delay caused by the county may be considered.



SMITH & SMITH CONSULTING ENG., INC.

P.O. Box 35
401 East Seltice Way
Post Falls, Idaho 83854
(208) 773-7526

RECEIVED

SEP 2 1982

Department of Water Resources

August 30, 1982

RE: Permit No. 95-8107

Jim Johnson
Water Distribution Supervisor
Dept. of Water Resources
450 W. State Street
Boise, Idaho 83720

Dear Mr. Johnson:

Regarding your request for additional information relative to our request for an extension of time for development of this Permit, I submit the following information:

- 1) Our office submitted plans and Specifications, for the proposed Water System, to Kootenai County Engineer's Office in November, 1981.
- 2) Final approval, for construction of the system, was granted in April 1982.

Our anticipated construction schedule was set back by these unexpected delays. The Project was scheduled for completion by July 19, 1982, however, we now expect to complete the system in the spring of 1983.

Please call me if you need more information.

Sincerely,

Elmer D. Smith



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

EXTENSION OF TIME

September 1, 1982

Al Carlberg or William Hohman
Lake Properties
1411 Skyline
Coeur d'Alene, ID 83814

Dear Permit Holder:

Re: Permit No. 95-8107

Due to a change in our accounting system, the \$15 extension fee for Extension of Time to provide additional time in which to submit proof of beneficial use on a water right permit has been receipted.

The document you submitted is still in staff review.

Enclosed is our receipt No. 24643.

Sincerely,

Roberta Garrett
Records Supervisor

Enclosure

2025-09-01

August 12, 1982

RE: Permit No. 95-8107

William Hohman
1411 Skyline Dr.
Coeur d'Alene, ID 83814

Dear Mr. Hohman:

I am writing in reference to the request for extension of time in which to submit proof to beneficial use of water under Permit No. 95-8107. On the extension request it mentioned that development of this permit was delayed by lack of approval from Kootenai County.

If you could provide us information showing the date you requested their approval and the date they approved the project we could grant the extension request on the basis of the delay caused by the county and this would preserve an additional request for a later extension of time for reason of showing the Department that reasonable diligence has been made for permit development per Section 42-204, Idaho Code.

I will hold the extension request here for your reply. If we have not heard from you by August 30, 1982, I will assume you will want us to proceed with the extension request without regard to the delay caused by the county.

Sincerely,

JIM JOHNSON
Water Distribution Supervisor

JJ:kw

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

138358

HOHMAN, WILLIAM
1411 SKYLINE DR.
COEUR D ALENE, ID 83814

JUNE 30, 1982

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 95-8107 WAS THAT EVIDENCE OF THE EXTENT OF DEVELOPMENT MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE SEPTEMBER 01, 1982. (SEE LAST PAGE OF YOUR APPROVED PERMIT). ENCLOSED IS A POST CARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF OF BENEFICIAL USE.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU HAVE NOT PREVIOUSLY RECEIVED AN EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME PROVIDED THE DELAY IS FOR REASONABLE CAUSE AS INDICATED IN SECTION 42-204, IDAHO CODE, AMENDED. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED.

EITHER THE BENEFICIAL USE POST CARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE MENTIONED DATE, OTHERWISE, THE PERMIT WILL LAPSE AND BE OF NO FURTHER FORCE OR EFFECT WITHIN 60 DAYS.

SINCERELY,

RITA FLECK
SR. SECRETARY

ENC: 1



STATE OF IDAHO

DEPARTMENT OF LANDS

STATEHOUSE, BOISE, IDAHO 83720

GORDON C. TROMBLEY
DIRECTOR

STATE BOARD OF LAND COMMISSIONERS

JOHN V. EVANS
GOVERNOR AND PRESIDENT
PETE T. CENARRUSA
SECRETARY OF STATE
DAVID H. LEROY
ATTORNEY GENERAL
JOE R. WILLIAMS
STATE AUDITOR
JERRY L. EVANS
SUP'T OF PUBLIC INSTRUCTION

July 21, 1981

Robert Haynes, P.E.
Department of Water Resources
Northern Region
4055 Government Way
Coeur d'Alene, ID 83814

RE: 95-8107
Hohm, Wm.

Planned file

Dear Bob:

Thank you for the opportunity to review the above numbered diversion application.

The applicant will be required to make application to the Department of Lands for an encroachment permit and an easement.

The applicant is being advised.

Very truly yours,

William A. Scribner

WILLIAM A. SCRIBNER, CHIEF
Bureau of Navigable Waters

WAS:by

RECEIVED

JUL 22 1981

Department of Water Resources
Northern District Office

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

HOHMAN, WILLIAM
1411 SKYLINE DR.
COEUR D ALENE, ID 83814

SEPTEMBER 01, 1981

RE: PERMIT NO. 95-8107

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

WE HAVE ENCLOSED A FORM ENTITLED "MAKING PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT INTO A LICENSE.

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE

11/11/81

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: ADJ

APPLICATION NUMBER: 95-8107

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☒ Yes ☒ No Field check required.
☒ Yes ☒ No Critical groundwater area.
☒ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☒ No* In form to receipt.

Field check by: _____

Date: _____

Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☒ Idaho State Health Department.
☒ Idaho Fish and Game Department.
☒ Idaho Department of Lands.
☒ U.S. Bureau of Land Management.
☒ U.S. Forest Service.
☐ Other _____

Copies sent by: me

Date: 7/14/81

PROCESSING:

- ☐ Yes ☐ No
☐ Yes ☐ No

Platted by: _____ Map No. _____

Other rights on same place of use. _____

- ☒ Yes ☐ No*

In form for advertising.

Final date for protests: 7/20/81 ✓

- ☐ Yes ☒ No

Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 7/13/81 ✓
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.

- ☐ Yes ☒ No

Measuring device required.

- ☐ Yes ☒ No

Access port required.

- ☐ Yes ☒ No

Will water be delivered by watermaster? If yes, what district? _____

- ☒ Yes ☒ No

Date of priority recommended.

Special conditions of approval or cover letter. _____

By: ADJ

Date: 7/21/81

STATE OFFICE REVIEW:

SLW/ocord of

- ☐ See attached sheet for more information.

By: Rogers

Date: 7/30/81

95-8102-

HOHMAN, WILLIAM

1411 SKYLINE DR., COEUR D ALENE, ID 83814

Source: COEUR D ALENE LAKE tributary to SPOKANE RIVER

Date Filed: 06/17/1981

Amount: 0.60 CFS

Diversion Point: NWNW Sec 31 T 49N R 03W, KOOTENAI Co.

Use: IRRIGATION	(0.20 CFS)	from 04/01 to 10/31
DOMESTIC	(0.22 CFS)	from 01/01 to 12/31
FIRE PROTECTION	(0.60 CFS)	from 01/01 to 12/31

Place of Use: NENW NWNW Sec 31 T 49N R 03W FOR 10 ACRES

Diversion Means: PUMP.

APR 1982

A. Kenneth Dunn
XXXXXXXXXXXX

July 14, 1981

Mr. William Scribner
Idaho Dept. of Lands
Statehouse
Boise, Id. 83720

Re: 95-8107

Dear Mr. Scribner:

Enclosed is a copy of a recent filing with this department that may
be of interest to your Agency.

Sincerely,

ROBERT G. HAYNES, P.E.
Regional Supervisor

pms

Enc. - Application

A. Kenneth Dunn
XXXXXXXXXXXX

July 14, 1981

Mr. Dave Johann
Dept. of Health & Welfare
Divn. of Environment
2110 Ironwood Parkway
Coeur d'Alene, Id. 83814

Re: 95-8107

Dear Mr. Johann:

Enclosed is a copy of a recent filing with this Department that may
be of interest to your Agency.

Sincerely,

ROBERT G. HAYNES, P.E.
Regional Supervisor

pms

Enc. - Application