




C 109
Range

Pump
11/50

1.320

1090

90.7

92.0

120

30.2

C 132
Brown

C 115
Fox

27.25
34.35

8.9

HARVEST

340

9.7

4.5" = 1m

$\frac{34(16)}{(4.5)} = \frac{208}{20.25} = 26$
 $\frac{13(16)}{4.5} = \frac{208}{20.25} = 10$
 $\frac{18(16)}{4.5} = \frac{288}{20.25} = 14$

50

26.6

C 39

MICROFILMED

MAY 24 1993

NOT TO SCALE

26.25
36.36

35 36

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

License of Water Right No. 94-7047 Priority March 16, 1974 Amount .42 cfs
(late proof)

THIS IS TO CERTIFY, that THOMAS A. HAYMAN
of Cataldo, Idaho, has complied with the terms and conditions of Permit
No. 94-7047 issued pursuant to Application for Permit dated February 15, 1974,
and has submitted proof to the Department of Water Resources on March 30, 1979,
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of .42 cfs of water from Robinson Creek,
tributary to Coeur d'Alene River, and that the permit holder has applied to a beneficial use and
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
Irrigation	from <u>March 15</u> to <u>November 15</u> at	<u>.42 cfs</u> and	<u>150 acre feet</u>
	from _____ at _____ cfs and _____		
	from _____ at _____ cfs and _____		

Subject, however, to the condition that no more than .42 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
150 acre feet per year, said waters to be diverted within the SE $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 23, Twp. 48N,
Rce. 2W, B.M. in the County of Kootenai

Description and location of place of use:

Twp.	Range	Sec.	Section												Totals
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
48N	2W	23													26
		26													24

Total number of acres irrigated 50

NOTE: Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use herein described, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 24 day of
July, 19 81.

UNRECORDED

Director

MAY 24 1981

BEFORE THE DEPARTMENT OF WATER RESOURCES

OF THE

STATE OF IDAHO

IN THE MATTER OF PERMIT NO. 94-7047

IN THE NAME OF THOMAS A. HAYMAN

ORDER OF REINSTATEMENT

WHEREAS, on February 15, 1974, Thomas A. Hayman filed with the Department of Water Resources an application for permit to appropriate 1.00 cubic feet per second of water from Robinson Creek to be diverted within the SE $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 23, Twp. 48N, Rge. 2W B.M., Kootenai County, to be used for irrigation purposes; and,

WHEREAS, on March 26, 1974 the Department approved said application and issued Permit No. 94-7047 with the condition that proof of construction of works and application of water to beneficial use be submitted to the Department on or before March 1, 1979; and,

WHEREAS, on December 29, 1978, the Department notified the permit holder by certified mail that proof of beneficial use was due and instructed the permit holder as to the steps to be taken to make said proof; and,

WHEREAS, on March 20, 1979, the Department notified the permit holder that Permit No. 94-7047 had lapsed for failure to submit proof of beneficial use of water; and,

WHEREAS, Section 42-218a of the Idaho Code provides that a permit may be reinstated upon a showing of reasonable cause within 60 days from the date of the notice of lapsing; and,

WHEREAS, the permit holder provided a reasonable showing as to why said permit should be reinstated by submitting proof of beneficial use on March 30, 1979;

IT IS, THEREFORE, HEREBY ORDERED that Permit No. 94-7047 be REINSTATED and the priority advanced to March 16, 1974.

Dated this 11 day of April, 1979.


L. GLEN SAXTON

Chief, Operations Bureau

Identification No. 94-7047

Application No. _____

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION

APPLICATION FOR PERMIT APPROVED

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

1. Name of applicant Thomas A. Hayman PH: 689-3595
post office address Route 1, Box 214, Cataldo, Idaho 83810
2. Source of water supply Robinson Creek which is a tributary of Coeur d'Alene River
3. a. Location of point of diversion is SE $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 23 Township 48N
Range 2W B.M. Kootenai County; additional points of diversion if any: _____

b. If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____
4. Water will be used for the following purposes:
Amount 1.0 for Irrigation purpose from March 15 to Nov. 15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated:
a. 1.0 cubic feet per second and/or
b. _____ acre feet per annum.
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. Pump, motor, pipeline, and sprinkler
irrigation.

b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir
capacity _____ acre feet, materials used in storage dam: _____
Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)
c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
is 5 years.
b. Estimated construction cost is \$ _____.
8. Description of proposed uses:
a. If water is **not** for irrigation:
(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M. _____
(2) Amount of power to be generated: _____ hp under _____ feet of head.
(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water _____.
(5) If water is to be used for other purposes describe: _____

91 7047

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP.	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
48N	2W	23											20						20
		26		10			20												30

Total number of acres to be irrigated 50

c. Describe any other water rights used for the same purposes as described above. None


9. a. Who owns the property at the point of diversion Applicant

b. Who owns the land to be irrigated or place of use Applicant

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing

10. Remarks

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Thomas A. Hayman
(Applicant)

94 7047

Proposed Priority 2-15-1974

Received by RD Date 2/15/74 Time 4:00P

Preliminary check by RD Fee \$ 25.00

Receipted by RD Date 2/15/74

Publication prepared by CP Date 2-22-74

Published in Coeur d'Alene Press

Publication dates 2-28 & 3-7-74

Publication approved CP Date 3-14-74

Priority reduced to _____ Reason _____

Protests filed by: _____

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by W DA

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER ADMINISTRATION

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 94-7047, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before March 1, 19 79.
- c. Other: A measuring device of a type approved by this department shall be permanently installed and maintained as part of the diverting works.

2. Denial of said application is for the following reasons: _____

Witness my hand this 24 day of March 19 74.

R. Keith Higgins
Director

DEPARTMENT OF WATER ADMINISTRATION
- STAFF ANALYSIS -

Item Initial Date

- (1) EP 3/15/74 Application No. 94-7047
- (2) EP 3/15/74
- ☒ Source
 - ☒ Point of Diversion
 - ☒ County
 - ☒ Quantity of Water and Period of Use
 - ☒ Description of Diverting Works
 - ☒ Time required for B/U of water
 - ☒ Place of Use or Acres Irrigated
 - ☒ Map
 - ☒ Signature
 - ☒ Fee
- (3) EP 3/15/74 In form to receipt
- Send Copies to:
- ☐ Idaho State Health Department
 - ☐ Idaho Fish and Game Department
 - ☐ Bureau of Land Management
- (4) EP 3/15/74
- ☐ Request Special Use Permit from U.S.F.S.
 - ☐ Request Easement from B.L.M.
 - ☐ Request Information from Applicant
- (5) EP 3/15/74 In form for advertising
- (6) EP 3/15/74 Located within Water District No. _____
- (7) EP 3/15/74 Critical groundwater area: yes _____ no _____
- (8) EP 3/15/74 Groundwater levels:
- ☐ Decline (comment) _____
 - ☐ Stable (comment) _____
 - ☐ Increasing (comment) _____
- (9) EP 3/15/74 Comments: _____
- (10) CP 3/14 Affidavit of Publication received (date) MARCH 13, 1974
- (11) CP 3/22 Final date for protests MARCH 18, 1974
- Protests received: yes _____ no ☒
- (12) EP 3/15/74 Date and Place of hearing _____
- Decision reached at hearing _____
- (13) EP 3/18/74 All requested information received from agencies or applicant
- yes ☒ no _____
- (14) EP 3/18/74 Action recommended:
- ☒ Approve
 - ☐ Deny
 - ☒ Measuring device required
 - ☐ See attached sheet for additional conditions of approval
 - ☐ No additional conditions for approval
- Priority 3/15/74
- Reason for Reduction _____
- (15) District Northern By [Signature] Date 3/15/74

RECEIVED

MAR 19 1974

94 7047

Department of Water Administration

AFFIDAVIT OF PUBLICATION—COEUR D'ALENE PRESS

RECEIVED
(WEEKLY)

STATE OF IDAHO, } ss.
County of Kootenai, }

MAR 12 1974

Carol Hedge, being first duly sworn,
deposes and says:

That affiant is now, and at all times herein mentioned has been, a citizen of the United States and a resident of Kootenai County, State of Idaho, over the age of 21 years and not a party to, nor interested in the event of, the above entitled matter, and the printer (principal clerk) of the "Coeur d'Alene Press", during all of the times herein mentioned being a legal daily newspaper, of Coeur d'Alene, Kootenai County, Idaho, as defined by Idaho Code Sec. 60-106 to Sec. 60-108 both inclusive, and Chapter 121 Idaho Session Laws of 1949, and acts amendatory thereof and correlated thereto, and qualified thereunder to publish to the same effect as a weekly

newspaper on Wednesdays; and that the Notice of

Application Water Thomas
Hayman

of which a printed copy is annexed hereto, was published in all the regular Wednesday weekly issues of said newspaper for 2 consecutive weeks, commencing

on the 28 day of February 19 74, and ending on the
7 day of March 19 74.

Carol Hedge
Subscribed and sworn to, before me, this 12th day of March

19 74.

Roberta Manley
Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

LEGAL NOTICE

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Thomas A. Hayman, Route 1, Box 214, Cataldo, Idaho has on February 15, 1974 submitted Application No. 94-7047 for a permit to appropriate 1.0 cubic feet per second of water from Robinson Creek, tributary of Coeur d'Alene River by means of pump, motor, pipeline, and sprinklers within the SE $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 23, T. 48N, R. 2W, B.M., Kootenai County to be used from March 15 to Nov. 15 for the irrigation of 50 acres within the SE $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 23; NW $\frac{1}{4}$ NE $\frac{1}{4}$, NE $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 26, T. 48N, R. 2W, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Administration, 401 Front Ave., Coeur d'Alene, Idaho, 83814 on or before March 18, 1974.

R. KEITH HIGGINSON
Director

Feb. 28, March 7, 1974

54 7047

Documents concerning ownership change(s)
have been reviewed and placed in file
for future reference only

No correspondence is required

S. Curtis

Date 1/27/93

94-7047

RECEIVED


MAY 24 1993

To Whom it May Concern

This is to inform you that on Nov. 1991 the water rights # 94-7047 was purchased from Tom Hayman by my wife and myself, Robert + Nancy Dionne. Please change the Name on the water rights and forward all future correspondence to us.

Thank You. Robert Dionne


Robert and Nancy Dionne
DBA Dionne Ranch
20700 S Robinson Cr. Rd.
Cataldo, Id. 83810



I am enclosing a self addressed stamped envelope. Would it be possible for you to ~~send~~ send a discription of the water rights to us. Thanks Again.

copy of
letter sent 1/21/93
SC

Robert Dionne



RECEIVED

MAY 24 1993





State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

A. KENNETH DUNN

~~C. STEPHEN KILGORE~~

Director

Mailing address:

Statehouse

Boise, Idaho 83720

(208) 334-4440

July 28, 1981

Thomas A. Hayman
Rt. 1, Box 214
Cataldo, ID 83810

Dear Mr. Hayman,

RE: Permit No. 94-7047

Enclosed is a copy of the Water Right License issued on the above referenced Permit.

Please be advised that one of the conditions of your permit was that a measuring device be installed as part of your diversion works. That requirement has been waived with issuance of the enclosed license. However, in the event that water supply shortages become a problem installation of measuring devices may be required.

Sincerely,

A handwritten signature in cursive script, appearing to read "Jim Johnson".

JIM JOHNSON

Water Distribution Supervisor

JJ:mr

Enclosure

MICROFILMED

MAY 24 1993



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

C. STEPHEN ALLRED

Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

July 9, 1981

Thomas A. Hayman
Rt. 1, Box 214
Cataldo, ID 83810

Dear Mr. Hayman,

A representative of this Department has made an examination of the works covered by your Permit No. 94-7047, and has found the following:

Amount of water that can be recognized as beneficially used under
Idaho law: .42 cfs Source: Robinson Creek

The maximum quantity diverted shall not exceed 150 acre feet per year.

Point(s) of diversion: SE $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 23, Twp. 48N, Rge. 2W, B.M.

Beneficial use: Irrigation of 26 acres within the SE $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 23; 24 acres
within the NW $\frac{1}{4}$ NE $\frac{1}{4}$, NE $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 26, Twp. 48N, Rge. 2W.

Priority date established: March 16, 1974 (late proof)

Conditions (if any):

If you do not concur with these findings please contact us within 10 days, otherwise a water license will be issued as set forth above.

Sincerely,

JIM JOHNSON
Water Distribution Supervisor

RECEIVED

MAY 24 1993

State of Idaho
DEPARTMENT OF WATER RESOURCES
FIELD REPORT

94-7047

Permit No.

CONTACT WITH PERMIT HOLDER

DATE INITIALS REMARKS

☐ Appointment letter mailed:☐ Telephone call made:

(List Telephone No. used)

☐ Appointment scheduled for:

(Date, time, location)

EXAMINATION

Date 9-22-80

Accompanied by App.

Total Q measured 0.42 cfs

If source is surface water, estimate total flow of source

Methods of measurement Annular

Meets Permit requirements? yes

Measurement calculations:

50 acres(30) = 150 AFA Ann ✓

0.42 cfs (1.98)(245) = 263 AFA Ann

50 acres (0.02 cfs) = 1.0 cfs

WELL/DIVERSION* NO.	HP	MOTOR MAKE	MOTOR SERIAL NO.	PUMP MAKE	PUMP SERIAL NO.	MEASURING DEVICE TYPE	CONDITION OF MEAS. DEV.	REMARKS
	25	Century	6-331220-01	Berkley	#7481901 #11701	Access Port		

System Description pump & motor with 1800 ft. 6" line, 600 ft 4" line with 50
sprinkler heads.

*Code with map on reverse side. Disregard code if only one.

RECOMMENDED AMOUNTS

USE

Irrigation

Irrigation requirement = 3.0 AFA/Acre

Q (cfs)

0.42 ✓

V (afa)

150.00 ✓

FROM

3-15

TO

11-15

Total

0.42

150.00

Remarks

Eagle Eye #65804

Probe #191121

MICROFILMED

MAY 24 1993

[illegible]

(Include distance from pump to measuring device, if applicable.)

Place(s) of Use

[illegible]

Recommended Amendments:

99- Add P.D. as reflected above

☐ Add P.U. as reflected above☐ Other

Approved by _____

Date 6/23/81



NOT TO SCALE



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 373 W. Franklin Street, Boise, Idaho

JOHN V. EVANS

Governor

C. STEPHEN ALLRED

Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 384-2215

April 19, 1979

Thomas A. Hayman
Route 1, Box 214
Cataldo, ID 88810

Dear Mr. Hayman:

Re: Permit No. 94-7047

Enclosed is a copy of the reinstatement order and a copy of the instructions for installation of the access port.

We acknowledge receipt of the affidavit submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We cannot tell just when this examination will be made, but our examiner will try to contact you at the time he makes the examination so that you may show him the system.

If you have any questions regarding the field examination, please contact our regional office in Coeur d'Alene.

Sincerely,

RITA FLECK
Water Rights

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
**PROOF OF APPLICATION
OF WATER TO BENEFICIAL USE**

RECEIVED

MAR 30 1979

Department of Water Resources

1. a) Name of permit holder Thomas H. Hayman
b) Post office address RT #1 Box 214 Cataldo, Idaho
2. Permit number 94-7047
3. Date of priority that you are prepared to establish 1974
4. a) Source from which water was appropriated Robinson Creek
b) Location of the point of diversion: SE 1/4 NW 1/4, Section 23
Township 48N., Range 2W Boise Meridian. Other points of diversion: _____

5. a) The amount of water and use to which the water has been applied:

Amount .44 cfs for irrigation purposes from 6-15 to Oct. 1 incl.
(cfs &/or acre-feet per annum) (month-day) (month-day)
Amount _____ for _____ purposes from _____ to _____ incl.
(cfs &/or acre-feet per annum) (month-day) (month-day)
Amount _____ for _____ purposes from _____ to _____ incl.
(cfs &/or acre-feet per annum) (month-day) (month-day)

- b) Total amount appropriated .44 cfs and/or acre-feet per annum.

- c) Describe how and by whom measurement of rate of flow or amount of storage was made and the qualifications of the person making the measurement:

reading meter which has 200 gpm
for the time pump was running. Thomas H. Hayman

6. If the means of diversion and conveyance are owned by someone other than the permit holder:

- a) Give the name or description of the canal, ditch or other works by which the water is conducted to the place of use:

- b) Describe the agreement of understanding by which you take water from the works: _____

7. a) Briefly describe the works for diverting and conveying the water to the place of use, (if from a subterranean source, give the pump size, motor size, size of well casing, depth of well; if from surface water, give brief description of diversion structure and/or canal or ditch):

By Means of Pump & Underground pipeline
25 hp pump at creek & 4500' of pipeline

- b) Describe the provision for making a measurement which you have at your point of diversion: (i.e., installed measuring device, access port, other)

installed measuring device - Rate of Flow Meter

Mfg. - Muesco Inc.
674 N. Batevia ST
410-7000, Cataldo, ID 83268

I would request specifications
on Access port as my meter
quit last fall. I want to install
a port instead of having it
Repaired.

MICROFILMED

c) Give well driller's name and address and the date the well was completed: None

8. If for other than irrigation, describe the beneficial use to which you have applied the water and the place of use:

None

9. Irrigation uses: describe the lands irrigated by giving the acreages irrigated within each 40 acre subdivision:

T	R	SEC.	NE¼				NW¼				SW¼				SE¼				TOTAL
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
48N	2W	23												30					
48N	2W	26		10															
48N	2W	26					12												

Total number of acres irrigated 52

10. Remarks:

The above information is a true statement of the extent to which the above numbered permit has been developed.

3/29/79
(Date)

Thomas C. Hayman
(Signature)

State of Idaho)
County of Kootenai) ss.

On this 29th day of March, 19 79, personally appeared before me the signer(s) of the above instrument, who duly acknowledged to me that he ~~(she or they)~~ executed the same.

Mary A. Schell
Notary Public
Residing at Post Falls, Idaho 83854

My commission expires Life Term

Sharon A. Hayman
Box #1, Box 214
Catoledo, Idaho 83810



Department of Water Resources
Statehouse
Boise, Idaho 83720

MICROFILMED

WARNING

CANCELLED OR LAPSED

This permit has been officially CANCELLED or LAPSED.

Ninety days following the date of official action this file will be DESTROYED.



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 373 W. Franklin Street, Boise, Idaho

JOHN V. EVANS

Governor

C. STEPHEN ALLRED

Director

Mailing address:

Storehouse

Boise, Idaho 83720

(208) 384-2215


March 20, 1979

Thomas A. Hayman
Route 1, Box 214
Cataldo, ID 83810

Dear Mr. Hayman:

You are hereby notified that under the provisions of Section 42-218a of the Idaho Code, Permit No. 94-7047 has lapsed since you have not notified us that you have completed the project by the date required on your permit. You were provided forms for that purpose in our notice to you dated December 29, 1978.

Your permit cannot be reinstated unless you submit the proof of beneficial use affidavit, enclosed, or show other reasonable cause why the permit should be reinstated within 60 days from the date of this lapse notice.



C. STEPHEN ALLRED
Director

CSA:jfr

Encl.

CERTIFICATION OF MAILING

I hereby certify that this letter was mailed on 3/23/79.







State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 373 W. Franklin Street, Boise, Idaho

JOHN V. EVANS
Governor

C. STEPHEN ALLRED
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 384-2215

CERTIFIED MAIL

100586

December 29, 1978

Re: Permit No. 94-7047

Thomas A. Hayman
Route 1, Box 214
Cataldo, ID 83810

Dear Mr. Hayman:

One of the conditions of approval of your water Permit No. 94-7047 (see last page of your approved permit) was that evidence of the extent of development be submitted as proof of application of water to beneficial use to this office on or before March 1, 1979. Enclosed is an affidavit form which must be used to submit the required proof of beneficial use.

If you have not fully completed your project, and you have not previously received an extension of time, you may request an extension of time provided the delay is for reasonable cause as indicated in Section 42-204, Idaho Code, amended. If you have been prevented from proceeding by a governmental agency or by litigation, more than one extension of time can be granted.

Either the beneficial use affidavit or a request for an extension of time must be received by this Department on or before the above mentioned date, otherwise, the permit will lapse and be of no further force or effect.


RITA FLECK
Water Rights

Encl: Proof affidavit





State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 373 W. Franklin Street, Boise, Idaho

JOHN V. EVANS
Governor

C. STEPHEN ALLRED
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 384-2215

Nov. 7, 1978

Dear Wateruser:

The enclosed Order changes the measuring device condition of approval on your water right permit.

The changed condition should be less restrictive and provide more flexibility to you in the development of your water right system. The specifications related to the size and location of the access port will be available upon request from the Department, as soon as the Department's measuring equipment is obtained.

If you have questions regarding this matter, please contact this office or our regional offices.

Sincerely,

L. Glen Saxton

L. GLEN SAXTON
Chief, Operations Bureau

LGS:JG:kw

Enclosure

MICROFILMED

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF CHANGING THE MEASURING
DEVICE REQUIREMENT FOR PERMIT NO. 94-7047

ORDER

WHEREAS, the above numbered permit was approved with the condition that a measuring device of a type approved by the Department be permanently installed and maintained as part of the diverting works; and,

WHEREAS, on July 1, 1978, the Department adopted a new water measurement condition which states: "An access port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department"; and,

WHEREAS, the former condition required the permit holder to purchase and install a measuring device or hire a professional engineer to certify the rate of diversion; and,

WHEREAS, the measuring device condition effective July 1, 1978, requires less capital expenditure by the permit holder; and,

WHEREAS, to be equitable to holders of permits issued prior to July 1, 1978, the new condition should be retroactive;

NOW THEREFORE, it is hereby ordered that the condition of approval of this permit related to water measurement is hereby changed as follows: "The permit holder shall either install a measuring device or provide a certified measurement by a professional engineer or install an access port or other device as specified by the Department".

Dated this 18th day of August, 1978.


C. STEPHEN ALLRED
Director

RECEIVED
AUG 21 1978
WATER RESOURCES
DIVISION

March 28, 1974

Re: Permit No. 94-7047

Thomas A. Hayman
Route #1, Box 214
Cataldo, Idaho 83810

Dear Mr. Hayman:

Enclosed is a copy of your approved Application for Permit No. 94-7047. We direct your attention to the conditions of approval as listed on the fourth page.

Be sure to note that a special condition requiring you to install and maintain a measuring device at your point of diversion has been placed upon your permit. We are enclosing a letter describing different types of measuring devices accepted by this office.

Sincerely,

BOBBY D. FLEENOR
Assistant Director

BDF/bjg

Enclosures

94 7047

February 22, 1974

Re: Application No. 94-7047 Claim No. 95-4229
" " 95-7424 " " 95-4230

Coeur d'Alene Press
Second & Lakeside
Coeur d'Alene, ID 83814

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. In order to receive payment, the following certification must appear on the bill:

~~"I hereby certify that the foregoing account is just and correct, that the amount claimed is legally due, after allowing all just credits, and that no part of the same has been paid."~~

(signature of claimant)

Very truly yours,

FRED EISENBARTH
Northern District Manager

Bill submitted 3-14-74 by CP

FE:CP

Enc: Legal Notices (4)

94 7047

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Thomas A. Hayman,
Route 1, Box 214, Cataldo, Idaho
has on February 15, 1974 submitted Application No. 94-7047
for a permit to appropriate 1.0 cubic feet per second ~~none feet per annum~~
of water from Robinson Creek, tributary of Coeur d'Alene River
by means of pump, motor, pipeline, and sprinklers
within the SE $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 23, T. 48N, R. 2W, B.M., Kootenai County

to be used from March 15 to Nov. 15
for the irrigation of 50 acres

within the SE $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 23; NW $\frac{1}{4}$ NE $\frac{1}{4}$, NE $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 26, T. 48N, R. 2W, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Administration, 401 Front Ave., Coeur d'Alene, Idaho, 83814 on or before March 18, 1974.

R. KEITH HIGGINSON

Director

Published in the Coeur d'Alene Press, Coeur d'Alene, Idaho
on Feb. 28 and March 7, 1974

94 7047

**NOTICE OF APPLICATION
FOR WATER PERMIT**

Notice is hereby given that
 Thomas A. Hayman, Route 1,
 Box 214, Cataldo, Idaho has on
 February 15, 1974 submitted
 Application No. 84-7047 for a
 permit to appropriate 1.0 cubic
 feet per second of water from
 Robinson Creek, tributary of
 Coeur d'Alene River by means
 of pump, motor, pipeline, and
 sprinklers within the
 SE 1/4 NW 1/4, Sec. 23, T. 48N, R.
 2W, B.M., Kootenai County to be
 used from March 15 to Nov. 15
 for the irrigation of 50 acres
 within the SE 1/4 SW 1/4, Sec. 23,
 NW 1/4 NE 1/4, NE 1/4 NW 1/4, Sec. 26,
 T. 48N, R. 2W, B.M.
 If issued, this permit will be
 subject to all prior water rights.
 Protests against the granting of
 the permit must be filed with
 the Idaho Department of Water
 Administration, 401 Front Ave.,
 Coeur d'Alene, Idaho, 83814 on
 or before March 18, 1974.
 R. KEITH HIGGINSON
 Director
 Feb. 28, March 7, 1974

o.k.
 3-1-74

94 7047