




Diagram of System



- 1.) 5.5' R. Water Wheel
- 2.) McCormick Horse drawn Haymower Gear box
- 3.) KATOLIGHT Generator - type # 140 - Ser. # 1227
Mod # 30A - 2000 watt - 120V - 110 @ 1800 RPM - Assy NOR # 47
60 cycle
- 4.) Toothed gears & drive chain



Domestic consists of 1" PVC laying on top of ground from P.D. 400' above dam pipe laying in stream to home.



MICROFILMED

[illegible]

unt of Surveys Ch. ^s Lk. ^s	When Surveyed	Mean Declination
43 97	Sept 13-14, 1905	
12 48	Aug 26 Sept 13, "	23° E
36 90	Sept 13, 1905	
02 23	Aug 28-30, "	
26 64	Aug 8, "	
22 21	Aug 8-Sept 13, "	

MICROFILMED

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

License of Water Right No. 94-7044 Priority December 17, 1973 Amount 0.61 cfs

THIS IS TO CERTIFY, that Edwin Charles &/or Bobbi Deason
of Cataldo, Idaho, has complied with the terms and conditions of Permit
No. 94-7044 issued pursuant to Application for Permit dated December 17, 1973,
and has submitted proof to the Department of Water Resources on November 6, 1978,
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of 0.61 cfs of water from a spring,
tributary to Latour Creek, and that the permit holder has applied to a beneficial use and
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
Power	from <u>January 1</u> to <u>December 31</u>	at <u>0.61</u> cfs and	<u>N/A</u>
Domestic	from <u>January 1</u> to <u>December 31</u>	at <u>0.04</u> cfs and	<u>1.2 acre feet</u>
(1 Unit)	from _____ to _____	at _____ cfs and	_____

(both dates inclusive)

Subject, however, to the condition that no more than 0.61 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed is for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
1.2 acre feet per year, said waters to be diverted within the Gov. Lot 2 (SW $\frac{1}{4}$ NE $\frac{1}{4}$)
Section 34, Twp 48N, Rge 1W in the County of Kootenai

Description and location of place of use:

Twp.	Range	Sec.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				Totals
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
48N	1W	34			<u>L$\frac{2}{X}$</u>														

Total number of acres irrigated _____

MICROFILMED

CONDITIONS OF APPROVAL

- a. Modifications to or variance from this license must be made within the limits of Section 42-222, **Idaho Code**, or the applicable Idaho Law. This right may be forfeited by five years of non-use.
- b. The right to the use of the water hereby confirmed is restricted and appurtenant to lands or place of use herein described, and is subject to all prior water rights, as provided by the laws of Idaho.
- c. Any water right confirmed in this license for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this license and shall not give rise to any right or claim against any future rights to the use of water other than hydropower, within the State of Idaho initiated later in time than the priority of this license.

The diversion and use of water under this license is subject to review by the Director 30 years from the date of issuance. Upon appropriate findings relative to the interest of the public, the Director may cancel all or any part of the use authorized herein and may revise, delete or add conditions under which the right may be exercised.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 7TH day of MARCH, 19 85.

Acting for the

Director

Norman C Young

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF CHANGING THE MEASURING
DEVICE REQUIREMENT FOR PERMIT NO. 94-7044

ORDER

WHEREAS, the above numbered permit was approved with the condition that a measuring device of a type approved by the Department be permanently installed and maintained as part of the diverting works; and,

WHEREAS, on July 1, 1978, the Department adopted a new water measurement condition which states: "An access port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department"; and,

WHEREAS, the former condition required the permit holder to purchase and install a measuring device or hire a professional engineer to certify the rate of diversion; and,

WHEREAS, the measuring device condition effective July 1, 1978, requires less capital expenditure by the permit holder; and,

WHEREAS, to be equitable to holders of permits issued prior to July 1, 1978, the new condition should be retroactive;

NOW THEREFORE, it is hereby ordered that the condition of approval of this permit related to water measurement is hereby changed as follows: "The permit holder shall either install a measuring device or provide a certified measurement by a professional engineer or install an access port or other device as specified by the Department".

Dated this 18th day of August, 1978.


C. STEPHEN ALLRED
Director

Identification No. 94-7044

Application No. _____

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION

APPLICATION FOR PERMIT

APPROVED

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

1. Name of applicant Edwin Charles &/or Bobbi Deason
post office address Box 74, Cataldo, Idaho
2. Source of water supply Unnamed Spring which is a tributary of Latour Creek
3. a. Location of point of diversion is SW $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 34 Township 48N
Range 1W B.M. Kootenai County; additional points of diversion if any: _____

b. If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____
4. Water will be used for the following purposes:
Amount 0.04 for Domestic purpose from Jan. 1 to Dec. 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount 0.96 for Power Production purpose from Jan. 1 to Dec. 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated:
a. ~~0.96~~ 1.00 cubic feet per second and/or
b. _____ acre feet per annum.
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. Collection box with pipeline to
place of use.

b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir
capacity _____ acre feet, materials used in storage dam: _____
Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)
c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
is 5 years.
b. Estimated construction cost is \$ _____.
8. Description of proposed uses:
a. If water is **not** for irrigation:
(1) Give the place of use of water: SW $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 34 Township 48N
Range 1W B.M. _____
(2) Amount of power to be generated: 25 hp under 30 feet of head.
(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water one.
(5) If water is to be used for other purposes describe: Power production for one household.

94 7044

P.D. & PLACE OF IRSC

34

T-48N

R-1W

Edwin Charles Deaso
(Applicant)

52-044

Received by KK Date 12/17/73 Time 10:30 A
Preliminary check by KK Fee \$25.00 # 12297
Receipted by KK Date 12/17/73
Publication prepared by cp Date 12-21-73
Published in Coeur d'Alene Press
Publication dates 12-27-73 & 1-3-74
Publication approved cd Date 1-21-74
Priority reduced to _____ Reason _____

Protests filed by: _____

Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by in 30F

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER ADMINISTRATION


This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 94-7044, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before January 1, 1979.
- c. Other: A measuring device of a type approved by this department shall be permanently installed and maintained as part of the diverting works.

2. Denial of said application is for the following reasons: _____

Witness my hand this 25 day of January 19 74.


Director

DEPARTMENT OF WATER ADMINISTRATION
- STAFF ANALYSIS -

Item	Initial	Date	
(1)	<u>FE</u>	<u>12/12/73</u>	Application No. <u>94-7044</u>
(2)			☒ Source ☒ Point of Diversion ☒ County ☒ Quantity of Water and Period of Use ☒ Description of Diverting Works ☒ Time required for B/U of water ☒ Place of Use or Acres Irrigated ☒ Map ☒ Signature ☒ Fee
(3)	<u>FE</u>	<u>12/12/73</u>	In form to receipt
			Send Copies to: ☐ Idaho State Health Department ☐ Idaho Fish and Game Department ☐ Bureau of Land Management
(4)			☐ Request Special Use Permit from U.S. F.S. ☐ Request Easement from B. L. M. ☐ Request Information from Applicant
(5)	<u>FE</u>	<u>12/17/73</u>	In form for advertising
(6)			Located within Water District No. _____
(7)			Critical groundwater area: yes _____ no _____
(8)			Groundwater levels: ☐ Decline (comment) _____ ☐ Stable (comment) _____ ☐ Increasing (comment) _____
(9)			Comments: _____
(10)	<u>CP</u>	<u>1/21</u>	Affidavit of Publication received (date) <u>JANUARY 17, 1974</u>
(11)	<u>CP</u>	<u>12/21</u>	Final date for protests <u>JANUARY 14, 1974</u> Protests received: yes _____ no ☒
(12)			Date and Place of hearing _____ Decision reached at hearing _____
(13)	<u>FE</u>	<u>1/22/74</u>	All requested information received from agencies or applicant yes ☒ no _____
(14)	<u>FE</u>	<u>1/22/74</u>	Action recommended: ☒ Approve Priority <u>12/17/73</u> ☐ Deny Reason for Reduction _____ ☒ Measuring device required ☐ See attached sheet for additional conditions of approval ☐ No additional conditions for approval
(15)	District <u>Shoshone</u>	By <u>[Signature]</u>	Date <u>1/22/74</u>

Individual Owner

AFFIDAVIT TO ESTABLISH RESIDENCE

I, Edwin Charles Deason of Cataldo, Idaho County of Kootenai
State of Idaho, being duly sworn, do hereby certify that I am a bona fide resident
of the State of Idaho.

/s/ Edwin Charles Deason

Subscribed and sworn to before me this 17th day of December, 19 73

/s/ Coda M. Roberts
Notary Public
Residence Coeur d'Alene, Idaho
My Commission expires Sept. 11, 1976

NOTE: This permit is issued subject to the provisions of S. L. 1937, Ch. 142;
am. 1957, Ch. 66. (Idaho Code, Sections 42-205 to 42-210).

Corporation or Association

AFFIDAVIT TO ESTABLISH RESIDENCE
OR QUALIFICATION TO DO BUSINESS UNDER THE LAWS OF
IDAHO...

I, _____ of _____ County of _____
State of Idaho, being first duly sworn, depose and say:

That I am the designated statutory agent of the _____,
that as such I am in charge of the registered office of the said _____,
as provided by Section 30-143, Idaho Code, at _____,
Idaho, wherein are kept the records provided by Section 30-144, Idaho Code, and
that _____ is a legal _____ qualified to do business
in the State of Idaho under the laws of the State of Idaho.

/s/ _____

Subscribed and sworn to before me this _____ day of _____, 19 _____

/s/ _____
Notary Public
Residence _____
My commission expires _____

NOTE: This permit is issued subject to the provisions of S. L. 1937, Ch. 142;
am. 1947, Ch. 66, (Idaho Code, Sections 42-205 to 42-210).

94-7044

AFFIDAVIT OF PUBLICATION—COEUR D'ALENE PRESS

RECEIVED
(WEEKLY)

STATE OF IDAHO, } ss.
County of Kootenai, }

JAN 17 1974

Department of Water Administration
being first duly sworn,
Notary and District Office

Carol Hedge
deposes and says:

That affiant is now, and at all times herein mentioned has been, a citizen of the United States and a resident of Kootenai County, State of Idaho, over the age of 21 years and not a party to, nor interested in the event of, the above entitled matter, and the printer (principal clerk) of the "Coeur d'Alene Press", during all of the times herein mentioned being a legal daily newspaper, of Coeur d'Alene, Kootenai County, Idaho, as defined by Idaho Code Sec. 60-106 to Sec. 60-108 both inclusive, and Chapter 121 Idaho Session Laws of 1949, and acts amendatory thereof and correlated thereto, and qualified thereunder to publish to the same effect as a weekly

newspaper on Wednesdays; and that the *Notice of Application*

for Water Permit 94 7044

Edwin Deason

of which a printed copy is annexed hereto, was published in all the regular Wednesday weekly issues of said newspaper for *3* consecutive weeks, commencing

on the *27* day of *Dec*, 19 *73*, and ending on the

3 day of *Jan*, 19 *74*

Subscribed and sworn to, before me, this *15* day of *January*

19 74

Carol Hedge
Patrick King
Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Edwin Charles &/or Bobbi Deason, Box 74, Cataldo, Idaho have on December 17, 1973 submitted Application No. 94-7044 for a permit to appropriate 1.00 cubic feet per second of water from an Unnamed Spring, tributary of Latour Creek by means of collection box and pipeline within the SW $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 34, T. 48N, R. 1W, B.M., Kootenai County to be used from Jan. 1 to Dec. 31 for domestic (0.04 cfs) and power production purposes (0.96 cfs) for one household within the SW $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 34, T. 48N, R. 1W, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Administration, 401 Front Ave., Coeur d'Alene, Idaho, 83814 on or before January 14, 1974.

R. KEITH HIGGINSON
Director
Dec. 27, 1973, Jan. 3, 1974

94 7044

32 lines
11.52



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

A. KENNETH DUNN

Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

March 22, 1985

RE: Permit No. 94-7044

Edwin Charles &/or Bobbi Deason
Box 74
Cataldo, ID 83810

Dear Permit Holders:

Enclosed herewith is a copy of the Water Right License issued on the above referenced Permit.

Sincerely,

JIM JOHNSON
Water Distribution Supervisor

JJ:sc

Enclosure



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

September 18, 1984

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

RE: Permit No. 94-7044

Edwin Charles &/or Bobbi Deason
Box 74
Cataldo, ID 83810

Dear Permit Holders:

A representative of this Department has made an examination of the works covered by your Permit No. 94-7044, and has found the following:

Amount of water that can be recognized as beneficially used under
Idaho law: 0.61 cfs Source: a spring trib to Latour Creek

The maximum quantity diverted shall not exceed 1.2 acre feet
per year.

Point(s) of diversion: Gov. Lot 2 (SW $\frac{1}{4}$ NE $\frac{1}{4}$) Sec. 34, Twp 48N, Rge 1W

Beneficial Use: Domestic use for 1 unit and power within Lot 2 (SW $\frac{1}{4}$ NE $\frac{1}{4}$)
Sec. 34, Twp 48N, Rge 1W

Priority date established: December 17, 1973

Conditions (if any): The diversion and use of water under this license is subject to review by the Director 30 years from the date of issuance. Upon appropriate findings relative to the interest of the public, the Director may cancel all or any part of the use authorized herein & may revise, delete or add conditions under

If you do not concur with these findings, please contact us within 10 days, otherwise a water license will be issued as set forth above.

Sincerely,

JIM JOHNSON
Water Distribution Supervisor

JJ:sc

* which the right may be exercised.

The rights for the use of water confirmed in this license shall be junior and subordinate to all rights for the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this license & shall not give rise to any right or claim against any future rights for the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this license.

UNCLASSIFIED

See Original

Place(s) of Use

[illegible]

☐ Change P.D. as reflected above

☐ Change P.U. as reflected above

☐ Add P.D. as reflected above
☒ None
☐ Add P.U. as reflected above
☐ Other

May 1940

Date _____

6-14-84

MAR 5 1980

1. Name of permit holder Edward Charles Neeson DOB 12/11/1941
Post office address Box 74, Cataldo Id Phone NONE
Person to contact _____ Phone _____

2. Source of water supply: Groundwater ☐ Surface water ☒ unwashed spring
(name spring, stream, etc.)
Tributary to DECEIVER

3. Water will be used for the following purposes:

Amount 0.04 c.f.s. for domestic
 AF/Annum (nature of use)

Period of Use: from 1-1 to 12-31
(mo.-day) inclusive (mo.-day)

Amount 0.96 c.f.s. for Douglas
AF/Annum (nature of use)

Period of Use: from 1-1 to 12-31
(mo.-day) inclusive (mo.-day)

Amount _____ c.f.s. for _____
 _____ AF/Annum (nature of use)

Period of Use: from _____ to _____
(mo.-day) inclusive (mo.-day)

Other uses:

4. Total amount to be appropriated:

Max Rate of Diversion 1.0 cubic feet per second and annual volume _____ AF/Annum.

5. Location of Point(s) of Diversion:

Township 48N N/S, Range 14W E/W, B.M., Section 34, Subdivision SW $\frac{1}{4}$ NE $\frac{1}{4}$, Kootenai County _____

Township _____ N/S, Range _____ E/W, B.M., Section _____, Subdivision _____ 1/4 _____ 1/4, _____

Township _____ N/S, Range _____ E/W, B.M., Section _____, Subdivision _____ 1/4 _____ 1/4 _____
County _____

Other Points of Diversions:

Description of diverting works: collection box pipeline

Measuring device required: yes ☒ no ☐

6. Lands to be irrigated or place of use.

[illegible]**TOTAL ACREAGE**






Diagram of System



- 1.) 5.5' R. Water Wheel
- 2.) McCormick Horse drawn Hay mower Gear box
- 3.) KATOLIGHT GENERATOR - type # 140 - Ser. # 1227
Mod # 30A - 2000 watt - 120V - 110 @ 1800 RPM - Assy NOR 1547
60 cycle
- 4.) Toothed gears & drive chain



Domestic consists of 1" PVC laying on top of ground & PD. 400' above dam pipe laying in stream.

DATE OF EXAM 2-28-80

ACREAGE

Found _____
Recommended _____

Irrigation Requirement _____ Ac Ft/Ac

USE

Irrigation Q= _____ c.f.s. V= _____ AF/Ann. from _____ to _____
Domestic Q= 0.04 c.f.s. V= 1.2 AF/Ann. from 1.1 to 12.31
Livestock Q= _____ c.f.s. V= _____ AF/Ann. from _____ to _____
Power 0.21 c.f.s. Non consumptive 1.1 12.31

Is water co-mingled? yes _____ no ✓

Name source: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Exchange? yes _____ no ✓

Name source exchanged with: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Point of injection: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Point of exchange: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Total Q measured 2" H₂O = 0.21 cfs ✓ Method of measurement Annubar ML
Total Q recommended 0.25 cfs 10. # Eagle Eye
Meter No. 091467 Type 65804 Condition Good
Total V recommended 1.2 Re Exam

Recommended Amendments:

P.D. _____
Place of Use _____
Other _____
None ✓

MEASUREMENT/CALCULATION:

2" = 0.21 cfs Power Non consumptive
one line @ 0.04 cfs & 1.2 AF/Ann Re Exam
0.25 cfs total OK

SYSTEM DESCRIPTION:

6' earthen dam with 20" CMP over flow @ 5', 18" CMP (30' long) to 10' of 4" PVC
to 200' of 3" PVC to water wheel for Power
3" PVC in stream 400' above dam, 600' ± to home

REMARKS:

Must allow water to run continuously to domestic during winter to avoid
Freezing at 15°F Must shut down Power
Applicant accompanied on exam




Examiner's Signature [Signature] Date 2-28-80
Checked by [Signature] Date 2-29-80
Approved by [Signature] Date 2-15-83

MICROFILMED

Cole homestead
Post

Boise Peak bridge

St Mary 36 mi
2nd Drive
sign Private
Drive.





Genbu
Q 600 RPM
Q 1800 RPM
McCorm
Horse drawn mowing machine
15 hp + Gears

KATO LIGHT Type #140 Ser #1227 mod 30A 2000 WATT

ASSY NO R1597 12VOLT 110 @ 1800 RPM w/blade

MICROFILMED





1109, Total number of Acres 15232.48 additional

Unit of Survey	When Surveyed	Mean Declination
43 97	Sept. 13 11 1905	
12 40	Aug 16 Sept 13	23° E
36 90	Sept 13 1905	
03 23	Aug 28 30	
26 64	Aug 8	
21 21	Aug 8 Sept 13	

The above Map of Towns
Boise Meridian
notes of the survey thereof
Surveyor General
Boise City Idaho
April 24 1910



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
NORTHERN REGION

John V. Evans
Governor

A. Kenneth Dunn
Director

Suite No. 1
4055 Government Way
Coeur d'Alene, Idaho 83814
(208) 667-6484

March 18, 1983

Mr. Edwin Deason
Box 74
Cataldo, Id. 83810

Dear Mr. Deason:

I have enclosed a copy of instructions for construction a wier
which will meet with the Department's measuring device requirements.

If you have any questions, please contact me at this office.

Sincerely,

TOM D. KING
Senior Water Resource Agent

TDK/pms

Enc. - Instructions

MICROFILMED

$$\frac{60}{12} = 5(55) \cdot \frac{275}{448} = 0.61$$

$$\begin{array}{r} 55 \\ : 12 \overline{) 02} \\ : 13 \overline{) 09} \\ : 12 \overline{) 08} \end{array}$$

$$\frac{12}{55} =$$

$$\begin{array}{r} 0.61 \\ 0.04 \\ \hline 0.65 \end{array}$$

$$\frac{12}{55} = \frac{60}{x} =$$

INTER-DEPARTMENT MEMO — 1

DATE 3-10-83

FROM

Jim

TO

Robyn

SUBJECT


Field Exam on Permit 94-7044.

Tom Knig called and per request from permit holder he will be doing a re examination.

Please return field exam and make necessary documentation.

SIGNATURE

95-7763





State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

March 3, 1983

RE: Permit No. 94-7044

Edwin Charles &/or Bobbi Deason
Box 74
Cataldo, ID 83810

Dear Mr. and Mrs. Deason:

A representative of this Department has made an examination of the works covered by your Permit No. 94-7044, and has found the following:

Amount of water that can be recognized as beneficially used under
Idaho law: 0.25 cfs Source: spring

The maximum quantity diverted shall not exceed n/a acre feet
per year.

Point(s) of diversion: SW $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 34, Twp. 48N, Rge. 1S, Kootenai County

Beneficial use: Domestic use for one unit and power use within the SW $\frac{1}{4}$ NE $\frac{1}{4}$,
Sec. 34, Twp. 48N, Rge. 1W

Priority date established: December 17, 1973

Conditions (if any):

If you do not concur with these findings please contact us within 10 days, otherwise a water license will be issued as set forth above.

Sincerely,

JIM JOHNSON
Water Distribution Supervisor

JJ:kw

MICROFILMED

May 10, 1979

Mr. Edwin Deason
Box 74
Cataldo, Idaho 83810

Re: 94-7044

Dear Mr. Deason:

Prior to licensing your water permit, it is necessary for a representative of this Department to examine your water system. Please inform me of a time that I can meet with you to conduct the examination.

Thank you for your cooperation.

Sincerely,

TOM D. KING
Senior Water Resource Agent

TDK/pms

*He is
ready to come
But I have
no more equip.
5/30/79*

94-7044

MICROFILMED

IDENT. NO. 94-7044

WATER RIGHT
DATA ENTRY LOG

[illegible]



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 373 W. Franklin Street, Boise, Idaho

JOHN V. EVANS

Governor

C. STEPHEN ALLRED

Director

Mailing address:

Statehouse

Boise, Idaho 83720

(208) 384-2215

December 5, 1978

Edwin Charles Deason
Box 74
Cataldo, ID 83810

Dear Mr. Deason:

Re: Permit No. 94-7044

We acknowledge receipt of the affidavit submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We cannot tell just when this examination will be made, but our examiner will try to contact you at the time he makes the examination so that you may show him the system.

If you have any questions regarding the field examination, please contact our regional office in Coeur d'Alene.

Sincerely,

RITA FLECK
Water Rights

RECORDED

RECEIVED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

RECEIVED

NOV 17

PROOF OF APPLICATION

NOV 6 1978

Department of Water Resources

OF WATER TO BENEFICIAL USE

Department of Water Resources
Northern District Office

1. a) Name of permit holder Edwin Charles Deason

b) Post office address Bx 74 Cataldo, Id

2. Permit number 94-7044

3. Date of priority that you are prepared to establish 12-17-73

4. a) Source from which water was appropriated Unnamed spring

b) Location of the point of diversion: SW $\frac{1}{4}$ NE $\frac{1}{4}$, Section 34

Township 48 N, Range 1 W Boise Meridian. Other points of diversion: _____

5. a) The amount of water and use to which the water has been applied:

Amount 0.04 for Domestic purposes from 1-1 to 12-31 incl.
(cfs &/or acre-feet per annum) (month-day) (month-day)

Amount 0.96 for Power purposes from 1/1 to 12/31 incl.
(cfs &/or acre-feet per annum) (month-day) (month-day)

Amount _____ for _____ purposes from _____ to _____ incl.
(cfs &/or acre-feet per annum) (month-day) (month-day)

b) Total amount appropriated 1.00 cfs and/or acre-feet per annum.

c) Describe how and by whom measurement of rate of flow or amount of storage was made and the qualifications of the person making the measurement:

None

6. If the means of diversion and conveyance are owned by someone other than the permit holder:

a) Give the name or description of the canal, ditch or other works by which the water is conducted to the place of use:

b) Describe the agreement of understanding by which you take water from the works:

7. a) Briefly describe the works for diverting and conveying the water to the place of use, (if from a subterranean source, give the pump size, motor size, size of well casing, depth of well; if from surface water, give brief description of diversion structure and/or canal or ditch):

Collection box with pipe line to place of use

b) Describe the provision for making a measurement which you have at your point of diversion: (i.e., installed measuring device, access port, other)

Measuring device not installed - not awaiting
Specification of access port from IDWR

Exam typed 12-5-78 By af

c) Give well driller's name and address and the date the well was completed: _____

8. If for other than irrigation, describe the beneficial use to which you have applied the water and the place of use:

Domestic & Power SWNE, Sec 34, T 48N R 1W

9. Irrigation uses: describe the lands irrigated by giving the acreages irrigated within each 40 acre subdivision:

T	R	SEC.	NE¼				NW¼				SW¼				SE¼				TOTAL
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	

Total number of acres irrigated _____

10. Remarks: _____

The above information is a true statement of the extent to which the above numbered permit has been developed.

14 Nov 78
(Date)

X E. P. Deaton
(Signature)

State of IDAHO
County of Shoshone

On this 14th day of November, 19 78, personally appeared before me the signer(s) of the above instrument, who duly acknowledged to me that he (she) (they) executed the same.

Ernie L. Beane
Notary Public
Residing at Cataldo

My commission expires 1
Lifetime Commission

E.P. Deason

Box 74

Cataldo, Id.

83810




State of Idaho

Department of Water Resources

State House

Boise, Idaho 83720





State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 373 W. Franklin Street, Boise, Idaho

JOHN V. EVANS

Governor

C. STEPHEN ALLRED

Director

Mailing address:

Statehouse

Boise, Idaho 83720

(208) 384-2215

CERTIFIED MAIL

100071

October 31, 1978

Re: Permit No. 94-7044

Edwin Charles &/or Bobbi Deason,
Box 74
Cataldo, ID 83810

Dear Mr. & Mrs. Deason:

One of the conditions of approval of your water Permit No. 94-7044 (see last page of your approved permit) was that evidence of the extent of development be submitted as proof of application of water to beneficial use to this office on or before January 1, 1979. Enclosed is an affidavit form which must be used to submit the required proof of beneficial use.

If you have not fully completed your project, and you have not previously received an extension of time, you may request an extension of time provided the delay is for reasonable cause as indicated in Section 42-204, Idaho Code, amended. If you have been prevented from proceeding by a governmental agency or by litigation, more than one extension of time can be granted.

Either the beneficial use affidavit or a request for an extension of time must be received by this Department on or before the above mentioned date, otherwise, the permit will lapse and be of no further force or effect.

RITA FLECK

Water Rights

Encl: Proof affidavit

MICROFILMED



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 373 W. Franklin Street, Boise, Idaho

JOHN V. EVANS
Governor

C. STEPHEN ALLRED
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 384-2215

9/12/78

Dear Wateruser:

The enclosed Order changes the measuring device condition of approval on your water right permit.

The changed condition should be less restrictive and provide more flexibility to you in the development of your water right system. The specifications related to the size and location of the access port will be available upon request from the Department, as soon as the Department's measuring equipment is obtained.

If you have questions regarding this matter, please contact this office or our regional offices.

Sincerely,

L. GLEN SAXTON
Chief, Operations Bureau

LGS:JG:kw

Enclosure

MICROFILMED

January 29, 1974

Re: Permit No. 94-7044

Edwin Charles &/or Bobbi Deason
Box 74
Cataldo, Idaho 83810

Dear Mr. & Mrs. Deason:

Enclosed is a copy of your approved Application for Permit No. 94-7044. We direct your attention to the conditions of approval as listed on the fourth page.

Be sure to note that a special condition requiring you to install and maintain a measuring device at your point of diversion has been placed upon your permit. We are enclosing a letter describing different types of measuring devices accepted by this office.

Sincerely,

BOBBY D. FLEENOR
Assistant Director

BDF/bjg

Enclosures

94 7044

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION
NORTHERN DISTRICT OFFICE



Cecil D. Andrus
Governor
R. Keith Higginson
Director

401 Front Ave., Rm. 209
Coeur D'Alene, Idaho 83814
(208) 667-6484

Water Rights Administration
Water Resource Investigations
Dam and Reservoir Safety
Water Well Drilling
Waste Disposal Wells
Stream Channel Protection
Geothermal Resources

January 15, 1974

Re: Application No. 94-7044 95-4208
Claim No. 95-4205 95-4209
" " 95-4206 95-7408
" " 95-4207

Coeur d'Alene Press
Second & Lakeside
Coeur d'Alene, ID 83814

Gentlemen:

Could you please submit the affidavits of publication and bills in connection with the above referenced items. The legal notices were to have been published in your newspaper on December 27, 1973 and January 3, 1974.

Your assistance in this matter is appreciated.

Very truly yours,

Fred Eisenbarth
Northern District Manager

FE:CP

91 7044

December 21, 1973

Re: Application No. 94-7044 Claim No. 95-4207
" " 95-7408 " " 95-4208
Claim No. 95-4205 " " 95-4209
" " 95-4206

Coeur d'Alene Press
Second & Lakeside
Coeur d'Alene, ID 83814

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. In order to receive payment, the following certification must appear on the bill:

~~"I hereby certify that the foregoing account is just
and correct, that the amount claimed is legally due,
after allowing all just credits, and that no part of
the same has been paid."~~

(signature of claimant)

Very truly yours,

Fred Eisenbarth
Northern District Manager

Bill submitted 1-21-74 by CP

FE:CP

Enc: Legal Notices (7)

94-7044

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Edwin Charles &/or Bobbi Deason,

Box 74, Cataldo, Idaho

~~has~~ have ~~been~~ on December 17, 1973 submitted Application No. 94-7044

for a permit to appropriate 1.00 cubic feet per second ~~xxxxx feet xxxxxxxx~~
of water from an Unnamed Spring, tributary of Latour Creek

by means of collection box and pipeline

within the SW $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 34, T. 48N, R. 1W, B.M., Kootenai County

to be used from Jan. 1 to Dec. 31

for domestic (0.04 cfs) and power production purposes (0.96 cfs) for one house-
hold

within the SW $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 34, T. 48N, R. 1W, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Administration, 401 Front Ave., Coeur d'Alene, Idaho, 83814 on or before January 14, 1974.

R. KEITH HIGGINSON

Director

Published in the Coeur d'Alene Press, Coeur d'Alene, Idaho

on Dec. 27, 1973 and Jan. 3, 1974

94 7044

**NOTICE OF APPLICATION
FOR WATER PERMIT**

Notice is hereby given that Edwin Charles &/or Bobbi Deason, Box 74, Cataldo, Idaho have on December 17, 1973 submitted Application No. 94-7044 for a permit to appropriate 1.00 cubic feet per second of water from an Unnamed Spring, tributary of Latour Creek by means of collection box and pipeline within the SW $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 34, T. 48N, R. 1W, B.M., Kootenai County to be used from Jan. 1 to Dec. 31 for domestic (0.04 cfs) and power production purposes (0.96 cfs) for one household within the SW $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 34, T. 48N, R. 1W, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Administration, 401 Front Ave., Coeur d'Alene, Idaho, 83814 on or before January 14, 1974.

R. KEITH HIGGINSON
Director

Dec. 27, 1973, Jan. 3, 1974

O.K.
1-2-74
P

94 7044