


CO 2972
CO T47N
T46N

ROZU




Sec. 7

Sec. 8

Sec. 9

Sec. 10



Sec 18

Sec. 16

Sec 15


Sec. 19

Sec. 20


Dec. 21

Sec. 22

Prepared in accordance with instructions con-
Commissioner's letter "F" dated March 17, 1910



2678 1 SW
(BENEWAH LAKE)





P.D.



P.U.



PUMP

MISSOURI ARMY
SEP 15 1995

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 91-07131

Priority: October 7, 1994

Maximum Diversion Rate:

0.04 CFS

Maximum Diversion Volume:

0.6 AF

This is to certify, that LAWRENCE MC DONALD
KATY MC DONALD

545 COTTONWOOD DR
ST MARIES ID 83861

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated October 7, 1994; and has submitted Proof of Beneficial Use on February 21, 1995. An examination indicates that the works have a diversion capacity of 0.040 cfs of water from:

ST JOE RIVER

tributary to COEUR D ALENE LAKE

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.04 CFS	0.6 AF

LOCATION OF POINT(S) OF DIVERSION: Lot 11(SESW), Sec. 17, Township 46N, Range 02W
BENEWAH County

PLACE OF USE: DOMESTIC

TWN RGE SEC

46N 02W 17 Lot 11(SESW)

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Domestic use is for 1 home.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 22ND day of AUGUST, 1995.

Acting for

KARL J. DREHER, Director

SEP 15 1995

**STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES**

**RECEIVED
FEB 21 1995**

PROOF OF BENEFICIAL USE Department of Water Resources

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 91-07131 Telephone No. 208-245-3161
2. Name(s) of Permit Holder(s): Lawrence + Katy McDonald
3. Mailing Address: 545 Cottonwood Ave St Maries ID 83861
4. Source of Water: St Joe River If GROUNDWATER (well), Date Drilled: mo. NA / yr. NA
- a. Well Driller: NA Drilling Permit Number: NA - NA - NA

b. OPTIONAL:

Pump Horsepower: _____ Pressure (psi): _____ Dynamic pumping level (ft): _____

5. Use(s) (as authorized by the water right permit):

Domestic (No. of households): _____ Stockwater (No. and type of stock): _____

Irrigation (No. of acres): Less than 1 Other: _____

6. Total rate of diversion and/or volume for which proof is submitted: 0.04 cfs OR _____ acre feet

7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)

(This question is not optional. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)

Measuring Device: Is a measuring device required?

Yes _____ or No ☒

Has the measuring device been installed?

Yes _____ or No ☒

Flow Measurement Port: Is a flow measurement port required?

Yes _____ or No ☒

Has the measurement port been installed?

Yes _____ or No ☒

8. Fee Enclosed: \$ 50.00 (See Fee Schedule on back of the instructions for filing proof of beneficial use)

9. Person to contact to accompany the Department representative during field examination of the water system.

Name: Katy McDonald Telephone Number: 208 245 3161

Address: Same as above

10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the State of Idaho.

Signature of permit holder: Katy McDonald Date: 12/27/94
(include your title, if on behalf of company or organization)

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 91-07131

Proposed Priority: October 7, 1994

Maximum Diversion Rate:

0.04 CFS

This is to certify, that **LAWRENCE MC DONALD**
KATY MC DONALD
545 COTTONWOOD DR
ST MARIES ID 83861

has applied for a permit to appropriate water from:

ST JOE RIVER

tributary of **COEUR D ALENE LAKE**

and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
DOMESTIC	01/01 to 12/31	0.04 CFS

LOCATION OF POINT(S) OF DIVERSION: Lot 11(SESW), Sec. 17, Township 46N, Range 02W
BENEWAH County

PLACE OF USE: DOMESTIC

TWN RGE SEC

46N 02W 17 Lot 11(SESW)

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **December 1, 1995.**
2. Subject to all prior water rights.
3. The issuance of this right in no way grants any right-of-way or easement across the land of another.
4. Domestic use is for 1 home.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

19th day of December, 1994.

[Signature]
for R. Keith Higginson, Director

DEC 29 1994

RECEIVED
NOV 30 1994

91-07131

Ident. No. 92

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

Department of Water Resources

To appropriate the public waters of the State of Idaho

1. Name of applicant Lawrence/Katy M^cDonald Phone 208-245-3161
Post office address 545 Cottonwood Dr St Maries ID 83861
2. Source of water supply St Joe River which is a tributary of ~~LAKE~~ COEUR D'ALENE
3. Location of point of diversion is _____ 1/4 of SE 1/4 of SW 1/4, Govt. Lot U
Sec. 17 Township 46N Range 2W B.M. BOWELMAN County; additional
points of diversion if any: "See permit L95-S-3593 with Carl Washburn"
4. Water will be used for the following purposes: Lawn + garden (small)
Amount 0.04 for DOMESTIC purposes from Y1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) -04 per second and/or (b) 22.4906 per min
lawn + garden cubic feet per second acre feet per annum
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc. 3/4 hp pump on up lands w/ attached 1 1/4" pvc pipe waterline to lay 30' waterward in St Joe
See permit # L95S3593 c Carl Washburn "No Storage"
 - b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
 - c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.
 - d. Is ground water with a temperature of greater than 85°F being sought? _____
 - e. If well is already drilled, when? _____; Drilling firm _____
Well was drilled for (well owner) _____


7. Time required for the completion of the works and application of the water to be proposed beneficial use is

1 1/2 Completed years (minimum 1 year).

DEC 29 1994

~~DEC 2 1934~~

T 47N
T 46N



13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

See permit # L 95 S 3593A Carl Washburn

The map is a grid with a dashed line indicating a section boundary. The following labels are present:

- T. 46N.
- R. 2W.
- 17
- X
- POINT OF DIVERSION
- PLACE OF USE

A stamp in the bottom right corner reads: DEC 29 1934

Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Lawrence W. McDonald
(Applicant)

DEC 29 1994

1

e. Other:

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

19

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

1. Approval of said application is subject to the following limitations and conditions:

Idaho No. _____, and said application is hereby _____

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

Publication approved _____ Date _____

Publication prepared by *CP* _____ Date *10/26/94* Published in *St. Merit's English Record* *11/2 49/94*

Fee \$ *50.00* Received by *RJC* _____

Date *10/17/94* Time *2:50p* Preliminary check by *[Signature]*

Received by *RJC* _____ # *118333* Date *10/17/94*

STANLEY F. HAMILTON - DIRECTOR

ENCROACHMENT PERMIT NO. L-95-S-3593A

Permission is hereby granted to LAWRENCE MCDONALD
of 545 Cottonwood Dr., St. Maries, ID 83861 to install and maintain
water intake 1 1/4" pvc pipe w/ 3/4 hp pump 30' waterward OHWM; riprap
120 lineal feet shoreline for stabilization; 8' x 30' floating dock w/ 6' x 20'
& 5' x 20' fingers w/ 4 piling located: St. Joe River, Cottonwood Point,
Lot 25A, Section 17, Township 46N, Range 2W, Boise Meridian, Benewah Co.

1. All applicable provisions of the Rules for Regulation of Beds, Waters, and Airspace over Navigable Lakes and Streams in the State of Idaho are incorporated herein by reference and made a part hereof.
2. Construction will follow details and specifications shown on the approved drawings and data provided by the applicant. Should such information and data prove to be materially false, incomplete and/or inaccurate, this authorization may be modified, suspended, or revoked in accordance with the Administrative Procedures Act, Idaho Code title 67, chapter 52.
3. This permit does not convey the State's title to or jurisdiction or management of lands lying below the natural or ordinary high water mark.
4. Acceptance of this permit constitutes permission by the Permittee for representatives of the Department of Lands to come upon Permittee's lands at all reasonable times to inspect the encroachment authorized by this permit.
5. The Permittee assumes all liability for damages which may result from the exercise of this permit.
6. This permit does not relieve the Permittee from obtaining additional local or federal permits as required.
7. This permit is not valid until the identification number is displayed on the outermost area of the encroachment.
8. If the activity authorized herein is not completed on or before the 15th day of June, 1997 (three years from the date of issuance), this permit shall automatically expire unless it was previously revoked or otherwise extended.

BOARD OF LAND
COMMISSIONERS
CECIL D. ANDRUS
Governor
PETE T. CENARRUSA
Secretary of State
LARRY ECHOHAWK
Attorney General
J.D. WILLIAMS
State Auditor
JERRY L. EVANS
Sup't of Public
Instruction

DEC 29 1994

POOR QUALITY

822-01

822-02

822-03

822-04

0



822-05

822-06

822-07

822-08
822-09
822-10
822-11
822-12
822-13
822-14
822-15
822-16
822-17
822-18
822-19
822-20
822-21
822-22
822-23
822-24
822-25
822-26
822-27
822-28
822-29
822-30
822-31
822-32
822-33
822-34
822-35
822-36
822-37
822-38
822-39
822-40
822-41
822-42
822-43
822-44
822-45
822-46
822-47
822-48
822-49
822-50
822-51
822-52
822-53
822-54
822-55
822-56
822-57
822-58
822-59
822-60
822-61
822-62
822-63
822-64
822-65
822-66
822-67
822-68
822-69
822-70
822-71
822-72
822-73
822-74
822-75
822-76
822-77
822-78
822-79
822-80
822-81
822-82
822-83
822-84
822-85
822-86
822-87
822-88
822-89
822-90
822-91
822-92
822-93
822-94
822-95
822-96
822-97
822-98
822-99
822-100



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

August 22, 1995

LAWRENCE MC DONALD
KATY MC DONALD
545 COTTONWOOD DR
ST MARIES ID 83861

RE: WATER RIGHT NO. 91-07131

Dear Water Right Holder(s):

Enclosed is a copy of the Water Right License issued on the above referenced permit. If you have any questions, please contact me within 10 days of receipt of this license.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:rl

Enclosure

RECEIVED
SEP 1 5 1995

Cindy Zimmerman

Permit #: 91-7131 Name: McDonald Date: 7/20/95
App Rcd 10/7/94 Priority 10/7/94 Examined 5/16/95 ✓ Lots ✓

NAME Chng OK Or Address Change?

SOURCE — ✓ Clarify source —
Prelim. Order to Void - Source change.

P/D — ✓ Amendment Needed? — -P39, P38
Overlap(s) none

P/U — ✓ Amendment Needed? — -P41, P38
Overlap(s) 91-7080; this right is supplemental to 91-7080
*P/D & P/U Amend? P37, P38
(See paragraph list for governmental agencies)

RATE — ✓ Permit/fee limits: 0.04 / 0.04
— ✓ Measured Q= — cfs Theoretical Q= 0.04 cfs
Domestic 1 hr = 0.04
(HP) 8.8 x 0.75 x .75 = 4.95
20 + (2.31 x 50) = 135.5 = 0.04 cfs
Recommended capacity 0.04 cfs
Recommended rate 0.04 cfs

VOLUME — ✓ Season of Use: (—) 1/1 - 12/31 = 365 days
Calculations: Dom 1 hr supplemental use = 0.6 AF
Flow limit: 0.04 x 365 x 1.9835 = 29.0 AF
Recommended volume 0.6 AF

USES — ✓ Same Nature of Use? — -P46
— — Amendment Needed? —

REMARKS — ✓ Multiple p/d's in 1/1? —
① 001/1

CONDITIONS — — Measuring (R01)/Locking (R02) Devices
— — Watermaster Control (R04) - WD # —
— — Irrigation rate/volume overlap
— — Irrigation water overlap (065) (If gw use sw)
— — Water Quality/Other —

PRIORITY Due 12/1/95 Rc'd 2/21/95 Receipt# 4032176 Fee OK? (Yes)/No
Order to Reinstate Needed? Yes/No Done? —
If Yes, Advanced? Yes/No to: —

COMMENTS: license as permitted

USE	CFS	DIV VOL	Adjustment Memo
<u>Com / 1</u>	<u>0.04</u>	<u>0.6</u>	LICENSE: <u>P49</u>
			#1 AMEND LTR: P46 or
			P39/P41/P37 & P38
<u>TOTAL</u>	<u>0.04</u>	<u>0.6</u>	#2 AMEND LTR: P42/P47

Note: Exam not signed by examiner

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

SEP 18 1995

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 91-07131

1. Owner: Lawrence McDonald Phone No. _____

Current Address: 545 Cottonwood Dr. St. Maries Id., 83861

2. Accompanied by: OWNER EXAM DATE: 5/16/95

Address: same as above Phone No. _____

Relationship to Permit Holder: _____

3. Source: St Joe river tributary to Coeur d'Alene Lake

B. OVERLAP REVIEW

1. Other water rights with the same place of use: 91-07080

2. Other water rights with the same point of diversion: _____

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
	11		SE	SW	17	46N	02W	Benewah	Wgs 7.5 mW apud


2. Place(s) of Use:

Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
46N	02W	17																	

SEP 18 1995

3. Delivery System Diagram: Indicate all major components and distances between components. Indicate weir size/ditch size/pipe l.d. as applicable.



Scale: 1" = _____
 Copy of USGS Quadrangle Attached Showing location(s) of _____
 point(s) of diversion and place(s) of use (required).
 Aerial Photo Attached _____
 (required for irrigation of 10+ acres)
 Photo of Diversion and System Attached _____

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	G.E.	3/4	563	Grundfos	J57

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: *Theoretical pump check.*

151995

E. NARRATIVE/REMARKS/COMMENTS

This is a back up system for home
and Irrigation. pump was not installed
at time of inspection due to recent flooding
of El Jor Dam recommending .6 afa
because it is not the sole supply of water.

Have conditions of permit approval been met? ☒ yes ☐ no

APPROVED
SEP 15 1995

Measured Method:

Additional Computation Sheets Attached

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$$

$$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$$

V = Smaller of V_{IR} and V_{DR} .

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use

Domestic

From

Period of Use
To

17-31

Rate of Diversion

40'

Annual Volume

9.

40'

40.

9.

2. Recommended Amendments

Change P.D. as reflected above

Change P.U. as reflected above

Add P.D. as reflected above

Add P.U. as reflected above

None

Other _____

I. AUTHENTICATION

Field Examiner's Name _____

Reviewer _____
Date _____

Date _____

SEAL

SEP 15 1995

THEORETICAL PUMP EFFICIENCY CALCULATIONS

FILE: 91-07131

DATE: 14-JUN-95

COMPLETE BY: TED MCCRACKEN

HORSEPOWER = 0.75

PUMP EFFICIENCY = 75%


DYNAMIC LIFT = 20 FEET

SYSTEM PRESSURE = 50 PSI

QUANTITY = 0.04 CFS

14 JUN 95

SEP 15 1995






P.D.



P.V.



PUMP

SEP 15 1995

February 27, 1995

LAWRENCE MC DONALD
KATY MC DONALD
545 COTTONWOOD DR
ST MARIES ID 83861

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 91-07131

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the NORTHERN Regional Office in Coeur D' Alene at (208) 769-1450.

Sincerely,

JULIE L. YARBROUGH
Senior Secretary

c: IDWR - Region

MAR 8 0 1995



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

December 20, 1994

LAWRENCE MC DONALD
KATY MC DONALD
545 COTTONWOOD DR
ST MARIES ID 83861

PERMIT APPROVAL NOTICE


RE: PERMIT NO. 91-07131

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. Please be sure to thoroughly review the "CONDITIONS/REMARKS:" listing on the permit.

Enclosed is a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed is a form entitled "Proof of Beneficial Use". If your project is already completed you should complete and submit this form immediately.

Sincerely,




JIM JOHNSON, Manager
Water Right Permits Section

JJ:dc

Enclosures

DEC 28 1994



Affidavit of Publication

STATE OF IDAHO

County of Benewah, ss.

Cynthia Ann Hammes, being first duly sworn on oath, deposes and says that she is vice president of The Corporation, owner of the St. Maries Gazette Record, a weekly newspaper printed and published at St. Maries, Benewah County, State of Idaho; the St. Maries Gazette Record is a newspaper having general circulation in Benewah County, State of Idaho, and has been continuously and uninterruptedly published in Benewah County, State of Idaho, during a period of more than seventy-eight consecutive weeks prior to the first publication of the notice of advertisement herein.

That the notice, of which the one hereto attached is a true copy, was published in said newspaper for a period of 2 issues, the first publication being on the 2nd day of Nov, 1994, and the last on the 9th day of Nov, 1994.

That said newspaper was regularly distributed to its subscribers during the time of the same period; that said notice was published in the regular and entire issue of said paper.

Dated this 9th day of Nov, 1994.

Cynthia Ann Hammes

STATE OF IDAHO)
COUNTY OF BENEWAH)

On this 9th day of Nov, in the year of 1994 before me, a Notary Public, personally appeared Cynthia Ann Hammes, known or identified to me to be the person whose name subscribed to the within instrument, and being by me first duly sworn, declared that the statements therein are true, and acknowledged to me that she executed the same.

Sharon D. Blackburn

Notary Public for Idaho
Residing at St. Maries, Idaho
My commission expires: November 4, 1998

Application for water is filed by McDonalds

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s)
have been filed to appropriate the
public waters of the State of Idaho:

91-07131 ok

McDonald, Lawrence
McDonald, Katy
545 Cottonwood Drive
St. Maries, ID 83861
Source: St. Joe River
Tributary: Coeur d'Alene Lake
Diversion Pt: SESW Sec 17 T 46N R
02W in Benewah County.
Use: Domestic (.040 CFS); Total
Diversion: (.040 CFS)
Date Filed: 10/7/1994
In: Benewah County, T46N R02W
S17 SESW

For additional information concerning the property location, call the Northern Regional Office at (208) 769-1450.

The permit(s) will be subject to all prior water rights. Protests must be filed with the applicant and with the Director, Dept. of Water Resources, Northern Region, 1910 Northwest Blvd., Suite 210, Coeur d'Alene, Idaho 83814, together with a protest fee of \$25.00 on or before November 21, 1994.

R. KEITH HIGGINSON,
Director

No. 2540 — Nov. 2-9.

SHARON D. BLACKBURN

DEC 8 9 1994



State of Idaho
DEPARTMENT OF WATER RESOURCES

NORTHERN REGION, Suite No. 210 • 1910 Northwest Blvd. • Coeur d'Alene, Idaho 83814-2615
(208) 769-1450 Fax (208) 769-1454

CECIL D. ANDRUS
Governor

R. KEITH HIGGINSON
Director

October 27, 1994

Lawrence & Katy McDonald
545 Cottonwood Drive
St. Maries, ID 83861

Subject: Water Appropriation Application for Permit Number 91-07131.

Dear Mr. and Mrs. McDonald:

The Idaho Department of Water Resources hereby acknowledges receipt of the above-referenced Application for Permit to Appropriate the Public Waters of the State of Idaho. Enclosed is Receipt Number N008333. Please refer to your Application for Permit Number in future matters concerning this water right application.

Your Application for Permit is currently being prepared for advertising in the local county newspaper. The advertisement will be published for two consecutive weeks followed by a waiting period of ten days to allow for submittal of protests.

If your application is not protested, it will be forwarded to Boise for processing. Normal processing time is approximately 3 to 4 months, if the application is not protested. If your Application for Permit is protested, you will be sent a copy of the protest and instructions to aid you in resolving the protest without a hearing. All protests must be resolved before your Application for Permit can be approved. If the protest is not resolved, this Department will conduct a conference and/or hearing on the matter.

You will receive your approved Application for Permit and instructions on filing the Proof of Beneficial Use from our State Office in Boise.

If your Application for Permit is for a well (groundwater) that was constructed after July 1, 1987, you must apply for a well drilling permit upon approval of your Application for Permit if no permit was obtained by previous owners to construct the well. Well Drilling Permits can only be issued by this office to holders of approved Applications for Permit.

If I can be of further assistance, please feel free to contact me at this office.

Sincerely,

ALLEN BEARDSLEE
Senior Water Resource Agent
Enc. - Receipt

DEC 28 1994

91-07131

MC DONALD, LAWRENCE
MC DONALD, KATY
545 COTTONWOOD DRIVE
ST MARIES, ID 83861

Source: ST. JOE RIVER

Tributary: COEUR D ALENE LAKE

Diversion Pt: SESW Sec 17 T 46N R 02W in BENEWAH County.

```

Use: DOMESTIC                ( .040 CFS)
      Total Diversion: ( .040 CFS)

```

Date Filed: 10/ 7/1994

In: BENEWAH County
T46N R02W S17 SESW

DEC 20 1964