








T. 46N.
R. 2W.



f *F* *e* *E* *d* *D* *c*



RIVER





RECEIVED
SEP 15 1995

91-07125

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 91-07125

Priority: October 25, 1993

Maximum Diversion Rate:

0.03 CFS

Maximum Diversion Volume:

3.0 AF

This is to certify, that MICHAEL J SPIESMAN

2307 CROMWELL ST

ST MARIES ID 83861

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated October 25, 1993; and has submitted Proof of Beneficial Use on October 11, 1994. An examination indicates that the works have a diversion capacity of 0.030 cfs of water from:

ST JOE RIVER

tributary to COEUR D ALENE LAKE

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.03 CFS	3.0 AF

LOCATION OF POINT(S) OF DIVERSION: Lot 5(SENW), Sec. 17, Township 46N, Range 02W
BENEWAH County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
46N	02W	17	Lot 5(SENW) 0.5	Lot 5(NESW) 0.5		1

Total number of acres irrigated: 1

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .03 cfs per acre nor more than 3.0 afa per acre for the lands above.

RECORDED


SEP 15 1995

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 91-07125

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 28TH
day of JULY, 1995.


Acting for KARL J. DREHER, Director



RECEIVED
SEP 15 1995

FOR OFFICE USE ONLY

Amt. of Fee \$: 50⁰⁰
 Receipt No. 0031430
 Receipt By: RT
 Date Received: 10-11-9

OCT 11 1994

STATE OF IDAHO
Department of Water Resources
DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 91-07125 Telephone No. 208 245 3744

2. Name(s) of Permit Holder(s): Michael J. SPIESMAN

3. Mailing Address: 2307 CROMWELL DR. ST. MARIES ID 83861

4. Source of Water: St. Joe River If **GROUNDWATER** (well), Date Drilled: mo. / yr.

a. Well Driller: _____ Drilling Permit Number: _____ - _____ - _____ - _____

b. **OPTIONAL:-**
 Pump Horsepower: _____ Pressure (psi): _____ Dynamic pumping level (ft): _____

5. Use(s) (as authorized by the water right permit):

Domestic (No. of households): / **Stockwater (No. and type of stock):** _____

Irrigation (No. of acres): _____ Other: _____

6. Total rate of diversion and/or volume for which proof is submitted: 03 cfs OR _____ acre feet

7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)
(This question is not optional. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)

Measuring Device: Is a measuring device required? Yes or No X
Has the measuring device been installed? Yes or No X

Flow Measurement Port: Is a flow measurement port required? Yes _____ or No X
Has the measurement port been installed? Yes _____ or No X

8. Fee Enclosed: \$ 50⁰⁰ (See Fee Schedule on back of the instructions for filing proof of beneficial use)

9. Person to contact to accompany the Department representative during field examination of the water system.

Name: JOE SPIGSMAN Telephone Number: 208 245 3744

Address: 2307 CROMWELL DR. ST. MARIES ID 83861

10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the State of Idaho.

Signature of permit holder: M. J. Spiesman Date: 8 Oct 94
(include your title, if on behalf of company or organization)

DEC 29 1994

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 91-07125

Proposed Priority: October 25, 1993 Maximum Diversion Rate: 0.03 CFS

This is to certify, that **MICHAEL J SPIESMAN**
2307 CROMWELL ST
ST MARIES ID 83861
has applied for a permit to appropriate water from:

ST JOE RIVER tributary of **COEUR D ALENE LAKE**

and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
-----------------------	----------------------	--------------------------

IRRIGATION	03/15 to 11/15	0.03 CFS
------------	----------------	----------

LOCATION OF POINT(S) OF DIVERSION: SENW , Sec. 17, Township 46N, Range 02W
BENEWAH County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
46N	02W	17	SENW 0.5	NESW 0.5		1

Total number of acres irrigated: 1

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **December 1, 1994**.
2. Subject to all prior water rights.
3. The rate of diversion of water for irrigation under this right and all other water rights on the same land shall not exceed 0.03 cubic feet per second for each acre of land.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

6TH day of December, 1993.

[Signature]
for R. Keith Higginson, Director

MICROFILMED

FEB 24 1994

RECEIVED

NOV 24 1993

Form 202

Department of Water Resources

STATE OF IDAHO

Ident. No.

91-7125

DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant Michael J. SPIESMAN Phone 208 245 3744
Post office address 2307 CROMWELL ST. MARIES IDAHO 83861
2. Source of water supply ST. JOE RIVER which is a tributary of COEUR D'ALENE LAKE
3. Location of point of diversion is SE $\frac{1}{4}$ of NW $\frac{1}{4}$ of _____ $\frac{1}{4}$, Govt. Lot _____
Sec. 17 Township 46 N Range 2 W B.M. BENEWAH County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
Amount 0.04 ^{.03*} for IRRIGATION purposes from 3/15 to 11/15 ^{standard irrigation season.} (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 0.04 .03* cubic feet per second and/or (b) 70 acre feet per annum
6. Proposed diverting works:
- a. Description of ditches, flumes, pumps, headgates, etc. Pump + hose
- b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
- c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.
- d. Is ground water with a temperature of greater than 90°F being sought? _____
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
One years (minimum 1 year).

RECEIVED

FEB 24 1994

* maximum allowable for 1A per standards 11/30/93 c.z.

8. Description of proposed uses (if irrigation only, go to item 9):

9. Description of place of use:

[illegible]

Total number of acres to be irrigated

10. Describe any other water rights used for the same purposes as described above.


11. a. Who owns the property at the point of diversion? M.J. Spiesman

b. Who owns the land to be irrigated or place of use? M. J. Spiesman

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing.

12. Remarks: *Water for lawn + flowers*

5220



FEB 24 1994


Watch

Topographic map showing the St. Joe River area. Key features include:

- St. Joe River**: The main river flowing through the center.
- Cottonwood River**: A tributary flowing into the St. Joe River.
- St. Marys**: A road or path running horizontally across the middle.
- Cherry**: A road or path running diagonally from the bottom left.
- Hells**: A road or path running diagonally from the top right.
- Handwritten Annotations**:
 - POINT OF DIVERSION**: A handwritten note with an arrow pointing to a location on the St. Joe River.
 - PLACE OF USE**: A handwritten note with an arrow pointing to a location on the Cottonwood River.
- Other Features**:
 - Borrow Pit**: Several locations marked with 'X' and labels.
 - Pumping Station**: Several locations marked with 'X' and labels.
 - Grain Elevator**: Located near the St. Marys road.
 - Fairgrounds**: Located near the St. Marys road.
 - Borrow Pits**: Located near the St. Marys road.
 - Water Tank**: Located near the bottom right.
 - Kings Peak Radio Tower**: Located near the bottom center.
 - Cromie Creek**: Located near the bottom right.
- Date Stamp**: FEB 24 1994

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

SEC. 17 Township 46 N Range 2 W



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Michael J. Quinn
(Applicant)

RECEIVED
FEB 24 1994

e. Other:

- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

19

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

1. Approval of said application is subject to the following limitations and conditions:

Idaho No. _____, and said application is hereby _____

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

Received by	_____	Date	12/25/93	Time	1:30 PM	Preliminary check by	_____
Fee \$	30.00	Received by	_____	#	N-7579	Date	12/19/93
Publication prepared by	_____	Date	12/27/93	Published in	10/3418/93	_____	_____
Publication approved	_____	Date	11/15/93	_____	_____	_____	_____



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

July 28, 1995

MICHAEL J SPIESMAN
2307 CROMWELL ST
ST MARIES ID 83861

RE: WATER RIGHT NO. 91-07125

Dear Water Right Holder(s):

Enclosed is a copy of the Water Right License issued on the above referenced permit. If you have any questions, please contact me within 10 days of receipt of this license.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:rl

Enclosure

RECORDED

SEP 15 1995

LICENSE REVIEW
Cindy Zimmerman

Permit #: 91-7125 Name: Spiesman Date: 7/20/95
App Rcd 10/25/93 Priority 10/25/93 Examined 6/23/94 ✓ Lots ✓

NAME Chng OK ✓ Or Address Change?

SOURCE ✓ Clarify source _____
Prelim. Order to Void - Source change.

P/D ✓ Amendment Needed? LT.5 -P39,P38
Overlap(s) none

P/U ✓ Amendment Needed? LT.5 -P41,P38
Overlap(s) none
*P/D & P/U Amend? P37,P38
(See paragraph list for governmental agencies)

RATE ✓ Permit/fee limits: 0.03/0.03
✓ Measured Q= 0.03 cfs Theoretical Q= _____ cfs
1A x 0.03 cfs = 0.03 cfs sg bucket = 15 gpm = 0.03 cfs
(HP) 8.8 x 0.70 x .75
? + (2.31 x ?) = _____
Recommended capacity 0.03 cfs
Recommended rate 0.03 cfs

VOLUME ✓ Season of Use: (D) 3/15 - 11/15 = 246 days
Calculations: 1.0 A x 3.0 AF/A = 3.0 AF
Flow limit: 0.03 x 246 x 1.9835 = 14.6 AF
Recommended volume 3.0 AF

USES ✓ Same Nature of Use? _____ -P46
Amendment Needed? _____

REMARKS — Multiple p/d's in 1/4? _____
—

CONDITIONS ✓ Measuring (R01)/Locking (R02) Devices
— Watermaster Control (R04) - WD # _____
R49 Irrigation rate/volume overlap
— Irrigation water overlap (065) (If gw use sw)
— Water Quality/Other _____

PRIORITY Due 12/1/94 Rc'd 10/11/94 Receipt# 6031430 Fee OK? (Yes)/No
Order to Reinstate Needed? Yes/No Done? _____
If Yes, Advanced? Yes/No to: _____

COMMENTS: license as permitted add grow lots

USE	CFS	DIV VOL	Adjustment Memo
<u>1cc/LA</u>	<u>0.03</u>	<u>3.0</u>	<u>✓</u> LICENSE: P49
_____	_____	_____	#1 AMEND LTR: P46 or
_____	_____	_____	P39/P41/P37 & P38
<u>TOTAL</u>	<u>0.03</u>	<u>3.0</u>	#2 AMEND LTR: P42/P47

MEMORANDUM

DATE: July 20, 1995
TO: File No. 91-07125
FROM: Cindy Zimmerman
SUBJECT: Adjustments to Beneficial Use Exam

=====


The following adjustments were made on the field exam to the annual volume.

1. Annual Volume
 - a. Irrigation = 1.0 acre x 3.0 AF/acre = 3.0 AFA

RECEIVED

SEP 15 1995

COEUR DALENE INDIAN
Tribal Reservation No 46 North, Range No 2 West of



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

SEP 13 1995

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 91-07125

1. Owner: MICHAEL J SPIESMAN Phone No. _____

Current Address: 2307 CROMWELL ST ST. MARIES ID 83861

2. Accompanied by: MICHAEL J. SPIESMAN EXAM DATE: 6-23-95

Address: SAME AS ABOVE Phone No. (208) 245-3744

Relationship to Permit Holder: _____

3. Source: ST. JOE RIVER tributary to COVER D ALONE LAKE

B. OVERLAP REVIEW

1. Other water rights with the same place of use: 92-04011

2. Other water rights with the same point of diversion: _____

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			SE NW		17	46N	02W	BENewa	U.S. G.S. 7.5 min Quad

2. Place(s) of Use:

Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
46N	02W	17							15					5					1

SEP 15 1995

SEP 15 1995

2. Measurements:

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date


D. FLOW MEASUREMENTS

*Code to correspond with No. on map and aerial photo

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
		3/4		H/O-Tech	3/4

4.

Scale: 1" = _____
Copy of USGS Quadrangle Attached Showing location(s) of _____
Aerial Photo Attached of _____
Photo of Diversion and System Attached _____
(required for irrigation of 10+ acres)



3. Delivery System Diagram: Indicate all major components and distances between components. Indicate well size/ditch size/pipe l.d. as applicable.

E. NARRATIVE/REMARKS/COMMENTS

Irrigation accomplished by attaching garden
hose to hydrants where needed

Have conditions of permit approval been met? ☒ yes ☐ no

RECEIVED
SEP 15 1995

F. FLOW CALCULATIONS

Measured Method: 5 gal/bucket

$$15.98 \text{ m} \times 1.33681 = 21.3 \text{ cfs}$$

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$$

$$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$$

$$V = \text{Smaller of } V_{IR} \text{ and } V_{DR} =$$

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use

Navigation

Period of Use

From 03-15 To 11-15

Rate of Diversion

0.03 Q (cfs)

Annual Volume

1.2 * V (ata)

2. Recommended Amendments

☐ Change P.D. as reflected above
☐ Change P.U. as reflected above

☐ Add P.D. as reflected above
☐ Add P.U. as reflected above
☐ None
☐ Other

I. AUTHENTICATION

Field Examiner's Name Wagner, Robert

Date 7-5-95

Reviewer

Date

SEAL

SEP 15 1995

* Adjustments made during review of this report for license approval.
See memo for additional information. 7/20/95

This topographic map depicts the St. Marys River and its surrounding landscape. The river flows from the upper left towards the lower right. Key features include:

- St. Marys River:** The central water body, with several tributaries and a dam labeled "Cottonwood Point".
- St. Joe:** A road or path running parallel to the river, with a "Pumping Station" and "Springs" marked.
- St. Marys:** A town or settlement at the bottom of the map, featuring a "Floodgate", "Pumping Station", and "Substation".
- Topography:** Contour lines indicate elevation, with peaks reaching up to 3400 feet. Notable peaks are labeled with elevations like 3404, 3308, and 3200.
- Landmarks:** "Cottonwood Point", "Springs", "Borrow Pits", "Grain Elevator", "Floodgate", and "St. Marys High Sch." are labeled.
- Infrastructure:** "Pumping Stations" are marked at several locations along the river and near the town.

Cherri

Wate
T:



SEP 15 1995

91-07125

October 13, 1994

MICHAEL J SPIESMAN
2307 CROMWELL ST
ST MARIES ID 83861

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 91-07125

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the NORTHERN Regional Office in Coeur D' Alene at (208) 769-1450.

Sincerely,

JULIE L. YARBROUGH
Senior Secretary

c: IDWR - Region

DEC 29 1994

September 30, 1994

MICHAEL J SPIESMAN
2307 CROMWELL ST
ST MARIES ID 83861

PROOF DUE NOTICE

RE: PERMIT NO. 91-07125

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before December 1, 1994.

(See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.


If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

JULIE L. YARBROUGH
Senior Secretary

Enclosures



DEC 29 1994



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

December 6, 1993

MICHAEL J SPIESMAN
2307 CROMWELL ST
ST MARIES ID 83861

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 91-07125

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. Please be sure to thoroughly review the "CONDITIONS/REMARKS:" listing on the permit.

Enclosed is a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed is a form entitled "Proof of Beneficial Use". If your project is already completed you should complete and submit this form immediately.

Sincerely,

A handwritten signature in dark ink, appearing to be 'Jim Johnson', with a horizontal line extending to the right.

JIM JOHNSON
Water Rights Supervisor

JJ:dc

Enclosures

RECORDED

FEB 24 1994

91-07125

SPIESMAN, MICHAEL J
2307 CROMWELL ST
ST MARIES, ID 83861

Source: ST JOE RIVER

Tributary: COEUR D ALENE LAKE

Diversion Pt: SENW Sec 17 T 46N R 02W in BENEWAH County.

Use: IRRIGATION (.040 CFS)

Total Diversion: (.040 CFS)

Date Filed: 10/25/1993

In: BENEWAH County

T46N R02W S17

SENE

NESW

1.0 ACRES TOTAL

FEB 24 1994

Affidavit of Publication

STATE OF IDAHO

County of Benewah, ss.

Cynthia Ann Hammes, being first duly sworn on oath, deposes and says that she is vice president of The Corporation, owner of the St. Maries Gazette Record, a weekly newspaper printed and published at St. Maries, Benewah County, State of Idaho; the St. Maries Gazette Record is a newspaper having general circulation in Benewah County, State of Idaho, and has been continuously and uninterruptedly published in Benewah County, State of Idaho, during a period of more than seventy-eight consecutive weeks prior to the first publication of the notice of advertisement hereon.

That the notice, of which the one hereto attached is a true copy, was published in said newspaper for a period of 2 issues, the first publication being on the 3rd day of November, 1993, and the last on the 16th day of November, 1993.

That said newspaper was regularly distributed to its subscribers during the time of the same period; that said notice was published in the regular and entire issue of said paper.

Dated this 10th day of Nov, 1993
Cynthia Ann Hammes

STATE OF IDAHO }
COUNTY OF BENEWAH }

On this 10th day of Nov, in the year of 1993, before me, a Notary Public, personally appeared Cynthia Ann Hammes, known or identified to me to be the person whose name subscribed to the within instrument, and being by me first duly sworn, declared that the statements therein are true, and acknowledged to me that she executed the same.

Sharon D. Blackbury
Notary Public for Idaho
Residing at St. Maries, ID
My commission expires: Nov. 4, 1998

**Notice of applications
filed for Idaho waters**

**NOTICE OF APPLICATION
FOR WATER RIGHT**

The Following application(s)
have been filed to appropriate the
public waters of the State of Idaho:
91-07124

Munyon, Marvin
Munyon, Sandra
P.O. Box 595
St. Maries, ID 83861
Source: Groundwater
Diversion Pt: NWSW Sec 17 T 46N
R 01E in Benewah County.
Use: Stockwater (.020 CFS);
Domestic (.040 CFS); Total Diver-
sion (.040 CFS)
Date Filed: 10/13/1993
In: Benewah County, T46N R01E
S17 NWSW
91-07126

Munyon, Marvin
Munyon, Sandra
P.O. Box 595
St. Maries, ID 83861
Source: Spring
Tributary: Sinks
Diversion Pt: NWSW Sec 17 T 46N
R 01E in Benewah County.
Use: Stockwater (.020 CFS); Recrea-
tion (.040 CFS); Recreation Storage
(5.00 AF); Recreation from Storage
(5.00 AF); Total Diversion (.060
CFS)
Date Filed: 10/13/1993
In: Benewah County, T46N R01E
S17 NWSW

91-07125
Spiesman, Michael J.
2307 Cromwell St.
St. Maries, ID 83861
Source: St. Joe River
Tributary: Coeur d'Alene Lake
Diversion Pt: SENW Sec 17 T 46N
R 02W in Benewah County.
Use: Irrigation (.040 CFS); Total
Diversion: (.040 CFS)
Date Filed: 10/25/1993
In: Benewah County, T46N R02W
S17 SENW NESW
1.0 Acres Total

For additional information con-
cerning the property location, call
the Northern Regional Office at
(208) 769-1450.

The permit(s) will be subject to
all prior water rights. Protests must
be filed with the applicant and with
the Director, Dept. of Water
Resources, Northern Region, 1910
Northwest Blvd., Suite 210, Coeur
d'Alene, Idaho 83814 on or before
November 22, 1993.

R. KEITH HIGGINSON,
Director

No. 2241 -- Nov. 3-10.

NOV 1 1993

FEB 24 1994



State of Idaho
DEPARTMENT OF WATER RESOURCES

NORTHERN REGION,

(208) 769-1450

Suite No. 210 • 1910 Northwest Blvd. • Coeur d'Alene, Idaho 83814-2615

~~208-769-1450~~

Fax (208) 769-1454

CECIL D. ANDRUS

October 27, 1993

R. KEITH HIGGINSON

Director

Mr. Michael J. Spiesman
2307 Cromwell St.
St. Maries, Id. 83861

Dear Mr. Spiesman:

Subject: Water Application for Permit Number 91-7125.

The Idaho Department of Water Resources hereby acknowledges receipt of the above-referenced Application for Permit to appropriate the Public Waters of the State of Idaho. Enclosed is Receipt Number N7064. Please refer to your Application for Permit Number in future matters concerning this water right application.

Your Application for Permit is currently being prepared for advertising in the local county newspaper. The advertisement will be published for two consecutive weeks followed by a waiting period of ten days to allow for submittal of protests.

If your application is not protested, it will be forwarded to Boise for processing. Normal processing time is approximately 3 to 4 months, if the application is not protested. If your Application for Permit is protested, you will be sent a copy of the protest and instructions to aid you in resolving the protest without a hearing. All protests must be resolved before your Application for Permit can be approved. If the protest is not resolved, this Department will conduct a conference and/or hearing on the matter.

You will receive your approved Application for Permit and instructions on filing the Proof of Beneficial Use from our State Office in Boise.

If your Application for Permit is for a well (groundwater) that was constructed after July 1, 1987, you must apply for a well drilling permit upon approval of your Application for Permit if no permit was obtained by previous owners to construct the well. Well Drilling Permits can only be issued by this office to holders of approved Applications for Permit.

If I can be of further assistance, please feel free to contact me at this office.

Sincerely,

ALLEN BEARDSLEE
Senior Water Resource Agent

Enc. - Receipt

RECEIVED

FEB 24 1994

Fax (208) 769-1454

CECIL D. ANDRUS
Governor

R. KEITH HIGGINSON
Director

October 20, 1993

Mr. Michael J. Spiesman
2307 Cromwell St.
St. Maries, Id. 83861

Dear Michael:

Enclosed are your original Application for Permit and Receipt No. N7079 in the amount of \$30.00.

Please mark on the map where your diversion is and where your lawn/garden irrigation is.

After completing, please return the application to our office for further processing. Thank you for your cooperation.

Sincerely,

ALLEN BRIDGES

ALLEN BEARDSLEE
Senior Water Resource Agent

AB/pms

Enc. - Application for Permit
Receipt

RECEIVED

FEB 24 1994