


13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.




BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

[Signature]
(Applicant)


Township No 45 North, Range No 3 East

G f F c E d



MICROFILMED

AUG 09 1991



MAIDEN HILL
AUG 09 1960

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 91-07101

Priority: March 14, 1988

Maximum Diversion Rate: 0.08 CFS
Maximum Diversion Volume:¹ 12.0 AF

This is to certify, that CHARLES BARNES
P.O. BOX 517

CALDER, ID 838080000 has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated March 14, 1988; and has submitted Proof of Beneficial Use on May 31, 1989. An examination indicates that the works have a diversion capacity of .240 cfs of water from:

ST. JOE RIVER tributary to COEUR D ALENE LAKE

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.08 CFS	12.0 AF

LOCATION OF POINT(S) OF DIVERSION: LOT 13(SESW), Sec. 6, Township 45N, Range 03E
SHOSHONE County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
45N	03E	6	LOT 13(SESW)	2		2
		7	LOT 3(NENW)	2		2

Total number of acres irrigated: 4

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 3.0 afa per acre for the lands above.

AUG 09 1991


State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 91-07101

CONDITIONS/REMARKS:

This license is issued pursuant to the provisions of Section 42-219, Idaho Code,
Witness the seal and signature of the Director, affixed at Boise, this 30TH
day of JULY, 1991.

Acting for 
E. Keith Higginson, Director

AUG 09 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

Ident. No. 91-7101

To appropriate the public waters of the State of Idaho

APPROVED

1. Name of applicant CHARLES BARNES Phone 245-5473
Post office address POB 517 CALDER ID. 83808
2. Source of water supply ST JOE RIVER which is a tributary of COEUR D'ALENE L.
3. Location of point of diversion is _____ 1/4 of SE 1/4 of SW 1/4, Govt. Lot 13
Sec. 6 Township 45N Range 3E B.M. SHOSHONE County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
Amount 0.08 for IRRIGATION purposes from 3-15 to 11-15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 0.08 cubic feet per second and/or (b) _____ acre feet per annum
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc. PUMP & SPRINKLER SYSTEM
 - b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
 - c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.
 - d. Is ground water with a temperature of greater than 90°F being sought? _____
7. Time required for the completion of the works and application of the water for proposed beneficial use is
1 years (minimum 1 year).

RECORDED

OCT 13 1988

applicant to make this filing.

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the

b. Who owns the land to be irrigated or place of use? Hpp

11. a. Who owns the property at the point of diversion? *HPP*

10. Describe any other water rights used for the same purposes as described above. None

Total number of acres to be irrigated

[illegible]

ponding place of use below. See instructions for standard symbols.

b. If water is used for other purposes, place a symbol of the use (example: *D for Domestic*) in the corresponding column.

a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.

9. Description of place of use:

e. Other; describe fully.

d. Domestic; show number of households.


c. Municipal; show name of municipality.

b. Stockwatering; list number and kind of livestock.

a. Hydropower; show total feet of head and proposed capacity in kW.

8. Description of proposed uses (if irrigation only, go to item 9):

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile. AS SHOWN

OCT 13 1988

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

[Signature]
(Applicant)

Proposed Priority 3/14/88

Received by JK Date 3-14-88 Time 11:20 AM
Preliminary check by PM
Fee \$ 30.00
Received by JK # 41969 Date 3/24/88
Publication prepared by JK Date 3/31/88 Published in Idaho Water Resources 4/7/88
Publication approved JK Date 4/2/88

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 91-7101, and said application is hereby APPROVED

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before

June 1, 19 89.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other:

Witness my hand this 16th day of May, 1988.

[Signature]
Director

RECEIVED
OCT 13 1988

**NOTICE OF PUBLICATION
FOR WATER RIGHT**

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

91-7101

BARNES, CHARLES
P.O. BOX 517, CALDER, ID
83808

Source: ST. JOE RIVER trib.
to COEUR D'ALENE LAKE
Diversion Pt: LOT 13 (SESW)
Sec 06 T 45N R 03E

Use: IRRIGATION (0.000
CFS)

Date Filed: 03/14/1988

In: LOT 13 (SESW) Sec 06 T
45N R 03E Lot 03 (NENW) Sec
7 T 45N R 03E FOR 4 ACRES.

The permit(s) will be sub-
ject to all prior water rights.
Protests must be filed with the
Director, Dept. of Water Re-
sources, 4055 Government
Way, Suite 9, Coeur d'Alene,
Idaho 83814 on or before
APRIL 25, 1988.

R. KEITH HIGGINSON, Dir.
Legal #SHO 644
2 x 4-7/14/1988

PROOF OF PUBLICATION

s/ R. N. "Bud" Budvarson, being first duty sworn deposes and says:

SHOSHONE COUNTY NEWS-PRESS, a daily newspaper of general circulation in said county, published in the City of Kellogg, in the County of Shoshone and the State of Idaho, and which has been published continuously in said county for a period of 78 weeks immediately prior to the publication of this notice hereinafter described, and that the _____

Legal Notice

of which the annexed is a true copy, was published in each regular weekly/daily issue of said newspaper, and not in supplement thereto, for a period of (2) two consecutive weeks/days, the first publication thereof being in its issue dated 4-7-88 and the last publication thereof being in the issue dated 4-14-88

Subscribed and sworn to before me this 15 day of

April, 1988

Shirley Rawster
Notary Public

My commission expires 3-2 1994

OCT 1988

July 31, 1991

CHARLES BARNES
P.O. BOX 517
CALDER, ID 838080000

RE: WATER RIGHT NO. 91-07101

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

SHARLA CURTIS
Technical Records Specialist

SC:blm

Enclosure

RECEIVED
JUL 31 1991

LICENSE REVIEW CHECKLIST

Permit No. 91-7101

Name/Address change? ok ☒

Priority date Advance? yes no ☒
Memo to advance
Order to reinstate needed? yes no ☒

Total cfs Limited by fee ok
Limited by capacity

Total volume Limited by flow
Chart checked for AF rate/ac 3.0

Capacity Actual measurement checked
Theoretical checked
If greater than permit, check for other rts

Source Changed? yes no ☒
If so, is memo needed to clarify?

P/D Verify with map ☒ permit ☒
More than one per 1/4? Remember remark
Check p/d overlap

Uses Check irrigation period of use w/ chart ☒

P/U Verify with map ☒ permit ☒
> 5 acres irrigated, run overlap

Remarks More than one p/d in 1/4
Description of non-irrig uses
Special overlap condition

Conditions -

Measuring device
W.Master control
Overlap 229
Water quality
Other

Dates/Misc. -

Water Dist
App Rec'd
Proof Rec'd

CHECK FOR ADJ. CLAIM Needed according to proof filed
Filed - needs amended
Add'l fee required
Not filed -
Not needed ☒

Comments/Changes to Examiner's Recommendations:


AUG 09 1991

License 10-day 30-day

Back of field report signed?
Reviewer Schwartz Date 7/10/91 Review time 6 min.

Check List
for
Beneficial Use Field Report

Date 10-18-90



RECEIVED
JAN 18 1964

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
JUN 24 1991

Department of Water Resources

A. GENERAL INFORMATION


Permit No. 91-07101
1. Owner: Charles Barnes Phone No. 245-5473
Current Address: P.O. Box 517 Calder ID 83808
2. Accompanied by: Charles Barnes EXAM. DATE: 8/21/90
Address: SAME Phone No. _____
Relationship to Permit Holder: SAME
3. Source: St. Joe River tributary to Coeur d'Alene Lake

B. OVERLAP REVIEW

1. Other water rights with same place of use: well for Household use
_____ ☐ Copies Attached
2. Other water rights with same point of diversion: None
_____ ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = NTS

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required). ☐ Aerial Photo Attached NA
(required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater.

RECEIVED
AUG 09 1991

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

A 2 inch rubber line inserted in river serves as intake for a 3.5hp Honda gas powered pump, water is then pumped through a 2 inch main to 3, two-inch laterals. There are a total of 12 risers. The system operates 10, 5/32" impact sprinklers at 30psi, Attached to risers by 5/8" vinyl hose

☐ See Remarks on page 4 for continuation

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Honda	3.5	None		

*Code to correspond with No. on map and aerial photo


5. Point(s) of Diversion:

[illegible]

6. Place(s) of Use:

Indicate Method of Determination *Map*

[illegible]




QUADRANGLE LOCATION

1	2	3	1 Twin Crags 2 Masonia
---	---	---	---------------------------

AUG 09 1991

PROVISIONAL
Produced from
manuscript drawing
information shown as



Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method: $\frac{3.5 \times 8.8 \times 60\%}{(2.31)(30) + 8} = \frac{18.48}{77.3} = 0.24 \text{ cfs}$ system capacity

2. Alternate Method for Checking Purposes: $10 \text{ } 5/32" @ 30 \text{ psi} = (10)(3.85) = 38.5 \text{ gpm}$
 $38.5 \text{ gpm} \div 448.8 \text{ gpm/cfs} = 0.08 \text{ cfs}$

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) $\div$ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 4 \times 3.0 = 12.0 \text{ AFA}$

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 0.08 \text{ cfs} \times 245 \times 1.9835 = 38.9 \text{ AF}$

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 12.0 \text{ AFA}$

2. Volume Calculations for Other Uses:

RECORDED
AUG 09 1991

H. REMARKS AND OVERLAP REVIEW ANALYSIS

I. RECOMMENDATIONS

1. Recommended Amounts


Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
Irrigation	From 3-15 To 11-15	0.08 cfs	12.0 AFA

2. Recommended Amendments

- ☐ Change P.D. as reflected above
- ☐ Add P.D. as reflected above
- ☐ Change P.U. as reflected above
- ☐ Add P.U. as reflected above

J. AUTHENTICATION

Field Examiner's Name Theresa J. Bright
 Signature [Signature]
 Certification Date 4/16/90
 Field Report Preparation Date 8/21/90



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

AUG 09 1991



State of Idaho

DEPARTMENT OF WATER RESOURCES

NORTHERN REGION, Suite 210 • 1910 Northwest Blvd. • Coeur d'Alene, Idaho 83814 • (208) 765-4639

CECIL D. ANDRUS

Governor

August 14, 1989

R. KEITH HIGGINSON

Director

Mr. Charles Barnes
P.O. Box 517
Calder, Id. 83808

Re: 91-7104

Dear Applicant:

We acknowledge receipt of your statement of completion of water development use for the above-referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We do not know at this time when he will be able to conduct the examination; however, the examiner will try to contact you prior to the time the examination is made so that you may demonstrate the system. If you will not be available to show the system, please provide this office with the name and address of someone who will be able to do so. Your permit will remain valid until the examination is made.

If you have any questions concerning the field examination, please contact this office. Please be sure to use the above-referenced permit number in all future correspondence concerning this examination.

Sincerely,

/s/

TOM D. KING

Senior Water Resource Agent

TDK/pms

MICROFILMED

SEP 25 1989



RECEIVED

MAY 31 1989

STATE OF IDAHO

Department of Water Resources

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

For Office Use Only

Fee Received 50.00

Date 5/31/89

Receipt # 100753

Receipt by R. Young

Reviewed by [Signature]

Sent to region 1-6-89

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 91-07101

Name(s) of Permit Holder: CHARLES BARNES

Post Office Address: P.O. Box 517, CALDER, ID 83808

Telephone No. 245-5473

Source of Water: ST. JOE RIVER

Extent of Use:

Domestic _____ (number of households) Stockwater _____ (number and type of stock)

Irrigation 5 (acres) Other/Remark _____

Total rate and/or volume for which proof is submitted _____ cfs 10 acre-feet

Show the date water was first diverted and beneficially used under this permit: 7/4/88

Measuring Device: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☒ No

Fee enclosed \$ 50.00 ✓
(See License Examination Fee Schedule)

Flow Measurement Port: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☒ No

Person to contact to accompany the Department representative during the field examination:

CHARLES BARNES
(Name)

office (509) 335-7898
245-5473
(Telephone Number)

P.O. Box 517, CALDER ID 83808
(Address)

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

MICROFILMED

5/26/89

Date

Charles D Barnes

Signature of Permit Holder (and title, if appropriate)

SEP 20 1989

CHARLES BARNES
P.O. BOX 517
CALDER, ID 838080000

March 31, 1989

138126

PROOF DUE NOTICE

RE: PERMIT NO. 91-07101

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before June 1, 1989. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

MICROFILMED

SEP 25 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Statehouse
Boise, Idaho 83720
(208) 334-7900
June 1, 1988

CHARLES BARNES
P.O. BOX 517
CALDER, ID 838080000

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 91-07101

Dear Permit Holder:

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is the statement of beneficial use that must be submitted when your project is completed.

Sincerely,

Gary Spackman
Supervisor, Water Allocation Section

GS: SC
Enclosures

RECEIVED

OCT 13 1988

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: RJA

APPLICATION NUMBER: 91-7101

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.

Field check by: _____

Date: _____

Comments: _____

☐ Yes ☒ No Field check required.

☐ Yes ☒ No Critical groundwater area.

☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____

☒ Yes ☐ No* In form to receipt.

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: _____ Date: _____

PROCESSING:

☐ Yes ☐ No Platted by: _____ Map No. _____

☐ Yes ☐ No Other rights on same place of use. _____

☒ Yes ☐ No* In form for advertising.

Final date for protests: 4/25/88

☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

☒ Affidavit of publication received. Date: 4/19/88

☒ Application published correctly. If not, record action taken: _____

☒ Fee amount, receipt date & number, recorded on application.

☒ Publication dates and paper, recorded on application.

☒ Protests, dates, withdrawal, etc., recorded on application.

☒ Recommendation & initial, recorded on application.

☐ Yes ☒ No Measuring device required.

☐ Yes ☒ No Access port required.

☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? _____

☒ 3/14/88 Date of priority recommended.

Special conditions of approval or cover letter. _____

By: RJA Date: 4/28/88

STATE OFFICE REVIEW:

☐ See attached sheet for more information.

By: fw Date: 5/12/88

RECEIVED

APR 29 1988

Department of Water Resources

RECEIVED

MAY 05 1988

IDAHO DEPARTMENT OF LANDS

STATEHOUSE, BOISE, IDAHO 83720

Department of Water Resources

STANLEY F. HAMILTON
DIRECTOR

BOARD OF LAND
COMMISSIONERS
CECIL D. ANDRUS
Governor
PETE T. CENARRUSA
Secretary of State
JIM JONES
Attorney General
JOE R. WILLIAMS
State Auditor
JERRY L. EVANS
Sup't of Public
Instruction

April 15, 1988

MEMORANDUM

TO: Department of Water Resources
Northern Region

FROM: Lance Nielsen
Chief, Bureau of Navigable Waters *Lance Nielsen*

RE: Application No. 91-7101 Charles Barnes

Regarding the above-numbered application, the St. Joe River is navigable and will require an easement from this department.

A copy of this application has been forwarded to the Bureau of Lands who will contact the applicant concerning easement requirements.

LEN:lr

cc: Charles Barnes
Bureau of Lands

RECEIVED

APR 20 1988

Department of Water Resources
Northern Region

RECEIVED

APR 18 1988

Department of Water Resources

KEEP IDAHO GREEN
PREVENT WILDFIRE



State of Idaho
DEPARTMENT OF WATER RESOURCES
NORTHERN REGION, Suite No. 9 • 4055 Government Way • Coeur d'Alene, Idaho 83814 • (208) 765-4639

CECIL D. ANDRUS
Governor

R. KEITH HIGGINSON
Director

March 31, 1988

Idaho Dept. of Lands
Statehouse
Boise, Id. 83720

Re: 91-7101

Gentlemen:

Enclosed is information which may be of interest to your Agency relating to an application recently filed with the Idaho Department of Water Resources.

Sincerely,

ROBERT G. HAYNES, P.E.
Regional Manager

RGH/pms
Enclosure

MICROFILMED

OCT 13 1988

Celebrate
IDAHO
1890 • CENTENNIAL • 1990™

91-7101

BARNES, CHARLES

P.O. BOX 517, CALDER, ID 83808

Source: SAINT JOE RIVER trib. to COEUR D'ALENE LAKE

Diversion Pt: LOT 13 (SESW) Sec 06 T 45N R 03E

Use: IRRIGATION (0.080 CFS)

Date Filed: 03/14/1988

In: LOT 13 (SESW) Sec 06 T 45N R 03E LOT 03 (NENW) Sec 07 T 45N R 03E
FOR 4 ACRES

MICROFILMED

OCT 13 1988

WATER RIGHT
DATA ENTRY LOG

[illegible]