

1 MILE

FOR SALE BY

SKER MAPS


ST. TACOMA, WASHINGTON
E. SEATTLE, WASHINGTON

DATED FEB. 1960

TOWNSHIP 46 N., RANGE 2 W. B. M.

BENEWAH COUNTY, IDAHO

PAGE



SMALL TRACTS

- 1- H. HEUBLE
- 2- A. BLAKE
- 3- HILLCREST PARK
- 4- O. MILLER
- 5- DELBERT BROWN
- 6- RUTH FOUNTAIN
- 7- L. L. GASKILL
- 8- L. S. WAREHINE

CASTLE'S TRACTS

- 1-2-3- RAY SCHNOENICK
- 4-5- C. N. BEAL
- 6-7- ARTHUR BICKLE
- 8- M. A. FACTOR
- 9- D. B. RECTOR
- 10- RAY LOUNSBURG

RIVERDALE TRACTS

- SEC 13-14-24
- 1- P. J. GEO. MAURO
- 2- T. H. MAURO
- 3- T. H. MAURO
- 4- T. H. MAURO
- 5- T. H. MAURO
- 6- T. H. MAURO
- 7- T. H. MAURO
- 8- T. H. MAURO
- 9- T. H. MAURO
- 10- T. H. MAURO
- 11- T. H. MAURO
- 12- T. H. MAURO
- 13- T. H. MAURO
- 14- T. H. MAURO
- 15- T. H. MAURO
- 16- T. H. MAURO
- 17- T. H. MAURO
- 18- T. H. MAURO
- 19- T. H. MAURO
- 20- T. H. MAURO
- 21- T. H. MAURO
- 22- T. H. MAURO
- 23- T. H. MAURO
- 24- T. H. MAURO
- 25- T. H. MAURO
- 26- T. H. MAURO
- 27- T. H. MAURO
- 28- T. H. MAURO
- 29- T. H. MAURO
- 30- T. H. MAURO
- 31- T. H. MAURO
- 32- T. H. MAURO
- 33- T. H. MAURO
- 34- T. H. MAURO
- 35- T. H. MAURO
- 36- T. H. MAURO
- 37- T. H. MAURO
- 38- T. H. MAURO
- 39- T. H. MAURO
- 40- T. H. MAURO
- 41- T. H. MAURO
- 42- T. H. MAURO
- 43- T. H. MAURO
- 44- T. H. MAURO
- 45- T. H. MAURO
- 46- T. H. MAURO
- 47- T. H. MAURO
- 48- T. H. MAURO
- 49- T. H. MAURO
- 50- T. H. MAURO
- 51- T. H. MAURO
- 52- T. H. MAURO
- 53- T. H. MAURO
- 54- T. H. MAURO
- 55- T. H. MAURO
- 56- T. H. MAURO
- 57- T. H. MAURO
- 58- T. H. MAURO
- 59- T. H. MAURO
- 60- T. H. MAURO
- 61- T. H. MAURO
- 62- T. H. MAURO
- 63- T. H. MAURO
- 64- T. H. MAURO
- 65- T. H. MAURO
- 66- T. H. MAURO
- 67- T. H. MAURO
- 68- T. H. MAURO
- 69- T. H. MAURO
- 70- T. H. MAURO
- 71- T. H. MAURO
- 72- T. H. MAURO
- 73- T. H. MAURO
- 74- T. H. MAURO
- 75- T. H. MAURO
- 76- T. H. MAURO
- 77- T. H. MAURO
- 78- T. H. MAURO
- 79- T. H. MAURO
- 80- T. H. MAURO
- 81- T. H. MAURO
- 82- T. H. MAURO
- 83- T. H. MAURO
- 84- T. H. MAURO
- 85- T. H. MAURO
- 86- T. H. MAURO
- 87- T. H. MAURO
- 88- T. H. MAURO
- 89- T. H. MAURO
- 90- T. H. MAURO
- 91- T. H. MAURO
- 92- T. H. MAURO
- 93- T. H. MAURO
- 94- T. H. MAURO
- 95- T. H. MAURO
- 96- T. H. MAURO
- 97- T. H. MAURO
- 98- T. H. MAURO
- 99- T. H. MAURO
- 100- T. H. MAURO

BUTLER'S TRACT

- SEC 16-17
- 1-2- STELLA BEEM
- 3-4- JAMES BEEM
- 5-6- JAMES BEEM
- 7-8- JAMES BEEM
- 9-10- JAMES BEEM
- 11-12- JAMES BEEM
- 13-14- JAMES BEEM
- 15-16- JAMES BEEM
- 17-18- JAMES BEEM
- 19-20- JAMES BEEM
- 21-22- JAMES BEEM
- 23-24- JAMES BEEM
- 25-26- JAMES BEEM
- 27-28- JAMES BEEM
- 29-30- JAMES BEEM
- 31-32- JAMES BEEM
- 33-34- JAMES BEEM
- 35-36- JAMES BEEM
- 37-38- JAMES BEEM
- 39-40- JAMES BEEM
- 41-42- JAMES BEEM
- 43-44- JAMES BEEM
- 45-46- JAMES BEEM
- 47-48- JAMES BEEM
- 49-50- JAMES BEEM
- 51-52- JAMES BEEM
- 53-54- JAMES BEEM
- 55-56- JAMES BEEM
- 57-58- JAMES BEEM
- 59-60- JAMES BEEM
- 61-62- JAMES BEEM
- 63-64- JAMES BEEM
- 65-66- JAMES BEEM
- 67-68- JAMES BEEM
- 69-70- JAMES BEEM
- 71-72- JAMES BEEM
- 73-74- JAMES BEEM
- 75-76- JAMES BEEM
- 77-78- JAMES BEEM
- 79-80- JAMES BEEM
- 81-82- JAMES BEEM
- 83-84- JAMES BEEM
- 85-86- JAMES BEEM
- 87-88- JAMES BEEM
- 89-90- JAMES BEEM
- 91-92- JAMES BEEM
- 93-94- JAMES BEEM
- 95-96- JAMES BEEM
- 97-98- JAMES BEEM
- 99-100- JAMES BEEM

ST. MARIES GAP TRS. SEC 3

- 1-2-3-4-5-6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-25-26-27-28-29-30-31-32-33-34-35-36-37-38-39-40-41-42-43-44-45-46-47-48-49-50-51-52-53-54-55-56-57-58-59-60-61-62-63-64-65-66-67-68-69-70-71-72-73-74-75-76-77-78-79-80-81-82-83-84-85-86-87-88-89-90-91-92-93-94-95-96-97-98-99-100

RECORDED



MICROFILMED

NOV 21 1991



MICROFILMED

NOV 21 1991

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 91-07089

Priority: July 1, 1983

Maximum Diversion Rate: 0.06 CFS
Maximum Diversion Volume:¹ 1.2 AF

This is to certify, that ROBERT RUSSELL
P.O. BOX 395
DARBY MT 598290395

has complied with the terms and conditions
of the permit, issued pursuant to Application for Permit dated July 1, 1983; and
has submitted Proof of Beneficial Use on September 26, 1988. An examination indicates
that the works have a diversion capacity of .060 cfs of water from:

SPRING tributary to SINKS

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.06 CFS	1.2 AF

LOCATION OF POINT(S) OF DIVERSION: NENENE , Sec. 14, Township 46N, Range 02W
BENEWAH County

PLACE OF USE: DOMESTIC
TWN RGE SEC

46N 02W 14 NENE

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Diversion of water for domestic purposes is accomplished by means of a combined water delivery system from two water sources identified under this right & Right No. 91-7088. The combined rate of diversion under both rights shall not exceed 0.06 cfs.
6. Domestic use under this right is for a truck stop.

UNRECORDED

NOV 24 1981


State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 91-07089

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 4th
day of NOVEMBER, 1991.

Acting for


R. Keith Higginson, Director

NOV 21 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant Robert Rasmussen Phone 208 245-4547
Post office address PO Box 216 St. Maries Idaho 83861-0216
2. Source of water supply Spring which is a tributary of _____
3. Location of point of diversion is Part of Goun. Lot 4 of Section 14 Township 46 N
Range 2W B.M. Beneviah County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount .06 for domestic purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. .06 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Spring

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial

Allow 5 years *kw 10/31/83
use is _____ years (minimum 1 year - maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation: Part of Goun. Lot 4
(1) Give the place of use of water: _____ of Section 14 Township 46 N

Range 2W B.M.

(2) Amount of power to be generated: NONE horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered NONE

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water 0.

(5) If water is to be used for other purposes describe: For Shop Use

[illegible]

Robert Davis

/ a person other than the applicant, describe the arrangement enabling the

三、

ON SALE BY


BAKER MAPS

ST. TACOMA, WASHINGTON
RE. SEATTLE, WASHINGTON

DATED FEB. 1960

TOWNSHIP 46 N., RANGE 2 W. B. M.
BENENAWH COUNTY IDAHO

TOP SECRET



SMALL TRACTS

2- WILLCREST PARK
4- O.E. MILLER
5- DELBERT OLSON
6- RUTH FOUNTAIN
7- L.L. GASKILL
8- LES WARRENING

CASTLLO'S TRACTS

1-2-3-RAY SCHOFEN
4-5-C.N. BEAL
6-7-ARTHUR RICKLE
8-MARTA RACTOR
9-D.B. RECTOR
10-RAY L. OLINSBURG

RIVERDALE TRACTS


3-4 T. J. JONN BREMER
3-5 THELMA OLIVIA SAD
6-7 THELMA OLIVIA SAD
8-9 THELMA OLIVIA SAD
10-11 THELMA OLIVIA SAD
12-13 THELMA OLIVIA SAD
14-15 THELMA OLIVIA SAD
16-17 THELMA OLIVIA SAD
18-19 THELMA OLIVIA SAD
20-21 THELMA OLIVIA SAD
22-23 THELMA OLIVIA SAD
24-25 THELMA OLIVIA SAD
26-27 THELMA OLIVIA SAD
28-29 THELMA OLIVIA SAD
30-31 THELMA OLIVIA SAD

CHERRY CR
TRACTS sec

WADES SUB
1.44 SEC
270 INCHES
ST MARIES CO
TRG SEC
1.77 SEC
270 INCHES
1.70 SEC
270 INCHES
1.67 SEC
270 INCHES
1.64 SEC
270 INCHES
1.61 SEC
270 INCHES
1.58 SEC
270 INCHES
1.55 SEC
270 INCHES
1.52 SEC
270 INCHES
1.49 SEC
270 INCHES
1.46 SEC
270 INCHES
1.43 SEC
270 INCHES
1.40 SEC
270 INCHES
1.37 SEC
270 INCHES
1.34 SEC
270 INCHES
1.31 SEC
270 INCHES
1.28 SEC
270 INCHES
1.25 SEC
270 INCHES
1.22 SEC
270 INCHES
1.19 SEC
270 INCHES
1.16 SEC
270 INCHES
1.13 SEC
270 INCHES
1.10 SEC
270 INCHES
1.07 SEC
270 INCHES
1.04 SEC
270 INCHES
1.01 SEC
270 INCHES
0.98 SEC
270 INCHES
0.95 SEC
270 INCHES
0.92 SEC
270 INCHES
0.89 SEC
270 INCHES
0.86 SEC
270 INCHES
0.83 SEC
270 INCHES
0.80 SEC
270 INCHES
0.77 SEC
270 INCHES
0.74 SEC
270 INCHES
0.71 SEC
270 INCHES
0.68 SEC
270 INCHES
0.65 SEC
270 INCHES
0.62 SEC
270 INCHES
0.59 SEC
270 INCHES
0.56 SEC
270 INCHES
0.53 SEC
270 INCHES
0.50 SEC
270 INCHES
0.47 SEC
270 INCHES
0.44 SEC
270 INCHES
0.41 SEC
270 INCHES
0.38 SEC
270 INCHES
0.35 SEC
270 INCHES
0.32 SEC
270 INCHES
0.29 SEC
270 INCHES
0.26 SEC
270 INCHES
0.23 SEC
270 INCHES
0.20 SEC
270 INCHES
0.17 SEC
270 INCHES
0.14 SEC
270 INCHES
0.11 SEC
270 INCHES
0.08 SEC
270 INCHES
0.05 SEC
270 INCHES
0.02 SEC
270 INCHES
0.00 SEC
270 INCHES

BUTLER'S TRAVEL

1-2 STELLA BEER
3-4 NAMES
5-6 STELLA BEER
7-8 Q.D.G. 10-11
12-13 D.V. 14-15
16-17 ELMER
18-19 D.V. 20-21
22-23 D.V. 24-25
26-27 D.V. 28-29
30-31 D.V. 32-33



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Robert Russell
(Applicant)

RECEIVED

7/11/83

Proposed Priority

Received by RAH Date 7/1/83 Time 12:30 PM
Preliminary check by RAH Fee \$ 3000
Received by RAH Date 7/5/83 # 28671
Publication prepared by RAH Date 8/3/83
Published in St. Mario Gazette Record
Publication dates 8/10 - 8/17
Publication approved RAH Date 10/1/83
Protests filed by: none
Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by RAH kw

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 91-7089 , and said application is hereby APPROVED

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before

November 1, 19 88.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. Other: Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.

Witness my hand this 4 day of November, 1983.

David R. Tustill Acting Chief, Operations Bureau

Affidavit of Publication

STATE OF IDAHO
County of Benewah, ss.

JoJane Hammes, being first duly sworn on oath, deposes and says that she is co-publisher and business manager of the St. Maries Gazette Record, a weekly newspaper printed and published at St. Maries, Benewah County, State of Idaho; the St. Maries Gazette Record is a newspaper having general circulation in Benewah county, State of Idaho, and has been continuously and uninterruptedly published in Benewah County, State of Idaho, during a period of more than seventy-eight consecutive weeks prior to the first publication of the notice of advertisement hereon.

That the notice, of which the one hereto attached is a true copy, was published in said newspaper for a period of 2 issues, the first publication being on the 10th day of August, 1983 and the last on the 17th day of August, 1983.

That said newspaper was regularly distributed to its subscribers during the time of the same period; that said notice was published in the regular and entire issue of said paper.

JoJane Hammes

Subscribed and sworn to before me this 23rd day of Aug, 1983

Sharon D. Black

Notary Public in and for Benewah County, Idaho
Residing at St. Maries, Idaho

Water Rights are sought by several

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

91-7087

Name: Samuel G. Badgett
Address: P.O. Box 528, St. Maries, Idaho 83861
Date Filed: July 1, 1983
Source: Saint Joe River tributary to Coeur d'Alene Lake
Point of Diversion: SENE Sec 17 T 46N R 02W
In: SENE Sec 17 T 46N R 02W for 1 acre
Use: Irrigation (0.03 cfs)

91-7088

Name: Robert Russell
Address: P.O. Box 218, St. Maries, Idaho 83861
Date Filed: July 1, 1983
Source: Groundwater
Point of Diversion: Lot 04 Sec 14 T 46N R 02W
In: Lot 04 Sec 14 T 46N R 02W
Use: Domestic (0.06 cfs)

91-7089

Name: Robert Russell
Address: P.O. Box 218, St. Maries, Idaho 83861
Date Filed: July 1, 1983
Source: Spring tributary to Sinks
Point of Diversion: Lot 04 Sec 14 T 46N R 02W
In: Lot 04 Sec 14 T 46N R 02W
Use: Domestic (0.06 cfs)

91-7090

Name: Keith G. and-or Louis G. Wilson
Address: Rt. 1 Box 23B, St. Maries, Idaho 83861
Date Filed: June 30, 1983
Source: Spring tributary to Sinks
Point of Diversion: SESE Sec 20 T 46N R 02W
In: NWSE Sec 20 T 46N R 02W
Use: Domestic (0.08 cfs)

91-7091

Name: Keith G. and-or Louis G. Wilson
Address: Rt. 1 Box 23B, St. Maries, Idaho 83861
Date Filed: June 30, 1983
Source: Cherry Creek tributary to Saint Joe River
Point of Diversion: SESE NWSE Sec 20 T 46N R 02W
In: NWSE Sec 20 T 46N R 02W for 12 acres
Use: Irrigation (0.20 cfs); Stockwater (0.01 cfs)

92-7157

Name: Charles R. Pottinger
Address: Rt. 4 Box 218, St. Maries, Idaho 83861
Date Filed: June 28, 1983
Source: Santa Creek, South Fork tributary to Santa Creek
Point of Diversion: SESE Sec 38 T 44N R 03W
In: SESE Sec 38 T 44N R 03W for 10 acres
Use: Irrigation (0.20 cfs); Irrigation Storage (2.0 AF); Irrigation from Storage (2.0 AF); Stockwater (0.20 cfs); Stockwater Storage (2.0 AF); Stockwater from Storage (2.0 AF); Diversion to Storage (0.20 cfs)

92-7161

Name: Robert L. Wood
Address: Rt. 4 Box 218, St. Maries, Idaho 83861
Date Filed: July 6, 1983
Source: Unnamed Stream tributary to Santa Creek
Point of Diversion: SWSE Sec 25 T 44N R 03W
In: SWSE Sec 25 T 44N R 03W
Use: Domestic (0.04 cfs)

92-7162

Name: Howard E. Durham
Address: P.O. Box 374, Fernwood, Idaho 83850
Date Filed: July 1, 1983
Source: Unnamed Stream tributary to Carpenter Creek
Point of Diversion: SWSE Sec 11 T 43N R 01W
In: SWSE Sec 11 T 43N R 01W
Use: Stockwater Storage (10.0 AF); Domestic (0.02 cfs)

92-7163

Name: Howard E. Durham
Address: P.O. Box 374, Fernwood, Idaho 83850
Date Filed: July 1, 1983
Source: Spring tributary to Flat Creek, Unnamed Stream tributary to Flat Creek
Point of Diversion: SESE Sec 29 T 45N R 01W
In: SESE Sec 29 T 45N R 01W for 3 acres
Use: Irrigation (0.09 cfs); Domestic (0.02 cfs)

92-7164

Name: Clarence Thomason
Address: Rt. 4 Box 92, St. Maries, Idaho 83861
Date Filed: July 12, 1983
Source: Groundwater
Point of Diversion: NWNE Sec 30 T 45N R 01W
In: NWNE Sec 30 T 45N R 01W
Use: Domestic (0.08 cfs)

92-7165

Name: John E. Goddard
Address: 802 Mitchell St., Colorado Springs, Colorado 80916
Date Filed: June 28, 1983
Source: Rock Creek tributary to Saint Maries River
Point of Diversion: Lot 04 Sec 19 T 44N R 01E
In: Lot 04 Sec 19 T 44N R 01E
Use: Stockwater Storage (5.0 AF); Recreation Storage (5.0 AF); Diversion to Storage (0.20 cfs)

92-7166

Name: John E. Goddard
Address: 802 Mitchell St., Colorado Springs, Colorado 80916
Date Filed: June 28, 1983
Source: Groundwater
Point of Diversion: Lot 04 Sec 19 T 44N R 01E
In: Lot 04 Sec 19 T 44N R 01E for 5 acres
Use: Irrigation (0.10 cfs); Stockwater (0.02 cfs); Domestic (0.06 cfs)

92-7167

Name: James C. and-or Emeogene W. Titus
Address: 227 Jefferson St., St. Maries, Idaho 83861
Date Filed: July 21, 1983
Source: Groundwater
Point of Diversion: NESW Sec 27 T 46N R 02W
In: NESW Sec 27 T 46N R 02W for 10 acres
Use: Irrigation (0.20 cfs); Stockwater (0.02 cfs); Domestic (0.04 cfs)

92-7168

Name: Richard Nathanson; Anna Lee Harris
Address: P.O. Box 3571, Moscow, Idaho 83843
Date Filed: June 30, 1983
Source: Spring tributary to Santa Creek, Unnamed Streams tributary to Santa Creek
Point of Diversion: NESE Sec 26 T 44N R 03W
In: NESE Sec 26 T 44N R 03W for 10 acres
Use: Irrigation (0.20 cfs); Domestic (0.04 cfs)

95-8409

Name: John and-or Judy M. Bailey
Address: Rt. 1 Box 75, St. Maries, Idaho 83861
Date Filed: July 28, 1983
Source: Spring tributary to Benewah Creek, Benewah Creek tributary to Coeur d'Alene Lake
Point of Diversion: SESE Sec 22 T 46N R 03W
In: SESE Sec 22 T 46N R 03W
Use: Stockwater (0.02 cfs); Domestic (0.04 cfs)

95-8411

Name: William O. Norris
Address: P.O. Box 363, Phummer, Idaho 83851
Date Filed: July 29, 1983
Source: Groundwater
Point of Diversion: Lot 03 Sec 18 T 46N R 03W
In: Lot 03 Sec 18 T 46N R 03W
Use: Domestic (0.02 cfs)

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, 4055 Gov't Way, Coeur d'Alene, Idaho 83814 on or before August 29, 1983.

KENDUNN, Dir.

No. 7196 — Aug. 10-17.

November 5, 1991

ROBERT RUSSELL
P.O. BOX 395
DARBY MT 598290395

RE: WATER RIGHT NO. 91-07089

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

SHARLA CURTIS
Technical Records Specialist

SC:blm

Enclosure

RECEIVED
NOV 21 1991

LICENSE REVIEW CHECKLIST

Permit No. 91-7089

Name/Address change? ok ☒

Priority date Advance? yes no ☒
Memo to advance
Order to reinstate needed? yes no ☒

Total cfs Limited by fee ☒
Limited by capacity ☒

Total volume Limited by flow
Chart checked for AF rate/ac N/A

Capacity Actual measurement checked
Theoretical checked
If greater than permit, check for other rts

Source Changed? yes no ☒
If so, is memo needed to clarify?

P/D Verify with map ☒ permit ☒
More than one per 44? Remember remark
Check p/d overlap N/A

Uses Check irrigation period of use w/ chart N/A

P/U Verify with map ☒ permit ☒
> 5 acres irrigated, run overlap N/A

Remarks More than one p/d in 44 ☒
Description of non-irrig uses
Special overlap condition

Conditions -	Dates/Misc. -
Measuring device <u> </u>	Water Dist <u> </u>
W.Master control <u> </u>	App Rec'd <u> </u>
Overlap <u> </u>	Proof Rec'd <u> </u>
Water quality <u> </u>	
Other <u> </u>	

CHECK FOR ADJ. CLAIM Needed according to proof filed
 Filed - needs amended
 Add'l fee required
 Not filed -
 Not needed ☒

Comments/Changes to Examiner's Recommendations:
Volume = 2.1 AF + washes (219,000 gpy/325,850 = .7 AF) = 1.4 AF
indicates a 5 AF + washes (219,000 gpy/325,850 = .7 AF) = 1.4 AF

License 10-day 1.2 10-day

Back of field report signed?

Reviewer J. Curtis Date 7/10/91 Review NOV 21 1991 min.

SENIOR AGENT REVIEW

Check List
for
Beneficial Use Field Report

Permit 91-07089

☒ **A. GENERAL INFORMATION**

- ☒ 1. Name and address are most current available. (Check BU statement)
☒ 2. Exam Date
☒ 3. Source (Check Permit)

☒ **B. OVERLAP REVIEW**

- ☒ 1. & 2. (Rule 5,1,4)

☒ **C. SYSTEM DESCRIPTION**

- ☒ 1. Diversion System Diagram (Rule 5,1,3 / 5,1,4)
☒ 2. USGS (Rule 5,1,7 / 5,1,9) Aerial (Rule 5,1,17)
Photo of pd and/or pu or explanation
☒ 3. Word Picture (Rule 5,1,3 / 5,1,4)
☒ 4. Diversion (Rule 5,1,3)
☒ 5. Compare with USGS Map/Land Survey Maps/Aerial Photos/Permit.
Method of determination
☒ 6. Irrigation (Rule 5,1,8), Method of determination,
Compare USGS/Land Survey? Aerial Photos/Permit.

☒ **D. FLOW MEASUREMENTS** Check math (Rule 5,1,13 / 5,1,14)

☒ **E. FLOW CALCULATIONS** Check math (Rule 5,1,13 / 5,1,14)

☒ **F. OPTIONAL**

☒ **G. VOLUME CALCULATIONS**

- Three significant figures/not less than 0.10 (Rule 6,1,2)
Fish (Rule 5,1,11) number stock, homes, etc... (Rule 5,1,12)

☒ **H. REMARKS AND OVERLAP ANALYSES**

- ☒ All actual uses listed (Rule 5,1,2):
☒ All unused, permitted uses listed (Rule 5,1,2):
☒ Overlaps (Rule 5,1,4):
☒ Return flows (Rule 5,1,5):
☒ Conditions (Rule 5,1,6).

☒ **I. RECOMMENDATIONS**

- ☒ 1. Municipal (Rule 5,1,10): Compare with items E & G, permit, fee, capacity
(Rule 5,1,15): Measured flows for each use listed separately (Rule 5,1,14).
Period of year (Rule 5,1,13)
☒ 2. Compare permit to exam for amendments (Rule 5,1,16)

☒ **J. AUTHENTICATION**

Name, Signature, Certification Date, Exam Date.

☒ **WELL INSPECTION REPORT**


Check with permit and well log for discrepancies

Signature




Date

11/14/80



RECEIVED

NOV 21 1991



MICROFILMED

NOV 21 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
JUN 24 1991

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 91-07089

1. Owner: Robert Russell Phone No. (406) 821-3261

Current Address: PO Box 395 Darby Montana 59829

2. Accompanied by: Don Darter EXAM. DATE: 8/15/90

Address: 96C-21 730 Main Street, St. Maries ID 83861 Phone No. 245-2551

Relationship to Permit Holder: Realtor Rep.

3. Source: Spring tributary to Sinks


B. OVERLAP REVIEW

1. Other water rights with same place of use: 91-07088 ☐ Copies Attached

2. Other water rights with same point of diversion: None ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = Nts

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☐ Aerial Photo Attached N/A
(required for irrigation of 10 acres or more).

☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

NOV 21 1961

19

[illegible]

Indicate Method of Determination

[illegible]


***Code to correspond with No. on map and aerial photo**

Well or Diversion Identification No.*	Gravity				
Motor Make					
Hp					
Motor Serial No.					
Pump Make					
Pump Serial No. or Discharge Size					

4

Narrative: Description (As operating at time of measurement, indicate pressure, number of sprinklers, etc.)
Spring & well tie into same system which provides water for log truck bussiness (shop), which has power washer, restroom, full-service garage, and 3 mobil home pads. Tapped spring water is controlled by a valve, so entire system can run on either spring water or ground water. Well casing & valves to various points of use are contained inside a 4" diameter culvert, sunk into the ground. All pipes are buried. There is a pipe to home, a pipe to guest house, a pipe to sprinkler system/3 mobil home pads & One 3/4" impact sprinkler at 50psi, and a pipe to Shop.

☐ See Remarks on page 4 for continuation



RUSSEL
PD: T46N, R2W, SEC.14, GL: 4
PU:
SOURCE: SPRING
MAP: 20 QUAD: G-56
PERMIT # 91-07089
ACRES: .
TRIBUTARY: SINKS

Do not use this space

D. FLOW MEASUREMENTS

None


☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

Pilot Gage reading of 50 psi



E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

0.06 cfs as per permit

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3)

; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .00173 = _____ (8)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

UNRECORDED

G. VOLUME CALCULATIONS

NOV 1 1991

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses: 1 Shop at 15 gal/day/person x 4 persons x 365 days = 21,900 gal or 0.5 AFA

Power washer 5 gpm x 2 hrs (120 min) x 10 trucks x 365 days = 218,000 gal
Time to wash 10 Trucks
5.0 AFA
Total Volume = 55 AFA

H. REMARKS AND OVERLAP REVIEW ANALYSIS

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use

Domestic

From

Period of Use To

1-1 10-31

Rate of Diversion

Q (cfs)

0.06 cfs

Annual Volume

V (afa)

5.5 afa

2. Recommended Amendments

☐ Change P.D. as reflected above

☐ Add P.D. as reflected above

☐ None

☒ Other

J. AUTHENTICATION

Field Examiner's Name

Theresa J. Bright

Signature

Theresa J. Bright


Certification Date

7/16/90

Field Report Preparation Date

8/28/90

K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.



RECEIVED

NOV 21 1991



State of Idaho
DEPARTMENT OF WATER RESOURCES

NORTHERN REGION, Suite No. 9 • 4055 Government Way • Coeur d'Alene, Idaho 83814 • (208) 765-4639

CECIL D. ANDRUS
Governor

R. KEITH HIGGINSON
Director

November 4, 1988

91-7089

Mr. Robert Russell
P.O. Box 395
Darby, Mt. 59829

Dear Permitholder:

We acknowledge receipt of your statement of completion of water development use for the above-referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We do not know at this time when he will be able to conduct the examination; however, the examiner will try to contact you at the time he makes the examination so that you may show him the system. If you will not be available to show the system, please provide this office with the name and address of someone who will be able to do so. Your permit will remain valid until the examination is made.

If you have any questions concerning the field examination, please contact this office. Please be sure to use the above-referenced permit number in all future correspondence concerning this examination.

Sincerely,

/s/
TOM D. KING
Senior Water Resource Agent

TDK/pms

RECORDED

NOV 21 1991

Celebrate
IDAHO
1890 • CENTENNIAL • 1990

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 91-7089

Date: 10/5/88

General Considerations:

Y Name same as permit
Y Signature the same as permit holder
Y Address change _____ If yes, prepare a data entry
Y Proof received timely _____
_____ Reinstated

Source of Water:

Y Surface water
_____ Groundwater
_____ 1. well log in file
_____ 2. drilling permit
_____ A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

Y Rate of diversion appropriate for uses
Y Is rate or volume and fee appropriate?
Y Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

N/A Is a measuring device or access port required?
N/A Has one been installed?
_____ Waiver or modification of measuring device requested

Remarks:

Proof acceptable

N/A

Priority Calculation:

Date proof received	_____	_____
Date proof due	_____	- _____
No. of days late	_____	= _____
Priority date	_____	+ _____
NEW PRIORITY DATE	_____	= _____

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

Form 217
03/86

RECEIVED

SEP 26 1988

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

For Office Use Only
Fee Received \$50.00
Date 9/27/88
Receipt # C022709
Receipt by
Reviewed by
Sent to region

Department of Water Resources

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 91-07089

Name(s) of Permit Holder: Robert E. Russell

Post Office Address: P.O. Box 395 Darby, MT 59829-0395

Telephone No. 406-821-3261

Source of Water: Spring

Extent of Use: Permit allows only for shop Use

Domestic 4 (number of households)

Stockwater Yes (number and type of stock)
4 horses

Irrigation 12 (acres)

Other/Remark Commerical Truck Shop

Total rate and/or volume for which proof is submitted .21-1.0 .06 cfs * acre-feet

Show the date water was first diverted and beneficially used under this permit: February 1975

Measuring Device: Required? Yes ☒ No
Installed? Yes ☒ No

Fee enclosed \$ 100.00 50.00 *
(See License Examination Fee Schedule)

Flow Measurement Port: Required? Yes ☒ No
Installed? Yes ☒ No

Per letter 10/3/88

Person to contact to accompany the Department representative during the field examination:

(Name)

(Telephone Number)

(Address)

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

OCT 13 1988

9-23-88

Date

Signature of Permit Holder (and title, if appropriate)

Owner

October 3, 1988

Robert E. Russell
P. O. Box 395
Darby, MT 59829-0395

RE: Permit No. 91-7088 and 91-7089

Dear Mr. Russell:

Returned is your check No. 2591 in the amount of \$100 (93-83/929) submitted to this office on September 26, 1988.

As stated on each of your application for permit forms, the amount of water use approved is 0.06 cfs, which is the maximum rate allowed for diversion.

In compliance with the statutes, a water right license could not be issued for a rate greater than the permit approval. The examination fee listed on the enclosed instruction sheet for 0.06 cfs is \$50 (for each permit), therefore, the combined total fee is \$100. The check No. 2590 in the amount of \$100 was accepted in payment for the combined total fee.

The proof of beneficial use forms have been amended by showing 0.06 cfs as the maximum rate of diversion for each permit.

The department will continue processing the proofs by notifying the regional office that a field inspection is needed.

If you have any questions concerning this matter, please feel free to contact this office.

Sincerely,

RITA I. FLECK
Secretary/Records Manager

Enclosures

c: Acct. Sec.
N. Region

MICROFILMED

OCT 13 1988

FROM Sharla

DATE 9.22.88

TO Rita

SUBJECT

on this date, Mr. Russell called to find out which permit of theirs was the spring & which was the well - I gave her the info. In our conversation she stated that the spring had been used since about 1945 and wondered if that was the date she should put on the date 1st put to use - I told her that if that was the case, I was surprised they didn't file a claim instead of the app so I told her to use the date they purchased the property (1977 approx.)

Just wanted to let you know how I advised her in case you have any questions on her proof form.

SIGNATURE

INTER-DEPARTMENT MEMO — 1

FROM Jodi

DATE 9/14/88

TO File # 91-7089

SUBJECT Called Benewah County Assessor.
Requested new address for:

Robert Russell
P.O. Box 395
Darby, Montana 59829

RECEIVED

OCT 13 1988

Re-mailed
Proof Due notice

js

SIGNATURE

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Statehouse
Boise, Idaho 83720

RETURNED TO SENDER

REASON CHECKED

Unclaimed _____ Refused _____
Attempted Not known _____
Insufficient Address _____
No such street _____ number _____
No such office in state _____
Do not re-mail in this envelope

F.O.E

RECEIVED

BOISE
IDAHO
U.S. POSTAGE
= 1.30 -

SEP 12 1988

532556

Department of Water Resources

Date

☐ Airtel

OCT 13 1988

138390

General
PS Form
Oct. 1980

138390
August 31, 1988

ROBERT RUSSELL
P.O. BOX 216
ST. MARIES, ID 83861

PROOF DUE NOTICE
RE: PERMIT NO. 91-07089

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before November 1, 1988. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

MICROFILMED

OCT 13 1988

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

RUSSELL, ROBERT
P.O. BOX 216
ST. MARIES, ID 83861

NOVEMBER 22, 1983

RE: PERMIT NO. 91-7089

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

THE 1982 IDAHO LEGISLATURE ADDED A REQUIREMENT THAT AS A PERMIT HOLDER YOU MUST COMMENCE THE EXCAVATION OR CONSTRUCTION OF DIVERTING WORKS WITHIN ONE YEAR OF THE DATE THE PERMIT WAS ISSUED, AND YOU MUST PROCEED DILIGENTLY UNTIL THE PROJECT IS COMPLETED. THE ENCLOSED BLUE CARD MUST BE COMPLETED AND RETURNED TO THIS OFFICE AS SOON AS YOU COMMENCE CONSTRUCTION, NO LATER THAN ONE YEAR FROM THE DATE THE PERMIT WAS APPROVED.

WE HAVE ENCLOSED INSTRUCTIONS ENTITLED "MAKING PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT INTO A LICENSE.

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE

11/22/83

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: JS

APPLICATION NUMBER: 91-7089

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No* In form to receipt.

Field check by: _____
Date: _____
Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: _____ Date: _____

PROCESSING:

- ☐ Yes ☐ No Platted by: _____ Map No. _____
☐ Yes ☐ No Other rights on same place of use. _____
☒ Yes ☐ No* In form for advertising.
Final date for protests: 8/29/83
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 8/24/83
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☐ Yes ☒ No Access port required.
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? _____
☒ 7/1/83 Date of priority recommended.
Special conditions of approval or cover letter. _____

By: ASW Date: 10/12/83

STATE OFFICE REVIEW:

417 26

☐ See attached sheet for more information.
By: KW Date: 10/31/83

Department of Water Resources

MICROFILMED

POINT OF DIVERSION AND STREAM INDEX INFORMATION

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
IDAHO STREAM CODE INDEX						

91-2089

RUSSELL, ROBERT

P.O. BOX 216. ST. MARIES, ID 83861

Source: SPRING trib. to SINKS

Date Filed: 07/01/1983

Diversion Pt: LOT 04 Sec 14 T 46N R 02W

Use: DOMESTIC (0.06 CFS)

In: LOT 04 Sec 14 T 46N R 02W

MICROFILMED