

1 MILE

OR SALE BY

SKER MAPS


ST. TACOMA, WASHINGTON
SEATTLE, WASHINGTON

DATED FEB. 1960

TOWNSHIP 46 N., RANGE 2 W. B. M.

BENENAH COUNTY, IDAHO

MICROFILMED



SMALL TRACTS

- 1-4 HEURLE
- 5-6 BLAKE
- 7-8 CREST PARK
- 9-10 MILLER
- 11-12 DELBERT OLSON
- 13-14 RUTH FOUNTAIN
- 15-16 L.L. GASKILL
- 17-18 LES WAREHINE

CASTLE'S TRACTS

- 1-2 RAY SCHONICK
- 3-4 C.N. BEAL
- 5-6 ARTHUR RICKLE
- 7-8 MARY RACTOR
- 9-10 RAY LOUNSBURG

RIVERDALE TRACTS

- 1-2 GEO. MURO
- 3-4 P.J. BRENNER
- 5-6 WELMA OLSTAD
- 7-8 WELMA BROS.
- 9-10 HEURLE
- 11-12 WOODROW BARDEN
- 13-14 CHRISTENSEN
- 15-16 WOODROW BARDEN
- 17-18 HELMUT HEURLE
- 19-20 WEAVER BROS.
- 21-22 THELMA OLSTAD
- 23-24 JOHN BRENNER
- 25-26 P.T. 23 GEO. MURO
- 27-28 P.T. 23 WEAVER BROS.
- 29-30 TEB BARDEN
- 31-32 W.D. BROS.
- 33-34 W.D. BROS.
- 35-36 W.D. BROS.
- 37-38 W.D. BROS.
- 39-40 W.D. BROS.
- 41-42 W.D. BROS.
- 43-44 W.D. BROS.
- 45-46 W.D. BROS.
- 47-48 W.D. BROS.
- 49-50 W.D. BROS.
- 51-52 W.D. BROS.
- 53-54 W.D. BROS.
- 55-56 W.D. BROS.
- 57-58 W.D. BROS.
- 59-60 W.D. BROS.
- 61-62 W.D. BROS.
- 63-64 W.D. BROS.
- 65-66 W.D. BROS.
- 67-68 W.D. BROS.
- 69-70 W.D. BROS.
- 71-72 W.D. BROS.
- 73-74 W.D. BROS.
- 75-76 W.D. BROS.
- 77-78 W.D. BROS.
- 79-80 W.D. BROS.
- 81-82 W.D. BROS.
- 83-84 W.D. BROS.
- 85-86 W.D. BROS.
- 87-88 W.D. BROS.
- 89-90 W.D. BROS.
- 91-92 W.D. BROS.
- 93-94 W.D. BROS.
- 95-96 W.D. BROS.
- 97-98 W.D. BROS.
- 99-100 W.D. BROS.


- 1-2 STELLA
- 3-4 JANE
- 5-6 JANE
- 7-8 JANE
- 9-10 JANE
- 11-12 JANE
- 13-14 JANE
- 15-16 JANE
- 17-18 JANE
- 19-20 JANE
- 21-22 JANE
- 23-24 JANE
- 25-26 JANE
- 27-28 JANE
- 29-30 JANE
- 31-32 JANE
- 33-34 JANE
- 35-36 JANE
- 37-38 JANE
- 39-40 JANE
- 41-42 JANE
- 43-44 JANE
- 45-46 JANE
- 47-48 JANE
- 49-50 JANE
- 51-52 JANE
- 53-54 JANE
- 55-56 JANE
- 57-58 JANE
- 59-60 JANE
- 61-62 JANE
- 63-64 JANE
- 65-66 JANE
- 67-68 JANE
- 69-70 JANE
- 71-72 JANE
- 73-74 JANE
- 75-76 JANE
- 77-78 JANE
- 79-80 JANE
- 81-82 JANE
- 83-84 JANE
- 85-86 JANE
- 87-88 JANE
- 89-90 JANE
- 91-92 JANE
- 93-94 JANE
- 95-96 JANE
- 97-98 JANE
- 99-100 JANE



MICROFILMED
NOV 21 1991



UNRECORDED
NOV 21 1991



NAME: ROBERT RUSSELL
PD: T46N, R2W, SEC.14: (SENE)?
PU:
SOURCE: GROUNDWATER

PERMIT NUMBER: 91-07088
GL: 4
AC/IRR:
TRIB. TO:
MAP: # 20
QUAD: G-56

MICROFILMED

NOV 21 1991

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 91-07088

Priority: July 1, 1983

Maximum Diversion Rate: 0.06 CFS
Maximum Diversion Volume:¹ 2.4 AF

This is to certify, that ROBERT RUSSELL
P.O. BOX 395
DARBY MT 598290395

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated July 1, 1983; and has submitted Proof of Beneficial Use on September 26, 1988. An examination indicates that the works have a diversion capacity of .060 cfs of water from a **GROUNDWATER** source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.06 CFS	2.4 AF

LOCATION OF POINT(S) OF DIVERSION: NENE , Sec. 14, Township 46N, Range 02W
BENEWAH County

PLACE OF USE: DOMESTIC
TWN RGE SEC

46N 02W 14 NENE

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Diversion of water for domestic purposes is accomplished by means of a combined water delivery system from two water sources identified under this right & Right No. 91-7089. The combined rate of diversion under both rights shall not exceed 0.06 cfs.
6. Domestic use under this right is for 2 homes.

PRODUCED

NOV 21 1991


State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 91-07088

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 4TH
day of NOVEMBER, 1991.

Acting for


R. Keith Higginson, Director



NOV 21 1991

RECEIVED

Form 202
3/78 JUL 1 1983

Ident. No. 91-7088

STATE OF IDAHO

Department of Water Resources
Northern District Office

DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant Robert Rissner Phone 208 245-4547
Post office address PO Box 216 St. Maries Idaho 83861-0216
2. Source of water supply ground water which is a tributary of _____
3. Location of point of diversion is PART OF GOV. LOT 4 of Section 14 Township 46N
Range 2W B.M. BRENEWAH County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount .06 for domestic purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. .06 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. well

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years (minimum 1 year - maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation: PART OF GOV. LOT 4
(1) Give the place of use of water: PART OF GOV. LOT 4 of Section 14 Township 46N
Range 2W B.M.

(2) Amount of power to be generated: NONE horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered NONE

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water 2.

(5) If water is to be used for other purposes describe: _____

NOT RECORDED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

Total number of acres to be irrigated

9. a. Who owns the property at the point of diversion Robert Brown.

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the

applicant to make this filing

10. Remarks


TRAKER MAPS

ST. TACOMA, WASHINGTON
SEATTLE, WASHINGTON

DATED FEB. 1960

TOWNSHIP 46 N., RANGE 2 W. B. M.
BENICAH COUNTY, IDAHO

NOTED



SMALL TRACTS

- 1-M. HELLER
2-A. ALAKE
3-HILLCREST PARK
4-O. MILLER
5-DELBERT OLSON
6-RUTH FOUNTAIN
7-LL GASWILL
8-LES WAREHINE

CASULLIO'S TRACTS

- SEC 7
1-2-3-RAY SCHOOLM
4-5-CY BEAL
6-7-ARTHUR PICKLE
8-MARTA FACTOR
9-DE RECTOR
10-RAY L DUNSBURG

RIVERDALE TRACTS

- 10725 DEC 1960
1-4 BELLEJOHN BRENNER
5-4 HELMELM OLYSTAD
6-5 MEYER BROS
7-4 HELMELM HELPER
8-4 WOODROW BARNEN
9-4 C. CHRISTENSEN
10-4 WOODROW BARNEN
11-4 HELMELM HELPER
12-4 MEYER BROS
13-4 HELMELM HELPER
14-4 HELMELM OLYSTAD
15-4 HELMELM OLYSTAD
16-4 JOHN BRENNER
17-4 JOHN BRENNER
18-4 JOHN BRENNER
19-4 JOHN BRENNER
20-4 JOHN BRENNER
21-4 JOHN BRENNER
22-4 JOHN BRENNER
23-4 JOHN BRENNER
24-4 JOHN BRENNER
25-4 JOHN BRENNER
26-4 JOHN BRENNER
27-4 JOHN BRENNER
28-4 JOHN BRENNER
29-4 JOHN BRENNER
30-4 JOHN BRENNER

BUTLER
Sec.

- 1-2 STELL
3-A VAMM
3-A STELL
709-G/L
10-POLY
1178446L
1570344
2170344
24-27-57
24-29-57

CHURCH
TRUST

- MADE IN
1-4 N
2106 N
ST MA
TR

This image shows a full page of blank graph paper. The grid consists of small squares formed by thin black lines. On the left side, there is a vertical margin strip containing some faint, illegible markings and a small dark smudge near the top. The rest of the page is a uniform grid of squares.

C

Robert P. Smith
(Applicant)

7/1/83

Proposed Priority

Received by RAH Date 7/1/83 Time 12:30 PM

Preliminary check by RAH Fee \$ 3000

Received by RAH Date 7/5/83 # 28671

Publication prepared by RAH Date 2/3/83

Published in St. Mark's Gazette Record

Publication dates 8-10/8-17

Publication approved RAH Date 10/7/83

Protests filed by: None

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by RAH tu

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 91-7088, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before

November 1, 1988.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. Other: Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.

Witness my hand this 7 day of November, 1983.

Dana R. Tuttle Acting Chief, Operations Bureau

Affidavit of Publication

STATE OF IDAHO
County of Benewah, ss.

JoJane Hammes, being first duly sworn on oath, deposes and says that she is co-publisher and business manager of the St. Maries Gazette Record, a weekly newspaper printed and published at St. Maries, Benewah County, State of Idaho; the St. Maries Gazette Record is a newspaper having general circulation in Benewah county, State of Idaho, and has been continuously and uninterruptedly published in Benewah County, State of Idaho, during a period of more than seventy-eight consecutive weeks prior to the first publication of the notice of advertisement hereon.

That the notice, of which the one hereto attached is a true copy, was published in said newspaper for a period of 2 issues, the first publication being on the 10th day of August, 1983 and the last on the 17th day of August, 1983.

That said newspaper was regularly distributed to its subscribers during the time of the same period; that said notice was published in the regular and entire issue of said paper.

Subscribed and sworn to before me this 23rd day of Aug, 1983

Sharon D. Blackburn

Notary Public in and for Benewah County, Idaho
Residing at St. Maries, Idaho

Water Rights are sought by several

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

91-7087

Name: Samuel G. Badgett
Address: P.O. Box 538, St. Maries, Idaho 83861
Date Filed: July 1, 1983
Source: Saint Joe River tributary to Coeur d'Alene Lake
Point of Diversion: SENE Sec 17 T 46N R 02W
In: SENE Sec 17 T 46N R 02W for 1 acre
Use: Irrigation (0.03 cfs)

91-7088

Name: Robert Russell
Address: P.O. Box 216, St. Maries, Idaho 83861
Date Filed: July 1, 1983
Source: Groundwater
Point of Diversion: Lot 04 Sec 14 T 46N R 02W
In: Lot 04 Sec 14 T 46N R 02W
Use: Domestic (0.06 cfs)

91-7089

Name: Robert Russell
Address: P.O. Box 216, St. Maries, Idaho 83861
Date Filed: July 1, 1983
Source: Spring tributary to Sinks
Point of Diversion: Lot 04 Sec 14 T 46N R 02W
In: Lot 04 Sec 14 T 46N R 02W
Use: Domestic (0.06 cfs)

91-7090

Name: Keith G. and-or Louis G. Wilson
Address: Rt. 1 Box 23B, St. Maries, Idaho 83861
Date Filed: June 30, 1983
Source: Spring tributary to Sinks
Point of Diversion: SESW Sec 20 T 46N R 02W
In: NWSE Sec 20 T 46N R 03W
Use: Domestic (0.08 cfs)

91-7091

Name: Keith G. and-or Louis G. Wilson
Address: Rt. 1 Box 23B, St. Maries, Idaho 83861
Date Filed: June 30, 1983
Source: Cherry Creek tributary to Saint Joe River
Point of Diversion: SESW NWSE Sec 20 T 46N R 02W
In: NWSE Sec 20 T 46N R 02W for 12 acres
Use: Irrigation (0.20 cfs); Stockwater (0.01 cfs)

92-7157

Name: Charles R. Pettingill
Address: Rt. 4 Box 218, St. Maries, Idaho 83861
Date Filed: June 28, 1983
Source: Santa Creek, South Fork tributary to Santa Creek
Point of Diversion: SESE Sec 35 T 44N R 03W
In: SESE Sec 35 T 44N R 03W for 10 acres
Use: Irrigation (0.20 cfs); Irrigation Storage (2.0 AF); Irrigation from Storage (2.0 AF); Stockwater (0.20 cfs); Stockwater Storage (2.0 AF); Stockwater from Storage (2.0 AF); Diversion to Storage (0.20 cfs)

92-7161

Name: Robert L. Wood
Address: Rt. 4 Box 218, St. Maries, Idaho 83861
Date Filed: July 6, 1983
Source: Unnamed Stream tributary to Santa Creek
Point of Diversion: SWSE Sec 25 T 44N R 03W
In: SWSE Sec 25 T 44N R 03W
Use: Domestic (0.04 cfs)

92-7162

Name: Howard E. Durham
Address: P.O. Box 374, Fernwood, Idaho 83830
Date Filed: July 1, 1983
Source: Unnamed Stream tributary to Carpenter Creek
Point of Diversion: SWSE Sec 11 T 43N R 01W
In: SWSE Sec 11 T 45N R 01W
Use: Stockwater Storage (10.0 AF); Domestic (0.02 cfs)

92-7163

Name: Howard E. Durham
Address: P.O. Box 374, Fernwood, Idaho 83830
Date Filed: July 1, 1983
Source: Spring tributary to Flat Creek, Unnamed Stream tributary to Flat Creek
Point of Diversion: SESW Sec 29 T 45N R 01W
In: SESW Sec 29 T 45N R 01W for 3 acres
Use: Irrigation (0.09 cfs); Domestic (0.02 cfs)

92-7164

Name: Clarence Thomason
Address: Rt. 4 Box 92, St. Maries, Idaho 83861
Date Filed: July 12, 1983
Source: Groundwater
Point of Diversion: NWNE Sec 30 T 45N R 01W
In: NWNE Sec 30 T 45N R 01W
Use: Domestic (0.06 cfs)

92-7165

Name: John E. Goddard
Address: 802 Mitchell St., Colorado Springs, Colorado 80916
Date Filed: June 28, 1983
Source: Rock Creek tributary to Saint Maries River
Point of Diversion: Lot 04 Sec 19 T 44N R 01E
In: Lot 04 Sec 19 T 44N R 01E
Use: Stockwater Storage (5.0 AF); Recreation Storage (5.0 AF); Diversion to Storage (0.20 cfs)

92-7166

Name: John E. Goddard
Address: 802 Mitchell St., Colorado Springs, Colorado 80916
Date Filed: June 28, 1983
Source: Groundwater
Point of Diversion: Lot 04 Sec 19 T 44N R 01E
In: Lot 04 Sec 19 T 44N R 01E for 5 acres
Use: Irrigation (0.10 cfs); Stockwater (0.02 cfs); Domestic (0.06 cfs)

92-7167

Name: James C. and-or Emeogene W. Titus
Address: 227 Jefferson St., St. Maries, Idaho 83861
Date Filed: July 21, 1983
Source: Groundwater
Point of Diversion: NESW Sec 27 T 46N R 02W
In: NESW Sec 27 T 46N R 02W for 10 acres
Use: Irrigation (0.20 cfs); Stockwater (0.02 cfs); Domestic (0.04 cfs)

92-7168

Name: Richard Nathanson; Anna Lee Harris
Address: P.O. Box 3571, Moscow, Idaho 83843
Date Filed: June 30, 1983
Source: Spring tributary to Santa Creek, Unnamed Streams tributary to Santa Creek
Point of Diversion: NESE Sec 26 T 44N R 03W
In: NESE Sec 26 T 44N R 03W for 10 acres
Use: Irrigation (0.20 cfs); Domestic (0.04 cfs)

95-8409

Name: John and-or Judy M. Bailey
Address: Rt. 1 Box 75, St. Maries, Idaho 83861
Date Filed: July 28, 1983
Source: Spring tributary to Benewah Creek, Benewah Creek tributary to Coeur d'Alene Lake
Point of Diversion: SESE Sec 22 T 46N R 03W
In: SESE Sec 22 T 46N R 03W
Use: Stockwater (0.02 cfs); Domestic (0.04 cfs)

95-8411

Name: William O. Norris
Address: P.O. Box 363, Plummer, Idaho 83851
Date Filed: July 29, 1983
Source: Groundwater
Point of Diversion: Lot 03 Sec 18 T 46N R 03W
In: Lot 03 Sec 18 T 46N R 03W
Use: Domestic (0.02 cfs)

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, 4055 Gov't Way, Coeur d'Alene, Idaho 83814 on or before August 29, 1983.

KENDUNN, Dir.

No. 7196 — Aug. 10-17.

November 5, 1991

ROBERT RUSSELL
P.O. BOX 395
DARBY MT 598290395

RE: WATER RIGHT NO. 91-07088

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

SHARLA CURTIS
Technical Records Specialist

SC:blm

Enclosure

NOV 21 1991

LICENSE REVIEW CHECKLIST

Permit No. 91-7088

Name/Address change? ok ✓

Priority date Advance? yes no ✓
Memo to advance

Total cfs Order to reinstate needed? yes no ✓
Limited by fee ok
Limited by capacity ✓

Total volume Limited by flow
Chart checked for AF rate/ac N/A

Capacity Actual measurement checked
Theoretical checked
If greater than permit, check for other rts

Source Changed? yes no ✓
If so, is memo needed to clarify?

P/D Verify with map ✓ permit ✓
More than one per 1/4? Remember remark
Check p/d overlap N/A

Uses Check irrigation period of use w/ chart N/A

P/U Verify with map ✓ permit ✓
> 5 acres irrigated, run overlap N/A

Remarks More than one p/d in 1/4
Description of non-irrig uses ✓
Special overlap condition

Conditions -

Measuring device
W.Master control
Overlap
Water quality
Other

Dates/Misc. -

Water Dist
App Rec'd
Proof Rec'd

CHECK FOR ADJ. CLAIM Needed according to proof filed
Filed - needs amended
Add'l fee required
Not filed -
Not needed ✓

Comments/Changes to Examiner's Recommendations:

License ✓ 10-day 30-day

Back of field report signed?
Reviewer S. Curtis Date 7/9/91 Review time 5 min.

NOV 21 1991

SENIOR AGENT REVIEW

Check List
for
Beneficial Use Field Report

Permit 91-07088

✓ A. GENERAL INFORMATION

- ✓ 1. Name and address are most current available. (Check BU statement)
✓ 2. Exam Date
✓ 3. Source (Check Permit)

✓ B. OVERLAP REVIEW

- ✓ 1. & 2. (Rule 5,1,4)

✓ C. SYSTEM DESCRIPTION

- ✓ 1. Diversion System Diagram (Rule 5,1,3 / 5,1,4)
✓ 2. USGS (Rule 5,1,7 / 5,1,9) Aerial (Rule 5,1,17)
Photo of pd and/or pu or explanation
✓ 3. Word Picture (Rule 5,1,3 / 5,1,4)
✓ 4. Diversion (Rule 5,1,3)
✓ 5. Compare with USGS Map/Land Survey Maps/Aerial Photos/Permit.
Method of determination
✓ 6. Irrigation (Rule 5,1,8), Method of determination,
Compare USGS/Land Survey? Aerial Photos/Permit.

✓ D. FLOW MEASUREMENTS Check math (Rule 5,1,13 / 5,1,14)

✓ E. FLOW CALCULATIONS Check math (Rule 5,1,13 / 5,1,14)

✓ F. OPTIONAL

✓ G. VOLUME CALCULATIONS

- ✓ Three significant figures/not less than 0.10 (Rule 6,1,2)
Fish (Rule 5,1,11) number stock, homes, etc... (Rule 5,1,12)

✓ H. REMARKS AND OVERLAP ANALYSES

- ✓ All actual uses listed (Rule 5,1,2):
✓ All unused, permitted uses listed (Rule 5,1,2):
✓ Overlaps (Rule 5,1,4):
✓ Return flows (Rule 5,1,5):
✓ Conditions (Rule 5,1,6).

✓ I. RECOMMENDATIONS

- ✓ 1. Municipal (Rule 5,1,10): Compare with items E & G, permit, fee, capacity
(Rule 5,1,15): Measured flows for each use listed separately (Rule 5,1,14).
Period of year (Rule 5,1,13)
✓ 2. Compare permit to exam for amendments (Rule 5,1,16)


✓ J. AUTHENTICATION


✓ Name, Signature, Certification Date, Exam Date.

✓ WELL INSPECTION REPORT

✓ Check with permit and well log for discrepancies

Signature J. L. King Date 11/14/90





STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
JUN 24 1991

Department of Water Resources

A. GENERAL INFORMATION


1. Owner: Robert Russell Permit No. 91-07088
Current Address: P.O. Box 395, Darby, Montana 59829 Phone No. 406-821-3261
2. Accompanied by: Don Darter EXAM. DATE: 8/15/90
Address: 600-21 730 Main Street, St. Maries, ID 83861 Phone No. 245-2551
Relationship to Permit Holder: Realtor Rep
3. Source: Groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: 91-07089 ☐ Copies Attached
2. Other water rights with same point of diversion: None ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = N/A

2. ☒ Copy of U.S.G.S. Quadrangle Attached ☐ Aerial Photo Attached N/A
Showing location(s) of point(s) of diversion and place(s) of use (required). (required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater.)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

☐ See Remarks on page 4 for continuation

Spring & well tie into same system which provides water for log track business, home, and guest house. Piped spring water is controlled by valve and entire system can run off either groundwater or spring water. Well casings & valves are enclosed in a 4" diameter culvert which is sunk into the ground. All pipes are buried. There is a pipe to home, guest house, sprinkler system and shop (log track business). Sprinkler system is 30 nelson pop-ups @ $1\frac{5}{8}$ " impact sprinkler at 50psi).

4

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
unavailable					

***Code to correspond with No. on map and aerial photo**


5. Point(s) of Diversion:

[illegible]

6. Place(s) of Use:

Indicate Method of Determination

[illegible]



NAME: ROBERT RUSSELL
PD: T46N, R2W, SEC.14: (SENE)7
PU:
SOURCE: GROUNDWATER

PERMIT NUMBER: 91-07088
GL: 4
AC/IRR:
TRIB. TO:
MAP: 20
QUAD: G-56

NOV 21 1991

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

2. Alternate Method for Checking Purposes:

2 homes 0.06 cfs
from permit

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3); Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Ampsx .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

2 homes = 2.4 AFA

NOV 21

H. REMARKS AND OVERLAP REVIEW ANALYSIS

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
	From To	Q (cfs)	V (afa)
Domestic (2)	1-1 12-31	0.06 cfs	2.4 afa

2. Recommended Amendments

- ☐ Change P.D. as reflected above
- ☐ Add P.D. as reflected above
- ☐ Change P.U. as reflected above
- ☐ Add P.U. as reflected above

J. AUTHENTICATION


Field Examiner's Name Teresa J. Bright

Signature [Signature]

Certification Date 4/16/90

Field Report Preparation Date 8/25/90

K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.



- ☒ None
- ☐ Other

NOV 21 1991

State of Idaho
Department Of Water Resources
WELL INSPECTION FORM

If well is associated with water right, provide WR Permit No. 91-07088

Otherwise provide legal description and a sketch map and/or address so that the well can be located easily.

1. Legal Description of Well Location:

Twp. 46N N, Rge. 2W Sec. 14, NE $\frac{1}{4}$ NE $\frac{1}{4}$ Gov. Lot 4

2. Owner: Robert Russell

Address: P.O. Box 395

City Darby, State MT 59829

3. Casing $\geq$ 12 inches above ground: Yes X No

4. Access Port: Y X N
Pressure Gauge: Y N X
Flowing: Y N X

Static Water Level: 40'
Casing Diameter: 6"
Temperature: Cold

5. Are there any obvious construction problems that may be a source for contamination or waste of water: Y N X

If answer to Item 5 is Yes, describe in remarks and attach photo.

Remarks: Well log attached. Also well casing is
inside a 4' diameter culvert.

RECEIVED

NOV 21 1991



State of Idaho
DEPARTMENT OF WATER RESOURCES
NORTHERN REGION, Suite No. 9 • 4055 Government Way • Coeur d'Alene, Idaho 83814 • (208) 765-4639

CECIL D. ANDRUS
Governor

R. KEITH HIGGINSON
Director

December 9, 1988

Mr. Robert Russell
P.O. Box 395
Darby, Mt. 59829

Re: 91-7088

Dear Mr. Russell:

Dear Permitholder:

We acknowledge receipt of your statement of completion of water development use for the above-referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We do not know at this time when he will be able to conduct the examination; however, the examiner will try to contact you prior to the time the examination is made so that you may demonstrate the system. If you will not be available to show the system, please provide this office with the name and address of someone who will be able to do so. Your permit will remain valid until the examination is made.

If you have any questions concerning the field examination, please contact this office. Please be sure to use the above-referenced permit number in all future correspondence concerning this examination.

Sincerely,

/s/
TOM D. KING
Senior Water Resource Agent

TDK/pms

MICROFILMED
DEC 27 1988

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 91-7088

Date: 10/5/88

General Considerations:

☒ Name same as permit
☒ Signature the same as permit holder
☒ Address change _____ If yes, prepare a data entry
☒ Proof received timely
_____ Reinstated

Source of Water:

☐ Surface water
☒ Groundwater
 ☒ 1. well log in file
 ☒ 2. drilling permit
 _____ A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

☒ Rate of diversion appropriate for uses
 ☒ Is rate or volume and fee appropriate?
☒ Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

☐ Is a measuring device or access port required?
☒ Has one been installed?
☒ Waiver or modification of measuring device requested

Remarks:

Proof acceptable

N/A

Priority Calculation:

Date proof received	_____	_____
Date proof due	_____	_____
No. of days late	_____	_____
Priority date	_____	+
NEW PRIORITY. DATE	_____	_____

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

RECEIVED

SEP 26 1988

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

For Office Use Only
Fee Received \$50.00
Date 9/27/88
Receipt # 2002709
Receipt by CP
Reviewed by AK
Sent to region

Department of Water Resources

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 91-07088

Name(s) of Permit Holder: Robert E. Russell

Post Office Address: P.O. Box 395 Darby, MT 59829-0395

Telephone No. 406 821-3261

Source of Water: Well

Extent of Use: Permit allows only for 2 Domestic uses

Domestic 4 2 (number of households) Stockwater Yes (number and type of stock)

Irrigation 15 (acres) 4 horses
Other/Remark Commercial Truck Shop

Total rate and/or volume for which proof is submitted 21-1.0 .06 cfs * acre-feet

Show the date water was first diverted and beneficially used under this permit: November 1983

Measuring Device: Required? Yes x No
Installed? Yes x No

Fee enclosed \$ 100.00 50.00 *
(See License Examination Fee Schedule)

* Per letter 10/3/88

Flow Measurement Port: Required? Yes x No
Installed? Yes x No

Person to contact to accompany the Department representative during the field examination:

(Name)

(Telephone Number)

(Address)

The above information is my true statement of the extent to which the above number permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

MICROFILMED

DEC 27 1988

September 23, 1988

Signature of Permit Holder (and title, if appropriate)

Owner

Date

To: File 91-7088

From: Groundwater Protection

Date: 11/4/88

14
46 ~
2 W.

Drilling Permit: ☒ Not Applicable 1983
☐ Found and in file
☐ Not Found

Well Drillers Report:

☐ Not found, due to reported age of well
probably not available
☒ Found and is in file
☐ Not found

Follow-up

☐ Request from permit holder the well
drillers report and/or the name of the
well driller, and date drilled.
☐ Ask permit holder when well was drilled
and notify holder of drilling permit
requirement if after July 01, 1987.

OK

JB.


MICROFILMED

DEC 27 1988

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORT

USE TYPEWRITER OR
BALLPOINT PEN

State law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.

1. WELL OWNER Name <u>Robert E. Goring</u> Address <u>1000 N. H. Mason Ave</u> Owner's Permit No. <u>81501</u>	7. WATER LEVEL Static water level <u>40</u> feet below land surface Flowing? ☐ Yes ☒ No G.P.M. flow <u>30</u> Artesian closed in pressure _____ p.s.i. Controlled by ☐ Valve ☒ Cap ☐ Plug Temperature _____ OF Quality <u>Good</u>																																								
2. NATURE OF WORK ☒ New well ☐ Deepened ☐ Replacement ☐ Abandoned (describe method of abandoning) _____	8. WELL TEST DATA ☐ Pump ☐ Bailor ☒ Air ☐ Other _____ <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>Discharge G.P.M.</th> <th>Pumping Level</th> <th>Hours Pumped</th> </tr> <tr> <td><u>35</u></td> <td></td> <td></td> </tr> </table>	Discharge G.P.M.	Pumping Level	Hours Pumped	<u>35</u>																																				
Discharge G.P.M.	Pumping Level	Hours Pumped																																							
<u>35</u>																																									
3. PROPOSED USE ☒ Domestic ☐ Irrigation ☐ Test ☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection ☐ Other _____ (specify type)	9. LITHOLOGIC LOG <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th rowspan="2">Hole Diam.</th> <th colspan="2">Depth</th> <th rowspan="2">Material</th> <th colspan="2">Water</th> </tr> <tr> <th>From</th> <th>To</th> <th>Yes</th> <th>No</th> </tr> </thead> <tbody> <tr> <td></td> <td>0</td> <td>86</td> <td>Blue-grey sand</td> <td></td> <td>☒</td> </tr> <tr> <td></td> <td>86</td> <td>138</td> <td>Blue shale</td> <td></td> <td>☒</td> </tr> <tr> <td></td> <td>138</td> <td>146</td> <td>Sand</td> <td></td> <td>☒</td> </tr> <tr> <td></td> <td>146</td> <td>150</td> <td>Blue shale</td> <td></td> <td>☒</td> </tr> <tr> <td></td> <td>150</td> <td>175</td> <td>Grey shale</td> <td></td> <td>☒</td> </tr> </tbody> </table>	Hole Diam.	Depth		Material	Water		From	To	Yes	No		0	86	Blue-grey sand		☒		86	138	Blue shale		☒		138	146	Sand		☒		146	150	Blue shale		☒		150	175	Grey shale		☒
Hole Diam.	Depth		Material	Water																																					
	From	To		Yes	No																																				
	0	86	Blue-grey sand		☒																																				
	86	138	Blue shale		☒																																				
	138	146	Sand		☒																																				
	146	150	Blue shale		☒																																				
	150	175	Grey shale		☒																																				
4. METHOD DRILLED ☒ Rotary ☒ Air ☐ Hydraulic ☐ Reverse rotary ☐ Cable ☐ Dug ☐ Other _____																																									
5. WELL CONSTRUCTION Casing schedule: ☐ Steel ☐ Concrete ☐ Other _____ <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Thickness</th> <th>Diameter</th> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td><u>1/4</u> inches</td> <td><u>6</u> inches</td> <td><u>2</u> feet</td> <td><u>150</u> feet</td> </tr> <tr> <td>_____ inches</td> <td>_____ inches</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ inches</td> <td>_____ inches</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ inches</td> <td>_____ inches</td> <td>_____ feet</td> <td>_____ feet</td> </tr> </tbody> </table> Was casing drive shoe used? ☒ Yes ☐ No Was a packer or seal used? ☒ Yes ☐ No Perforated? ☒ Yes ☐ No How perforated? ☐ Factory ☐ Knife ☐ Torch Size of perforation _____ inches by _____ inches <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Number</th> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td>_____ perforations</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ perforations</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ perforations</td> <td>_____ feet</td> <td>_____ feet</td> </tr> </tbody> </table> Well screen installed? ☐ Yes ☒ No Manufacturer's name _____ Type _____ Model No. _____ Diameter _____ Slot size _____ Set from _____ feet to _____ feet Diameter _____ Slot size _____ Set from _____ feet to _____ feet Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____ Placed from _____ feet to _____ feet Surface seal depth <u>20</u> Material used in seal: ☐ Cement grout ☒ Pudding clay ☐ Wall cuttings Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing ☒ Overbore to seal depth Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent ☐ Cemented between struts Describe access port _____	Thickness	Diameter	From	To	<u>1/4</u> inches	<u>6</u> inches	<u>2</u> feet	<u>150</u> feet	_____ inches	_____ inches	_____ feet	_____ feet	_____ inches	_____ inches	_____ feet	_____ feet	_____ inches	_____ inches	_____ feet	_____ feet	Number	From	To	_____ perforations	_____ feet	_____ feet	_____ perforations	_____ feet	_____ feet	_____ perforations	_____ feet	_____ feet									
Thickness	Diameter	From	To																																						
<u>1/4</u> inches	<u>6</u> inches	<u>2</u> feet	<u>150</u> feet																																						
_____ inches	_____ inches	_____ feet	_____ feet																																						
_____ inches	_____ inches	_____ feet	_____ feet																																						
_____ inches	_____ inches	_____ feet	_____ feet																																						
Number	From	To																																							
_____ perforations	_____ feet	_____ feet																																							
_____ perforations	_____ feet	_____ feet																																							
_____ perforations	_____ feet	_____ feet																																							
6. LOCATION OF WELL Sketch map location must agree with written location.  Subdivision Name _____ Lot No. <u>4</u> Block No. _____ County <u>Bennett</u> <u>NE 1/4 Sec. 14, T. 46 N., R. 2 E.</u>	10. Work started <u>8-14-79</u> finished <u>8-15-79</u> 11. DRILLERS CERTIFICATION I/We certify that all minimum well construction standards were complied with at the time the rig was removed. <u>Associated Well</u> Firm Name <u>William J. Inc.</u> Firm No. <u>246</u> Address <u>P.O. Box 723 Ada, Okla.</u> Date <u>8-17-79</u> Signed by (Firm Official) <u>Paul J. Inc.</u> and (Operator) <u>Scott Lockyer</u>																																								

USE ADDITIONAL SHEETS IF NECESSARY - FORWARD THE WHITE COPY TO THE DEPARTMENT

DEC 27 1989

October 3, 1988

Robert E. Russell
P. O. Box 395
Darby, MT 59829-0395

RE: Permit No. 91-7088 and 91-7089

Dear Mr. Russell:

Returned is your check No. 2591 in the amount of \$100 (93-83/929) submitted to this office on September 26, 1988.

As stated on each of your application for permit forms, the amount of water use approved is 0.06 cfs, which is the maximum rate allowed for diversion.

In compliance with the statutes, a water right license could not be issued for a rate greater than the permit approval. The examination fee listed on the enclosed instruction sheet for 0.06 cfs is \$50 (for each permit), therefore, the combined total fee is \$100. The check No. 2590 in the amount of \$100 was accepted in payment for the combined total fee.

The proof of beneficial use forms have been amended by showing 0.06 cfs as the maximum rate of diversion for each permit.

The department will continue processing the proofs by notifying the regional office that a field inspection is needed.

If you have any questions concerning this matter, please feel free to contact this office.

Sincerely,

RITA I. FLECK
Secretary/Records Manager

Enclosures

c: Acct. Sec.
N. Region

MICROFILMED
DEC 27 1988

91-7088

7089

started

10

100-4
 100-5
 100-6
 100-7
 100-8
 100-9
 100-10
 100-11
 100-12
 100-13
 100-14
 100-15
 100-16
 100-17
 100-18
 100-19
 100-20
 100-21
 100-22
 100-23
 100-24
 100-25
 100-26
 100-27
 100-28
 100-29
 100-30
 100-31
 100-32
 100-33
 100-34
 100-35
 100-36
 100-37
 100-38
 100-39
 100-40
 100-41
 100-42
 100-43
 100-44
 100-45
 100-46
 100-47
 100-48
 100-49
 100-50
 100-51
 100-52
 100-53
 100-54
 100-55
 100-56
 100-57
 100-58
 100-59
 100-60
 100-61
 100-62
 100-63
 100-64
 100-65
 100-66
 100-67
 100-68
 100-69
 100-70
 100-71
 100-72
 100-73
 100-74
 100-75
 100-76
 100-77
 100-78
 100-79
 100-80
 100-81
 100-82
 100-83
 100-84
 100-85
 100-86
 100-87
 100-88
 100-89
 100-90
 100-91
 100-92
 100-93
 100-94
 100-95
 100-96
 100-97
 100-98
 100-99
 100-100

INTER-DEPARTMENT MEMO — 1

DATE 9/14/88

FROM Jodi

File # 91-7088

SUBJECT

Called Benewah County Assessor.
Requested new address for:

Robert Russell
P.O. Box 395
Darby, Montana
59829

Re-mailed
Proof Due Notice
MICROFILMED

DEC 27 1988


SIGNATURE

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Statehouse
Boise, Idaho 83720

RETURNED TO SENDER

REASON CHECKED

Undelivered _____

Attempted Not known _____

Insufficient Address _____

No such street _____

No such office in state _____

Do not remain in this envelope

RECEIVED

F.O.E. SEP 12 1988

Department of Water Resources

MICROFILMED

DEC 27 1988

138381

Claim Check
532557

☐ Hold

Date

9-7

1ST Notice

2ND Notice

Return

Detached from
PS Form 3848-A,
Oct. 1985

138381

August 31, 1988

ROBERT RUSSELL
P.O. BOX 216
ST. MARIES, ID 83861

PROOF DUE NOTICE

RE: PERMIT NO. 91-07088

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before November 1, 1988. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

MICROFILMED
DEC 27 1988

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

RUSSELL, ROBERT
P.O. BOX 216
ST. MARIES, ID 83861

NOVEMBER 22, 1983

RE: PERMIT NO. 91-7088

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.


THE 1982 IDAHO LEGISLATURE ADDED A REQUIREMENT THAT AS A PERMIT HOLDER YOU MUST COMMENCE THE EXCAVATION OR CONSTRUCTION OF DIVERTING WORKS WITHIN ONE YEAR OF THE DATE THE PERMIT WAS ISSUED, AND YOU MUST PROCEED DILIGENTLY UNTIL THE PROJECT IS COMPLETED. THE ENCLOSED BLUE CARD MUST BE COMPLETED AND RETURNED TO THIS OFFICE AS SOON AS YOU COMMENCE CONSTRUCTION, NO LATER THAN ONE YEAR FROM THE DATE THE PERMIT WAS APPROVED.

WE HAVE ENCLOSED INSTRUCTIONS ENTITLED "MAKING PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT INTO A LICENSE.

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE



State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY:

APPLICATION NUMBER: 91-7088

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.

Field check by:

Date:

Comments:

☒ Yes ☒ No Field check required.

☐ Yes ☒ No Critical groundwater area.

☐ Yes ☒ No Request dam safety information. Sent by: Date:

☒ Yes ☐ No* In form to receipt.

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT:

SEND COPIES TO:

- ☐ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other

Copies sent by: Date:

PROCESSING:

☐ Yes ☐ No Platted by: Map No.

☐ Yes ☐ No Other rights on same place of use.

☒ Yes ☐ No* In form for advertising.

☐ Yes ☒ No Final date for protests: 8/21/83

☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

☒ Affidavit of publication received. Date: 8/24/83

☒ Application published correctly. If not, record action taken:

☒ Fee amount, receipt date & number, recorded on application.

☒ Publication dates and paper, recorded on application.

☒ Protests, dates, withdrawal, etc., recorded on application.

☒ Recommendation & initial, recorded on application.

☐ Yes ☒ No Measuring device required.

☐ Yes ☒ No Access port required.

☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district?

☒ 7/1/83 Date of priority recommended.

Special conditions of approval or cover letter.

By: Date: 10/12/83

STATE OFFICE REVIEW:

217 26

☐ See attached sheet for more information.

By: Date: 10/31/83

POINT OF DIVERSION AND STREAM INDEX INFORMATION

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
IDAHO STREAM CODE INDEX						

31-2288

RUSSELL, ROBERT

P.O. BOX 216, ST. MARIES, ID 83861

Source: GROUNDWATER

Date Filed: 07/01/1983

Diversion Pt: LOT 04 Sec 14 T 46N R 02W

Use: DOMESTIC (0.06 CFS)

In: LOT 04 Sec 14 T 46N R 02W

MICROFILMED