




T40N
R5W
S18


87-7030(2)

87-7215

MICROFILMED
OCT 15 1999

CENTER

SECTION 18




This map/plat may or may not be a survey of the land depicted hereon. You should not rely upon it for any purpose other than orientation to the general location of the parcel or parcels depicted. The Company expressly disclaims any liability for alleged loss or damage which may result from reliance upon this map.

N.W. CORNER
S.W. 1/4, S.E. 1/4
SECTION 18
T40N, R5W

*Hide Away Hills
Subdivision*

ROAD CENTERLINE DATA					
SEG.	BEARING	DISTANCE	SEG.	BEARING	DISTANCE
R 1	S 44° 42' 45" W	70.00'	R 19	S 89° 32' 00" W	58.36'
R 2	N 45° 17' 15" W	245.95'	R 20	S 89° 32' 00" W	5.32'
R 3	N 60° 50' 30" W	121.76'	R 21	N 62° 14' 00" W	78.88'
R 4	N 68° 54' 00" W	102.49'	R 22	N 35° 00' 15" W	58.45'
R 5	N 73° 11' 00" W	222.06'	R 23	N 35° 00' 15" W	58.45'
R 6	N 71° 15' 00" W	222.06'	R 24	N 35° 00' 15" W	58.45'
R 7	N 71° 15' 00" W	222.06'	R 25	N 35° 00' 15" W	58.45'
R 8	N 71° 15' 00" W	222.06'	R 26	N 35° 00' 15" W	58.45'
R 9	S 89° 32' 00" W	58.36'	R 27	S 89° 32' 00" W	58.36'
R 10	S 89° 32' 00" W	5.32'	R 28	S 89° 32' 00" W	5.32'
R 11	N 62° 14' 00" W	78.88'	R 29	N 78° 50' 3"	78.88'
R 12	N 35° 00' 15" W	58.45'	R 30	N 78° 50' 3"	78.88'
R 13	N 35° 00' 15" W	58.45'	R 31	N 78° 50' 3"	78.88'
R 14	N 35° 00' 15" W	58.45'	R 32	N 78° 50' 3"	78.88'
R 15	N 35° 00' 15" W	58.45'	R 33	N 78° 50' 3"	78.88'
R 16	N 35° 00' 15" W	58.45'	R 34	N 78° 50' 3"	78.88'
R 17	N 35° 00' 15" W	58.45'	R 35	N 78° 50' 3"	78.88'
R 18	N 35° 00' 15" W	58.45'	R 36	N 78° 50' 3"	78.88'
R 19	S 89° 32' 00" W	58.36'	R 37	S 89° 32' 00" W	58.36'
R 20	S 89° 32' 00" W	5.32'	R 38	S 89° 32' 00" W	5.32'
R 21	N 62° 14' 00" W	78.88'	R 39	N 78° 50' 3"	78.88'
R 22	N 35° 00' 15" W	58.45'	R 40	N 78° 50' 3"	78.88'
R 23	N 35° 00' 15" W	58.45'	R 41	N 78° 50' 3"	78.88'
R 24	N 35° 00' 15" W	58.45'	R 42	N 78° 50' 3"	78.88'
R 25	N 35° 00' 15" W	58.45'	R 43	N 78° 50' 3"	78.88'
R 26	N 35° 00' 15" W	58.45'	R 44	N 78° 50' 3"	78.88'
R 27	S 89° 32' 00" W	58.36'	R 45	S 89° 32' 00" W	58.36'
R 28	S 89° 32' 00" W	5.32'	R 46	S 89° 32' 00" W	5.32'
R 29	N 62° 14' 00" W	78.88'	R 47	N 78° 50' 3"	78.88'
R 30	N 35° 00' 15" W	58.45'	R 48	N 78° 50' 3"	78.88'
R 31	N 35° 00' 15" W	58.45'	R 49	N 78° 50' 3"	78.88'
R 32	N 35° 00' 15" W	58.45'	R 50	N 78° 50' 3"	78.88'
R 33	N 35° 00' 15" W	58.45'	R 51	N 78° 50' 3"	78.88'
R 34	N 35° 00' 15" W	58.45'	R 52	N 78° 50' 3"	78.88'
R 35	N 35° 00' 15" W	58.45'	R 53	N 78° 50' 3"	78.88'
R 36	N 35° 00' 15" W	58.45'	R 54	N 78° 50' 3"	78.88'
R 37	S 89° 32' 00" W	58.36'	R 55	S 89° 32' 00" W	58.36'
R 38	S 89° 32' 00" W	5.32'	R 56	S 89° 32' 00" W	5.32'
R 39	N 62° 14' 00" W	78.88'	R 57	N 78° 50' 3"	78.88'
R 40	N 35° 00' 15" W	58.45'	R 58	N 78° 50' 3"	78.88'
R 41	N 35° 00' 15" W	58.45'	R 59	N 78° 50' 3"	78.88'
R 42	N 35° 00' 15" W	58.45'	R 60	N 78° 50' 3"	78.88'
R 43	N 35° 00' 15" W	58.45'	R 61	N 78° 50' 3"	78.88'
R 44	N 35° 00' 15" W	58.45'	R 62	N 78° 50' 3"	78.88'
R 45	S 89° 32' 00" W	58.36'	R 63	S 89° 32' 00" W	58.36'
R 46	S 89° 32' 00" W	5.32'	R 64	S 89° 32' 00" W	5.32'
R 47	N 62° 14' 00" W	78.88'	R 65	N 78° 50' 3"	78.88'
R 48	N 35° 00' 15" W	58.45'	R 66	N 78° 50' 3"	78.88'
R 49	N 35° 00' 15" W	58.45'	R 67	N 78° 50' 3"	78.88'
R 50	N 35° 00' 15" W	58.45'	R 68	N 78° 50' 3"	78.88'

CONTROL POINT



(ROBINSON LAKE)
2677 IV SW
MOSCOW 14 MI.
LEWISTON 38 MI.

87-7215

87-07215



MICROFILMED
SEP 22 2003

87-07215



MICROFILMED

SEP 22 2003

State of Idaho
Department of Water Resources
Water Right License

WATER RIGHT NO. 87-07215

Priority: December 15, 1998

Maximum Diversion Rate: 0.01 CFS
Maximum Diversion Volume: 1.6 AF

It is hereby certified that THOMAS K ANDERSON
1022 BORDER LN
MOSCOW ID 83843 has complied with the terms and
conditions of the permit, issued pursuant to Application for Permit dated December 15, 1998; and has
submitted Proof of Beneficial Use on May 12, 1999. An examination indicates that the works have a
diversion capacity of 0.01 cfs of water from:

SOURCE

SPRING

Tributary: SINKS

and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>DIVERSION RATE</u>	<u>ANNUAL DIVERSION VOLUME</u>
IRRIGATION	04/01 to 10/31	0.01 CFS	1.5 AF
IRRIGATION STORAGE	01/01 to 12/31		0.1 AF
IRRIGATION FROM STORAGE	04/01 to 10/31		0.1 AF
DIVERSION TO STORAGE	04/01 to 10/31	0.01 CFS	

LOCATION OF POINT OF DIVERSION:

SPRING NE¼NE¼SW¼ Sec. 18, Twp 40N, Rge 05W, B.M., LATAH County

PLACE OF USE: IRRIGATION

Twp Rge Sec	NE				NW				SW				SE				
	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	Totals
40N 05W 18															.5		.5
Total Acres: 0.5																	

PLACE OF USE: IRRIGATION FROM STORAGE – Same as Irrigation

PLACE OF USE: IRRIGATION STORAGE

Twp Rge Sec	NE				NW				SW				SE				
	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	Totals
40N 05W 18									X								

CONDITIONS OF APPROVAL

1. Point of diversion is located within Lot 15, Hide Away Hills Subdivision.
2. Place of use is located within Lot 16, Hide Away Hills Subdivision.

MICROFILMED
SEP 2 2003

State of Idaho
Department of Water Resources
Water Right License


WATER RIGHT NO. 87-07215

3. This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor more than 3.0 afa per acre at the field headgate for irrigation of the lands above.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. The water right confirmed by this license is subject to all prior water rights and shall be used in accordance with Idaho law and applicable rules of the Department of Water Resources.

Signed and sealed this 24TH day of FEBRUARY, 2003.

Acting for


KARL J. DREHER
Director

MICROFILMED
SEP 22 2003

RECEIVED

MAY 12 1999

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Department of Water Resources

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 87-07215 Telephone No. (208) 882 60862. Name(s) of Permit Holder(s): THOMAS K. ANDERSON3. Mailing Address: 1022 BORDER LANE, MOSCOW, ID. 838434. Source of Water: SPRING If GROUNDWATER (well), Date Drilled: mo. ____ / yr. ____

a. Well Driller: _____ Drilling Permit Number: ____ - ____ - ____ - ____

b. OPTIONAL:
Pump Horsepower: 1/2 Pressure (psi): 80 Dynamic pumping level (ft): 100

5. Use(s) (as authorized by the water right permit):

Domestic (No. of households): _____ Stockwater (No. and type of stock): _____

Irrigation (No. of acres): 0.5 Other: _____6. Total rate of diversion and/or volume for which proof is submitted: 0.01 cfs OR _____ acre feet

7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)

(This question is not optional. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)

Measuring Device: Is a measuring device required? Yes _____ or No ✓Has the measuring device been installed? Yes _____ or No ✓Flow Measurement Port: Is a flow measurement port required? Yes _____ or No ✓Has the measurement port been installed? Yes _____ or No ✓8. Fee Enclosed: \$ 50.00 (See Fee Schedule on back of the instructions for filing proof of beneficial use)

9. Person to contact to accompany the Department representative during field examination of the water system.

Name: THOMAS K. ANDERSON Telephone Number: (208) 882-6086Address: 1022 BORDER LANE, MOSCOW, ID. 83843

10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the State of Idaho.

Signature of permit holder: Thomas K. Anderson Date: 5/10/99
(include your title, if on behalf of company or organization)

OCT 15 1999

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 87-07215

Proposed Priority: December 15, 1998 Maximum Diversion Rate: 0.01 CFS

This is to certify, that **THOMAS K ANDERSON**
1022 BORDER LN
MOSCOW ID 83843

has applied for a permit to appropriate water from:
SPRING tributary of SINKS

and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.01 CFS	
IRRIGATION STORAGE	01/01 to 12/31		0.2 AF
IRRIGATION FROM STORAGE	03/15 to 11/15		0.2 AF
DIVERSION TO STORAGE	03/15 to 11/15	0.01 CFS	
	Totals	0.01 CFS	

LOCATION OF POINT(S) OF DIVERSION: NENESW , Sec. 18, Township 40N, Range 05W
LATAH County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
40N	05W	18	NWSE	0.5		0.5

Total number of acres irrigated: 0.5

PLACE OF USE: IRRIGATION FROM STORAGE, same as IRRIGATION use

CONDITIONS OF APPROVAL AND REMARKS

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before May 1, 2000.
2. Subject to all prior water rights.
3. Point of diversion is located within Lot 15, Hide Away Hills Subdivision.
4. Place of use is located within Lot 16, Hide Away Hills Subdivision.
5. This right when combined with all other rights shall provide no more than 0.01 cfs nor more than 1.5 afa at the field headgate for irrigation of the land described above.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.

Witness the signature of the Director, affixed at Boise, this

6th day of May, 1999.

MICROFILMED

OCT 15 1999

for

Karl J. Dreher
Karl J. Dreher, Director

Ident. No. 87-07215

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

RECEIVED

APR 30 1999

Department of Water Resources

1. Name of Applicant THOMAS K. ANDERSON Phone (209) 882 6086
Mailing address 1022 BORDER LANE MOSCOW ID 83843
2. Source of water supply BRAUNWATER SPRING which is a tributary of SINKS
3. Location of point of diversion is Township 40 N Range 5 W Sec. 18 in the CENTER ^{NE} 1/4, NE 1/4, SW 1/4, Govt. Lot 15 B.M., LATAH County;
per USGS topo.
additional points of diversion if any: _____
4. Water will be used for the following purposes:

Amount <u>0.01</u> for <u>SAWN WATERING</u>	purposes from <u>3/15</u> to <u>4/15</u>	(both dates inclusive)
(cfs or acre-feet per annum)		
Amount <u>0.20</u> for <u>IRRIGATION</u>	purposes from <u>3/15</u> to <u>12/31</u>	(both dates inclusive)
(cfs or acre-feet per annum)		
Amount <u>0.20</u> for <u>STORAGE FOR</u>	purposes from <u>3/15</u> to <u>1/15</u>	(both dates inclusive)
(cfs or acre-feet per annum)		
Amount <u>0.20</u> for <u>IRRIGATION FROM</u>	purposes from <u>3/15</u> to <u>1/15</u>	(both dates inclusive)
(cfs or acre-feet per annum)		
Amount <u>0.01</u> for <u>STORAGE</u>	purposes from <u>3/15</u> to <u>1/15</u>	(both dates inclusive)
(cfs or acre-feet per annum)		
Amount _____ for <u>DIV. TO STORAGE</u>	purposes from <u>3/15</u> to <u>1/15</u>	(both dates inclusive)
(cfs or acre-feet per annum)		
Amount _____ for _____	purposes from _____ to _____	(both dates inclusive)
(cfs or acre-feet per annum)		
Amount _____ for _____	purposes from _____ to _____	(both dates inclusive)
(cfs or acre-feet per annum)		
5. Total quantity to be appropriated is (a) 0.01 and/or (b) 0.21
cubic feet per second acre feet per annum
6. Proposed diverting works:
 - a. Describe type and size of devices used to divert water from the source 50' X 60' X 3' POND - GRAVITY FROM SPRING
BENKLEY 1 HP pump (220 v electric)
 - b. Height of storage dam 5 feet; active reservoir capacity 0.21 acre-feet; total reservoir capacity 0.21 acre-feet
 - c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet
 - d. Is ground water with a temperature of greater than 85°F being sought? NO
 - e. If well is already drilled, when? _____; Drilling firm _____
Well was drilled for (well owner) _____; Drilling Permit No. _____
7. Time required for completion of works and application of water to proposed beneficial use is 1 years (minimum 1 year)
8. Description of proposed uses (if irrigation only, go to item 9):
 - a. Hydropower; show total feet of head and proposed capacity in KW. _____
 - b. Stockwatering; list number and kind of livestock. _____
 - c. Municipal; show name of municipality. _____
 - d. Domestic; show number of households. _____
 - e. Other; describe fully. MICROFILMED

OCT 15 1999

a. If water is for irrigation, indicate acreage in each subpart.

[illegible]

2424 9/1 Total number of acres to be irrigated

11. a. Who owns the property at the point of diversion? Thomas K. + CLAUDE D. ANDERSON

b. Who owns the land to be irrigated or place of use? Thomas K. + Claire D. Andersen

12. Remarks:

13. **MAP OF PROPOSED PROJECT REQUIRED** - Attach an 8 1/2"x11" map clearly identifying the proposed point of diversion, place of use, section #, township & range. (A photocopy of a USGS 7.5 minute topographic quadrangle map is preferred.)

BE IT KNOWN that the undersigned hereby makes this application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Signature of Applicant (and title, if applicable)

Received by

Publication prepared by:

Received by _____

Date 12/15/98 Time 5

Time


Preliminary check by

Date _____

Published in *Modern Fiction* Dec.

3/3/99 (3/3/99)

666



T40N
R5W
S18

87-7030(2)

87-7215

MICROFILMED

OCT 15 1995



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Boise, ID 83706 - P.O. Box 83720, Boise, ID 83720-0098

Phone: (208) 327-7900 Fax: (208) 327-7866 Web Site: www.idwr.state.id.us

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

February 25, 2003

THOMAS K ANDERSON
1022 BORDER LN
MOSCOW ID 83843

RE: License No. 87-7215 - Issuance of License

Dear Water Right Holder(s):

The Department of Water Resources has issued the enclosed Water Right License confirming that a water right has been established in accordance with your permit. Please be sure to thoroughly review the conditions of approval and remarks listed on your license.

The license is a PRELIMINARY ORDER issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action by the Department unless a party petitions for reconsideration or files an exception and/or brief within fourteen (14) days of the service date as described in the enclosed information sheet.

Please note that water right owners are required to report any change of water right ownership and/or mailing address to the Department within 120 days of the change. Failure to report these changes could result in a \$100 late filing fee. Contact any office of the Department or visit the Department's homepage on the Internet to obtain the proper forms and instructions.

If you have any questions, please contact me at 208-327-7946.

Sincerely,

Shelley W. Keen

Water Rights Supervisor

SWK:klt

Enclosure(s)

MICROFILMED

SEP 22 2003


CERTIFICATE OF SERVICE

I hereby certify that on February 25, 2003 I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER(Approved License) to the person(s) listed below:

RE: WATER RIGHT NO.

87-7215

**THOMAS K ANDERSON
1022 BORDER LN
MOSCOW ID 83843**


Kari Lynn Townsend
Secretary

MICRO

SEP 22 2003

**EXPLANATORY INFORMATION
TO ACCOMPANY A
PRELIMINARY ORDER**

The accompanying order or approved document is a "**Preliminary Order**" issued by the department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department of Water Resources (department) unless a party petitions for reconsideration, files an exception and brief, or requests a hearing as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the department within fourteen (14) days of the service date of this order. The department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See Section 67-5243(3) Idaho Code.

EXCEPTIONS AND BRIEFS

Within fourteen (14) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding with the Director. Otherwise, this preliminary order will become a final order of the agency.

REQUEST FOR HEARING

Unless a right to a hearing before the department or the Idaho Water Resource Board (Board) is otherwise provided by statute, any person aggrieved by any final decision, determination, order or action of the Director of the department and who has not previously been afforded an opportunity for a hearing on the matter may request a hearing pursuant to section 42-1701A(3), Idaho Code. A written petition contesting the action of the Director and requesting a hearing shall be filed within fifteen (15) days after receipt of the denial or conditional approval.

ORAL ARGUMENT

If the Director grants a petition to review the preliminary order, the Director shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Director will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Director orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Director in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with IDAPA Rules 37.01.01302 and 37.01.01303 (Rules of Procedure 302 and 303).

RECORDED
SEP 22 2001

FINAL ORDER

The Director will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Director may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

RECEIVED
SEP 22 2023

LICENSE REVIEW CHECKLIST

Permit No. 87-7215 Date: 2/21/03 Reviewer: Kay Walker

Change/OK

Name/Address OK

Source OK

Point of Diversion: OK

Does change clarify original intended source? If no, void permit.

Change (P39/P49) Add (P45/P44) Feds (P40)

W32 (multiple in 1/4/1/4)

W36 (overlap)

W59 (subdivision description)

Place of Use OK

Change (P41/P49) Add (P41/P44) Feds (P43)

W60 (subdivision description)

W27 (ppu acre limit)

Overlaps: Right(s): _____

File reviewed _____ Profile reports printed _____

P/D & P/U amend (P37) Feds (P48)

Rate of Diversion:

Permitted rate 0.01 cfs

Fee Limit 0.20 cfs

Measured 0.01 cfs

Theoretical _____ cfs

Recommended Total Diversion Rate 0.01

Water Uses OK

Change (P46)

Season of Use per new Standards

4/1 10/31

Irrigation 0.01 cfs 1.5 af

Stockwater _____ cfs _____ af

Domestic _____ cfs _____ af

_____ cfs _____ af

_____ cfs _____ af

Total _____ cfs _____ af

Irrigation - overlap (R58-R61, R62-R65, R66-R69)

supp. Gw (WB7/065/104)

overlap spec combined rts (W35)

<1 acre (W31)

Domestic (W01/wb5/070/071/075)

Power (W42 or W43/025/027/R22 or R23)

Fish (042)

Fire (077)

Water Quality (106/R07)

Payette - (W22/047/27A)

Stockwater for US (R37)

Volume Determination

0.01 cfs x 1.9835 x 314 days = 4.2 af (vs) 0.5 acres x 3.0 (FHR) = 1.5 af

Remarks: _____

Additional Conditions _____ Watermaster Control
 _____ GW Measurement/Measuring Device
 _____ Other
 Trust R55 - remove 051)
 Non-trust (048)

GW Dist? _____
 Water Msmt. Dist? _____
 Crit. GWMA? _____
 GWMA? _____
 Government Lots? _____

Advance Priority? yes
no If yes, explain why below.

SRBA Claim? _____

Adjust memo _____

Amend Letters _____ P87, S06

Second Amendment Notice _____ S06

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
FEB 3 - 2003
Department of Water Resources

A. GENERAL INFORMATION

Permit No. 87-07215

1. Owner: Thomas K. Anderson

Phone No. (208) 882-6086

Current Address: 1022 Boarder Ln, Moscow, ID 83843

2. Accompanied by: Permit Holder

EXAM DATE: July 22, 2000

Address: See Above

Phone No. See Above

Relationship to Permit Holder: Permit Holder

3. Source: Spring

tributary to Sinks

B. OVERLAP REVIEW

1. Other water rights with the same place of use: NONE

2. Other water rights with the same point of diversion: NONE

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	¼	¼	¼	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		NE	NE	SW	18	40N	05W	Latah	USGS 7½ Minute Topo Map & Plat Map

2. Place(s) of Use:

Indicate Method of Determination Topo & Plat Maps


TWP	RGE	SEC	NE				NW				SW				SE				Total Acres
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
40N	05W	18														0.5		0.5	
40N	05W	18																	
Total Acres																		0.5	

IS* = Place of use for Irrigation Storage, Irrigation from Storage, and Diversion to Storage.

MICROFILMED

SEP 22 2003

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Note: Drawing is not to scale.

X Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

Aerial Photo Attached
(required for irrigation of 10+ acres)

X Photo of Diversion and System Attached

MICROFILMED
SEP 22 2003

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Model No. or Discharge Size
NA	Century	1	13593120	Berkley	L2592 1 ½ " discharge

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Plastic Bucket					5 Gal.	7/22/00
Stop Watch		Timex	Ironman			

2. Measurements: 5 Gal. Per 75 sec.

E. NARRATIVE/REMARKS/COMMENTS

The spring (Photo 1 and Photo 2) is located about three (3) feet to the west and slightly up hill from the pond. A three (3) foot corrugated pipe that serves in water collection, is located vertically in the spring and is buried about three (3) feet deep. A one-foot square opening was removed from the top one side of the pipe and serves as the overflow that fills the pond.

The pond is triangular in shape and is formed by a dam placed in the gully below. It has a round bottom and is about six (6) feet deep. The pond also has an overflow measuring about one (1) foot square and is lined with rock to prevent erosion. Photo 2, taken from above the pond, shows the pond, overflow, spring, and pump. The location of the pump is N46° 48' 32.5", W117° 00' 43.1" (Garmin, Model # GPS-12, Ser.# 36061391).

The pump intake is a one and a half (1½) inch flexible line that is suspended off the bottom of the pond by a rope stretched across the top of the pond. The water line from the pump to the house and lawn is a buried, one and a quarter (1¼) inch black plastic line. The place of irrigation is the lawn around the house and measures about one-half (½) acres.

Photo 3 shows the lawn on the west side of the house and Photo 4 shows the lawn on the east side of the house. Both photos were taken from the driveway.

MICROFILMED
SEP 22 2003

Have conditions of permit approval been met? X Yes no

F. FLOW CALCULATIONS

Additional Computation Sheets Attached

Measured Method: 5 Gal. Bucket and Stop Watch at sprinkler. 5 gal in 75 sec

$$\frac{\left(\frac{5\text{gal}}{75\text{sec}}\right) \left(\frac{60\text{sec}}{\text{min}}\right)}{448.83\text{gpm/cfs}} \sim 0.01 \text{ cfs}$$

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 0.5 \times 3.0 = 1.5 \text{ afa}$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 0.01 \times 213 \times 1.9835 \sim 4.2 \text{ afa}$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 1.5 \text{ afa}$$

2. Volume Calculations for Other Uses:

Storage, Pond Dimensions:

Height ~ 43'

Base ~ 79'

Depth ~ 6'

$$\frac{(0.5)(79)(43)(6)(0.4)}{43560} \sim 0.04 \sim 0.1 \text{ af}$$

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Irrigation	4/1	10/31	0.01	1.5
Irrigation Storage	1/1	12/31		0.1
Irrigation from Storage	4/1	10/31	0.01	1.5
Diversion to Storage	1/1	12/31	0.01	1.5
Totals:			0.01	1.5

2. Recommended Amendments

Change P.D. as reflected above

Add P.D. as reflected above

X None

Change P.U. as reflected above

Add P.U. as reflected above


Other

I. AUTHENTICATION


Field Examiner's Name: Jim Zimmerman

Date: August 25, 2000

Signature



MID-BOULDER
AUG 27 2000



87-7215


4

9028

1948 #1589
O. MCCOY

NE, NE, SW



18



CODE 45
CODE 40

87-07215

87-07215



87-07215





State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

DIRK KEMPTHORNE
GOVERNOR

August 10, 1999

KARL J. DREHER
DIRECTOR

Thomas K Anderson
1022 Border Lane
Moscow ID 83843

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 87-07215

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

Be advised that Section 42-248, Idaho Code, requires you or the owner of this water right to maintain current ownership and address records on file with the department. Forms to file a change of ownership of a water right and/or a change in the address of the water right owner are available from any department office.

If you have questions concerning the field examination, please contact the **NORTHERN** Regional Office of the department in Coeur d'Alene at (208)769-1450.

Sincerely,

JULIE L. YARBROUGH, Administrative Assistant
Water Allocation Bureau

c: IDWR - Regional Office

RECEIVED
AUG 14 1999

**ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE**

Permit No. 87-07215 Reviewed by [Signature] Date 8-6-99

GENERAL CONSIDERATIONS

TYPES OF USE

yes Name same as permit? err
yes Address same as permit?
yes Proof timely received? Correct Uses? yes
If not, complete calculation below.

SOURCE OF WATER

☒ Surface water source
☐ Ground water source
☐ Drilling permit required?
☐ Copy in the file? Drilling Permit No. _____
☐ Amount paid for permit _____ Correct?
☐ Well log in the file?

LICENSE EXAMINATION FEE

MEASURING DEVICE

yes Required?
50 - Amount Submitted
yes Correct?
no Required?
☐ Installed?
☐ Waiver requested?

PRIORITY CALCULATION

Date proof received	_____	_____
Date proof due	_____	_____
No. of days late	_____	_____
Priority Date	_____	_____
New Priority Date	_____	_____

DEFICIENCIES OR ACTION ITEMS

Proof acceptable

DATA ENTRY

New Address X Proof Made 5-12-99



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

May 6, 1999

THOMAS K ANDERSON
1022 BORDER LN
MOSCOW ID 83843

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 87-07215

Dear Permit Holder:

The Department of Water Resources (IDWR) has issued the enclosed permit authorizing you to establish a new water right. Please be sure to thoroughly review the conditions of approval and remarks listed on your permit.

The permit is a preliminary order issued by IDWR pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action by IDWR unless a party petitions for reconsideration or files an exception and/or brief as described in the enclosed information sheet.

Enclosed is a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit into a licensed water right. Also enclosed is a form entitled "Proof of Beneficial Use". If your project is already completed, you should complete and submit this form immediately.

If you have any questions, please call me at 208-327-7946.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:klt

Enclosures

ENCLOSURE

208-327-7946

CERTIFICATE OF MAILING

I hereby certify that on the 6th day of May, 1999, I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER (Approved Permit) to the person(s) listed below:

Water Right No. 87-07215

THOMAS K ANDERSON
1022 BORDER LN
MOSCOW ID 83843


Kari Lynn Townsend
Secretary

WATFORD

WATFORD

Responding to Preliminary Orders Issued by the Idaho Department of Water Resources

The Idaho Department of Water Resources (Department) issues water right permits, licenses, and transfers as preliminary orders pursuant to section 67-5243, Idaho Code. A preliminary order can and will become a final order without further action of the department unless a party petitions for reconsideration or files an exception and/or brief as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of the order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3), Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from a preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, a preliminary order will become a final order of the Department.

If any party appeals or takes exceptions to a preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

ORAL ARGUMENT

If the Department grants a petition to review a preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Department in connection with a preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

FINAL ORDER

The Department will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Department may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

APPLICATION FOR PERMIT STATE OFFICE ANALYSIS

 by Cindy Sten

 No.: 87-7215 Name: Anderson Date: 5/3/99 Ad OK? ☒ Gvmt Lts: ☒

 AREA OF CONCERN: - No ~~Yes~~ / ~~None~~ / GWMA / Trust / Non-trust

PROTESTED: - 020 (Protest Agreement) or *W19 (Order)

 SYSTEM COMPLETED:

- > 1 year - 26A-P17
- ≤ 1 year/no proof - P16

GROUNDWATER: (✓ FLO-CH)

DRILLING PERMIT

 All wells (✓ WDAQ3) - 046-P23
 In Basin 34? - 085
 Irr. within WD - P05 (new well location)
 WMD (✓ MAP) - North / East / West
 > 0.24 cfs/5 acres - 067 or No MD (in-stream stock or power)
 ≤ 0.24 cfs/5 acres - No MD

WMD

 Supp. irr. use only - 065-079 (if GW use SW)-(keep SW)-(GW not primary irr. source)
 Supp. irr. + uses - 100-101
 > 0.24 cfs/5 acres - 01M (report when notified)
 ≤ 0.24 cfs/5 acres - No MD

SURFACE WATER: (✓ FLO-CH) (Surface water that doesn't sink is regulated):

 FISH & GAME CONTACTED: - YES / NO; WHEN: _____ RESPONSE: OK

IN-ABOVE MSF (✓ MAP) - *WB9

IN-STREAM DEVELOPMENT - P52 (stream channel alteration)

WD (✓ MAP & LISTING) - R04 (WD # _____)

 > 0.20 cfs - 01J-P08 (MD & LD)
 ≤ 0.20 cfs - 01H-P01 (LD), 01P or No MD (in-stream stock)

 WMD (✓ MAP)
 > 0.24 cfs/5 acres - 067 or No MD (in-stream stock or power)
 ≤ 0.24 cfs/5 acres - No MD

SPRINGS/SINK, INACTIVE WD & REST OF STATE

 > 0.24 cfs/5 acres - 01M or No MD (in-stream stock or power)
 ≤ 0.24 cfs/5 acres - No MD

RIVER BASINS: (*Surface water):

 Snake R (01) - *W22-P04, NA
 (02/03-irr) - 007 (w/ remark *WB9 if above Weiser), NA
 Payette R(65) - *W22 (regulated uses), 047-P04 (Payette Lake), NA
 Salmon R (70's) - 029 (fish screens), NA
 Weiser R (67) - 086, 087

USE:

 STORAGE (✓3 compo.) - 18A (in & out MD for on-stream storage), 18B-P09 (>10' dam), NA
 IRR ≤ 5 acres W31 - ~~R66/R67/R68/R69~~ (0.03 cfs/acre + 3.0/3.5/4.0/4.5 AF)
5 acres - ~~R62/R63/R64/R65~~ (0.02 cfs/acre + 3.0/3.5/4.0/4.5 AF)
 STOCKWATER - R37 (BLM/USFS); NA
 MINING - 054(req)-081-P10
 FISH PROPAGATION - 029(70's only)-007-042(req)-081 (WQ)-P10
 HEATING/COOLING - R07 (injection well)
 POWER - 17H/17K(+uses)-08A-025(P18)-01N-028-081(P10)-027 (if no other cons. use);
 17G (FERC) or 17M (FERG); 18B-P09; >25 cfs-P18

MUNICIPAL

 In restricted area? - 022, 075, 004 (+memo?)
 Irr., GW supp. to SW? - 102

DOMESTIC

 Surface water - *WB5 (Big Wood R or Boise R ↑ Star Bridge); 27A (Payette River); NA
 >1 in rest. area - 071-070

FIRE PROTECTION

- 077

LOCATION:

 BOISE FRONT LOGEO - 058 (<85° GW temp only)
 MITIGATION - 120
 42-248 AREA - P84 (in 20/30/40/50/60/70/80 (87) basin)

SWAN FALLS FLAG (✓ Code)

 Trust - 051-052-053-P74 (Consumptive Uses), NA
 Non-Trust (1) - 048-049 (Consumptive Uses), NA

OWNERSHIP:

- 004 (PD/PU)

OTHER CONDITIONS:

STANDARD REMARKS: - ① W59 ② W60 ③ W31

BENEFICIAL USE DUE: - 5 / 1 / 2000

COMMENTS:

IDAHO DEPARTMENT OF WATER RESOURCES
APPLICATION ANALYSIS SHEET

RECEIVED ^{WR 1}

APR 30 1999 ^{WR A} _{BCA}

APPLICATION # 87-07215

DEPARTMENT OF WATER RESOURCES

INITIAL REVIEW

APPLICANT: ANDERSON

BY: AB

DATE: 12/15/98

ITEM REQUIRED INFORMATION

1. (X) Name and Address
2. (X) Source
3. (X) Point of Diversion & County
4. (X) Quantity
 - (X) Nature of Proposed Use
 - (X) Period of Use
5. (X) Total Quantity
6. (X) Description of diverting works
7. (X) Time required for b/u
8. (X) Proposed use
9. (X) Place of use or acres irrigated
10. (X) Other water Rights
11. (X) Ownership
12. (X) Map
 - (X) Signature
 - (X) Fee (Amt, receipt, acknowledgement)

*** Send info sheet Y(X) N()

ADDITIONAL INFORMATION

(Yes) (No)

- X Field check: by _____
- 1 Field report attached
- 1 Analysis Supp. attached(>5cfs/500af)
- 1 Water delivered by water master?
- Water District # _____

GROUNDWATER SECTION

WD Permit No.'s:	Type:	Fees	Receipt No.	Upgrade Needed?
_____	Dom. _____ Non-Dom. _____	Paid \$ _____	_____	Y () N ()
_____	Dom. _____ Non-Dom. _____	Paid \$ _____	_____	Y () N ()
_____	Dom. _____ Non-Dom. _____	Paid \$ _____	_____	Y () N ()

- 1 Groundwater management area
- 1 Critical ground water area
- 1 Well Drilling Permit required
- 1 Well Drilling Application and Fees received
- 1 Well Drilling Application approved?

Remarks: _____

FINAL REGIONAL PROCESSING/REVIEW

(Yes) (No)

- _____ Notice of pending void order issued. Final order response date: ____/____/____
- _____ Further information required from applicant
- 2/3 _____ Affidavit of publication received
- 4/3 _____ Application published correctly. If not, record action taken: _____

- 2/10/99 _____ Publication dates and paper recorded on application
- _____ Protests received, Final protest date: 3/8/99
- _____ Measuring device required
- _____ Measuring port required
- _____ Special conditions:

Sr. Agent initial AB

Special conditions of approval supplement and/or cover letter attached:

Approval Recommended by: ABCA

Date: 4/8/99

RECEIVED

APR 30 1999

Department of Water Resources

Memorandum

Date: April 8, 1999

To: Application for Permit Number 87-07215

From: Beardslee

~~~~~  
The Northern Regional Office has contacted the Lewiston office of Fish and Game regarding the approval of this Water Right Application for Permit.

After discussing the location, source and uses of water, Greg Survheen stated that he did not see a problem with approving this filing.

MICROFILMED

APR 14 1999

# Affidavit of Publication

STATE OF IDAHO  
County of Latah ss

James Barnes  
Legal Clerk

being first duly sworn, on oath deposes  
and says:

That she is the printer of Moscow-  
Pullman Daily News, a newspaper of  
general circulation, printed and pub-  
lished daily except Sunday at Moscow,  
Latah County, Idaho, in compliance  
with Sections 60-106, 60-107, and 60-  
108 of the Idaho code and the amend-  
ments thereto; that the notice of which  
the annexed is a full, true and correct  
printed copy was published in the reg-  
ular and entire issues of said newspa-  
per and not in a supplement thereto,  
upon the following dates:

February 18, 25 1999

the same being the date designated for  
the publication of said notice.

On this 25 day of February  
in the year of 1999, before a Notary

Public, personally appeared  
James Barnes

known or identified to me to be the person  
whose name subscribed to the within instru-  
ment, and being by me first duly sworn,  
declared that the statements therein are true,  
and acknowledged to me that he executed  
the same.

Colleen Robbins  
Notary Public for Idaho

Residing at Moscow, Idaho  
My Commission expires 12/4/2004

## NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have  
been filed to appropriate the public  
waters of the State of Idaho: *pk*

87-07215

ANDERSON, THOMAS K, 1022  
BORDER LANE, MOSCOW, ID  
83843

Source: SPRING Tributary:  
SINKS

Diversion Pt: LOT 15 (NENESW)  
Sec 18 T 40N 05W in LATAH  
County.

Use: IRRIGATION (0.010 CFS)  
IRRIGATION STORAGE (0.20)

AF)  
IRRIGATION FROM STORAGE  
(0.20 AF)  
DIVERSION TO STORAGE (0.010 CFS)

Total Diversion: (0.010 CFS)

Date Filed: 12/15/1998

In: LATAH County T40N R05W  
S18 NWSE

0.5 ACRES TOTAL

For additional information con-  
cerning the property location, call  
the Northern Regional Office at  
(208) 769-1450.

The permit(s) will be subject to  
all prior water rights. Protests must  
be filed with the applicant and with  
the Director, Dept. of Water  
Resources, Northern Region, 1910  
Northwest Blvd., Suite 210, Coeur  
d'Alene, Idaho 83814, together with  
a protest fee of \$25.00 on or before  
MARCH 8, 1999.

KARL J. DREHER, Director  
February 18, 25, 1999

RECEIVED


MAR 03 1999

IDWR/North

RECEIVED

MAR 03 1999

IDWR/North



MICROFILMED

MAR 15 1999

87-07215

ANDERSON, THOMAS K  
1022 BORDER LANE  
MOSCOW, ID 83843

Source: SPRING

Tributary: SINKS

Diversion Pt: LOT 15 (NENESW) Sec 18 T 40N R 05W in LATAH County.

|                         |   |            |            |
|-------------------------|---|------------|------------|
| Use: IRRIGATION         | ( | 0.010 CFS) |            |
| IRRIGATION STORAGE      |   |            | ( 0.20 AF) |
| IRRIGATION FROM STORAGE |   |            | ( 0.20 AF) |
| DIVERSION TO STORAGE    | ( | 0.010 CFS) |            |
| Total Diversion:        | ( | 0.010 CFS) |            |

Date Filed: 12/15/1998

In: LATAH County  
T40N R05W S18 NWSE

0.5 ACRES TOTAL

APPROVED

12/15/98

February 10, 1999

Thomas K. Anderson  
1022 Border Lane  
Moscow ID 83843

Re: Water Appropriation Application No. 87-07215

Dear Mr. Anderson:

The Idaho Department of Water Resources hereby acknowledges receipt of the above referenced Application for Permit to appropriate the Public Waters of the State of Idaho. To assist us in providing you with prompt, accurate service, please refer to the above referenced number in all future matters concerning this water right application. Enclosed for your file is Receipt Number N012564.

Your appropriation application is currently being prepared for advertising in the local county newspaper. This advertisement will be published for two consecutive weeks followed by a waiting period of ten days to allow for the submittal of protests. Normal processing time is approximately 3 to 4 months, if the application is not protested.

If the application is not protested, it will be forwarded to Boise to be considered for approval by the Director. State office personnel will then conduct a complete review, and you will be notified by mail of the outcome. However, if the application is protested during this waiting period, you will be sent a copy of the protest and instructions to aid you in resolving the protest without a hearing. All protests must be resolved before approval of the application can be made, so if the protestant does not voluntarily withdraw the protest, this department will conduct a conference and/or hearing on the matter.

You will receive your approved Application for Permit and instructions on filing the Proof of Beneficial Use from our State office in Boise.

If you have any questions or if I can be of any assistance please feel free to contact me at this office.

Sincerely,

ALLEN BEARDSLEE  
Senior Water Resources Agent

AB:db