





RECEIVED
FEB 24 1997
NORTH IDAHO
IDWR

□-lawn area to be irrigated

POINT OF
DIVERSION
+
PLACE OF
USE

MICROFILMED
JAN 12 1998

JOHNSON JR
T. 39N., R. 5W.



River

Palouse

05-050-N6E
0020-L8

Water tank

BM

2644

Pits

BM

2662

BM 2621

BM 2584

(MOSCOW EAST)

OLE

Johnson

MICROFILMED
AUG 21 1998

87-07200



PD



PU



PU



PU

MICROFILMED
AUG 21 1998

State of Idaho
Department of Water Resources
Water Right License
WATER RIGHT NO. 87-07200

Priority: February 24, 1997

Maximum Diversion Rate:

0.05 CFS

Maximum Diversion Volume:

6.3 AF

This is to certify, that OLE JOHNSON JR
4214 CAMERON RD
MOSCOW ID 83843

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated February 24, 1997; and has submitted Proof of Beneficial Use on October 10, 1997. An examination indicates that the works have a diversion capacity of 0.050 cfs of water from a **GROUNDWATER** source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.05 CFS	4.5 AF
DOMESTIC	01/01 to 12/31	0.05 CFS	1.8 AF
	Totals	0.05 CFS	6.3 AF

LOCATION OF POINT(S) OF DIVERSION:

SENE , Sec. 30, Township 39N, Range 05W
LATAH County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
39N	05W	30	SENE	1.5		1.5

Total number of acres irrigated: 1.5

PLACE OF USE:

DOMESTIC, same as IRRIGATION use

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license shall be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than 0.03 cfs per acre nor more than 3.0 afa per acre at the field headgate for irrigation of the lands above.

MICROFILMED

APR 21 1998

State of Idaho
Department of Water Resources


Water Right License

WATER RIGHT NO. 87-07200

CONDITIONS OF APPROVAL AND REMARKS

6. Domestic use is for 3 homes and does not include lawn, garden, landscape, or other types of irrigation.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 9th day of July, 1998.


Acting for KARL J. DREHER, Director

MICROFILMED

AUG 21 1998

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE MAY 27 1997

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 87-07300 Telephone No. 208-882-5466
2. Name(s) of Permit Holder(s): Ole Johnson Jr
3. Mailing Address: 4214 Cameron Rd Moscow Id 83843
4. Source of Water: ground water If GROUNDWATER (well), Date Drilled: mo. 1 yr. 1969
- a. Well Driller: Farm & Hoggers Supply Drilling Permit Number: N/A
- b. **OPTIONAL:**
Pump Horsepower: _____ Pressure (psi): _____ Dynamic pumping level (ft): _____

5. Use(s) (as authorized by the water right permit):
- Domestic (No. of households): 3 Stockwater (No. and type of stock): _____
- Irrigation (No. of acres): 3 Other: _____

6. Total rate of diversion and/or volume for which proof is submitted: .08 cfs OR _____ acre feet

7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)
(This question is not optional. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)

Measuring Device: Is a measuring device required? Yes _____ or No X
Has the measuring device been installed? Yes _____ or No X

Flow Measurement Port: Is a flow measurement port required? Yes _____ or No X
Has the measurement port been installed? Yes _____ or No X

8. Fee Enclosed: \$ _____ (See Fee Schedule on back of the instructions for filing proof of beneficial use)

9. Person to contact to accompany the Department representative during field examination of the water system.

Name: Ole Johnson Jr Telephone Number: 208-882-5466
Address: 4214 Cameron Rd Moscow Id 83843

10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the State of Idaho.

Signature of permit holder: Ole Johnson Jr Date: May 21, 1997
(include your title, if on behalf of company or organization)

MICROFILMED

JUN 12 1998

State of Idaho
Department of Water Resources
Permit To Appropriate Water
NO. 87-07200

Proposed Priority: February 24, 1997 Maximum Diversion Rate: 0.08 CFS

This is to certify, that **OLE JOHNSON JR**
4214 CAMERON RD
MOSCOW ID 83843
has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	03/15 to 11/15	0.08 CFS
DOMESTIC	01/01 to 12/31	0.08 CFS
	Totals	0.08 CFS

LOCATION OF POINT(S) OF DIVERSION: SENE , Sec. 30, Township 39N, Range 05W
LATAH County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
39N	05W	30	SENE	3.0		3.0

Total number of acres irrigated: 3.0


PLACE OF USE: DOMESTIC, same as IRRIGATION use

CONDITIONS OF APPROVAL AND REMARKS

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before May 1, 1998.
2. Subject to all prior water rights.
3. The rate of diversion of water for irrigation under this right and all other water rights on the same land shall not exceed 0.03 cubic feet per second for each acre of land.
4. The issuance of this right does not grant any right-of-way or easement across the land of another.
5. Domestic use is for 3 homes.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

15th day of May, 1997


Karl J. Dreher, Director
for

MICROFILMED

JAN 12 1998

RECEIVED
APR 14 1997

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

Department of Water Resources

1. Name of Applicant Ole Johnson, Jr. Phone 208-882-7487(h)
208-882-5466 (w)
Mailing address 4214 Cameron Road Moscow, Idaho 83843
2. Source of water supply groundwater which is a tributary of n/a
3. Location of point of diversion is Township 39N Range 5W Sec. 30 in the SE 1/4.
NE 1/4, 1/4, Govt. Lot , B.M., Latah County;
additional points of diversion if any:
4. Water will be used for the following purposes:
- | |
|--|
| Amount <u>.088</u> for <u>domestic</u> purposes from <u>Jan 1</u> to <u>Dec 31</u> (both dates inclusive) |
| (cfs or acre-feet per annum) |
| Amount <u>0.08</u> for <u>IRR</u> purposes from <u>3/15</u> to <u>1/15</u> (both dates inclusive) |
| (cfs or acre-feet per annum) |
| Amount <u> </u> for <u> </u> purposes from <u> </u> to <u> </u> (both dates inclusive) |
| (cfs or acre-feet per annum) |
| Amount <u> </u> for <u> </u> purposes from <u> </u> to <u> </u> (both dates inclusive) |
| (cfs or acre-feet per annum) |
| Amount <u> </u> for <u> </u> purposes from <u> </u> to <u> </u> (both dates inclusive) |
| (cfs or acre-feet per annum) |
| Amount <u> </u> for <u> </u> purposes from <u> </u> to <u> </u> (both dates inclusive) |
| (cfs or acre-feet per annum) |
5. Total quantity to be appropriated is (a) .008 and/or (b)
cubic feet per second acre feet per annum
6. Proposed diverting works:
- a. Describe type and size of devices used to divert water from the source
- b. Height of storage dam feet; active reservoir capacity acre-feet; total reservoir capacity acre-feet
- c. ~~Proposed~~ well diameter is 8 inches; ~~proposed~~ depth of well is 247 feet
- d. Is ground water with a temperature of greater than 85°F being sought?
- e. If well is already drilled, when? 1969; Drilling firm Farm & Loggers Supply Potlatch, Ida
Well was drilled for (well owner) Johnson, Holup, Hingston; Drilling Permit No.
7. Time required for completion of works and application of water to proposed beneficial use is 1 years (minimum 1 year)
8. Description of proposed uses (if irrigation only, go to item 9):
- a. Hydropower; show total feet of head and proposed capacity in KW.
- b. Stockwatering; list number and kind of livestock.
- c. Municipal; show name of municipality.
- d. Domestic; show number of households. Three (3)
- e. Other; describe fully.

MICROFILMED

JAN 12 1998

9. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
 b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RGE	SEC	NE				NW				SW				SE				TOTALS
39N	5W	30	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	3

Total number of acres to be irrigated 3

10. Describe any other water rights used for the same purposes as described above.

11. a. Who owns the property at the point of diversion? Connie Hinston
 b. Who owns the land to be irrigated or place of use? Ole Johnson, John Holup, Connie Hinston
 c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing:

12. Remarks: This well is used jointly by 3 households as set forth in the well agreement. See attached copy

13. MAP OF PROPOSED PROJECT REQUIRED - Attach an 8"x11" map clearly identifying the proposed point of diversion, place of use, section #, township & range. (A photocopy of a USGS 7.5 minute topographic quadrangle map is preferred.)
 BE IT KNOWN that the undersigned hereby makes this application for permit to appropriate the public waters of the State of Idaho as herein set forth.


JAN 12 1998

MICROFILMED

Signature of Applicant (and title, if applicable)

Preliminary check by

Received by 50.00 Date 2/14/97 Time 11
 Fee \$ 50.00
 Received by 50.00 Date 2/14/97
 Publication prepared by 50.00 Date 2/14/97
 Publication approved 50.00 Date 2/14/97



RECEIVED
FEB 24 1997
IDWR

to be changed

POINT OF
DIVERSION
+
PLACE OF
USE

MICROFILMED
JAN 12 1997

JOHNSON JR
T. 39N., R. 5W.



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

July 10, 1998

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

OLE JOHNSON JR
4214 CAMERON RD
MOSCOW ID 83843

RE: WATER RIGHT NO. 87-07200

Dear Water Right Holder(s):

The Department of Water Resources (the Department) has issued the enclosed license confirming that a water right has been established in accordance with the permit referenced above. The license is a preliminary order issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department unless a party petitions for reconsideration or files an exception and/or brief as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of this order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3), Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, this preliminary order will become a final order of the Department.

If any party appeals or takes exceptions to this preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

ORAL ARGUMENT

If the Department grants a petition to review the preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Department in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

FINAL ORDER

The Department will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Department may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The Department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

If you have any questions, please call me at 208-327-7946.

Sincerely,

A handwritten signature in cursive script that reads "Shelley W. Keen".

Shelley W. Keen
Water Rights Supervisor

SK:klt

Enclosure


RECORDED
AUG 21 1996

CERTIFICATE OF MAILING

I hereby certify that on the 10th day of July, 1998, I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER (Approved License) to the person(s) listed below:

Water Right No. 87-07200

OLE JOHNSON JR
4214 CAMERON RD
MOSCOW ID 83843


Kari Lynn Townsend
Secretary

MOORE ANGLE

AUG 21 1998

LICENSE REVIEW CHECKLIST

PERMIT NO. 87-07200 DATE 7/7/98 REVIEWER: SHARLA

NAME Change/OK
 Address OK
 SOURCE OK Does change clarify orig. intended source? If no, Void permit
 POINT OF DIV OK Change (P39 /P47) Add (P45/P42) Feds - P40
 W32 (multiple in 1/4/4)
 W36 (overlap)
 W59 (subd. desc)

Overlaps: Right(s): _____
 File reviewed _____ Profile reports printed _____

PLACE OF USE OK Change (P41/P47) Add (P41/P42) Feds - P43
 W60 (subd. desc)
 W27 (ppu acre limit)

Overlaps: Right(s): _____
 File reviewed _____ Profile reports printed _____

PD & PU amend (P37) Feds - P48

RATE OF DIV
 Permitted Rate .08 cfs
 Fee limit .20 cfs \$50⁰⁰
 Measured — cfs
 Theoretical .05 cfs
 Recommended Total Div Rate .05 cfs

1.5 x .02 = .045
 — .05 cfs
 WATER USES OK Change (P46)
DM .05 cfs 4.5 af Irrig - overlap (R58-R61, R62-R65, R66-R69)
DM .05 cfs 1.8 af supp. gw (WB7/065/079)
 _____ cfs _____ af overlap spec. combined rts (W35)
 _____ cfs _____ af <1 acre (W31) 3
 _____ cfs _____ af Domestic (W81/WB5/070/071/075)
 _____ cfs _____ af Power (W42 or W43/025/027/R22 or R23)
 TOTALS .05 cfs 6.3 af Fish (042) Fire (077) Wtr Quality (081/R07)

Flow rate .05 cfs X 246 days X 1.98 = 24.4 af

REMARKS _____

ADD'L CONDITIONS _____ Watermaster Control WD# _____
 _____ GW Measurement/Measuring Device
 _____ Others Trust (052/R55 - remove 051) Non-trust (048/049)

Advance Priority _____ yes ☒ no SRBA Claim NA Adjust Memo _____
 Amend letters _____

RECEIVED

JUN 01 1998

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 87-07200

1. Owner: W. E. Johnson, JR Phone No. (208) 882-7487

Current Address: 4214 Cameron Rd. Moscow Id 83843

2. Accompanied by: Al Johnson EXAM DATE: 5-7-98

Address: Same as above Phone No. _____

Relationship to Permit Holder:

3. Source: Groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with the same place of use:

2. Other water rights with the same point of diversion:

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

[illegible]

2. Place(s) of Use:

Indicate Method of Determination

[illegible]

Aug 21 1956

2008 2 27
MICROFILMED

2. Measurements:

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

D. FLOW MEASUREMENTS


*Code to correspond with No. on map and aerial photo

Well or Diversion Identification No. *	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Franklin	3	2823028103	Submersible	1 1/2"

4.

Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).
Aerial Photo Attached of 10+ acres (required for irrigation of 10+ acres)
Photo of Diversion and System Attached

Scale: 1" = 1/4 mi



3. Delivery System Diagram: Indicate all major components and distances between components. Indicate well size/ditch size/pipe l.d. as applicable.

E. NARRATIVE/REMARKS/COMMENTS

There is no 3 acres of irrigation
just $\frac{1}{2}$ acre lawn & garden for each domestic

Have conditions of permit approval been met? ☒ yes ☐ no

MICROFILMED
AUG 21 1998

F. FLOW CALCULATIONS

Measured Method:

Additional Computation Sheets Attached

Theoretical 0.5

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{ir} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 1.5 \times 3 = 4.5$$

$$V_{dr} = [\text{Diversion Rate (cts)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .05(245)(19835) \approx 24.3$$

$$V = \text{Smaller of } V_{ir} \text{ and } V_{dr} = 4.5$$

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use

Domestic
Stockwater

From 01-01
To 03-15

From 12-31
To 11-15

Rate of Diversion

Q (cfs) .05
Q (cfs) .05

Annual Volume

V (afa) 1.8
V (afa) 4.5

2. Recommended Amendments

Change P.D. as reflected above
Change P.U. as reflected above

Add P.D. as reflected above
Add P.U. as reflected above
None
Other

I. AUTHENTICATION

Reviewer

Date

SEAL

Field Examiner's Name

Date

Wayne S. Bland
5-28-98

Totals:

.05

6.3

THEORETICAL PUMP EFFICIENCY CALCULATIONS

FILE: 87-07200

DATE: 28-MAY-98

COMPLETE BY: WAYNE BALDWIN

HORSEPOWER = 3

PUMP EFFICIENCY = 70%

DYNAMIC LIFT = 247 FEET

SYSTEM PRESSURE = 60 PSI


QUANTITY = 0.05 CFS

ORIGINAL MED
AUG 21 1998

Palouse

River

03-350-N6E
002LO-L8




Pit's PD

↑
N
↓

OLE

Johnson

87-07200



PD

PD

PD

PD

Permit No. 87-07200 Reviewed by [Signature] Date 6-12-97

dom. Jrr.

1. *Journal of the American Medical Association*, 1997; 277: 1039-1043.

Correct Uses? 4/5

Proof Made 10-10-97



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. BOX 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

November 19, 1997

Ole Johnson Jr
4214 Cameron Rd
Moscow ID 83843

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 87-07200

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

Please be advised that Section 42-248, Idaho Code, requires you or the owner of this water right to maintain current ownership and address records on file with the department. Forms to file a change of ownership of a water right and/or a change in the address of the water right owner are available from any department office.

If you have questions concerning the field examination, please contact the department's NORTHERN Regional Office in Coeur d'Alene at (208)769-1450.

Sincerely,

JULIE L. YARBROUGH
Senior Secretary, Water Allocation Bureau

c: IDWR - Regional Office

MICROFILMED

JAN 12 1998



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. BOX 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

September 18, 1997

Ole Johnson Jr
4214 Cameron Rd
Moscow ID 83843

RE: Permit No. 87-07200

Dear Permit Holder:

On June 20, 1997, I sent you a letter stating that the department had received your proof of beneficial use statement on May 27, 1997. I advised you that the proof was not acceptable since it was not accompanied by a license examination fee of \$50.00. I asked that you submit the \$50.00 exam fee within **60 days** of the date of the mailing, however, to date the department has not received the fee.

The proof statement will remain in your water right file until the examination fee is received. The proof due date for this permit is May 1, 1998. You will be notified that proof is due **60 days** prior to the proof due date, if the department has not received the license examination fee.

Please contact me at (208) 327-7953, if you have any questions regarding this matter.

Sincerely,

JULIE L. YARBROUGH

Senior Secretary, Water Allocation Bureau

C: IDWR - Regional Office

MICROFILMED

JAN 12 1998



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. BOX 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

June 20, 1997

Ole Johnson Jr.
4214 Cameron Rd.
Moscow, ID 83843

RE: Permit No. 87-07200

Dear Permit Holder:

I have returned a copy of the Proof of Beneficial Use statement submitted in connection with the above referenced water right permit. You state on the proof form that you are diverting 0.08 cfs from a surface water source for aesthetic purposes. Before the department can process the proof, it must be accompanied by the appropriate license examination fee. The license exam fee for a rate of diversion of 0.08 cfs is \$50.00.

Please return the copy of the proof form along with the \$50.00 license examination fee within **60 days** of receipt of this letter. **Please address your correspondence to my attention.**

If you have any questions regarding this matter, please contact me at (208)327-7953.

Sincerely,

A handwritten signature in cursive script that reads "Julie L. Yarbrough".

JULIE L. YARBROUGH
Senior Secretary

Enclosure

MICROFILMED

JAN 12 1998



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

May 15, 1997

OLE JOHNSON JR
4214 CAMERON RD
MOSCOW ID 83843

PERMIT APPROVAL NOTICE

RE: PERMIT NO.. 87-07200

Dear Permit Holder:

The Department of Water Resources (IDWR) has issued the enclosed permit authorizing you to establish a new water right. Please be sure to thoroughly review the conditions of approval and remarks listed on your permit.

The permit is a preliminary order issued by IDWR pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action by IDWR unless a party petitions for reconsideration or files an exception and/or brief as described in the enclosed information sheet.

Enclosed is a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit into a licensed water right. Also enclosed is a form entitled "Proof of Beneficial Use". If your project is already completed, you should complete and submit this form immediately.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:ph

Enclosures


MICROFILMED
JAN 12 1998

CERTIFICATE OF MAILING

I hereby certify that on the 15th day of May, 1997, I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER (Approved Permit) to the person(s) listed below:

Water Right No. 87-07200

OLE JOHNSON JR
4214 CAMERON RD
MOSCOW ID 83843


Kari Lynn Townsend
Secretary

MICROFILMED

JAN 12 1998

APPLICATION FOR PERMIT
STATE OFFICE REVIEW
by Cindy Zimmerman

01/97

No.: 87-7200 Name: Johnson Date: 5/12/97 Ad OK? ☒ / Gvmt Lts: ☒

AREA OF CONCERN? OK

PROTESTED:

SYSTEM COMPLETED:

Yes/proof filed
1 year/no proof
+1 year

GROUNDWATER: ☒ FLO-CH

+ 0.24 cfs
=/- 0.24 cfs
=/+ 5 a.

DRILLING PERMIT:

Existing well
Included w/permit

No WD permit?
irr. in WD

SURFACE WATER ☒ FLO-CH (Surface water that doesn't sink is regulated):

Water District (dam)
=/+ 0.24 cfs
- 0.24 cfs
In-WD =/+ 0.24 cfs
- 0.24 cfs
=/+ 5 a. irr.

RIVER BASINS (*Surface water):

Snake R (01)
(02/03-irr)
Boise River (63)
Payette River (65)

USE:

Domestic (surface)
Domestic (+1 in concern area)
Fish Propagation
Irr <POU> =/- 5 a
+ 5 a
Mining
Power

Storage (☒ 3 compo.)

LOCATION:

42-248 area
Boise Front LoGeo
In-stream dev.
Irr Dist/Canal Co.
Swan Falls Flag
Trust
Non-Trust <1>

OWNERSHIP: Non-owner

OTHER CONDITIONS:

STANDARD REMARKS:

BENEFICIAL USE DUE:

COMMENTS:

- No/Yes: NA Pullman Moscow GWMA / Trust / Non-trust
- 020 (Protest Agreement) or *W19 (Order)

- NA
- P16
- 26A-P17

- 01M (may report) or 028 (shall report)
- No MD
- 01M or 028; 065-079 (if GW use SW 1st-statewide)

- NA (pre 7/1/87; ☒ WDQ3) 1969
- Permit No. _____, P99
- 046-46B-P23 (post 7/1/87)
- P05 (new well)

- R04 (req) WD # _____ <SEE MAP & LISTING>
- 01J (meas dev)-P08
- 01H (lock dev)-P01 or No MD
- 01M or No MD (in-stream stock or power)
- No MD
- 01M

- 11A-P04, NA
- 007-P07 (w/ remark *WB9 if above Weiser), NA
- 05A (if WD), 11E (not 42-111 use), NA
- 064 (regulated uses), 047-P04 (Payette Lake), NA

- *WB5 (Big Wood R or Boise R $\uparrow$ Star Bridge); 27A (Payette River); NA
- 070-071
- 07A-042 (req)-09E (WQ)-P10; 044 (North of 1000 Springs)
- 057 (0.03 cfs/acre)
- 03A (0.02 cfs/acre)
- 054 (req) & 09E-P10
- 17K-08A-025-01F(P19)-028-09E(P10); 027 (if no other cons. use);
17G (FERC) or 17M (FERC); 18B-P09; +25 cfs-P18
- 072 (req); 18A (multiple MD within district), 18B-P09 (+10' dam),

- P84 (if in 20/30/40/50/60/70/80 (87) basin)
- 058 (-85° GW temp only)
- P52 (stream channel alteration)
- 023 (Twin Falls area)
- _____ <SEE CODE CHART>
- 051-052-053-P74 (Consumptive Uses), NA
- 048-049 (Consumptive Uses), NA
- 004 (PD/PU) well agreement

- 0401/3

- 5/1/1998

Pullman-Moscow Water Resources Committee

304 McClure Building, University of Idaho, Moscow, Idaho 83843
voice: (208) 885-4669 fax: (208) 885-6431 email: gill752@uidaho.edu

May 4, 1997

Cindy Zimmerman
Water Resource Agent
Idaho Department of Water Resources
1301 North Orchard Street
Boise, ID. 83720

Dear Cindy:

This letter is to state that our committee, The Pullman-Moscow Water Resources Committee (PMWRC), supports the application for issuance of groundwater permit (#87-07200) to Mr. Ole Johnson, Jr. Mr. Johnson's area of groundwater influence falls outside of the basalt aquifer system used by the cities of Moscow, Idaho and Pullman, Washington and the two universities, Washington State University and the University of Idaho. The groundwater system Mr. Johnson's well is developed in lies on the margin of the Pullman-Moscow basalt basin and consists primarily of granitic basement rock.

On behalf of the Pullman-Moscow Water Resources Committee, I wish to extend our appreciation of IDWR's efforts in timely dissemination of groundwater permit applications.

Sincerely,



Steve W. Gill
Acting Executive Secretary, PMWRC

Post-it* Fax Note 7671		Date 5/6	# of pages 1
To Cindy Zimmerman	From Steve Gill		
Co/Dept IDWR	Co. PMWRC		
Phone # (208) 327-7900	Phone # (208) 885-6429		
Fax # (208) 327-7866	Fax # (208) 885-6431		

MICROFILMED

TOTAL P.01

JUN 12 1997



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

April 24, 1997

**PHILIP E. BATT
GOVERNOR**

**KARL J. DREHER
DIRECTOR**

Steve Gill
Pullman-Moscow Water Resource Committee
University of Idaho
304 McClure Bldg.
Moscow ID 83843

Re: Application for Permit No. 87-07200

Dear Mr. Gill;

I recently received the above application at the state office for final review and issuance of permit. I see that this groundwater application is within the boundaries of the Pullman-Moscow Groundwater Aquifer. The file does not contain information that your committee has reviewed the application.

I have enclosed a copy of the application for your committee's review and recommendation. I will hold processing of the application for 14 days pending your response.

If you have any questions, you may contact me directly at (208) 327-7944.

Respectfully,

A handwritten signature in cursive script, appearing to read 'CZ' or 'Cindy'.

Cindy Zimmerman
Water Resource Agent

MICROFILMED

JAN 12 1998

No. a
4/87-06/92n

I D DEPARTMENT OF WATER RESOURCE
APPROPRIATION APPLICATION ANALYSIS SHEET

WR1
WR A
BC

APPLICATION # 87-7200

***** INITIAL REVIEW *****

APPLICANT: JOHNSON BY: AB DATE: 2/24/97

ITEM REQUIRED INFORMATION

1. (X) Name and Address
2. (X) Source
3. (X) Point of Diversion & County
4. (X) Quantity
(X) Nature of Proposed Use
(X) Period of Use
5. (X) Total Quantity
6. (X) Description of diverting works
7. (X) Time required for b/u
8. (X) Proposed use
9. (X) Place of use or acres irrigated
10. (X) Other Water Rights
11. (X) Ownership
13. (X) Map
(X) Signature
(X) Fee (Amt, recpt, acknowlegment)

*** Send info sheet Y () N ()

ADDITIONAL INFORMATION

Yes No

- X Field check: by _____
+ Field report attached
+ Analysis Supp. attached (>5cfs/500af)
+ Water delivered by water master?
Water District # _____

PROCESSING

Yes No

PRIORITY DATE: 2/24/97

X (Include Moratorium Remark)

X Statewide Avertising: (Diversion rate greater than 10 cfs or 1,000 af).

ADVERTISE IN: CATAH County.

LETTERS SENT REQUESTING:

- () Dam Information () Fish Information
() Power Information () Other: N/A

INFORMATION RECEIVED:

- () Dam Information () Fish Information
() Power Information () Other: N/A

***** GROUNDWATER SECTION *****

(Yes) (No)

Checked by: _____ Date: ____/____/____

Remarks: _____

- X Groundwater management area
+ Critical ground water area
+ Well Drilling Permit required
+ Well Drilling Application and Fees received
+ Well Drilling Application approved?
Well Drilling Application Number _____

***** FINAL REGIONAL PROCESSING/REVIEW *****

(Yes) (No)

- Notice of pending void order issued. Final order response _____
Further information required from applicant
Affidavit of publication received
Application published correctly, If not, record action taken: _____

Publication dates and paper recorded on application | Sr. Agent initial AB

Protests received. Final protest date: 2/24/97

+ Measuring device required

+ Measuring port required

+ Special conditions: _____

+ Special conditions of approval supplement and/or cover letter attached:

Approval Recommended by: AB Date: 4/3/97

RECEIVED
APR 15 1997
Department of Water Resources

Affidavit of Publication

STATE OF IDAHO

County of Latah

ss.

Mary Shiel
Legal Clerk

being first duly sworn, on oath, deposes and says:

That she is the printer of Moscow-Pullman Daily News, a newspaper of general circulation, printed and published daily except Sunday at Moscow, Latah County, Idaho, in compliance with Sections 60-106, 60-107, and 60-108 of the Idaho Code and the amendments thereto; that the notice of which the annexed is a full, true and correct printed copy was published in the regular and entire issues of said newspaper and not in a supplement thereto, upon the following dates:

March 13, 1997

the same being the dates designated for the publication of said notice.

Mary Shiel

On this 17 day of March
in the year of 1997, before me, a Notary

Public, personally appeared _____

Mary Shiel

known or identified to me to be the person whose name subscribed to the within instrument, and being by me first duly sworn, declared that the statements therein are true, and acknowledged to me that he executed the same.

Mary Shiel
Notary Public for Idaho

Residing at Troy, Idaho

My commission expires: 5/11/98

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

87-07200

JOHNSON JR, OLE, 4214
CAMERON ROAD, MOSCOW, ID.
83848

Source: GROUNDWATER

Diversion Pt: SENE Sec 80 T 39N
R 05W in LATAH County.

Use: IRRIGATION (0.080 CFS)

DOMESTIC (0.080 CFS)

Total Diversion: (0.080 CFS)

Date Filed: 2/24/1997

In: LATAH County, T 39N R05W,

S30 SENE

3.0 ACRES TOTAL

87-07201

THE REGENTS OF THE UNI-
VERSITY OF IDAHO

ADMINISTRATIVE AFFAIRS

ADMINISTRATION ANNEX

UNIVERSITY OF IDAHO

MOSCOW, IDAHO 83848-3149

Source: WASTE WATER,

Tributary: PARADISE CREEK

Diversion Pt: SWSW Sec 12 T
39N R 06W in LATAH County.

Use: WATER QUAL. IMPROVE-
MENT (0.270 CFS)

WATER QUAL. IMPR. STOR

(195.00 AF)

AESTHETIC STORAGE

(195.00 AF)

DIVERSION TO STORAGE

(0.270 CFS)

Total Diversion: (0.270 CFS)


Date Filed: 11/21/1996

In: LATAH County, T39N R06W
S12 SWSW

For additional information concerning the property location, call the Northern Regional Office at (208) 769-1450.

The permit(s) will be subject to all prior water rights. Protests must be filed with the applicant and with the Director, Dept. of Water Resources, Northern Region, 1910 Northwest Blvd., Suite 210, Coeur d'Alene, Idaho 83814, together with a protest fee of \$25.00 on or before MARCH 24, 1997.

KARL J. DREHER, Director
March 6, 13, 1997



MICROFILMED

MAR 17 1997

87-07200

JOHNSON JR, OLE
4214 CAMERON ROAD
MOSCOW, ID 83843

Source: GROUNDWATER

Diversion Pt: SENE Sec 30 T 39N R 05W in LATAH County.

Use: IRRIGATION	(	0.080 CFS)
DOMESTIC	(	0.080 CFS)
Total Diversion:	(	0.080 CFS)

Date Filed: 2/24/1997

In: LATAH County
T39N R05W S30 SENE

3.0 ACRES TOTAL

MICROFILMED
JAN 12 1998

February 26, 1997

Ole Johnson, Jr.
4214 Cameron Road
Moscow ID 83843

Re: Water Appropriation Application No. 87-07200

Dear Mr. Johnson:

The Idaho Department of Water Resources hereby acknowledges receipt of the above referenced Application for Permit to appropriate the Public Waters of the State of Idaho. To assist us in providing you with prompt, accurate service, please refer to the above referenced number in all future matters concerning this water right application.

Your appropriation application is currently being prepared for advertising in the local county newspaper. This advertisement will be published for two consecutive weeks followed by a waiting period of ten days to allow for the submittal of protests. Normal processing time is approximately 3 to 4 months, if the application is not protested.

If the application is not protested, it will be forwarded to Boise to be considered for approval by the Director. State office personnel will then conduct a complete review, and you will be notified by mail of the outcome. However, if the application is protested during this waiting period, you will be sent a copy of the protest and instructions to aid you in resolving the protest without a hearing. All protests must be resolved before approval of the application can be made, so if the protestant does not voluntarily withdraw the protest, this department will conduct a conference and/or hearing on the matter.

You will receive your approved Application for Permit and instructions on filing the Proof of Beneficial Use from our State office in Boise.

If your source is groundwater, a Well Drilling Permit is required for all wells constructed after July 1, 1987.

A "Domestic" well drilling permit should be obtained for a rate of diversion of up to 18 gallons per minute (0.04 CFS) and a daily volume of up to 2,500 gallons per day. The cost for this permit is \$75.00. For any other use, including multiple homes, or municipal, etc., the Drilling Permit fee is \$200. These Permits can be obtained by your driller, also. It is sometimes possible to upgrade an existing Domestic Drilling Permit by submitting a fee for the difference. This, however, depends on the individual well.

If you have any questions or if I can be of any assistance please feel free to contact me at this office.

Sincerely,

ALLEN BEARDSLEE
Senior Water Resources Agent

AB:db

MICROFILMED

JAN 12 1998