

No Color  
Documents  
In File

IN THE MATTER OF PERMIT NO.87-07197           )  
                                                                       )  
IN THE NAME OF THOMAS JANSON                 )  
                                                                       )

**ORDER OF**  
**REINSTATEMENT**

MAY 03 1999

RECEIVED

FEB 18 1999

STATE OF IDAHO  
DEPARTMENT OF WATER RESOURCES

Department of Water Resources

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 87-07197 Telephone No. 882-9463 <sup>(208)</sup>

2. Name(s) of Permit Holder(s): Thomas F Janson

3. Mailing Address: 333 Moser St, Moscow, ID 83843

4. Source of Water: Groundwater If **GROUNDWATER** (well), Date Drilled: mo. 8 / yr. 96

a. Well Driller: McPherson & Wright Drilling Drilling Permit Number:            -            -           

b. **OPTIONAL:**

Pump Horsepower:            Pressure (psi):            Dynamic pumping level (ft):           

5. Use(s) (as authorized by the water right permit):

Domestic (No. of households): 15 Stockwater (No. and type of stock): 0

Irrigation (No. of acres): 0 Other: 0

6. Total rate of diversion and/or volume for which proof is submitted: 0.2 cfs OR            acre feet

7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)  
(This question is not optional. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)

|                                                                    |                                      |
|--------------------------------------------------------------------|--------------------------------------|
| <b>Measuring Device:</b> Is a measuring device required?           | Yes <u>          </u> or No <u>X</u> |
| Has the measuring device been installed?                           | Yes <u>X</u> or No <u>          </u> |
| <b>Flow Measurement Port:</b> Is a flow measurement port required? | Yes <u>          </u> or No <u>X</u> |
| Has the measurement port been installed?                           | Yes <u>          </u> or No <u>X</u> |

8. Fee Enclosed: \$ 50 (See Fee Schedule on back of the instructions for filing proof of beneficial use)

9. Person to contact to accompany the Department representative during field examination of the water system.

Name: Tom Janson Telephone Number: 208-882-9463

Address: 333 Moser St, Moscow, ID 83843

10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the State of Idaho.

Signature of permit holder: [Signature] Date: 2-16-99

(include your title, if on behalf of company or organization)

MICROFILMED

MAY 03 1999

State of Idaho  
Department of Water Resources  
**Permit To Appropriate Water**

NO. 87-07197

Proposed Priority: July 12, 1996

Maximum Diversion Rate:

0.33 CFS

This is to certify, that **THOMAS JANSON**  
333 MOSER ST  
MOSCOW ID 83843

has applied for a permit to appropriate water from: **GROUNDWATER**

and a permit is **APPROVED** for development of water as follows:

| <u>BENEFICIAL USE</u> | <u>PERIOD OF USE</u> | <u>RATE OF DIVERSION</u> |
|-----------------------|----------------------|--------------------------|
| IRRIGATION            | 03/15 to 11/15       | 0.15 CFS                 |
| DOMESTIC              | 01/01 to 12/31       | 0.18 CFS                 |
|                       | Totals               | 0.33 CFS                 |

LOCATION OF POINT(S) OF DIVERSION:

SESW , Sec. 31, Township 40N, Range 05W  
LATAH County

PLACE OF USE: IRRIGATION

| <u>TWN</u> | <u>RGE</u> | <u>SEC</u> | <u>ACRES</u> | <u>ACRES</u> | <u>ACRES</u> | <u>TOTAL</u> |
|------------|------------|------------|--------------|--------------|--------------|--------------|
| 40N        | 05W        | 31         | SWSW 1.0     | SESW 6.5     |              | 7.5          |

Total number of acres irrigated: 7.5

PLACE OF USE: DOMESTIC, same as IRRIGATION use

CONDITIONS OF APPROVAL AND REMARKS

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before February 1, 1999.
2. Subject to all prior water rights.
3. Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which permit holder had no control.
4. The rate of diversion of water for irrigation under this right and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.
5. A point of diversion is located within Lot A (City Park), Blk. 1, and a point of diversion is located within Lot B (Common Area), Blk. 1, Canterwood Estates Subdivision.
6. Place of use is located within Lots 1-6, Blk. 1, and Lots 1-9 Blk. 2, , Canterwood Estates Subdivision.
7. Domestic use is for 15 homes and does not include lawn, garden, landscape, or other types of irrigation.

RECEIVED

APR 23 1997


State of Idaho  
Department of Water Resources


# Permit To Appropriate Water

NO. 87-07197

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.  
Witness the signature of the Director, affixed at Boise, this

28<sup>th</sup> day of January, 1997.

  
Karl J. Dreher, Director  
for



RECEIVED

APR 23 1997

(809)  
336-5205 mobile  
334-5591

Ident. No.

87-07197

STATE OF IDAHO  
DEPARTMENT OF WATER RESOURCES  
**APPLICATION FOR PERMIT**

RECEIVED

SEP 09 1996

To appropriate the public waters of the State of Idaho

Department of Water Resources

1. Name of Applicant THOMAS JANSON Phone 882-9463  
Mailing address 333 MOSER ST. MOSCOW ID 83843
2. Source of water supply GROUNDWATER which is a tributary of \_\_\_\_\_
3. Location of point of diversion is Township 40N. Range 5W. Sec. 31, in the \_\_\_\_\_ 1/4,  
SE 1/4, SW 1/4, Govt. Lot \_\_\_\_\_, B.M., LATAA County;  
additional points of diversion if any: \_\_\_\_\_

## 4. Water will be used for the following purposes:

Amount 0.18 for DOMESTIC purposes from 7/1 to 12/31 (both dates inclusive)  
(cfs or acre-feet per annum)

Amount 0.15 for IRRIGATION purposes from 3/15 to 11/15 (both dates inclusive)  
(cfs or acre-feet per annum)

Amount \_\_\_\_\_ for \_\_\_\_\_ purposes from \_\_\_\_\_ to \_\_\_\_\_ (both dates inclusive)  
(cfs or acre-feet per annum)

Amount \_\_\_\_\_ for \_\_\_\_\_ purposes from \_\_\_\_\_ to \_\_\_\_\_ (both dates inclusive)  
(cfs or acre-feet per annum)

Amount \_\_\_\_\_ for \_\_\_\_\_ purposes from \_\_\_\_\_ to \_\_\_\_\_ (both dates inclusive)  
(cfs or acre-feet per annum)

Amount \_\_\_\_\_ for \_\_\_\_\_ purposes from \_\_\_\_\_ to \_\_\_\_\_ (both dates inclusive)  
(cfs or acre-feet per annum)

5. Total quantity to be appropriated is (a) .33 and/or (b) \_\_\_\_\_  
cubic feet per second acre feet per annum

## 6. Proposed diverting works:

- a. Describe type and size of devices used to divert water from the source 2 WELLS, PUMPS  
AND PIPELINES.
- b. Height of storage dam \_\_\_\_\_ feet; active reservoir capacity \_\_\_\_\_ acre-feet; total  
reservoir capacity \_\_\_\_\_ acre-feet
- c. Proposed well diameter is 8" inches; proposed depth of well is 200' feet
- d. Is ground water with a temperature of greater than 85°F being sought? NO
- e. If well is already drilled, when? \_\_\_\_\_; Drilling firm \_\_\_\_\_  
Well was drilled for (well owner) JANSON; Drilling Permit No. 87-96-N-6040  
87-96-N-6039

7. Time required for completion of works and application of water to proposed beneficial use is 2 years (minimum 1 year)

## 8. Description of proposed uses (if irrigation only, go to item 9):

- a. Hydropower; show total feet of head and proposed capacity in KW. \_\_\_\_\_
- b. Stockwatering; list number and kind of livestock. \_\_\_\_\_
- c. Municipal; show name of municipality. \_\_\_\_\_
- d. Domestic; show number of households. 15 HOMES
- e. Other; describe fully. \_\_\_\_\_

a. If water is for irrigation, indicate acreage in each subarea.

b. If water is used for other purposes, place a symbol of the use (example: *D* for *Domestic*) in the corresponding place of use below. See instructions for standard symbols.

[illegible]

Total number of acres to be irrigated

10. Describe any other water rights used for the same purposes as described above.

11. a. Who owns the property at the point of diversion? Applicant

b. Who owns the land to be irrigated or place of use? Applicant

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing:

**this flying:**

12. Remarks:

13. **MAP OF PROPOSED PROJECT REQUIRED** - Attach an 8½"x11" map clearly identifying the proposed point of diversion, place of use, section #, township & range. (A photocopy of a USGS 7.5 minute topographic quadrangle map is preferred.)

BE IT KNOWN that the undersigned hereby makes this application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Signature of Applicant (and title, if applicable)

Received by

Date 11/12/96

Received by \_\_\_\_\_

#

0010430

Date \_\_\_\_\_

Publication prepared by db Date 7/24/96 Published in Moscow - Rollman Daily News Date \_\_\_\_\_  
Publication approved by \_\_\_\_\_

**Publication approved,**

Date \_\_\_\_\_

96143/L

Date \_\_\_\_\_

7/24/96 Published in Moscow - Fullman Daily News

9661  
9661/2

A photo was microfilmed in place  
of the map too large to be filmed  
on our equipment.

SUBDIVISION PLAT

**ANALYSIS SHEET  
FOR  
PROOF OF BENEFICIAL USE**

Permit No. 87-07197 Reviewed by [Signature] Date 4-16-99

**GENERAL CONSIDERATIONS**

yes Name same as permit?  
yes Address same as permit?  
NO Proof timely received?  
*If not, complete calculation below.*

**TYPES OF USE**

dom. 15 homes

Correct Uses? yes

**SOURCE OF WATER**

           Surface water source

✓ Ground water source

yes Drilling permit required?

NO Copy in the file?

200.- Amount paid for permit

NO Well log in the file?

Drilling Permit No. 87-96-N-0039+0040

yes Correct?

**LICENSE EXAMINATION FEE**

yes Required?

50- Amount Submitted

yes Correct?

**MEASURING DEVICE**

NO Required?

   Installed?

   Waiver requested?

**PRIORITY CALCULATION**

Date proof received 2-18-99

Date proof due 2-1-99

No. of days late 17 = 17

Priority Date 7-12-96 + 193

New Priority Date 7-29-96 210

7 7-29-96

**DEFICIENCIES OR ACTION ITEMS**

*Reinstate & advance priority to July 29, 1996  
Proof Acceptable*

**DATA ENTRY**

New Address X

Proof Made 2-18-99



State of Idaho

**DEPARTMENT OF WATER RESOURCES**

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

DIRK KEMPTHORNE  
GOVERNOR

KARL J. DREHER  
DIRECTOR

April 22, 1999

Thomas Janson  
333 Moser St  
Moscow ID 83843

**PROOF ACKNOWLEDGMENT LETTER**

RE: PERMIT NO. 87-07197

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit.

Enclosed is an order reinstating the permit since proof was submitted after the proof due date. Note that the priority date has been advanced to July 29, 1996, as provided in Section 42-218a.2, Idaho Code.

Please be advised that Section 42-248, Idaho Code, requires you or the owner of this water right to maintain current ownership and address records on file with the department. Forms to file a change of ownership of a water right and/or a change in the address of the water right owner are available from any department office.

The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water. If you have questions concerning the field examination, you may contact the **NORTHERN** Regional Office of the department in Coeur d'Alene at (208)769-1450.

Sincerely,

JULIE L. YARBROUGH

Senior Secretary, Water Allocation Bureau

Enclosure

c: IDWR - Region

MICROFILMED

MAY 03 1999

# WARNING

CANCELLED OR LAPSED

This permit has been officially CANCELLED or LAPSED.

Ninety days following the date of official action this file will be DESTROYED.

February 17, 1999

THOMAS JANSON  
333 MOSER ST  
MOSCOW ID 83843

LAPSE NOTICE

RE: PERMIT NO. 87-07197

Dear Permit Holder:

You are hereby notified that under the provisions of Section 42-218A, Idaho Code, the above referenced permit has lapsed and is of no further force nor effect. The department provided the proper forms to you in our proof due notice dated November 30, 1998. No further construction or additional development is authorized under this permit unless it is reinstated.

The permit can only be reinstated if you submit an acceptable proof of beneficial use or an acceptable request for extension of time to the department within sixty (60) days of the mailing of this lapse notice. An acceptable proof of beneficial use submittal must include the examination fee or a completed field examination report. A request for extension of time must be accompanied by a fifty dollar (\$50.00) fee.

Enclosed again for your use are a proof of beneficial use form and a request for extension of time form. Please note that only one extension of time can be granted unless the project has not been completed because of lack of a necessary approval by a government agency or by litigation which may bring title to the water in question.

L. GLEN SAXTON  
Chief, Water Allocation Bureau

Enclosures

**CERTIFICATION OF MAILING**

I hereby certify that on 2/18/99  
~~a copy~~an original of this document was  
deposited in the United States mail,  
MICROFILMED postage prepaid addressed to the  
individual(s) named above.

MAY 03 1999

November 30, 1998

THOMAS JANSON  
333 MOSER ST  
MOSCOW ID 83843

PROOF DUE NOTICE

RE: PERMIT NO. 87-07197

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before February 1, 1999. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.


SINCERELY,

JULIE L. YARBROUGH  
Senior Secretary

Enclosures

MICROFILMED

MAY 03 1999





State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT  
GOVERNOR

KARL J. DREHER  
DIRECTOR

January 28, 1997

THOMAS JANSON  
333 MOSER ST  
MOSCOW ID 83843

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 87-07197

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. Please be sure to thoroughly review the "Conditions of Approval and Remarks" listing on the permit.

As a permit owner you must commence the excavation or construction of the diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The date shown under condition no. 1 is the date when the project must be completed.

The Department will send you a "Proof Due Notice" approximately 60 days prior to the above referenced date requesting you to file either a Proof of Beneficial Use form or a Request for Extension of Time form.

Sincerely,

A handwritten signature in cursive script that reads "Shelley W. Keen".

Shelley W. Keen  
Water Rights Supervisor

SK:ph

Enclosures

RECEIVED  
APR 23 1997

APPLICATION FOR PERMIT  
STATE OFFICE REVIEW  
by Cindy Zimmerman

11/96

No.: 87-7197 Name: Janson Date: 12/27/96 Ad OK? ☒ ☐ Gvmt Lts:           

AREA OF CONCERN? - No/Yes:            Mor /            GWMA / Trust / Non-trust  
PROTESTED: - 020 (Protest Agreement)

SYSTEM COMPLETED:  
Yes/proof filed - NA  
1 year/no proof - P16  
+1 year - 26A-P17

GROUNDWATER: <✓ FLO-CH>  
+ 0.2 cfs - 01M  
=/- 0.2 cfs - No MD  
=/+ 5 a. - 01M, 065 (if GW use SW 1st)

DRILLING PERMIT:  
Existing wells - NA (pre 7/1/87)  
Included w/permit - Permit No. 87-96-N-0039-000, P99  
No WD permit? - 046-46B-P23 (post 7/1/87)  
irr. in WD - P05 (new well)

SURFACE WATER <✓ FLO-CH> (Surface water that doesn't sink is regulated):  
Water District (~~dem~~) - 005 (req) WD #            <SEE MAP & LISTING>  
+ 0.2 cfs - 01J (meas dev)-P08  
=/- 0.2 cfs - 01H (lock dev)-P01 or No MD  
In-WD + 0.2 cfs - 01M or No MD (in-stream)  
- 0.2 cfs - No MD  
=/+ 5 a. irr. - 01M

RIVER BASINS (\*Surface water):  
Snake R (01) - 11A-P04, NA  
(02/03-irr) - 007-P07 (w/ remark \*WB9- Weiser), NA  
Boise River (63) - 05A (if WD), 11E (not 42-111 use), NA  
Payette River (65) - 064 (regulated uses), 047-P04 (Payette Lake), NA

USE:  
Domestic (surface) - \*WB5 (Boise River above Star Bridge); 27A (Payette River); NA  
Fish Propagation - 07A-042 (req)-010/06A/09E (WQ)-P10; 044 (North of 1000 Springs)  
Irr <POU> =/- 5 a - 057 (0.03 cfs/acre)  
+ 5 a - 03A (0.02 cfs/acre)  
Mining - 054 (req) & 06A/010/09E-P10  
Power - 08A-17K-025-027-028-01F(P19)-09E(P10);  
+25 cfs-P18; 17G (FERC) or 17M (FERC); 18B-P09  
Storage (✓3 compo.) - 18A (multiple MD within district), 18B-P09 (+10' dam), \*W07

LOCATION:  
42-248 area - In 20/30/40/50/60/70/80 (87) basin? P84  
Boise Front LoGeo - 058 (-85° GW temp only)  
In-stream dev. - P52 (stream channel alteration)  
Irr Dist/Canal Co. - 023 (Twin Falls area)  
Swan Falls Flag -            <SEE CODE CHART>  
Trust - 051-052-053-P74 (Consumptive Uses), NA  
Non-Trust <1> - 048-049 (Consumptive Uses), NA  
OWNERSHIP: Non-owner - 004 (PD/PU)           

OTHER CONDITIONS: -             
STANDARD REMARKS: - L1-6, B1 & L1-9, B2  
BENEFICIAL USE DUE: - ① WBS/IS ② PU = 6T+16 Canterbury Est. ③ PD/L+A B1  
COMMENTS: - 281-1999



**State of Idaho**

**DEPARTMENT OF WATER RESOURCES**

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

January 10, 1997

**PHILIP E. BATT**  
GOVERNOR

**KARL J. DREHER**  
DIRECTOR

Thomas Janson  
333 Moser St  
Moscow ID 83843

RE: Application for Permit No. 87-07197

Dear Mr. Janson,

Your application for permit identifies domestic use for 15 homes. The subdivision plat you submitted identified 16 lots. Two weeks ago I telephoned you asking which lots you intended to divert water to under this application. You told me that the subdivision plat had been modified. You were going to send me an updated subdivision plat for Canterwood Estates. I have not received the updated plat.

The purpose of this letter is to again request that you send me the latest subdivision plat identifying the location of the domestic use proposed in your application. I need this information to correctly identify domestic uses on any permit issued.

I will hold processing of your application for 14 days pending your response. Please respond within the 14-day period to avoid any further delay in processing your application.

If you have any questions, you may contact me directly at (208) 327-7944.

Respectfully,

A handwritten signature in cursive script, appearing to read 'Cindy Zimmerman'.

Cindy Zimmerman  
Water Resource Agent

MICROFILMED

APR 23 1997



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT  
GOVERNOR

KARL J. DREHER  
DIRECTOR

November 12, 1996

STEVE GILL  
PULLMAN-MOSCOW WATER RESOURCES COMMITTEE  
106 MORRILL HALL  
UNIVERSITY OF IDAHO  
MOSCOW ID 83843

RE: Water Right No. 87-07197

Dear Mr. Gill:

I have enclosed a photocopy of Application for Permit 87-07197 for review by the Pullman-Moscow Water Resources Committee as set forth in the 1992 interagency agreement between the Washington Department of Ecology and the Idaho Department of Water Resources. Please submit any comments you might have about this application in writing within 30 days. If I do not hear from you within that time, IDWR will resume routine processing of this application.

If you have any questions, please contact me at 208-327-7946 or at [skeen@idwr.state.id.us](mailto:skeen@idwr.state.id.us).

Respectfully,

Shelley Walter Keen  
Water Rights Supervisor

Enclosure

From: DWR50::ABEARDSL 8-NOV-1996 15:59:46.03  
To: DWR03::SKEEN  
CC:  
Subj: Jansen, 87-07197

Hi Shelley,

After talking again with Bob on the above Application, he said that this one is within the PMWRC and we should seek their comments prior to approval.

However you wish to handle it at this point is fine with me. Let me know if you wish me to send a letter, or if you will from the S.O.

The contact person is Steve Gill (executive Sec.)

106 Morrill Hall, University of Idaho  
Moscow ID 83843

208 885-6429 phone  
6431 fax  
gill1752@uidaho.edu internet

Have a nice 3 day weekend.

al

## MEMORANDUM

**DATE:** October 30, 1996

**TO:** Files 87-07193 and 87-07194

**FROM:** Shelley W. Keen *SWK*

**RE:** PMWRC review

---

This morning Al Beardslee told me that he will follow up on our request to have these two applications reviewed by the Pullman-Moscow Water Resources Committee.

RECORDED

APR 29 1997

No. a  
4/87-06/92n

INTEGRATED DEPARTMENT OF WATER RESOURCES  
APPROPRIATION APPLICATION ANALYSIS SHEET

APPLICATION # 87-07197

\*\*\*\*\* INITIAL REVIEW \*\*\*\*\*

APPLICANT: JANSON BY: AS DATE: 7/12/96

- ITEM REQUIRED INFORMATION
1. (X) Name and Address
  2. (X) Source
  3. (X) Point of Diversion & County
  4. (X) Quantity  
(X) Nature of Proposed Use  
(X) Period of Use
  5. (X) Total Quantity
  6. (X) Description of diverting works
  7. (X) Time required for b/u
  8. (X) Proposed use
  9. (X) Place of use or acres irrigated
  10. (X) Other Water Rights
  11. (X) Ownership
  13. (X) Map  
(X) Signature  
(X) Fee (Amt, recpt, acknowledgment)

RECEIVED  
SEP 09 1996  
Department of Water Resources

PROCESSING  
Yes No PRIORITY DATE: 7/12/96  
X (Include Moratorium Remark)  
X Statewide Avertising: (Diversion rate greater than 10 cfs or 1,000 af).  
MP/Chun/ok  
ADVERTISE IN: CATIA County.

LETTERS SENT REQUESTING:

- ( ) Dam Information ( ) Fish Information  
( ) Power Information ( ) Other: N/A

ADDITIONAL INFORMATION

- Yes No
- X Field check: by \_\_\_\_\_
  - X Field report attached
  - X Analysis Supp. attached (>5cfs/500af)
  - X Water delivered by water master?
  - Water District # \_\_\_\_\_

INFORMATION RECEIVED:

- ( ) Dam Information ( ) Fish Information  
( ) Power Information ( ) Other: N/A

\*\*\*\*\* GROUNDWATER SECTION \*\*\*\*\*

- (Yes) (No)
- X Groundwater management area
  - X Critical ground water area
  - X Well Drilling Permit required
  - X Well Drilling Application and Fees received
  - X Well Drilling Application approved?
  - Well Drilling Application Number \_\_\_\_\_
- Checked by: \_\_\_\_\_ Date: \_\_\_\_/\_\_\_\_/\_\_\_\_  
Remarks: \_\_\_\_\_

\*\*\*\*\* FINAL REGIONAL PROCESSING/REVIEW \*\*\*\*\*

- (Yes) (No)
- Notice of pending void order issued. Final order response date: \_\_\_\_/\_\_\_\_/\_\_\_\_
  - Further information required from applicant
  - 7/12 Affidavit of publication received
  - 8/12 Application published correctly, If not, record action taken: \_\_\_\_\_
  - 7/24 Publication dates and paper recorded on application | Sr. Agent initial AS
  - Protests received. Final protest date: 8/19/96
  - Measuring device required
  - Measuring port required
  - Special conditions: \_\_\_\_\_
  - Special conditions of approval supplement and/or cover letter attached: \_\_\_\_\_

Approval Recommended by: AS Date: 7/14/96

# Affidavit of Publication

STATE OF IDAHO  
County of Latah

ss.

Mary Shiel  
Legal Clerk

being first duly sworn, on oath,  
deposes and says:

That she is the printer of  
Moscow-Pullman Daily News, a  
newspaper of general circulation,  
printed and published daily except  
Sunday at Moscow, Latah County,  
Idaho, in compliance with Sections  
60-106, 60-107, and 60-108 of the  
Idaho Code and the amendments  
thereto; that the notice of which the  
annexed is a full, true and correct  
printed copy was published in the  
regular and entire issues of said  
newspaper and not in a supplement  
thereto, upon the following dates:

Aug. 1, 8, 1996

the same being the dates designated  
for the publication of said notice.

Mary Shiel

On this 9<sup>th</sup> day of Aug  
in the year of 1996, before me, a Notary

Public, personally appeared \_\_\_\_\_


Mary Shiel

known or identified to me to be the person whose  
name subscribed to the within instrument, and  
being by me first duly sworn, declared that the  
statements therein are true, and acknowledged to  
me that he executed the same.

Shirley Hale  
Notary Public for Idaho

Residing at Troy, Idaho

My commission expires: 5/11/98



## NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have  
been filed to appropriate the public  
waters of the State of Idaho:

87-07197 *ck*

JANSON, THOMAS, 333  
MOSER STREET, MOSCOW, ID  
83843

Source: GROUNDWATER

Diversion Pt: SESW Sec 31 T 40N  
R 05W in LATAH County.

Use: IRRIGATION ( 0.150  
CFS)

DOMESTIC ( 0.180 CFS)

Total Diversion ( 0.330 CFS)

Date Filed: 7/12/1996

In: LATAH County

T40N R05W S31 SWSW SESW

7.5 ACRES TOTAL

For additional information con-  
cerning the property location, call  
the Northern Regional Office at  
(208) 769-1450.

The permit (s) will be subject to  
all prior water rights. Protests must  
be filed with the applicant and with  
the Director, Dept. of Water  
Resources, Northern Region, 1910  
Northwest Blvd., Suite 210, Coeur  
d'Alene, Idaho 83814, together with  
a protest fee of \$25.00 on or before  
AUGUST 19, 1996.

KARL J. DREHER, Director  
August 1, 8, 1996

NOTICE FILED  
AUG 13 1996

87-07197

JANSON, THOMAS  
333 MOSER STREET  
MOSCOW, ID 83843

Source: GROUNDWATER

Diversion Pt:               SESW       Sec 31 T 40N R 05W in LATAH County.

|                  |   |            |
|------------------|---|------------|
| Use: IRRIGATION  | ( | 0.150 CFS) |
| DOMESTIC         | ( | 0.180 CFS) |
| Total Diversion: | ( | 0.330 CFS) |

Date Filed: 7/12/1996

|                  |      |      |
|------------------|------|------|
| In: LATAH County |      |      |
| T40N R05W S31    | SWSW | SESW |

7.5 ACRES TOTAL

APPROVED  
7/12/1996

July 24, 1996

Thomas Janson  
333 Moser Street  
Moscow ID 83843

Re: Water Appropriation Application No. 87-07197

Dear Mr. Janson:

The Idaho Department of Water Resources hereby acknowledges receipt of the above referenced Application for Permit to appropriate the Public Waters of the State of Idaho. To assist us in providing you with prompt, accurate service, please refer to the above referenced number in all future matters concerning this water right application.

Your appropriation application is currently being prepared for advertising in the local county newspaper. This advertisement will be published for two consecutive weeks followed by a waiting period of ten days to allow for the submittal of protests. Normal processing time is approximately 3 to 4 months, if the application is not protested.

If the application is not protested, it will be forwarded to Boise to be considered for approval by the Director. State office personnel will then conduct a complete review, and you will be notified by mail of the outcome. However, if the application is protested during this waiting period, you will be sent a copy of the protest and instructions to aid you in resolving the protest without a hearing. All protests must be resolved before approval of the application can be made, so if the protestant does not voluntarily withdraw the protest, this department will conduct a conference and/or hearing on the matter.

You will receive your approved Application for Permit and instructions on filing the Proof of Beneficial Use from our State office in Boise.

If your source is groundwater, a Well Drilling Permit is required for all wells constructed after July 1, 1987.

A "Domestic" well drilling permit should be obtained for a rate of diversion of up to 18 gallons per minute (0.04 CFS) and a daily volume of up to 2,500 gallons per day. The cost for this permit is \$35.00. For any other use, including multiple homes, or municipal, etc., the Drilling Permit fee is \$200. It is possible to upgrade a Domestic Drilling Permit by submitting an additional \$165.00. These Permits can be obtained by your driller, also.

If you have any questions or if I can be of any assistance please feel free to contact me at this office.

Sincerely,

ALLEN BEARDSLEE  
Senior Water Resources Agent

AB:db