


13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 4 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Mark T. McKin
(Applicant)

PERMIT # 87-07187

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
FIELD REPORT SUPPLEMENT

PHOTOGRAPHS



P.U.

home



P.D. Well



P.U.

peas & wheat

MICROFILMED

NOV 07 1996

PERMIT # 87-07187

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
FIELD REPORT SUPPLEMENT

P H O T O G R A P H S



hoses and sprinkler
heads for irrigation



P.O. fees, water

MICROFILMED

JUL 7 1998

12.4

#154 S. Meyer

T839

HEL

#1561 D. Bol

T1013

32.4

Steve Berglund

housing out

house out

Housing
Acresage

#1710 S.F. Berglund
RA T10308

HEL NW

#1710 S.F. Berglund
193 T10309

HEL NW

#1709
T10200

NW
HEL

3.9
17.10

46.0
5.01

city tower

NW
HEL

136.3
1

#1589 C. Lyon
T1773

NW
NHEL

29.9
1

6.0
out

97.3
1

T1186 NW
HEL
14.0
1

Robinson Park Rd

12.2
1

#1806 M. Salisbury
T996

HEL
NW

27.6
1

55.0
2

NW
HEL


MICROFILMED
NOV 07 1996

16.8
9

2571 SE
(MOLA)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

87-07187



117°00' 46°45' PALOUSE (WASH.) 14 MI. 1.7 MI. TO U.S. 95 50200000E 503 57°30" 504 2571 N SW (ROBINSON LAKE)

WASH. 9.3 MI. U.S. 95

MICROFILMED
5601-2-0

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 87-07187

Priority: June 8, 1995

Maximum Diversion Rate:
Maximum Diversion Volume:

0.14 CFS
17.6 AF

This is to certify, that MARK T MC GURKIN
3000 MOSER

MOSCOW ID 83843

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated June 8, 1995; and has submitted Proof of Beneficial Use on October 5, 1995. An examination indicates that the works have a diversion capacity of 0.140 cfs of water from a **GROUNDWATER** source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.14 CFS	17.0 AF
DOMESTIC	01/01 to 12/31	0.02 CFS	0.6 AF
	Totals	0.14 CFS	17.6 AF

LOCATION OF POINT(S) OF DIVERSION:

NWSE , Sec. 9, Township 39N, Range 05W
LATAH County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
39N	05W	9	NWSE	26		26

Total number of acres irrigated: 26

PLACE OF USE:

DOMESTIC, same as IRRIGATION use

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount that can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.

MICROFILMED
NOV 8 7 1996

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 87-07187

CONDITIONS OF APPROVAL AND REMARKS

5. After specific notification by the department, the right holder shall install a suitable measuring device or shall enter into an agreement with the department to determine the amount of water diverted from power records and shall annually report the information to the department.
6. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 3.0 afa per acre for the lands above.
7. Domestic use is for 1 home.
8. Domestic use does not include lawn, garden, landscape, or other types of irrigation.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 12TH day of August, 1996


Acting for KARL J. DREHER, Director



MICROFILMED
NOV 8 7 1997

RECEIVED

SEP 18 1995

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

7/94
Amt. of Fee \$: 100.00
Receipt No. 033673
Receipt By: RT
Date Received: 9/5/95

Department of Water Resources

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 87-07-187 Telephone No. 208 882-6238

2. Name(s) of Permit Holder(s): MARK + PAM McGURKIN

3. Mailing Address: 3000 MASTER

4. Source of Water: GROUND If GROUNDWATER (well), Date Drilled: mo. MAY 1 yr. 94

a. Well Driller: PONDEROSA Drilling Permit Number: 87-94-N-5

b. OPTIONAL:

Pump Horsepower: 5 Pressure (psi): _____ Dynamic pumping level (ft): _____

5. Use(s) (as authorized by the water right permit):

Domestic (No. of households): 1 Stockwater (No. and type of stock): _____

Irrigation (No. of acres): 26 Other: _____

6. Total rate of diversion and/or volume for which proof is submitted: 0.2 DOMESTIC 25 INK cfs OR _____ acre feet

AGATION

7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)

(This question is not optional. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)

Measuring Device: Is a measuring device required?

Yes _____ or No X

Has the measuring device been installed?

Yes _____ or No X

Flow Measurement Port: Is a flow measurement port required?

Yes _____ or No X

Has the measurement port been installed?

Yes _____ or No X

8. Fee Enclosed: \$ _____ (See Fee Schedule on back of the instructions for filing proof of beneficial use)

9. Person to contact to accompany the Department representative during field examination of the water system.

Name: MARK McGURKIN Telephone Number: 208-882-6238

Address: 3000 MASTER

10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the State of Idaho.

Signature of permit holder: Mark T McGurkin
(include your title, if on behalf of company or organization)

Date: 9/13/95

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 87-07187

Proposed Priority: June 8, 1995

Maximum Diversion Rate:

0.27 CFS

This is to certify, that **MARK T MC GURKIN**
324 N GRANT
MOSCOW ID 83843

has applied for a permit to appropriate water from: **GROUNDWATER**

and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	03/15 to 11/15	0.25 CFS
DOMESTIC	01/01 to 12/31	0.02 CFS
	Totals	0.27 CFS

LOCATION OF POINT(S) OF DIVERSION:

NWSE , Sec. 9, Township 39N, Range 05W
LATAH County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
39N	05W	9	NWSE	26.0		26.0

Total number of acres irrigated: 26.0

PLACE OF USE: DOMESTIC, same as IRRIGATION use


CONDITIONS OF APPROVAL AND REMARKS

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **September 1, 1996.**
2. Subject to all prior water rights.
3. After specific notification by the department, the right holder shall install a suitable measuring device or shall enter into an agreement with the department to determine the amount of water diverted from power records and shall annually report the information to the department.
4. The rate of diversion of water for irrigation under this right and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.
5. Domestic use is for 1 home.
6. Domestic use does not include lawn, garden, landscape, or other types of irrigation.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

6th day of September, 1995.

NOV 1 8 1995


Karl J. Dreher, Director

RECEIVED
AUG 24 1995

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

Ident. No. 87-7187

Department of Water Resources

To appropriate the public waters of the State of Idaho


1. Name of applicant MARK T. MCBURKIN Phone 208-882-6238
Post office address 324 N. GRANT, MOSCOW, ID 83848
2. Source of water supply GROUNDWATER which is a tributary of _____
3. Location of point of diversion is NW $\frac{1}{4}$ of SE $\frac{1}{4}$ of _____ $\frac{1}{4}$, Govt. Lot _____
Sec. 9 Township 39 N Range 5 W B.M. LATAH County; additional
points of diversion if any: N/A
4. Water will be used for the following purposes:
Amount .04 cfs for domestic purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount .25 cfs for irrigation purposes from 5/1 3/15 to 10/31 11/15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) .29 cfs and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc. 5 hp Jacuzzi submersible pump
 - b. Height of storage dam N/A feet; active reservoir capacity N/A acre-feet; total
reservoir capacity N/A acre-feet; period of year when water will be diverted to storage:
N/A to N/A inclusive.
 - c. Proposed well diameter is 8" inches; proposed depth of well is 355 feet.
 - d. Is ground water with a temperature of greater than 85°F being sought? NO
 - e. If well is already drilled, when? 4/13/94; Drilling firm POUNDEROSA DRILLING
Well was drilled for (well owner) MARK T. MCBURKIN
7. Time required for the completion of the works and application of the water to be proposed beneficial use is
completed years (minimum 1 year).

NOV 16 1995

#226

12. Remarks:

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 4 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Mark T. McKin
(Applicant)

NOV 16 1995
6211600000

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19____.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.2 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other:

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

Received by	Date	Time	Preliminary check by	Fee \$	Received by	Date	Published in	Publication prepared by	Publication approved
<i>dp</i>	6/18/95	2:00 p	<i>dp</i>	100.00	<i>dp</i>	6/28/95	7/18/95	<i>dp</i>	<i>dp</i>

Massachusetts



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

August 13, 1996

MARK T MC GURKIN
3000 MOSER
MOSCOW ID 83843

RE: WATER RIGHT NO. 87-07187

Dear Water Right Holder(s):

Enclosed is a copy of the Water Right License issued on the above referenced permit. If you have any questions, please contact me within 10 days of receipt of this license.

Sincerely,

A handwritten signature in cursive script that reads "Shelley W. Keen".

Shelley W. Keen
Water Rights Supervisor

SK:ph

Enclosure

MICROFILMED
NOV 27 1996

MEMORANDUM

TO: File 87-07187

FROM: Sharla

DATE: August 7, 1996

RE: Recommendation Adjustment(s)

The final license recommendations for Right 87-07187 are based on the following.

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

NWSE, S9, T39N, R5W

H. RECOMMENDATIONS

Beneficial Use	Period of Use	Rate of Div	Annual Vol
Irrigation	3/15 - 11/15	0.14 cfs	17.0 afa
Domestic	1/1 - 12/31	0.02 cfs	0.6 afa
	TOTAL	0.14 cfs	17.6 afa

The point of diversion as identified on the maps attached to the exam is NWSE, S9, as originally applied for.

The total diversion rate is limited to the capacity, 0.14 cfs.

Examiner: Ted McCracken
Exam date: May 10, 1996

MICROFILMED
NOV 27 1995

LICENSE REVIEW CHECKLIST

PERMIT NO. 87-07187

DATE 8/7/96

REVIEWER: S H A R L A

NAME Change OK

Address Change same as 3000 MOSER per blu

SOURCE Change OK

Is change clarification of originally intended source?
If not, prepare Notice of Intent to Void

POINT OF DIV Change OK

NWSE (transposed on written desc)
Amendment required NO

PLACE OF USE Change OK

Amendment required NO

Does map agree with written description? yes no

OVERLAPS P/D P/U

RATE OF DIV

Permitted Rate .27 cfs

Fee limit 1.0 cfs \$100⁰⁰

Measured cfs

Theoretical .14 cfs

Recommended Total Div Rate .14 cfs

ANNUAL VOLUME/
NATURE OF USES Change OK

Use Dom.

Dom

26.5 x 3 = 79.5 6 hrs.
Volume Calculation 26 x 30 = 78.0 1 hr. =
.6 in house af 17.0 af

SUBTOTAL 20.1 17.6 af

Flow rate .14 cfs X 245 days X 1.98 = 67.9** af

Total volume recommended 68.5 af
(SUBTOTAL or Flow Rate, whichever is less) 17.6 + .6
68.5

REMARKS

D/I home - irr. not incl.

CONDITIONS Watermaster Control WD#

GW Measurement/Measuring Device

R29 Overlap OIM

Use-specific conditions

Advancement of Priority Date Required yes no

SRBA Claim Filed

Adjustment Memo * dld desc.

1st Amend Letter N/A

2nd Amend Letter N/A

* Volume 17.6

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

JUL 22 1996

Department of Water Resources

Permit No. 87-07187

A. GENERAL INFORMATION

1. Owner: Mark McGurkin Phone No. 882-6238
Current Address: 324 N Grant Moscow Id 83843
2. Accompanied by: owner EXAM DATE: 5/16/96
Address: same as above Phone No. _____
Relationship to Permit Holder: -
3. Source: groundwater tributary to -

B. OVERLAP REVIEW

- Other water rights with the same place of use: _____
- Other water rights with the same point of diversion: _____

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
	<u>N/A</u>		<u>SE</u>	<u>NW</u>	<u>9</u>	<u>39N</u>	<u>05W</u>	<u>Latah</u>	<u>map 7.5 quad</u>


2. Place(s) of Use:

Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
<u>39N</u>	<u>05W</u>	<u>9</u>														<u>26</u>			<u>26</u>

MICROFILMED
NOV 07 1995

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe I.d. as applicable.



Scale: 1" = _____

____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

____ Aerial Photo Attached (required for irrigation of 10+ acres)

____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
87-94-N-5	N/A	5	N/A	N/A	—

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: Theoretical

MICROFILMED

NOV 07 1985

E. NARRATIVE/REMARKS/COMMENTS

groundwater from well is used for the
irrigation of 26 acres and home irrigation is
done by 8 garden hoses and rainbird
5/8 inch sprinkler heads. Mr. McGurkin is
irrigating peas and wheat, grass.
lines are hooked up at spicket at well and
on house.

Have conditions of permit approval been met? ☒ yes ☐ no

MICROFILMED
NOV 9 - 1986

F. FLOW CALCULATIONS

Measured Method:

_____ Additional Computation Sheets Attached

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 26 \times 3.0 = 78 \quad \begin{matrix} \text{6 HRS} \\ \downarrow \end{matrix}$$
$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .14 \times 245 \times .4958 = 17.00$$
$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 17.00$$

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Irrigation	03-15	11-15	.14	17.0
domestic	01-01	12-31	.02	1.2
Totals:			0.16	18.2

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATIONField Examiner's Name Del McCracken Date 7/1/96

Reviewer _____ Date _____

SEAL

MICROFILMED

NOV 6 7 1993

THEORETICAL PUMP EFFICIENCY CALCULATIONS

FILE: 87-07187

DATE: 1-JUL-96

COMPLETE BY: TED MCCRACKEN

HORSEPOWER = 5

PUMP EFFICIENCY = 80%

DYNAMIC LIFT = 220 FEET

SYSTEM PRESSURE = 15 PSI

QUANTITY = 0.14 CFS

MICROFILMED
NOV 67 1996


PERMIT # 87-07187

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
FIELD REPORT SUPPLEMENT

PHOTOGRAPHS



P.O.
home



P.D. well




P.O.
peat & wheat

PERMIT # 87-07187

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
FIELD REPORT SUPPLEMENT

PHOTOGRAPHS



hoses and sprinkler
heads for irrigation



P.O. spec, 10/1/96

12.4

#154 S. Meyer
T839
HEL

#156 D. B. J.
T1013

32.4
1

Bergland

Hoosier
Average

Hoosier

Hoosier
out

Hoosier
out

HEL NW

HEL NW

NW
HEL

136.3
1

NW
HEL

city tower

60
out

97.3
1

140
NW
HEL

#157
T7

29.3
1

#1806 M. Salisbury
T996

HEL
NW

27.6
1

NW
HEL

55.0
A

Robins and Park Rd

12.2
1

**ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE**

Permit No. 87-07187 Reviewed by [Signature] Date 9-25-95

GENERAL CONSIDERATIONS

TYPES OF USE

yes Name same as permit?
yes Address same as permit?
yes Proof timely received? Correct Uses? yes
If not, complete calculation below.

SOURCE OF WATER

 Surface water source
✓ Ground water source
yes Drilling permit required?
no Copy in the file? Drilling Permit No. 87-94-N-0005-
200.00 Amount paid for permit yes Correct?
yes Well log in the file?

LICENSE EXAMINATION FEE

MEASURING DEVICE

yes Required?
0 Amount Submitted
no Correct?

no Required?
 Installed?
 Waiver requested?

PRIORITY CALCULATION

Date proof received	<u> </u>	<u> </u>
Date proof due	<u> </u>	<u> </u>
No. of days late	<u> </u>	<u> </u>
Priority Date	<u> </u>	<u> </u>
New Priority Date	<u> </u>	<u> </u>

DEFICIENCIES OR ACTION ITEMS

Return for 100.00 exam fee
fee received - Proof acceptable

DATA ENTRY

New Address X Proof Made 10/5/95

October 18, 1995

MARK T MC GURKIN
324 N GRANT
MOSCOW ID 83843

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 87-07187

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the NORTHERN Regional Office in Coeur D' Alene at (208) 769-1450.

Sincerely,

JULIE L. YARBROUGH
Senior Secretary

c: IDWR - Region

RECEIVED

NOV 16 1995



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

September 27, 1995

Mark T. McGurkin
324 N Grant
Moscow, ID 83843

RE: Permit No. 87-07187

Dear Permit Holder:

I have returned a copy of the Proof of Beneficial Use form submitted in connection with the above referenced water right. You state on the proof that you are diverting 0.27 cfs for domestic and irrigation purposes. Before the department can process the proof, it must be accompanied by the appropriate license examination fee. The license examination fee for a rate of diversion of 0.27 cfs is \$100.00. I have enclosed a copy of the license examination fee schedule for your reference.

Please return the copy of the proof along with the \$100.00 license examination fee within thirty (30) days of receipt of this letter. Please address your correspondence to my attention.

If you have any questions or if I can be of any assistance, please feel free to contact me at (208)327-7900.

Sincerely,

JULIE L. YARBROUGH
Senior Secretary

Enclosure

MICROFILMED

NOV 16 1995



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

September 6, 1995

MARK T MC GURKIN
324 N GRANT
MOSCOW ID 83843

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 87-07187

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. Please be sure to thoroughly review the "CONDITIONS/REMARKS:" listing on the permit.

Enclosed is a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed is a form entitled "Proof of Beneficial Use". If your project is already completed you should complete and submit this form immediately.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:rl

Enclosures

MICROFILMED

NOV 16 1995

**APPLICATION FOR PERMIT
STATE OFFICE REVIEW**
by Cindy Zimmerman

No.: 87-7187 Name: McGurkin Date: 8/31/95 Ad OK? ☒
Correct Fee? ☒ Receipt #: N9028 Priority: 6/8/95 ☒ Gvmt Lts: ☒

AREA OF CONCERN? GW exempt - ~~No~~/Yes S/C Mor GWMA Trust/Non-trust
PROTESTED: - 020(Protest Agr) or W19(See Final/Prelim Order)

SYSTEM COMPLETED:

Yes/proof filed - NA
1 year/no proof - P16
+1 year - 26A-P17

GROUNDWATER: <✓ FLO-CH>

+ 0.2 cfs - 01M
=/- 0.2 cfs - No MD
=/+ 5 a. - 01M, 065(if GW use SW 1st)

Drilling Permit:

Existing well - NA (pre 7/1/87)
Included w/permit - Permit No. 87-94-N-0005-000, P99
No WD permit? - 046-46B-P23 (post 7/1/87)
irr. in WD - P05 (new well)

-SURFACE WATER <✓ FLO-CH> (Surface water that doesn't sink in WD):

Water District (~~dem~~) - 005 (req) WD # <SEE MAP & LISTING>
+ 0.2 cfs - 028(may report)-01J(meas dev)-P08
=/- 0.2 cfs - 028(may report)-01H(lock dev)-P01 or No MD
=/+ 5 a. irr. - 028(may report)
In-WD + 0.2 cfs - 01M or No MD (in-stream)
- 0.2 cfs - No MD
=/+ 5 a. irr. - 01M

RIVER BASINS (*Surface water):

SNAKE R (01) - 11A-P04, NA
(02/03) - 007-P07 (w/remark WB9), NA
Boise R (63) - 05A (if WB), 11E (not 42-111 use), NA
Payette R (65) - 064(consump. use), 047-P04(Payette Lake), NA

USE:

Domestic (surface) - 021(Boise R ↑ L Peak); 27A(Payette R); NA
Fish Propagation - 07A-042(rq)-010/06A/09E(WQ)-P10; 044(N 1000 Spr)
Irr <POU> =/- 5 a - 057 (0.03 cfs/A)
+ 5 a - 03A (0.02 cfs/A)
Mining - 054 (req) & 06A/010/09E-P10
Power - 08A-17K-025-027-01M-01F(P19)-09E(P10);
+25 cfs-P18; 17G(FERC) or 17M(FERC); 18B-P09
Storage(✓ 3 compo.) - 18A(multi MD in WD), 18B-P09 (+10' dam), NA

LOCATION:

Boise Front LoGeo - 058 (-85° GW temp only)
In-stream dev. - P52 (stream channel alteration)
Irr Dist/Canal Co. - 023 (Twin Falls area)
Swan Falls Flag - B <SEE CODE CHART>
Trust - 051-052-053-P74 (Consumptive Uses), NA
Non-Trust <1> - 048-049 (Consumptive Uses), NA

OWNERSHIP: Non-land owner - 004 (PD/PU)

OTHER CONDITIONS:

STANDARD REMARKS:

① WBS/1

BENEFICIAL USE DUE:

- 9-1-1996

COMMENTS:

- reduce dam to 0.02 cfs for in-house use.

No. a
4/87-06/92n

I D DEPARTMENT OF WATER RESOURCE
APPROVATION APPLICATION ANALYSIS SH

E wrl
wrapps
BC

APPLICATION # 87-7187

***** INITIAL REVIEW *****

APPLICANT: MC GURKIN

BY: AS

DATE: 6/9/95

ITEM REQUIRED INFORMATION

1. (x) Name and Address
2. (x) Source
3. (x) Point of Diversion & County
4. (x) Quantity
(x) Nature of Proposed Use
(x) Period of Use
5. (x) Total Quantity
6. (x) Description of diverting works
7. (x) Time required for b/u
8. (x) Proposed use
9. (x) Place of use or acres irrigated
10. (x) Other Water Rights
11. (x) Ownership
13. (x) Map
(x) Signature
(x) Fee (Amt, recpt, acknowledgment)

*** Send info sheet Y() N()

PROCESSING

Yes No

PRIORITY DATE: 6/8/95

x (Include Moratorium Remark)

x Statewide Avertising: (Diversion rate greater than 10 cfs or 1,000 af).

ADVERTISE IN: LATAH County.

LETTERS SENT REQUESTING

() Dam Information () Fish Information

() Power Information () Other: N/A

INFORMATION RECEIVED:

() Dam Information () Fish Information

() Power Information () Other: N/A

ADDITIONAL INFORMATION

Yes No

- x Field check: by _____
1 Field report attached
1 Analysis Supp. attached (>5cfs/500af)
1 Water delivered by water master?
Water District # _____

***** GROUNDWATER SECTION *****

(Yes) (No)

Checked by: _____ Date: ____/____/____

Remarks: _____

- x Groundwater management area
x Critical ground water area
y Well Drilling Permit required
Well Drilling Application and Fees received
Well Drilling Application approved?
Well Drilling Application Number 87-94-N-0005-000

***** FINAL REGIONAL PROCESSING/REVIEW *****

(Yes) (No)

- Notice of pending void order issued. Final order response date: ____/____/____
Further information required from applicant
7/18 Affidavit of publication received
7/18 Application published correctly, If not, record action taken: _____

- 6/28 Publication dates and paper recorded on application | Sr. Agent initial AS
1 Protests received. Final protest date: 7/24/95
1 Measuring device required
1 Measuring port required
1 Special conditions: _____
1 Special conditions of approval supplement and/or cover letter attached:

Approval Recommended by: AS RYA

Date: 8/3/95

Affidavit of Publication

STATE OF IDAHO
County of Latah

ss.

Lorraine Hudson
Legal Clerk

being first duly sworn, on oath,
deposes and says:

That she is the printer of
Moscow-Pullman Daily News, a
newspaper of general circulation,
printed and published daily except
Sunday at Moscow, Latah County,
Idaho, in compliance with Sections
60-106, 60-107, and 60-108 of the
Idaho Code and the amendments
thereto; that the notice of which the
annexed is a full, true and correct
printed copy was published in the
regular and entire issues of said
newspaper and not in a supplement
thereto, upon the following dates:

July 6, 13, 1995

the same being the dates designated
for the publication of said notice.

Lorraine Hudson

On this 14 day of July
in the year of 1995, before me, a Notary

Public, personally appeared

Lorraine Hudson

known or identified to me to be the person whose
name subscribed to the within instrument, and
being by me first duly sworn, declared that the
statements therein are true, and acknowledged to
me that he executed the same.

Ann Marie Yell
Notary Public for Idaho

Residing at Moscow, Idaho

My commission expires: 5/11/98

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have
been filed to appropriate the public
waters of the State of Idaho: *ok*

87-07187
MC GURKIN, MARK T, 324 N
GRANT, MOSCOW, ID 83843
Source: GROUNDWATER
Diversion Pt: NWSE Sec 9 T 39N
R 05W in LATAH COUNTY.
Use: IRRIGATION (0.250
CFS)

DOMESTIC (0.040 CFS)
Total Diversion: (0.290 CFS)
Date Filed: 6/8/1995
in: LATAH County T39N R05W
S09 NWSE
26.0 ACRES TOTAL

87-07188 *ok*
BARTLETT, HERSCHEL,
BARTLETT, ELAINE, 1020 BIG
CREEK ROAD, HARVARD, ID
83834

Source: MEADOW CREEK,
Tributary: PALOUSE RIVER
Diversion Pt: NWSW Sec 25 T
42N R 03W in LATAH County.
Use: IRRIGATION (0.100 CFS)
FIRES PROTECTION (0.200
CFS)

Total Diversion: (0.200 CFS)
Date Filed 6/16/1995
In: LATAH County T42N R03W
S25 NWSW

5.0 ACRES TOTAL

For additional information con-
cerning the property location, call
the Northern Regional office at (208)
769-1450.

The permit(s) will be subject to
all prior water rights. Protests must
be filed with the applicant and with
the Director, Dept. of Water
Resources, Northern Region, 1910
Northwest Blvd., Suite 210, Coeur
d'Alene, Idaho 83814, together with
a protest fee of \$25.00 on or before
JULY 24, 1995.

KARL J. DREHER, Director
July 6, 13, 1995

RECEIVED


JUL 18 1995

NORTHERN REGION
IDWR

JUL 18 1995

N 9379 \$ 165.00 8/21/95

WD Upgrade Fee



AG 8/21/95

NOV 1 1995

August 8, 1995

Mr. Mark T McGurkin
324 N Grant
Moscow ID 83843

Re: Application for Permit No. 87-07187

Dear Mr. McGurkin:

The Department of Water Resources has completed the legal advertising of your application for permit to appropriate water. The filing is now ready to be sent our state office for approval. However, before we can do that, the status of the well drilling permit which was obtained by Ponderosa Drilling prior to the drilling of your must be upgraded from that of a domestic well to a non-domestic. The fee for this change is \$165, payable to the Idaho Department of Water Resources. Please refer to the above referenced number so that we may ensure proper credit is given.

If you have any questions, please contact me.

Sincerely,

ROBERT G. HAYNES, P.E.
Regional Manager

RECEIVED
NOV 16 1995

87-07187

MC GURKIN, MARK T
324 N GRANT
MOSCOW, ID 83843

Source: GROUNDWATER

Diversion Pt: NWSE Sec 9 T 39N R 05W in LATAH County.

Use: IRRIGATION	(	0.250 CFS)
DOMESTIC	(	0.040 CFS)
Total Diversion:	(	0.290 CFS)

Date Filed: 6/ 8/1995

In: LATAH County
T39N R05W S09 NWSE

26.0 ACRES TOTAL

NOV 1 8 1995

June 28, 1995

Mark T. McGurkin
324 N. Grant
Moscow, ID 83843

Subject: Water Appropriation Application for Permit Number 87-07187

Dear Mr. McGurkin:

The Idaho Department of Water Resources hereby acknowledges receipt of the above-referenced Application for Permit to Appropriate the Public Waters of the State of Idaho. Enclosed is Receipt Number N009028. To assist us in providing you with prompt, accurate service, please refer to the above Application for Permit Number in all future matters concerning this water right application.

Your Application for Permit is currently being prepared for advertising in the local county newspaper. The advertisement will be published for two consecutive weeks followed by a waiting period of ten days to allow for submittal of protests.

If your application is not protested, it will be forwarded to Boise for processing. Normal processing time is approximately 3 to 4 months, if the application is not protested. If your Application for Permit is protested, you will be sent a copy of the protest and instructions to aid you in resolving the protest without a hearing. All protests must be resolved before your Application for Permit can be approved. If the protest is not resolved, this Department will conduct a conference and/or hearing on the matter.

You will receive your approved Application for Permit and instructions on filing the Proof of Beneficial Use from our State Office in Boise.

If your Application for Permit is for a well (groundwater) that was constructed after July 1, 1987, you must apply for a well drilling permit upon approval of your Application for Permit if no permit was obtained by previous owners to construct the well. Well Drilling Permits can only be issued by this office to holders of approved Applications for Permit.

If I can be of further assistance, please feel free to contact me at this office.

Sincerely,

ALLEN BEARDSLEE
Senior Water Resource Agent
Enc. - Receipt

NOV 16 1995

LANDECK, WESTBERG, JUDGE & GRAHAM, P.A.

Attorneys & Counselors at Law

A Professional Service Corporation

414 S. Jefferson


Post Office Box 9344

Moscow, Idaho 83843-0117

Telephone: (208)883-1505

FAX: (208)883-4593

**Ronald J. Landeck
James L. Westberg
John C. Judge
Charles L. Graham**



June 7, 1995

IDAHO DEPARTMENT OF WATER RESOURCES
1910 NORTHWEST BLVD., SUITE 210
COEUR D'ALENE, ID 83814

Dear Sir or Madam:

Enclosed is an Application for Permit submitted by Mark T. McGurkin for appropriation of water from a well located in Section 9, Township 39 North, Range 5 West, B.M., Latah County Idaho. Also enclosed is the application fee of \$100.00. Please call me if you require any further information or clarification.

Thank you for your consideration.

Sincerely,
Landeck, Westberg, Judge & Graham, P.A.


Charles L. Graham

CLG/plh
enclosure
c: Mark McGurkin


JUN 15 1995

