





PERMIT # 87-07145

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
FIELD REPORT SUPPLEMENT

PHOTOGRAPHS

POND LOOKING NW



INLET PIPE FROM
SPRING
LOOKING WEST



MICROFILMED

JUL 16 1991

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 87-07145

Priority: April 2, 1990

Maximum Diversion Rate:
Maximum Diversion Volume:¹

0.01 CFS
1.2 AF

This is to certify, that DONALD E. MORTON
2500 IDLERS REST RD.
MOSCOW, ID 83843

has complied with the terms and conditions
of the permit, issued pursuant to Application for Permit dated April 2, 1990; and
has submitted Proof of Beneficial Use on July 16, 1990. An examination indicates
that the works have a diversion capacity of .010 cfs of water from:

SPRING

tributary to SINKS

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
STOCKWATER	01/01 to 12/31	0.01 CFS	0.1 AF
STOCKWATER STORAGE	01/01 to 12/31		1.1 AF
WILDLIFE STORAGE	01/01 to 12/31		1.1 AF
FIRE PROTECTION STORAGE	01/01 to 12/31		1.1 AF
DIVERSION TO STORAGE	01/01 to 12/31	0.01 CFS	
	Totals	0.01 CFS	1.2 AF

LOCATION OF POINT(S) OF DIVERSION:

NENENE , Sec. 28, Township 40N, Range 05W
LATAH County

PLACE OF USE: STOCKWATER
TWN RGE SEC

40N 05W 21 SWSE

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.

MICROFILMED

JUL 16 1991

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE


WATER RIGHT NO. 87-07145

CONDITIONS/REMARKS:

5. Stockwater use is for 10 horses and cattle.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 28th
day of JUNE, 1991.

Acting for


N. Keith Higginson, Director

JUL 16 1991

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 87-07145

Proposed Priority: April 2, 1990 Maximum Diversion Rate: 0.01 CFS
This is to certify, that DONALD E. MORTON
2500 IDLERS REST RD.
MOSCOW, ID 83843
has applied for a permit to appropriate water from:

SPRING tributary of SINKS

and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
STOCKWATER	01/01 to 12/31	0.01 CFS
WILDLIFE	01/01 to 12/31	0.01 CFS
FIRE PROTECTION	01/01 to 12/31	0.01 CFS
	Totals	0.01 CFS

LOCATION OF POINT(S) OF DIVERSION: NENENE Sec. 28, Township 40N, Range 05W
LATAH County

PLACE OF USE: STOCKWATER

TWN RGE SEC

40N 05W 21 SWSE

PLACE OF USE: WILDLIFE, same as STOCKWATER use

PLACE OF USE: FIRE PROTECTION, same as STOCKWATER use

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before June 1, 1991.
2. Subject to all prior water rights.
3. Stockwater use is for 10 horses and cattle.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

24th day of May, 1990.

R. Keith Higginson
R. Keith Higginson, Director

MICROFILMED

JUN 29 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

Ident. No. 87-07145

To appropriate the public waters of the State of Idaho

1. Name of applicant Donald E. Morton Phone (208) 882-5370
Post office address 2500 Idlers Rest Rd. Moscow, Idaho 83843
2. Source of water supply Groundwater (Spring) which is a tributary of NA
3. Location of point of diversion is NE $\frac{1}{4}$ of NE $\frac{1}{4}$ of NE $\frac{1}{4}$, Govt. Lot _____
Sec. 28 Township 40 N Range 5 W B.M. Latah County; additional
points of diversion if any: None
4. Water will be used for the following purposes:
Amount 0.01* for S-F-W STOCK purposes from Jan. 1 to Dec. 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount 0.01* for WILDLIFE purposes from 1-1 to 12-31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount 0.01* for FIRE PROTECTION purposes from 1-1 to 12-31 (both dates inclusive)
(cfs or acre-feet per annum) TDK
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum) 0.01* *Rounded up figures. PMS 574/90
5. Total quantity to be appropriated is (a) 0.045 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works: Completed July 15, 1974
a. Description of ditches, flumes, pumps, headgates, etc. 1 Inch plastic pipe to pond by gravity. Pond located SE $\frac{1}{4}$ of SW $\frac{1}{4}$ of SE $\frac{1}{4}$ Sect. 21 Township 40 N Range 5 W B.M.
b. Height of storage dam 6 feet feet; active reservoir capacity .56 acre-feet; total reservoir capacity .75 acre-feet; period of year when water will be diverted to storage: Jan. 1 to Dec. 31 inclusive.
c. Proposed well diameter is NA inches; proposed depth of well is _____ feet.
d. Is ground water with a temperature of greater than 90°F being sought? No
7. Time required for the completion of the works and application of the water to the proposed beneficial use is _____ years (minimum 1 year). Completed and in use since July 15, 1974

MICROFILMED

JUN 29 1990

RECEIVED

applicant to make this filing.

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the

b. Who owns the land on which the proposed place of use? Applicant Donald E. Morton

11. a. Who owns the property at the point of diversion? Applicant Donald E. Morton

10. Describe any other water rights used for the same purposes as described above.

None

Total number of acres to be irrigated

NONE

[illegible]

ponding place of use below. See instructions for standard symbols.

b. If water is used for other purposes, place a symbol of the use (example: *D for Domestic*) in the corresponding column.

a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.

9. Description of place of use:

Constant supply for wildlife.

e. Other; describe fully. Reserve water for fire protection

d. Domestic; show number of households.

c. Municipal; show name of municipality.

b. Stockwatering; list number and kind of livestock. Cattle & horses No more than 10 head.


a. Hydropower; show total feet of head and proposed capacity in kW.

8. Description of proposed uses (if irrigation only, go to item 9):

SMS
SWT
to 70

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

Range 5 WBM



Microfilm

JUN 29 1990

Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Donald E. Morton
(Applicant)

3/23/90

RECORDED

JUN 29 1990

e. Other:

permit.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

_____, 19____

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

1. Approval of said application is subject to the following limitations and conditions:

Idaho No. _____, and said application is hereby _____

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

Received by	<i>[Signature]</i>	Date	4/26/90	Time	1:30p	Preliminary check by	TRK
Fee \$	30.00	Received by	<i>[Signature]</i>	Date	3/26/90	#	VI-3629
Publication prepared by	<i>[Signature]</i>	Date	4/9/90	Published in	4/9/90		
Publication approved	<i>[Signature]</i>	Date	5/4/90				

Affidavit of Publication

STATE OF IDAHO
County of Latah ss.

Theresa Myers

being first duly sworn, on oath, deposes and says:

That he is the printer of The IDAHONIAN, a newspaper of general circulation, printed and published daily except Sunday at Moscow, Latah County, Idaho, in compliance with Sections 60-106, 60-107, and 60-108 of the Idaho Code and the amendments thereto; that the notice of which the annexed is a full, true and correct printed copy was published in the regular and entire issues of said newspaper and not in a supplement thereto, upon the following dates:

April 19, 26,
1990

the same being the dates designated for the publication of said notice.

Theresa Myers
Subscribed and sworn to before me this 27 day of April

19 90
[Signature]
Notary Public,
residing at Moscow, Idaho
My commission expires: 12-16-98

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

86-07280

BLUE LAGOON HOMEOWNERS ASSN.

RT. 1 BOX 123-D

TROY, ID 83871

Source: GROUNDWATER

Diversion Pt: NESESE Sec 23 T 39N R 04W

Use: IRRIGATION (.090 CFS)

DOMESTIC (.090 CFS)

Total Diversion: (.090 CFS)

Date Filed: 2/27/1990

In: T39N R04W S23 SESE

S26 NENE

2.5 ACRES TOTAL

87-07145

MORTON, DONALD E.

2500 IDLERS REST RD.

MOSCOW, ID 83843

Source: SPRING Tributary:

SINKS

Diversion Pt: NENENE Sec 28 T 40N R 05W

Use: STOCKWATER (.01 CFS)

WILDLIFE (.01 CFS)

FIRE PROTECTION (.01 CFS)

Total Diversion: (.01 CFS)

Date Filed: 4/2/1990

In: T40N R05W S21 SWSE

87-07146

MORTON, DONALD E.

2500 IDLERS REST RD.

MOSCOW, ID 83843

Source: SPRING Tributary:

SINKS

Diversion Pt: NENESE Sec 21 T 40N R 05W

Use: STOCKWATER (.01 CFS)

DOMESTIC (.01 CFS)

Total Diversion: (.01 CFS)

Date Filed: 4/2/1990

In: T40N R05W S21 NESE NWSE

For additional information concerning the property location, call the Northern Regional Office at 765-4639.

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Northern Region, 1910 Northwest Blvd., Suite 210, Coeur d'Alene, Idaho 83814 on or before MAY 7, 1990.

R. KEITH HIGGINSON, Director
Apr. 19, 26, 1990

RECEIVED

MAY 1 1990

NORTHERN REGION
IDWR

RECORDED

JUN 29 1990

July 3, 1991

DONALD E. MORTON
2500 IDLERS REST RD.
MOSCOW, ID 83843

RE: WATER RIGHT NO. 87-07145

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:blm

Enclosure

JUL 16 1991

LICENSE REVIEW CHECKLIST

Permit No. 87-7145

Name/Address change? ok ✓

Priority date Advance? yes no ✓

Memo to advance
Order to reinstate needed? yes no ✓

Total cfs Limited by fee N/A

Limited by capacity ✓

Total volume Limited by flow

Chart checked for AF rate/ac N/A

Capacity Actual measurement checked

Theoretical checked

If greater than permit, check for other rts

Source Changed? yes no ✓

If so, is memo needed to clarify?

P/D Verify with map ✓ permit ✓

More than one per 1/4? Remember remark

Check p/d overlap N/A

Uses Check irrigation period of use w/ chart N/A

P/U Verify with map ✓ permit ✓

> 5 acres irrigated, run overlap N/A

Remarks More than one p/d in 1/4 ✓

Description of non-irrig uses

Special overlap condition

Conditions -

Measuring device
W.Master control
Overlap
Water quality
Other

Dates/Misc. -

Water Dist
App Rec'd
Proof Rec'd

CHECK FOR ADJ. CLAIM

Needed according to proof filed

Filed - needs amended

Add'l fee required

Not filed - ✓

Not needed

Comments/Changes to Examiner's Recommendations:

00116100

License 10-day ✓ 30-day

Back of field report signed?

Reviewer Curles Date 6/25/91 Review time 6 min.

MEMORANDUM

TO: File 87-7145
FROM: Sharla
DATE: June 27, 1991
RE: Waiver of Amendment Requirement

Although the examiner found slight variations in the uses under this permit from what was originally filed, the application did mention a storage dam and pond. An amendment will not be required to add storage components to the license.

RECEIVED
JUL 16 1991

STATE OF IDAHO
DEPATRMANT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT SUPPLEMENT
INITIAL CHECK LIST

STATUS

Y/N/* (* = see remarks)

- N Non-Standard Approval Conditions (If yes attach copy of conditions)
N Measuring Device required
Y Report labled and Quad sheet attached
N Aerial Photo requested: date _____ by _____
N Aerial Photo attached
N Subdivision or Ownership Plat attached
N Government Lot Plat attached
N Additional Information from microfische attached
N Possible Overlap found, Abstract attached
N Well log numbered and attached
N Well inspection form numbered and attached
Y Plotted on exam maps
Y Ready For Field Examination

Person to contact for Appointment: Donald E. Morton
Phone 208 882 5370 Address 2500 Idlers Rest Rd.
Moscow, Idaho 83843

Remarks: Do at same time as 87-7146

JUL 16 1991

PERMIT NUMBER

87-7145

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
JUN 24 1991

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 87-07145

1. Owner: Donald E. Morton Phone No. 208 882-5370

Current Address: 2500 Idlers Rest Rd.; Moscow, Idaho 83843

2. Accompanied by: NONE EXAM. DATE: 5/6/91

Address: _____ Phone No. _____

Relationship to Permit Holder: _____

3. Source: Spring tributary to SINKS

B. OVERLAP REVIEW

1. Other water rights with same place of use: _____

☐ Copies Attached


2. Other water rights with same point of diversion: _____

☐ Copies Attached

☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = NTS

JUL 16 1991

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).

☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

पुनर्विचार २५.१/१९८३ दिनांक २३.०७.८३

☐ See Remarks on page 4 for continuation

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size

**Code to correspond with No. on map and aerial photo*

5. Point(s) of Diversion:

[illegible]

6. Place(s) of Use:

Indicate Method of Determination

[illegible]

Do not use this space

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

$\frac{29.4 \text{ gal} / 54.5 \text{ sec}}{7.48 \text{ gal} / \text{CF}} = 0.012 \text{ cfs}$

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)
 Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)
 Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)
 Meter Input HP: (6) x 1.34 = _____ (7)
 Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)
 Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____
 $V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____
 $V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses: POND 100' DIA x 4'-8" DEEP: $\pi(50')^2(6) = 1.1 \text{ AFA}$

STOCK 10 HEAD MIXED = $(12 \text{ cfs}) \times (12 \text{ gal/day}) \times (10 \text{ HEAD}) \times (305 \text{ DAYS}) = 325,851$

$(0.012 \text{ cfs}) \times (305 \text{ DAYS}) \times (1.9835) = 7.2 \text{ AF}$

H. REMARKS AND OVERLAP REVIEW ANALYSIS

Bound size determined by picture
 By reading Application it appears that storage should
 have been included originally - should be added to list.
 For clarity

I. RECOMMENDATIONS

1. Recommended Amounts


Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Diversion to storage	1-1	12-31	0.01	1.1
Stock	1-1	12-31	0.01	1.1
Stock storage			0.01	1.1
Wildlife storage			0.01	1.1
Fishery storage			0.01	1.1
Totals:			0.01	1.2

2. Recommended Amendments


- ☐ Change P.D. as reflected above
☐ Add P.D. as reflected above
☐ Change P.U. as reflected above
☐ Add P.U. as reflected above
☒ None
☐ Other

J. AUTHENTICATION

Field Examiner's Name Tom D. King
 Signature [Signature]
 Certification Date 4/10/91
 Field Report Preparation Date 5/2/91



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.



87 - 7145
T40N R5W Sec 28
NENE NE


JUL 16

PERMIT # 87-07145


STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
FIELD REPORT SUPPLEMENT

P H O T O G R A P H S

ROAD LOOKING NW



INLET PIPE FROM
SPRING
LOOKING WEST



JUL 16 1991

December 7, 1990

DONALD E. MORTON
2500 IDLERS REST RD.
MOSCOW, ID 83843

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 87-07145

Dear Permit Holder:

The department acknowledges receipt of the proof of Beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the NORTHERN Regional Office in Coeur D' Alene at (208)765-4639.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

MICROFILMED

DEC 18 1990

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 87-7145

Date: 11-27-90

General Considerations:

Y Name same as permit
Y Signature the same as permit holder
N Address change _____ If yes, prepare a data entry
Y Proof received timely _____
_____ Reinstated

Source of Water:

Y Surface water
_____ Groundwater
_____ 1. well log in file
_____ 2. drilling permit
_____ A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

Y Rate of diversion appropriate for uses
Y Is rate or volume and fee appropriate?
Y Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

N/A Is a measuring device or access port required?
N/A Has one been installed?
N/A Waiver or modification of measuring device requested

Remarks:

Proof acceptable

N/A Priority Calculation:

Date proof received	_____	_____
Date proof due	_____	- _____
No. of days late	_____	= _____
Priority date	_____	+ _____
NEW PRIORITY DATE	_____	= _____

LB
SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

RECEIVED
JUL 16 1990

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

Department of Water Resources

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 87-07145 Telephone No. 208-882-5370

Name(s) of Permit Holder(s): Donald E. Morton

Post Office Address: 2500 Idlers Rest Rd. Moscow, Idaho 83843

Source of Water: Spring Tributary of Sinks

If ground water, well driller's name: _____ Date drilled: _____

Extent of Use:
Domestic _____ (No. of households) Irrigation _____ (No. of acres)
Stockwater _____ (No. and type of stock) Other Wildlife & Fire Protection
10 Head Horses & Cattle

Total rate and/or volume for which proof is submitted 0.01 cfs _____ acre/feet

Show date water was first diverted and beneficially used under this permit: 7-15-1974
4-2-1990

One of the following may be a condition of approval of your permit:

Measuring device: Required? Yes X No Installed? Yes X No

OR

Flow Measurement Port: Required? Yes X No Installed? X Yes No

Fee Enclosed: \$ _____ (See License Examination Fee Schedule) Paid with original application

Person to contact to accompany the Department representative during the field examination:

Donald E. Morton 208-882-5370
Name Telephone No.

2500 Idlers Rest Rd. Moscow, Idaho 83843
Address

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

DEC 18 1990

7-11-1990
Date

Donald E. Morton
Signature (and title if on behalf of a company or organization)

S T A T E O F I D A H O

DEPARTMENT OF WATER RESOURCES

Statehouse
Boise, Idaho 83720
(208) 327-7900
May 24, 1990

DONALD E. MORTON
2500 IDLERS REST RD.
MOSCOW, ID 83843

PERMIT APPROVAL NOTICE

RE: PERMIT NO. P87-07145

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Proof of Beneficial Use" that must be submitted to the Department when your project is completed. If development is complete, you may submit proof of beneficial use immediately.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

MICROFILMED

JUN 29 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

INITIAL REVIEW BY: TOK DATE: 3/28/90 APPLICATION NUMBER: 87-07145

APPLICANT: MORTON

REQUIRED INFORMATION

- (1). ☒ Name & Address: (If applicant is a corporation or partnership, names must be provided for the director, officers, and other partners.)
(2). ☒ Source: (See USGS Quad for names of water sources)
(3). ☒ Point of Diversion including county: (spring/10 ac., Subd. lot & block)
(4). ☒ Quantity: (flow and/or volume)
☒ Nature of proposed use: (Include description of use)
☒ Period of use:
(5). ☒ Total Quantity: (flow and/or volume)
(6). ☒ Description of diverting works:
(7). ☒ Time required for beneficial use of water:
(8). ☒ Proposed uses:
TOK (9). ☒ Place of use or acres irrigated:
(10). ☒ Other Water Rights:
(11). ☒ Ownership:
(13). ☒ Map:
☒ Signature: (signator title required for corp., partnership, etc)
☒ Fee: (Amount, receipt number and date recorded on application)
☒ Acknowledgement Letter:
☒ Overlap Review: Attachment ? (Y) ☐ (N) ☒
(Describe source & relationship to present application in remarks).

ADDITIONAL INFORMATION

YES NO

- ☒ Field check required: Field check by: _____
☒ Field report attached:
☒ Critical groundwater area:
☒ Groundwater management area:
☒ Send dam safety information:
☒ Send power requirement letter:
☒ Send fish farm requirement letter:
☒ Power residency affidavit:
☒ Power efficiency form:
☒ Within trust water boundry: (Attach Trust Water Supp. Analysis Sheet.)
☒ Diversion greater than 5 cfs or 500 af: (If yes, attach Large Diversion supplementary analysis sheet.)

PROCESSING

YES NO

- ☒ In form for advertising:
☒ Statewide advertising: (10.00 or more cfs.)

Send Copies To

YES NO

- ☒ I.D. Health and Welfare
☒ I.D. Fish and Game
☒ I.D. Lands
☒ Adjudication Bureau

YES NO

- ☒ U.S. BLM
☒ U.S. Forest Svc. Department of Water Resources
☒ Water District # _____
☒ Other _____

RECEIVED
MAY 10 1990

FOLLOWING INFORMATION REQUESTED FROM APPLICANT

Item

Date Requested

9

3/28/90

FINAL REGIONAL PROCESSING REVIEW

YES NO

☒ Additional information received:

☒ Notice of pending void order issued: Final date of order response. _____

☒ Affidavit of publication received:

☒ Application published correctly: If not, record action taken.

☒ Publication dates and paper recorded on application:

☒ Protests received, Final date for protest

5/7/90

☒ Recommendations attached:

☒ Measuring device required:

☒ Measuring port required:

☒ Water delivered by water master? District # _____

☒ Special conditions of approval or cover letter: (see additional info. below)

Recommended Date of Priority 4/2/90

Recommended by: *DK RYAA*

Date 5/8/90

STATE OFFICE REVIEW

P/16

See remarks for additional information. By

kw

Date

5/21/90

REMARKS

87-07145

MORTON, DONALD E.
2500 IDLERS REST RD.
MOSCOW, ID 83843

Source: SPRING

Tributary: SINKS

Diversion Pt: NENENE Sec 28 T 40N R 05W

Use: STOCKWATER	(.005 CFS)	.01
WILDLIFE	(.005 CFS)	.01
FIRE PROTECTION	(.005 CFS)	.01
Total Diversion:	(.005 CFS)	.01

Date Filed: 4/ 2/ 1990

In: T40N R05W S21

SWSE

*changed in
computer
4/7/90
J*

MICROFILMED

JUN 29 1990

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

Northern Region Office

1910 Northwest Blvd. * Suite 210 * Coeur d'Alene, Id. * 83814 * (208) 765-4639

Cecil D. Andrus
Governor

R. Keith Higginson
Director

March 28, 1990

Mr. Donald E. Morton
2500 Idlers Rest Td. Moscow
Moscow, Id. 83843

Re: Water Appropriation Application

Dear Applicant:

The Idaho Department of Water Resources has received your two Application For Permit To appropriate The Public Waters Of The State Of Idaho and your filing fees totaling \$60.00 for which receipt #N-003629 is enclosed. However I regret to inform you that the application is not acceptable in its present form, so I am returning it to allow you to clarify / complete the following:

Item #9: This item must be completed by listing the location of all proposed water uses to the nearest 40 acre tract. This may be done by following these steps: First insert Township (Twp.) Ranges (Rge.), Sections (Sec); next, identify each use and location of that use within the section by placing the indicated symbol in the appropriate box as shown below.

STOCKWATER = S; DOMESTIC = D; COOLING = L; FISH PROPAGATION = H;
RECREATION = R; COMMERCIAL = C; FIRE PROTECTION = F; INDUSTRIAL = I;
MINING = X; AESTHETICS = J; GROUNDWATER RECHARGE = E; WILDLIFE = W;
HEATING = G; MUNICIPAL = M; POWER = P;
IRRIGATION = (NUMBER OF ACRES TO BE IRRIGATED IN EACH 40 ACRE TRACT);

Twp.	Rge.	Sec	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
50N	04W	3	S	D	L	I	20	10	6										

This example shows that within Township 50 North, Range 4 West, Section 3, there is Stockwater use in the NE%NE%; Domestic use in the NW%NE%; Cooling (L) in the SW%NE%; Industrial in the SE%NE%; and irrigation of 20 acres in the NE%NW%, 10 acres in the NW%NW% and 6 acres in the SW%NW%.


The Application must be completed and returned to this office with any information you deem appropriate within 30 days of the above date. Failure to communicate with this office within that time may result in the voiding of your application.

JUN 29 1990

Mr. Donald E. Morton
Page Two
March 28, 1990

If you have any questions or if I can be of any assistance please feel free to contact me at this office.

Sincerely,



Tom D. King
Sr. Water Resource Agent

Enc: App. (2)
Receipt

MICROFILMED

JUN 29 1990