




Scale: 2 inches equal 1 mile.

NOV 24 1989

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

[Handwritten Signature]

(Applicant)

PERMIT # 87-07132

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
FIELD REPORT SUPPLEMENT

PHOTOGRAPHS



Home # 1
w/IRRIGATED AREA



Home # 2
w/IRRIGATED AREA.

MICROFILMED
NOV 07 1996

PERMIT # 87-07132

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
FIELD REPORT SUPPLEMENT

PHOTOGRAPHS




P.D.



1500 gallon -
STORAGE -

MICROFILMED

NOV 07 1996



500 752 445

MICROFILMED
NOV 17 1996

July 23, 1986

TO: Roberts-Jones File


FROM: Todd Stamm
County Planner

RE: Well Drilling

Prior to beginning drilling of the new well for this subdivision, the new owner, Mr. Callihan, contacted me to discuss the casing requirement. The purpose of this standard - avoiding impacts on neighboring wells - was explained. This discussion led to an understanding that casing would be required at least to the point where non-water bearing rock was reached, and that the driller, Earl Witt, should contact the County Planning office or Commissioners office if instruction is needed during drilling.

On Friday, July 18, Mr. Witt called to say that such basalt had been reached at 70 feet (approximately 170 ft. below the ridge) and would like to cease casing. He indicated that the well could be later cased if fractured rock were found later. He suspected that they had already passed through the formation supplying neighboring wells.

On Monday, July 21, Mr. Witt called to inform us that the level of 150 ft. (250 ft. below the ridge) had been reached and that infiltration was only 1.5 to 2.0 g/p/m, and to request instruction. I approved not casing to this level, based on this nominal draw and the depth of this water bearing layer.



State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 87-07132

Priority: May 10, 1988

Maximum Diversion Rate: 0.04 CFS
Maximum Diversion Volume: 7.2 AF

This is to certify, that KARL JOHNSON
5051 OLD PULLMAN RD
MOSCOW ID 83843

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated May 10, 1988; and has submitted Proof of Beneficial Use on October 31, 1994. An examination indicates that the works have a diversion capacity of 0.040 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.04 CFS	6.0 AF
DOMESTIC	01/01 to 12/31	0.04 CFS	1.2 AF
	Totals	0.04 CFS	7.2 AF

LOCATION OF POINT(S) OF DIVERSION: NESW , Sec. 13, Township 39N, Range 06W
LATAH County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
39N	06W	13	NESW	2		2

Total number of acres irrigated: 2

PLACE OF USE:

DOMESTIC, same as IRRIGATION use

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount that can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 3.0 afa per acre for the lands above.

MICROFILMED
NOV 07 1986

State of Idaho
Department of Water Resources


WATER RIGHT LICENSE


WATER RIGHT NO. 87-07132

CONDITIONS OF APPROVAL AND REMARKS

6. Domestic use is for 2 homes.
7. Domestic use does not include lawn, garden, landscape, or other types of irrigation.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 22ND
day of AUGUST, 1996.


Acting for KARL J. DREHER, Director



MICROFILMED
NOV 8 7 1996

RECEIVED

AUG 16 1996

State of Idaho
Department of Water Resources

Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 87-07132

Date of Priority: May 10, 1988 Maximum Diversion Rate: 0.04 CFS
Maximum Diversion Volume: 7.2 AF

Comes now KARL JOHNSON
5051 OLD PULLMAN RD
MOSCOW ID 83843

and represents to the Director of the

Idaho Department of Water Resources:

That he is the owner and holder of Permit to appropriate the Public Waters of the State of Idaho No. 87-07132, and requests that the permit be changed as follows:

Source: GROUNDWATER

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.04 CFS	6.0 AF
DOMESTIC	01/01 to 12/31	0.04 CFS	1.2 AF
	Totals	0.04 CFS	7.2 AF

LOCATION OF POINT(S) OF DIVERSION: NESW , Sec. 13, Township 39N, Range 06W
LATAH County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
39N	06W	13	NESW	2		2

Total number of acres irrigated: 2

PLACE OF USE:

DOMESTIC, same as IRRIGATION use

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed at Moscow Id, this 14 day of August, 1996.

MICROFILMED
NOV 07 1997

Karl Johnson
(Signature)

State of Idaho
Department of Water Resources

RECEIVED

AUG 16 1996

Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 87-07132

FOR DEPARTMENT USE ONLY

Preliminary check by LS Fee = none Received by LS # 003048 Date 7.15.96


ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, Karl J. Dreher, of the Department of Water Resources hereby approve the
above Application for Amendment for Permit No. 87-07132 with the following;

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount that can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 3.0 afa per acre for the lands above.
6. Domestic use is for 2 homes.
7. Domestic use does not include lawn, garden, landscape, or other types of irrigation.

Witness my hand this 22ND day of AUGUST, 1996


KARL J. DREHER, Director

MICROFILMED
NOV 9 7 1996

WATER RIGHT SUMMARY

ACTION	RIGHT NO.	NAME	AMOUNT CFS
Original Application	87-07132	Richard A Callahan	0.20
Full Assignment	87-07132	Karl Johnson	0.20

RECEIVED

DEC 11 1992

RECEIVED

OCT 31 1994

Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 27-07132 Telephone No. 208-882-1717
2. Name(s) of Permit Holder(s): Karl Johnson
3. Mailing Address: 5051 Old Pullman Rd Moscow Id 83843
4. Source of Water: Well If GROUNDWATER (well), Date Drilled: mo. 7 / yr. 86
- a. Well Driller: Earl Witt Drilling Permit Number: - -
- b. **OPTIONAL:**
Pump Horsepower: Pressure (psi): Dynamic pumping level (ft):
5. Use(s) (as authorized by the water right permit):
Domestic (No. of households): 2 Stockwater (No. and type of stock):
Irrigation (No. of acres): 2 Other:
6. Total rate of diversion and/or volume for which proof is submitted: 0.12 cfs OR acre feet
7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)
(This question is not optional. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)
- | | | | | |
|------------------------|--|-------------------|----|------------------|
| Measuring Device: | Is a measuring device required? | Yes <u> </u> | or | No <u>X</u> |
| | Has the measuring device been installed? | Yes <u> </u> | or | No <u>X</u> |
| Flow Measurement Port: | Is a flow measurement port required? | Yes <u> </u> | or | No <u>X</u> |
| | Has the measurement port been installed? | Yes <u> </u> | or | No <u> </u> |
8. Fee Enclosed: \$ 50.00 (See Fee Schedule on back of the instructions for filing proof of beneficial use)
9. Person to contact to accompany the Department representative during field examination of the water system.
Name: Karl Johnson Telephone Number: 882-1717
882-7088
Address: 5051 Old Pullman Rd Moscow Id
10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the State of Idaho.

Signature of permit holder:

Karl Johnson
(Include your title, if on behalf of company or organization)

Date:

10/26/94

DEC 20 1994

RECEIVED

NOV 02 1992

Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCESFor Office Use Only
\$15 Fee Received by 87-07132
Date 11-2-92
Receipt No. 0025907

REQUEST FOR EXTENSION OF TIME

TO PROVIDE ADDITIONAL TIME IN WHICH TO SUBMIT PROOF OF
BENEFICIAL USE FOR A WATER RIGHT PERMIT

The Idaho Department of Water Resources will consider this form as a request that the permit holder(s) be granted an additional period of time in which to complete development of water right under the provisions of Section 42-204, Idaho Code.

Permit No. 87-07132Name(s) of Permit Holder: Karl JohnsonMailing Address: 5051 Old Pullman Rd Moscow, ID 83843Date Proof is Due 12-1-92 Telephone No. 882-1717

Describe what work has been completed toward the development of this water right:
(This must be filled out! If no work has been completed, show "none".)

Well has been drilled, pump and water
system has been installed to two
houses and two acres

Costing \$ 25,000⁰⁰

The permit holder(s) has been unable to complete the remainder of the work for the following reasons:

I took ownership of this property
and water permit in Sept. I have not
had time yet to evaluate & commence further develop
ment.

Permit holder(s) request an extension to 12/1, 1997

FEE: \$15.00

(Signature)*

*If other than permit holder, Power of Attorney must be supplied.

ACTION OF THE DEPARTMENT OF WATER RESOURCES

IT IS HEREBY ORDERED that the above request for extension of time be APPROVED DEC 11 1992
and the time within which to submit proof of beneficial use is
extended to December 1, 1994.

Signed this 4th day November, 19 92

J. New Saylor
Chief, Water Allocation Bureau

Department of Water Resources

AUG 21 1992

ASSIGNMENT OF PERMIT

Department of Water Resources

I, Richard A. Callahan hereby assign to Karl Johnson
 of 5051 Old Pullman Rd. Moscow Id. 83843
 Address

All my right, title, and interest in and to Permit No. P 87-07132
 to appropriate the public waters of the State of Idaho.

OR

The following described portion of my right, title, and interest in and
 to Permit No. _____ to appropriate the public waters of the
 State of Idaho.

(Describe that portion of the permit being assigned by listing the acreage
 within each 40 acre subdivision, the point of diversion and the amount of
 water in cubic feet per second for direct diversion, or acre feet for storage)

Made this 18 day of August, 19 92.

Richard A. Callahan
 Permit Holder

Joan P. Callahan
 Spouse of Permit Holder

State of Idaho)
 County of Latah) ss

On this 18th day of August, 19 92, personally
 appeared before me the signer(s) of the above instrument, who duly acknowledged
 to me that ~~he~~ ~~(she)~~ (they) executed the same.

Kathleen Matton
 Notary Public residing at Moscow

s e a l

My commission expires:

July 1993

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 87-07132

Proposed Priority: May 10, 1988

Maximum Diversion Rate:

0.20 CFS

This is to certify, that **RICHARD A. CALLAHAN**
5051 OLD PULLMAN HWY.
MOSCOW, ID 83843

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	04/01 to 11/01	0.20 CFS
DOMESTIC	01/01 to 12/31	0.20 CFS
	Totals	0.20 CFS

LOCATION OF POINT(S) OF DIVERSION: LOT 3(SWNW), Sec. 13, Township 39N, Range 06W
LATAH County

PLACE OF USE: IRRIGATION

<u>TWN RGE SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
39N 06W 13	SENW 12			12
				Total number of acres irrigated: 12

PLACE OF USE: DOMESTIC, same as IRRIGATION use

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **December 1, 1992**.
2. Subject to all prior water rights.
3. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
4. Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.
5. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.
6. Domestic use is for 12 homes.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

21 day of November, 1989

MICROFILMED

NOV 24 1989

[Signature]
for R. Keith Higginson, Director

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT


To appropriate the public waters of the State of Idaho

1. Name of applicant Richard A. Callahan. Phone 208-882-4236
Post office address 5051 Old Pullman Highway, Moscow Id. 83843.
2. Source of water supply GROUNDWATER which is a tributary of _____
3. Location of point of diversion is _____ 1/4 of SW 1/4 of NW 1/4, Govt. Lot 3
Sec. 13 Township 39N Range 6W B.M. LATHAN County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
Amount 0.20 for IRRIGATION purposes from 4-1 to 11-1 (both dates inclusive)
(cfs or acre-feet per annum)
Amount 0.20 for DOMESTIC purposes from 1-1 to 12-31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 0.20 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc. WELL, PUMP & PIPELINE
 - b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
 - c. Proposed well diameter is 8 inches; proposed depth of well is 329 feet.
SNL @ 192'
 - d. Is ground water with a temperature of greater than 90°F being sought? _____
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
5 years (minimum 1 year).

RECEIVED

NOV 24 1989

9. Description of place of use:



Scale: 2 inches equal 1 mile.

4 1989

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

[Signature]
(Applicant)

Received by Date 7/10/88 Time 1:00 PM Preliminary check by JK

Fee \$ 50.00 Received by JK Date 5/12/88 # 11-70

Publication prepared by Date 5/27/88 Published in Water/Soil 6/27/88

Publication approved Date

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. , and said application is hereby

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before , 19 .
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.
- e. Other:

RECEIVED
NOV 24 1988

Affidavit of Publication

STATE OF IDAHO
County of Latah

ss.

Theresa Myers

being first duly sworn, on oath, deposes and says:

That he is the printer of The IDAHONIAN, a newspaper of general circulation, printed and published daily except Sunday at Moscow, Latah County, Idaho, in compliance with Sections 60-106, 60-107, and 60-108 of the Idaho Code and the amendments thereto; that the notice of which the annexed is a full, true and correct printed copy was published in the regular and entire issues of said newspaper and not in a supplement thereto, upon the following dates:

June 2, 9, 1988

the same being the dates designated for the publication of said notice.

Theresa Myers
Subscribed and sworn to before

me this 7 day of June

19 88

[Signature]

Notary Public,
residing at Genesee, Idaho

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

JENSEN, E. RAYMOND

3760 CANYON RD.

MOSCOW, ID 83843

Source: GROUNDWATER

Diversion Pt: NENESW Sec 20 T
39N R 05W

Use: DOMESTIC (.010 CFS)

Date Filed: 5/3/1988

In: T39N R05W S20 NESW

→ CALAHAN, RICHARD A.
5051 OLD PULLMAN HIGHWAY
MOSCOW, ID 83843

Source: GROUNDWATER

Diversion Pt: LOT 3 (SWNW) Sec
13 T 39N R 06W

Use: IRRIGATION (.200 CFS)

DOMESTIC (.200 CFS)

Date Filed: 5/10/1988

In: T39N R06W S13 SENW

12.0 ACRES TOTAL

The permits(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Northern Region, Government Way Suite 9, Coeur D'Alene, Idaho 83814 on or before JUNE 20, 1988.

R. KEITH HIGGINSON, Director
June 2, 9, 1988

RECORDED

JUN 24 1989



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

August 23, 1996

KARL JOHNSON
5051 OLD PULLMAN RD
MOSCOW ID 83843

RE: WATER RIGHT NO. 87-07132

Dear Water Right Holder(s):

Enclosed is a copy of the Water Right License issued on the above referenced permit along with a copy of your approved Application for Amendment. Should you have any questions regarding these documents, please contact me.

Sincerely,

A handwritten signature in cursive script that reads "Shelley W. Keen".

Shelley W. Keen
Water Rights Supervisor

SK:ph

Enclosure

MICROFILMED
NOV 8 7 1996



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

August 7, 1996

KARL JOHNSON
5051 OLD PULLMAN RD
MOSCOW ID 83843

RE: WATER RIGHT NO. 87-07132

Dear Water Right Holder(s):

The above referenced water right is in the process of being licensed. However, before a license can be issued, your permit must be amended to depict your water right as it has actually been developed.

The enclosed Application for Amendment contains information that will be included on the license when it is issued. The amendment reflects a change in the location of the point(s) of diversion and the place(s) of use description. Please review carefully and if you concur, sign the amendment and return with the \$50.00 filing fee within 14 days.

The last page of the Application for Amendment form contains a list of Conditions of Approval and Remarks proposed for the license when it is issued. These conditions of approval and remarks may be modified upon further administrative review.

If you do not concur, or if you have any questions about this information, please contact me as soon as possible. My telephone number is (208) 327-7946.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:ph

Enclosure

MICROFILMED
NOV 07 1996

MEMORANDUM

TO: File 87-07132

FROM: Sharla

DATE: August 7, 1996

RE: Recommendation Adjustment(s)

The final license recommendations for Right 87-07132 are based on the following.

H. RECOMMENDATIONS

Beneficial Use	Period of Use	Rate of Div	Annual Vol
Irrigation	3/15 - 11/15	0.04 cfs	6.0 af
Domestic	1/1 - 12/31	0.04 cfs	1.2 afa

The total rate of diversion is based on a theoretical calculation. The pump is a 1.5 hp; the examiner's calculation assumed 2 hp. The theoretical for the 1.5 hp comes out to 0.04 cfs, which is also what a 1¼" pipe can normally carry with a velocity of 5 fps.

The volume for irrigation is based on the standard for that area (3.0 af/acre).

Examiner: Ted McCracken
Exam date: May 15, 1996

MICROFILMED
AUG 17 1996

LICENSE REVIEW CHECKLIST

 PERMIT NO. 87-07132

 DATE 8/7/96

 REVIEWER: S H A R L A

NAME	Change	OK	Address Change <u>NO</u>
SOURCE	—	✓	Is change clarification of originally intended source? — If not, prepare Notice of Intent to Void —
POINT OF DIV	✓	—	Amendment required <u>yes</u>
PLACE OF USE	✓	—	Amendment required <u>yes</u>

Does map agree with written description? ✓ yes — no

OVERLAPS

P/D — P/U

RATE OF DIV

Permitted Rate

.20 cfs

Fee limit

.20 cfs \$50⁰⁰

Measured

— cfs

Theoretical

.04 cfs

1 1/4" pipe = .04 cfs @ 5 fps
 $1.5 \times 8.8 \times .7 / 20 \times 2.31 + 192 = .04$
 Recommended Total Div Rate .04* cfs

ANNUAL VOLUME/ NATURE OF USES

Use

Irr.
Dom.

Volume Calculation

2 x 3.0 = 6.0 af

2 x .6 = 1.2 af

— af

— af

 SUBTOTAL 7.2 af

 Flow rate .04 cfs X 365 days X 1.98⁰⁰ = 29.0 af

 Total volume recommended 7.2 af

(SUBTOTAL or Flow Rate, whichever is less)

REMARKS

D/2 homes - irrig not incl.
—
—

CONDITIONS — Watermaster Control WD# —

— GW Measurement/Measuring Device

P29 Overlap

— Use-specific conditions

Advancement of Priority Date Required — yes — no

 SRBA Claim Filed N/A

 Adjustment Memo date

1st Amend Letter

P37 P38

2nd Amend Letter

P47

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

JUL 22 1996

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 87-07132

1. Owner: Karl Johnson Phone No. (208) 882-1717

Current Address: 5051 old fullman rd Moscow Id 83843

2. Accompanied by: owner EXAM DATE: 5/15/96

Address: same as above Phone No. same

Relationship to Permit Holder: —

3. Source: Groundwater tributary to —

B. OVERLAP REVIEW

1. Other water rights with the same place of use: 87-07158 - 87-07162

2. Other water rights with the same point of diversion: —

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			NE	SW	13	39N	06W	LATAH	Maps 7.5 quad

2. Place(s) of Use:

Indicate Method of Determination 7.5 quad

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
39N	06W	13									D D, 2								2A

MICROFILMED

NOV 8 7 1996

NOV 27 1980

MICROT LIMITED

2. Measurements:

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Abutment						


D. FLOW MEASUREMENTS

*Code to correspond with No. on map and aerial photo

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
87-86-N-5	Submersible	1.5	1/4	Delmoral	SP2-26

4.

Scale: 1" = _____
Copy of USGS Quadrangle Attached Showing location(s) of _____
point(s) of diversion and place(s) of use (required).
Aerial Photo Attached _____
(required for irrigation of 10+ acres)
Photo of Diversion and System Attached _____



3. Delivery System Diagram: Indicate all major components and distances between components. Indicate weir size/ditch size/pipe l.d. as applicable.

IRRIGATED AREA



E. NARRATIVE/REMARKS/COMMENTS

Water from well pumped to 1500 gall
divided storage tank lines from both
homes go to shut off valve the splits to
homes. these 2 one acre lots are then
irrigated by garden hoses, only irrigating
these lots not 12 acres that are on permit.

Have conditions of permit approval been met? ☐ yes ☐ no

MICROFILMED
NOV 8 7 1986

Measured Method:

Additional Computation Sheets Attached

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{ir} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 2 \times 4 = 8.0$$

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use

~~Dr. J. H. Johnson~~
~~Dramatic~~

From

03-15

Period of Use

11-15

15-2)

Q (cts)

Rate of Diversion

Totals: 96

90

Annual VO
V (aia)

U

76

2. Recommended Amendments

Change P.D. as reflected above

_____	Add P.D. as reflected above
_____	Add P.U. as reflected above
_____	Other
_____	None

I. AUTHENTICATION

Field Examiner's Name _____

Date _____

SEAL

THEORETICAL PUMP EFFICIENCY CALCULATIONS

FILE: 87-07132

DATE: 21-MAY-96

COMPLETE BY: TED MCCRACKEN

HORSEPOWER = 2

PUMP EFFICIENCY = 80%

DYNAMIC LIFT = 192 FEET

SYSTEM PRESSURE = 20 PSI

QUANTITY = 0.06 CFS

MICROFILMED
NOV 07 1996

PERMIT # 87-07132

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
FIELD REPORT SUPPLEMENT

PHOTOGRAPHS



HOME # 1
W/ IRRIGATED AREA



HOME # 2
W/ IRRIGATED AREA.

MICROFILMED
NOV 97 1986

PERMIT # 87-07132

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
FIELD REPORT SUPPLEMENT

P H O T O G R A P H S




P.D.



1500 gallon -
STORAGE -

MICROFILMED

NOV 6 7 1983



**ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE**

Permit No. 87-07132 Reviewed by [Signature] Date 11-15-94

GENERAL CONSIDERATIONS

yes Name same as permit?
yes Address same as permit?
yes Proof timely received?
If not, complete calculation below.

TYPES OF USE

Dom. Irr.
Correct Uses? yes

SOURCE OF WATER

 Surface water source
✓ Ground water source
no Drilling permit required?
 Copy in the file? Drilling Permit No.
 Amount paid for permit Correct?
 Well log in the file?

LICENSE EXAMINATION FEE

yes Required?
50.00 Amount Submitted
yes Correct?

MEASURING DEVICE

no Required?
 Installed?
 Waiver requested?

PRIORITY CALCULATION

Date proof received
Date proof due
No. of days late
Priority Date
New Priority Date

DEFICIENCIES OR ACTION ITEMS

Proof acceptable

DATA ENTRY

New Address Proof Made 10-31-94

November 16, 1994

KARL JOHNSON
5051 OLD PULLMAN RD
MOSCOW ID 83843

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 87-07132

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the NORTHERN Regional Office in Coeur D' Alene at (208)769-1450.

Sincerely,

JULIE L. YARBROUGH
Senior Secretary

c: IDWR - Region

RECEIVED
NOV 20 1994

DEC 20 1994

September 30, 1994

KARL JOHNSON
5051 OLD PULLMAN RD
MOSCOW ID 83843

PROOF DUE NOTICE

RE: PERMIT NO. 87-07132

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before December 1, 1994. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.


If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

JULIE L. YARBROUGH
Senior Secretary

Enclosures



SEP 30 1994



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

November 4, 1992

Karl Johnson
5051 Old Pullman Rd
Moscow, ID 83843

Re: Permit No. 87-07132

Dear Permit Holder:

Enclosed is a copy of the approved request for extension of time. The time within which to submit proof of beneficial use is extended to December 1, 1994. Please note that the department has granted this extension based on due diligence. It is important that you work diligently toward the completion of this project during the construction period allowed. The department may not be able to grant additional requests.

If you have any questions or if I can be of any further assistance, please feel free to contact this office.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

Enclosure

C: IDWR-Regional Office

MICROFILMED

DEC 11 1992

**ANALYSIS SHEET
FOR
EXTENSION OF TIME**

Permit No. 87-07132 Reviewed by Klg Date 11/3/92

BASIC INFORMATION

11/2/92 Date stamp received
yes Extension received timely
yes Fee received and receipted
yes Name and signature same as permit
no Address Change

BASIS FOR EXTENSION REQUEST

yes Has adequate work been completed to demonstrate due diligence?
Has the permit been involved in litigation?
Is supporting documentation needed to complete the file? Requested? _____
Is delay by a government agency?
Is supporting documentation needed to complete the file? Requested? _____
Is the project more than 25,000 acre feet for irrigation or 10,000 acre feet for a reservoir?

ACTION TAKEN

*Recommend for approval Based on due diligence
Extend to ~~##~~ 12/1/94*

PRIORITY CALCULATION

Date extension received	<u>NA</u>	=	_____
Proof due date	<u>/</u>	=	_____
Number of days late	<u>/</u>	=	_____
Priority date	<u>/</u>	=	_____
New Priority Date	<u>/</u>	=	_____

DATA ENTRY

New Address _____
Change Proof Due Date 12/1/94
Change Priority Date _____

September 30, 1992

KARL JOHNSON
5051 OLD PULLMAN RD
MOSCOW ID 83843

PROOF DUE NOTICE

RE: PERMIT NO. 87-07132

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before December 1, 1992. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.


If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Karen L. Gustafson
Secretary/Records Manager

Enclosures



RECORDED

DEC 11 1992



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

August 28, 1992

KARL JOHNSON
5051 OLD PULLMAN RD
MOSCOW ID 83843

Re: Permit No. 87-07132

Dear Permit Holder(s):

We acknowledge receipt of the correspondence transferring ownership of the above referenced water right to you. We have modified our computer records to reflect this change in ownership.

If you have any questions regarding this matter, please feel free to contact us.

Sincerely,

BRENDA L. MILLER
Water Resource Agent

BLM:cz

RECEIVED
DEC 1 1992

DEC 1 1 1992

S T A T E O F I D A H O
D E P A R T M E N T O F W A T E R R E S O U R C E S

Statehouse
Boise, Idaho 83720
(208) 327-7900
November 22, 1989

RICHARD A. CALLAHAN
5051 OLD PULLMAN HWY.
MOSCOW, ID 83843

P E R M I T A P P R O V A L N O T I C E

RE: PERMIT NO. P87-07132

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

Please note the requirement that as a permit holder you must commence the excavation or construction of diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The enclosed blue card must be completed and returned to this office as soon as you commence construction, no later than one year from the date the permit was approved.

We have enclosed a form entitled "Instructions for Proof of

MICROFILMED

NOV 24 1989

Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit into a license.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

RECEIVED
NOV 24 1983

NOV 24 1983

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY JK DATE 5/12/88 APPLICATION NUMBER 87-7132

REQUIRED INFORMATION

- ☒ Name (If applicant is a corporation or partnership, names must be provided for the director, officers, & other partners.)
- ☒ Address
- ☒ Source (See USGS Quad for names of water sources)
- ☒ Point of Diversion (10 acres for spring, lot & block descriptions for subdivisions, local name, flow and/or volume)
- ☒ County
- ☒ Quantity (flow and/or volume)
- ☒ Period of Use
- ☒ Nature of proposed use (Include description of use.)
- ☒ Description of diverting works
- ☒ Time required for beneficial use of water
- ☒ Place of use or acres irrigated
- ☒ Map
- ☒ Signature (If applicant is corp. partnership, or municipality, title of signator is required)
- ☒ Fee
- ☒ Yes ☐ No* In form to receipt

ADDITIONAL INFORMATION

- ☐ Overlapping place of use (Describe source & relationship to present application on the back.)
- ☐ Overlapping point of diversion
- ☐ Yes ☒ No Field check required
- ☐ Yes ☒ No Field report attached
- ☐ Yes ☒ No Critical groundwater area
- ☐ Yes ☒ No Groundwater management area
- ☐ Yes ☒ No Send dam safety information
- ☐ Yes ☒ No Send power requirement letter
- ☐ Yes ☒ No Send fish farm requirement letter
- ☐ Yes ☒ No Power residency affidavit
- ☐ Yes ☒ No Power efficiency form
- ☐ Yes ☒ No Within trustwater boundary (If yes, attach trust water supplementary analysis sheet.)
- ☐ Yes ☒ No Diversion greater than 5 cfs or 500 acre ft. (If yes, attach large diversion supplementary analysis sheet.)
- ☐ See reverse side for additional information

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT

Date Requested

Department of Water Resources

PROCESSING

☒ Yes ☒ No

☒ Yes ☒ No

☒ Yes ☒ No

Fee amount, receipt date & No. recorded on application

SEND COPIES TO

☐ Idaho Dept. of Health & Welfare

☐ Idaho Dept. of Fish & Game

☐ Idaho Dept. of Lands

☐ Adjudication Bureau Unit

☐ U.S. BLM

☐ U.S. Forest Service

☐ Water District

☐ Other

FINAL REGIONAL PROCESSING REVIEW

☒ Yes ☐ No

Affidavit of publication received

Application published correctly. If not, record action taken.

☒ Yes ☐ No

Publication dates & paper, recorded on application

☒ Yes ☐ No

Protests received with drawn

Final date for protest

Protests, dates, resolution of protest, recorded on application

☒ Yes ☐ No

Recommendations attached

☒ Yes ☐ No

Measuring device required

☒ Yes ☐ No

Access port required

☒ Yes ☐ No

Will water be delivered by watermaster? If yes, what dist.

☒ Yes ☐ No

Special conditions of approval or cover letter below.

Date of priority recommended

5/10/88

See below for additional information

By

STATE OFFICE REVIEW

pa3

P17

4/6 26

10/13/88

See below for additional information

By

11/14/89

See below for additional information

ADDITIONAL INFORMATION

Allow 3 yrs. for B/L development - all copy discarded

SPECIAL NOTE: _____

PROTEST INFORMATION SHEET

Protestant(s)

	NAME	ADDRESS	
1	Mrs Marion Williams	5053 Old Pullman Rd., Moscow, Id. 83843	7/6/88
2			
3			
4			
5			
6			
7			
8			
9			
10			

ATTORNEY NAME	ADDRESS
<u>Mr. Scott Campbell</u>	Legal Aid Clinic, Univ. of Idaho, College of Law Rm. 10, Moscow, Id. 83843 885-6542

Date Filed: 7/6/88 Protest Due Date: 7/13/88

Issues: Protestant feels applicant is injuring his water supply.

Applicant

ATTORNEY NAME	ADDRESS

	DATE
Protest Date Entered on Computer	<u>7/8/88</u>
Acknowledgement Letters Sent	<u>7/8/88</u>
Hearing Date	

(Other Dates)

Other Information: _____

NOV 24 1989

Protest information submitted to computer (following hearing): _____



State of Idaho

DEPARTMENT OF WATER RESOURCES

NORTHERN REGION, Suite 210 • 1910 Northwest Blvd. • Coeur d'Alene, Idaho 83814 • (208) 765-4639

CECIL D. ANDRUS
Governor

R. KEITH HIGGINSON
Director

October 13, 1989

Mrs. Marion Williams
5053 Old Pullman Rd.
Moscow, Id. 83843

Re: 87-7132 - Richard A. Callahan

Dear Mrs. Williams:

We acknowledge receipt of your withdrawal of protest to the above-referenced Application for Permit.

This application will now be forwarded to our State Office in Boise for further processing.

If you have any questions, please contact this office.

Sincerely,

ROBERT G. HAYNES, P.E.
Regional Manager

RGH/pms

cc: Mr. Richard A. Callahan
Mr. Cliff Thompson


MICROFILMED
NOV 24 1989

Celebrate
IDAHO
1890 • CENTENNIAL • 1990

Marion Williams
5053 Old Pullman Road
Moscow, ID 83843

September 26, 1989

Robert G. Haynes, P.E.
Regional Manager
State of Idaho Department of Water Resources
Northern Region
1910 Northwest Blvd. Suite 210
Coeur d'Alene, ID 83814



Re: No. 87-7132, Protest to application of Richard Callahan

Dear Mr. Haynes,

I hereby withdraw my protest to application No. 87-7132, a well on the property of Dr. Richard Callahan.

My understanding is that the well has been cased and now meets county requirements. Since my information and belief is that the possibility of communication between the wells has now been eliminated, there is no reason to maintain the protest.

Sincerely,

Marion Williams

A handwritten signature in cursive script that reads "Marion Williams".

MICROFILMED


NOV 24 1989



University of Idaho

College of Law
Legal Aid Clinic
Moscow, Idaho 83843 U.S.A.
208-885-6541

September 8, 1989



Robert G. Haynes, P.E.
Regional Manager
State of Idaho Department of Water Resources
Northern Region
1910 Northwest Blvd. Suite 210
Coeur d'Alene, ID 83814


Re: No. 87-7132, Protest to application of Richard Callahan

Dear Mr. Haynes,

Our Client Marion Williams hereby withdraws her protest to application No. 87-7132, a well on the property of Dr. Richard Callahan.

Our understanding is that the well has been cased and now meets county requirements. Since our information and belief is that the possibility of communication between the wells has now been eliminated, there is no reason to maintain the protest.

Sincerely,



Cliff Thompson
Legal Intern

cc: Dr. Richard Callahan
Jack Porter
Marion Williams
Grant Morton

MICROFILMED

NOV 24 1989



State of Idaho
DEPARTMENT OF WATER RESOURCES
NORTHERN REGION, Suite No. 9 • 4055 Government Way • Coeur d'Alene, Idaho 83814 • (208) 765-4639

CECIL D. ANDRUS
Governor

R. KEITH HIGGINSON
Director

August 12, 1988

Mr. Richard Callahan
5051 Old Pullman Highway
Moscow, Id. 83843

Re: 87-7132


Dear Mr. Callahan:

Please be advised that the conference/hearing scheduled for Tuesday, August 16, 1988 at 11:00 AM in the Latah County Courthouse Law Library has been postponed since it appears that you and the protestant, Mrs. Marion Williams, are close to an agreement regarding the above-referenced water right application.

Please advise this Department when an agreement has been reached so that we may continue with the processing of this application.

If you have any questions, please contact this office.

Sincerely,


ROBERT G. HAYNES, P.E.
Regional Manager

RGH/pms

cc: Mrs. Marion Williams
Mr. Scott Campbell, Attorney

MICROFILMED

NOV 24 1989



FROM David LeParo

DATE 8/7/89.

TO File 87-07132

SUBJECT Phone conversation with Clifton Thompson Legal Aide in
Moscow (Marion Williams attorney).

Mr Thompson called to find out the status of the protest to the referenced water right. He also stated that the county had paid to have the well in question fixed and that they would probably be withdrawing the protest in the near future.

MICROFILMED

NOV 24 1989



SIGNATURE



State of Idaho
DEPARTMENT OF WATER RESOURCES
NORTHERN REGION, Suite No. 9 • 4055 Government Way • Coeur d'Alene, Idaho 83814 • (208) 765-4639

CECIL D. ANDRUS
Governor

R. KEITH HIGGINSON
Director

July 27, 1988

Latah County Courthouse
Moscow
Idaho 83843

Re: 98-2086B 87-7132

Gentlemen:

This is to confirm reservations made for a conference and/or hearing to be held by this Department on Tuesday, August 16, 1988, at 11:00 AM in the Law Library of the Latah County Courthouse.

If this is not correct, please advise.

Sincerely,

PATRICIA M. STYPA
Secretary/Office Coordinator

*Called to counsel
room reservation,
pm
8/12/88*

NOT RECORDED

NOV 24 1989

● **SENDER:** Complete items 1 and 2 when additional services are desired, and complete items 3 and 4.

Put your address in the "RETURN TO" space on the reverse side. Failure to do this will prevent this card from being returned to you. The return receipt fee will provide you the name of the person delivered to and the date of delivery. For additional fees the following services are available. Consult postmaster for fees and check box(es) for additional service(s) requested.

1. ☐ Show to whom delivered, date, and addressee's address. 2. ☐ Restricted Delivery.

3. Article Addressed to:

Mrs. Marion Williams
5053 Old Pullman Rd.
Moscow, Id. 83843

NOV 24 1989

~~14755~~ 87-7132

4. Article Number

14755

Type of Service:

- ☐ Registered
☒ Certified
☐ Express Mail

- ☐ Insured
☐ COD

Always obtain signature of addressee or agent and DATE DELIVERED.

5. Signature - Addressee

X *Marion Williams*

6. Signature - Agent

X

7. Date of Delivery

7-27-88


8. Addressee's Address (ONLY if requested and fee paid)

UNITED STATES POSTAL SERVICE
OFFICIAL BUSINESS

SENDER INSTRUCTIONS

Print your name, address, and ZIP Code in the space below.

- Complete items 1, 2, 3, and 4 on the reverse.
- Attach to front of article if space permits, otherwise affix to back of article.
- Endorse article "Return Receipt Requested" adjacent to number.



PENALTY FOR PRIVATE
USE, \$300

RETURN
TO

Print Sender's name, address, and ZIP Code in the space below.

MICROFILMED

IDAHO DEPARTMENT OF WATER RESOURCES

NORTHERN DISTRICT OFFICE

255 GOVERNMENT WAY, SUITE #9

COEUR D'ALENE, ID 83814

NOV 24 1989

● **SENDER:** Complete items 1 and 2 when additional services are desired, and complete items 3 and 4.

Put your address in the "RETURN TO" space on the reverse side. Failure to do this will prevent this card from being returned to you. The return receipt fee will provide you the name of the person delivered to and the date of delivery. For additional fees the following services are available. Consult postmaster for fees and check box(es) for additional service(s) requested.

1. ☐ Show to whom delivered, date, and addressee's address. 2. ☐ Restricted Delivery.

3. Article Addressed to:

Mr. Richard A. Callahan
5051 Old Pullman Highway
Moscow, Id. 83843

87-7132

MICROFILMED

Type of Service:

☐ Registered
☐ Certified
☐ Express Mail

☐ Insured
COD

NOV 24 1988

R E C E I V E D

Always obtain signature of addressee or agent and **DATE DELIVERED.**

5. Signature - Addressee

X

NOV 27 1988

8. Addressee's Address (ONLY if requested and fee paid)

6. Signature - Agent

X

Department of Water Resources
Northern District Office

7. Date of Delivery


7-27-88

UNITED STATES POSTAL SERVICE
OFFICIAL BUSINESS

SENDER INSTRUCTIONS

Print your name, address, and ZIP Code in the space below.

- Complete items 1, 2, 3, and 4 on the reverse.
- Attach to front of article if space permits, otherwise affix to back of article.
- Endorse article "Return Receipt Requested" adjacent to number.



PENALTY FOR PRIVATE
USE, \$300

RETURN
TO

Print Sender's name, address, and ZIP Code in the space below.

MICROFILMED

~~AHO DEPARTMENT OF WATER RESOURCES~~
~~NORTHERN DISTRICT OFFICE~~

~~NOV 24 1989~~ ~~4055 GOVERNMENT W. Y, SUITE 79~~
~~COEUR D' ALENE, ID 83814~~



IDAHO DEPARTMENT OF WATER RESOURCES


NORTHERN DISTRICT OFFICE
4055 GOVERNMENT WAY, SUITE #9

Indicate type of mail
☐ Registered
☐ Insured
☐ COD
☒ Certified

I certify that we have
☐ Commercial Insurance
☐ A deductible clause of \$

Affix stamp here if issued as
certificate of mailing or for
additional copies of this bill.
POSTMARK AND DATE OF RECEIPT

NAME AND ADDRESS OF SENDER	NUMBER OF COPIES OF ARTICLE	NAME OF ADDRESSEE, STREET, AND POST-OFFICE ADDRESS	POSTAGE	FEE	Handling Charge	Actual Value (If Registered)	DUE SENDER IF C.O.D.	R.R. FEE	S.D. FEE	S.H. FEE	REST. DEL. FE	REMARKS
14754 Richard A. Callahan 5051 Old Pullman Highway, Moscow, Id. 83843	1		25	85				90				87-7132
14755 Mrs. Marion Williams 5053 Old Pullman Rd., Moscow, Id. 83843	2		"	"				"				"
14756 Mr. Glen Erickson Rt. 1 Box 506, Bonners Ferry, Id. 83805	3		"	"				"				98-2086B
14757 Mr. Lon Merrifield, Clifty View Nursery Rt. 1 Box 509, Bonners Ferry, Id. 83805	4		"	"				"				
14758 Mr. Robert K. Norwood Rt. 1 Box 512, Bonners Ferry, Id. 83805	5		"	"				"				
14759 Mr. Charles E. Atkins Rt. 1 Box 504, Bonners Ferry, Id. 83805	6		"	"				"				
14760 Mr. and Mrs. Jim Neumayer Rt. 1 Box 519, Bonners Ferry, Id. 83805	7		"	"				"				
14761 Mr. Bill Shrope, Nishek Nursery Rt. 1 Box 516, Bonners Ferry, Id. 83805	8		"	"				"				
9												
10												
11												
12												
13												
14												
15												



MICROFILMED
NOV 24 1988

POSTMASTER: (Name of receiving employee)
[Signature]

TOTAL NUMBER OF
PIECES LISTED BY
SENDER 8

TOTAL NUMBER OF
PIECES RECEIVED
AT POST OFFICE 8

The full declaration of value is required on all domestic and international registered mail. Commercial Insurance—Payment of the full registry fee is required on articles valued up to \$1,000 or the full amount of the deductible if the deductible exceeds \$1,000. The maximum indemnity payable is \$25,000 for registered mail, \$400 for COD and \$400 for insured mail. Special handling charges apply only to third- and fourth-class parcels. Special delivery service also includes special handling service.

FORM MUST BE COMPLETED BY TYPEWRITER, INK OR BALL POINT PEN

* U.S. GOVERNMENT PRINTING OFFICE: 1978 270-037

BEFORE THE DEPARTMENT OF WATER RESOURCES

OF THE

STATE OF IDAHO

IN THE MATTER OF PROTESTS AGAINST	)	
APPROVAL OF APPLICATION FOR PERMIT	)	NOTICE OF HEARING
NO. 87-7132 IN THE NAME OF RICHARD	)	AND/OR CONFERENCE
CALLAHAN.	)	

On May 10, 1988, Richard Callahan of Moscow, Idaho, filed with the Department of Water Resources an application to appropriate the public waters of the State of Idaho. On July 6, 1988, the Department received a protest against approval of said application from Mrs. Marion Williams.

The Department has set the matter of protest for conference &/or hearing for Tuesday, August 16, 1988, at 11:00 AM, in the Law Library of the Latah County Courthouse, 6th & VanBuren St., Moscow, Idaho. The hearing will be held in accordance with Chapter 2, Title 42 of the Idaho Code, and adopted Rules of Practice and Procedure of the Department of Water Resources. Opportunity shall be afforded all parties to respond and present evidence and argument on all issues involved.

Dated this 26th day of July, 1988.


ROBERT G. HAYNES, P. E.
REGIONAL MANAGER

MICROFILMED

NOV 24 1989



State of Idaho
DEPARTMENT OF WATER RESOURCES

NORTHERN REGION, Suite No. 9 • 4055 Government Way • Coeur d'Alene, Idaho 83814 • (208) 765-4639

CECIL D. ANDRUS
Governor

R. KEITH HIGGINSON
Director

July 8, 1988

Mr. Richard A. Callahan
5051 Old pullman Highway
Moscow, Id. 83843

Re: 87-7132

Dear Mr. Callahan:

Enclosed is a copy of a protest filed against the approval of a permit pursuant to the above-referenced application. The Department suggests you contact the protestants directly in an effort to determine the nature of the protest and attempt to resolve the protest.

If you do not advise us within twenty (20) days that the protest has been resolved, the matter will be scheduled for conference and/or hearing. At such a conference and/or hearing, the following are the principle items the Department can consider in either approving or denying the application for permit (Section 42-203, Idaho Code):

1. Will the proposed use reduce the quantity of water under existing water rights?
2. Is the proposed water supply insufficient for the purpose intended?
3. Is the application made in good faith or for delay or speculation?
4. Has the applicant sufficient financial resources with which to complete the project?
5. Will the proposed use conflict with the local public interest?

You will be notified at a later date of the time and place of the conference and/or hearing. If we can be of any assistance, please contact us.

Sincerely,

ROBERT G. HAYNES, P.E.
Regional Manager

RGH/pms

RECEIVED
FILMED

NOV 24 1989





State of Idaho
DEPARTMENT OF WATER RESOURCES

NORTHERN REGION, Suite No. 9 • 4055 Government Way • Coeur d'Alene, Idaho 83814 • (208) 765-4639

CECIL D. ANDRUS
Governor

R. KEITH HIGGINSON
Director

July 8, 1988

Mr. Marion Williams
5053 Old Pullman Rd.
Moscow, Id. 83843

Re: 87-7132

Dear Mr. Williams:

Your protest against the approval of the above-referenced application has been received and a copy has been sent to the applicant. The Department suggests that you contact the applicant directly in an effort to determine what is proposed by the application and to attempt to resolve the protest.

If you do not advise us within twenty (20) days that the protest has been resolved, the matter will be scheduled for conference and/or hearing. At such a conference and/or hearing, the following are the principle items the Department can consider in either approving or denying the application for permit (Section 42-203, Idaho Code):

1. Will the proposed use reduce the quantity of water under existing water rights?
2. Is the proposed water supply insufficient for the purpose intended?
3. Is the application made in good faith or for delay or speculation?
4. Has the applicant sufficient financial resources with which to complete the project?
5. Will the proposed use conflict with the local public interest?

You will be notified at a later date of the time and place of the conference and/or hearing. If we can be of any assistance, please contact us.

Sincerely,

ROBERT G. HAYNES, P.E.
Regional Manager

RGH/pms

MICROFILMED

NOV 24 1988



Marion Williams
5053 Old Pullman Road
Moscow, ID 83843

July 2, 1988

Robert G. Haynes, P.E.
State of Idaho
Department of Water Resources
Northern Region
Suite No. 9
4055 Government Way
Coeur d'Alene, ID 83814

RECEIVED
JUL 2 1988
Department of Water Resources
Northern Region

R.E. Callahan Application No. 87-7132

Dear Mr. Haynes:

I received your letter asking for clarification of my wishes concerning Mr. Callahan's water rights permit petition. My wishes are simple. Until an equitable agreement can be reached as to my water depletion, I am strongly opposed to Mr. Callahan obtaining a water rights permit.

As to a conference/hearing under Idaho Code Section 42-203, I am very sceptical that anything will be settled since any previous attempts have availed nothing. If I must sue Mr. Callahan in a court of law in order to settle the matter equitably, I am prepared to do so.

If you have any further questions or comments, please contact me at (208) 882-3890 or the above address.

Sincerely,

Marion Williams

MW/kw

MICROFILMED

NOV 24 1989



State of Idaho
DEPARTMENT OF WATER RESOURCES
NORTHERN REGION, Suite No. 9 • 4055 Government Way • Coeur d'Alene, Idaho 83814 • (208) 765-4639

CECIL D. ANDRUS
Governor

R. KEITH HIGGINSON
Director

June 30, 1988

Marion Williams
5053 Old Pullman Road
Moscow, ID 83843

RE: Callahan Application No. 87-7132

Dear Mrs. Williams:

We are in receipt of your letter regarding the above-referenced application. The purpose of this letter is to request clarification of your wishes in this matter. Idaho Code Section 42-203 provides that a person who feels they may be injured by a use of water proposed in an application may object to the issuance of a permit. Your letter indirectly objects to the uses of water, but does not object to the issuance of the permit. Idaho Code Section 42-203 also provides for a conference and/or hearing on a protested water right application at which time the following principle items the Department can consider in either approving or denying the application for permit are discussed:

1. Will the proposed use reduce the quantity of water under existing water rights?
2. Is the proposed water supply insufficient for the purpose intended?
3. Is the application made in good faith or for delay or speculation?
4. Has the applicant sufficient financial resources with which to complete the project?
5. Will the proposed use conflict with the local public interest?

If your purpose in writing was to object to a permit being issued to Mr. Callahan, please confirm that in writing by July 13, 1988. If you have any questions, please contact me.

Sincerely,

ROBERT G. HAYNES, P.E.
Regional Manager

RGH/pms
cc: Richard Callahan

MICROFILMED

NOV 24 1989



RECEIVED

JUN 29 1988

Department of Water Resources
Northern District Office

June 17, 1988

R.Keith Higginson, Director
Dept. of Water Resources
Northern Region
Government Way -Suite 9
Coeur D'Alene, Idaho 83814

Dear Mr. Higginson:

We, the undersigned, feel the water rights application of Richard A. Calahan, 5051 Old Pullman Highway (Road), Moscow, Idaho 83843, should be postponed until the water depletion problems of Mrs. Marion Williams, 5053 Old Pullman Highway (Road), Moscow, Idaho 83843 have been resolved.

Please note the enclosed letter.

Bernard Olson 4086 Sand Rd. Mos.
Alouy Olson 4086 Sand Rd. Mos.
Pauline Hattrop 882-3880 5047 Old Pullman Rd.
Patricia E. Hill 5052 Old Pullman Rd. Moscow 882-5777
Marie Lew 5045 Old Pullman Rd. 882-7247
Hubert Hattrop 5047 Old Pullman Rd. 882-3880
Arthur 882-5777

MICROFILMED

NOV 24 1989

Marion Williams
5053 Old Pullman Road
Moscow, ID 83843

June 12, 1988

RECEIVED

JUN 14 1988

Director
Department of Water Resources
Northern Region
Government Way Suite 9
Coeur D'Alene, ID 83814

Department of Water Resources
Northern District Office

Dear Mr. Higginson;

This letter is concerning Mr. Richard Callahan's petition for water rights filing, at 5051 Old Pullman Road, Moscow, Idaho. I, and my family, feel you should be aware of the trouble we have had with our well since Mr. Callahan has drilled his.

In 1961 our current well in use was drilled. The well produced 3 gallons per minute, which was adequate for our needs. The well was drilled to a depth of 200 feet from the ridge level.

In July of 1986 Mr. Callahan drilled his well. In September of 1986 we noticed problems with our well, which steadily increased. In April of 1987, Mr. Melvin Knudtson came to check out our well. He pumped the well dry in 4 minutes at 12 gallons a minute.

We learned that Mr. Callahan, who was supposed to case his well to a depth of 250 feet below ridge level, only cased to 70 feet below ridge level. The Latah County Commissioners had specified this depth to protect neighboring well levels. We contacted the Commissioners about our problem approximately in March of 1987. We learned Mr. Callahan was told by the Latah County Planner, Todd Stam, that the 70 foot casing was enough. Since then, we have tried to get the Latah County Commissioners, who were clearly liable, Mr. Callahan and myself to resolve the problem. The Commissioners keep stallinf and are of no help.

I thought you should be informed of our difficulties with our water. If you have any questions, please contact me at 882-3890 or the above address.

Sincerely,

Marion Williams

Marion Williams

MW/kw

Marion Williams
5053 Old Pullman Road
Moscow, ID 83843

April 22, 1988

Latah County Commissioner
Latah County Court House
Moscow, ID 83843

Board of Latah County Commissioners;

This letter is concerning the drop in water level, in my well, that I have experienced since Mr. Richard Callahan drilled his well below mine. I have experienced severe water deprivation since shortly after Mr. Callahan began using his well. Some of the facts that will prove my water deprivation are as follows:

1. The present well I am using was drilled in 1961, by A. E. Spray. The well, when drilled, was producing three gallons per minute. The water flow was at 195 feet. The well was drilled to 200 feet to keep the pump out of sand.
2. In September of 1986 I started to notice problems with my well. The problems, over time, became progressively worse. I called Ken Carter to check for mechanical defects. In April of 1987, Mr. Carter advised me that I was out of water. Approximately one week later, I called Mr. Melvin Knudtson. He tested my well and pumped it dry in four minutes.
3. When Mr. Knudtson pumped the well dry, he was pumping 12 gallons per minute. The total water drained from the well was 48 gallons.
4. In November of 1987, I contacted Mr. Callahan concerning the enclosed Water Supply Contract. A price of \$4,500.00 was quoted to me. No details were finalized, but some details, other than the price, were discussed. We came to no agreement, and I did not sign.

If you have any questions, or need further information, please contact me at 882-3890 or write to the above address.

Sincerely,

Marion Williams
MICROFILMED
Marion Williams

NOV 24 1989

enc

MW/kw

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCESUSE TYPEWRITER OR
BALLPOINT PEN

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.

WELL OWNER

Name Dr. CallahanAddress Moscow

Owner's Permit No. _____

7. WATER LEVEL

Static water level 172' feet below land surface.Flowing? ☐ Yes ☒ No G.P.M. flow _____

Artesian closed-in pressure _____ p.s.i.

Controlled by: ☐ Valve ☐ Cap ☐ Plug

Temperature _____ °F. Quality _____

Describe artesian or temperature zones below.

NATURE OF WORK

New well ☐ Deepened ☐ Replacement ☐

Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)

PROPOSED USE

Domestic ☐ Irrigation ☐ Test ☐ Municipal
Industrial ☐ Stock ☐ Waste Disposal or Injection
Other _____ (specify type)

METHOD DRILLED

Rotary ☒ Air ☐ Hydraulic ☐ Reverse rotary
Cable ☐ Dug ☐ Other _____

WELL CONSTRUCTION

Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____

Thickness	Diameter	From	To
64 inches	8 inches	1 foot	80 feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet

Casing drive shoe used? ☒ Yes ☐ NoPacker or seal used? ☐ Yes ☒ NoPerforated? ☐ Yes ☒ NoType of perforation ☐ Factory ☐ Knife ☐ Torch

Number	From	To
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet

Screen installed? ☒ Yes ☐ No

Manufacturer's name _____

Casing PVC Liner Model No. _____Casing diameter 6" Slot size 1/8" Set from 316' feet to 349' feetCasing diameter _____ Slot size _____ Set from _____ feet to _____ feetGravel packed? ☐ Yes ☒ No Size of gravel _____Gravel set from _____ feet to _____ feetSeal depth 80' Material used in seal: ☐ Cement grout☒ Bentonite ☐ Pudding clay ☐ _____Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing☒ Overbore to seal depthMethod of joining casing: ☐ Threaded ☒ Welded ☐ Solvent

Weld

☐ Cemented between strata

Crib access port _____

8. WELL TEST DATA

☐ Pump ☐ Bailor ☒ Air ☐ Other _____

Discharge G.P.M.	Pumping Level	Hours Pumped
100+		

9. LITHOLOGIC LOG

Bore Diam.	Depth		Material	Water	
	From	To		Yes	No
10	0	69	overburden		✓
10	69	78	conglomerate		✓
10	78	80	basalt, firm		✓
8	80	106	basalt, firm		✓
8	106	118	hard gray basalt	102' 1.7 GPM	✓
8	118	122	basalt, firm		✓
8	122	123	basalt, fract.	122' 1.3 GPM	✓
8	123	138	basalt, firm		✓
8	138	224	hard gray basalt		✓
8	224	249	fractured basalt		✓
8	249	251	black shale	6.0 GPM	✓
8	251	316	clay		✓
8	316	329	coarse gray sand	100+	✓

RECEIVED

MAR 10 1987


Department of Water Resources
Northern District Office

10.

Work started 7/15/86 finished 7/24/86

LOCATION OF WELL

Sketch map location must agree with written location.



Subdivision Name _____

Lot No. _____ Block No. _____

v Labh

1/4 NW 1/4 Sec. 13, T. 39, N/R. 6 E/W.

11. DRILLERS CERTIFICATION

I/We certify that all minimum well construction standards were
complied with at the time the rig was removed.Firm Name Witt Well Drilling Firm No. 58Address Lewiston Ida. Date 12/15/86Signed by (Firm Official) Earl E. Witt

and

(Operator) Rogers Witt

July 23, 1986

TO: Roberts-Jones File


FROM: Todd Stamm
County Planner

RE: Well Drilling

Prior to beginning drilling of the new well for this subdivision, the new owner, Mr. Callihan, contacted me to discuss the casing requirement. The purpose of this standard - avoiding impacts on neighboring wells - was explained. This discussion led to an understanding that casing would be required at least to the point where non-water bearing rock was reached, and that the driller, Earl Witt, should contact the County Planning office or Commissioners office if instruction is needed during drilling.

On Friday, July 18, Mr. Witt called to say that such basalt had been reached at 70 feet (approximately 170 ft. below the ridge) and would like to cease casing. He indicated that the well could be later cased if fractured rock were found later. He suspected that they had already passed through the formation supplying neighboring wells.

On Monday, July 21, Mr. Witt called to inform us that the level of 150 ft. (250 ft. below the ridge) had been reached and that infiltration was only 1.5 to 2.0 g/p/m, and to request instruction. I approved not casing to this level, based on this nominal draw and the depth of this water bearing layer.





1888

DEPARTMENTS OF
Planning and Building

LATAH COUNTY COURTHOUSE

P. O. Box 8068

TELEPHONE (208) 882-8580

MOSCOW, IDAHO 83843

January 16, 1986

Betty Roberts-Jones
1171 Border Lane
Moscow, Idaho 83843

Dear Ms. Roberts-Jones:

At their meeting on January 13, 1986, the Latah Board of County Commissioners considered your request for approval of a preliminary plat (application #PUD-277A) to subdivide approximately 13 acres along Old Pullman Road into eleven lots plus adjoining tracts. The Board granted approval of this preliminary plat, subject to the following conditions and provisions as recommended by the Planning and Zoning Commission:

1. That the entire property including any sites designated for non-residential purposes be included within the plat;
2. That all lots be able to accommodate on-site sewage systems;
3. That the water supply be designed around the existing well or that any new well utilize the "deep" aquifer;
4. That the final plat document the use limitations of the remainder tract; and
5. That the developer be granted flexibility with regard to specific lot line locations to accommodate on-site sewage system design.

The Board further defined "deep" as being a well with a total depth of at least 400 feet and casing to at least 250 feet to protect shallower sources of water. As you have requested, all questions and issues relating to water system supply and design are specifically reserved until the final plat review.

This action was taken under the authority of Articles 4 of the Latah County Subdivision Ordinance and Idaho Code 57-6513 and 50-1301 et.seq. This preliminary approval is effective until January 13, 1987, and will expire on that date unless application for approval of a final plat consistent with the provisions of the approved preliminary plat has been submitted to Latah County.


Should you have any questions regarding this action or subsequent procedures to obtain final approval of your development please contact the county planning office.

Sincerely,



Todd Starns
County Planner

MICROFILMED

NOV 24 1986


Laverne Nelson
Chairman, Board of Commissioners

W. A. T. - 1/16/86



684

TELEPHONE (208) 882-8880

P.O. Box 8068

MOSCOW, IDAHO 83843

DEPARTMENTS OF
Planning and Building

LATAH COUNTY COURTHOUSE

December 9, 1985

Betty Roberts-Jones
1171 Border Lane
Moscow, Idaho 83843

Dear Ms. Roberts-Jones:

At their meeting on December 4, 1985, the Latah Planning and Zoning Commission considered your request for approval of a preliminary plat (application #PUD-277A) to develop approximately 13 acres along Old Pullman Road in eleven lots plus adjoining tracts. The Commission recommended approval of this preliminary plat, subject to the following conditions and provisions:

1. That the entire property including any sites designated for non-residential purposes be included within the plat;
2. That all lots be able to accommodate on-site sewage systems;
3. That the water supply be designed around the existing well or that any new well utilize the "deep" aquifer;
4. That the final plat document the use limitations of the remainder tract; and
5. That the developer be granted flexibility with regard to specific lot line locations to accommodate on-site sewage system design.

This action was taken under the authority of Articles 4 of the Latah County Subdivision Ordinance and Idaho Code 67-6513 and 50-1301 et.seq. The Board of County Commissioners public hearing on this matter has been scheduled for 7:30 p.m., Monday, January 6, 1986 in Room 2-B at the county courthouse. Your attendance at that meeting is encouraged.

Sincerely,

Todd Stamm
County Planner

Arthur Smith
Chairman, County Planning Commission

RECEIVED
NOV 24 1985

Correction


Roberts-Jones Rezone - Findings of Fact and Conclusions


The following findings are adopted in support of the motion to grant approval for Rural Residential - 1 zoning for the east 500 feet of the Roberts-Jones property on Old Pullman Road and to deny such zoning for the remainder of the property lying along the state line.


1. Testimony and evidence regarding sufficiency of groundwater to serve the potential development without impacting existing wells has been inconclusive. Because of the complexity of the groundwater system the Board cannot accurately determine the degree of risk to neighboring wells absent test wells being drilled.
2. Opponents to the proposed zoning have expressed valid concerns about conflicts between residential land uses and area farming.
3. The proposed rural residential zone includes an area unsuitable for RR-1 zoning because of topography, steep slopes, and limited accessibility. This area lies primarily to the west, the same area where land use conflict risks are substantial.
4. Evidence submitted indicates public sewer and water services are not now available to the site. Suitable soils for on-site sewage treatment systems lie primarily on the eastern half of the site.
5. The neighboring property to the west is in an exclusive agricultural zone, where development potential is very limited.
6. The county road serving the site has limited capacity and is costly to maintain because of topography and remoteness from other county roads.

The above findings and attached motion are hereby approved:

7 October 1985


Jay Nelson


Laverne Nelson


Thomas Spangler

TS/db

RECEIVED

NOV 1985



State of Idaho
DEPARTMENT OF WATER RESOURCES

NORTHERN REGION, Suite No. 9 • 4055 Government Way • Coeur d'Alene, Idaho 83814 • (208) 765-4639

CECIL D. ANDRUS
Governor

May 27, 1988

R. KEITH HIGGINSON
Director

Mr. Richard A. Callahan
5051 Old Pullman Highway
Moscow, Id. 83843

Re: 87-7132

Dear Mr. Callahan:

The Department of Water Resources acknowledges receipt of your water right application for permit. The application has been assigned Identification No. 87-7132. Please refer to this number in all further correspondence.

This office is currently in the process of advertising the application in the *Idahonian*. The advertisement will be published for two weeks, and a period of ten days following the second publication will be allowed for the submittal of protests.

If the application is protested, you will be sent a copy of the protest. The protest must be resolved before the application is approved or denied. If the protest is not resolved voluntarily, this Department will conduct a conference and/or hearing on the matter.

If the application is not protested, it will be forwarded to our state office in about five weeks. State office personnel will conduct a complete review prior to the final processing of the application and will notify you of the outcome of this review. When a permit is issued, you will be sent a copy. A typical processing time for an unprotested application is about eight weeks.

Enclosed please find your Receipt No. N70 for the amount of \$30.00.

Please feel free to contact this office if you have any questions regarding this procedure.

Sincerely,

ROBERT G. HAYNES, P.E.
Regional Manager

RGH/pms
Enc. - Receipt

RECEIVED

MAY 24 1988

Celebrate
IDAHO
1890 • CENTENNIAL • 1990

87-07132

CALLAHAN, RICHARD A.
5051 OLD PULLMAN HIGHWAY
MOSCOW, ID 83843

Source: GROUNDWATER

Diversion Pt: LOT 3 (SWNW) Sec 13 T 39N R 06W

Use: IRRIGATION (.200 CFS)
DOMESTIC (.200 CFS)

Date Filed: 5/10/1988

In: T39N R06W S13 SENW

12.0 ACRES TOTAL

APPROVED

1989