


RECEIVED

OCT 15 2001

IDWR/North

T41n03w.shp
PLSS Section LinesSections.shp
Quad IndexQuadcov.shp




T.41N, R.3W.

SEP 22 2003

RECEIVED
OCT 15 2001
IDWR/North

PLAN VIEW




- 1) NRCS Effective Height = ~~10~~ ⁸ ft.
- 2) Water may need to be applied to obtain adequate soil moisture for proper compaction.
- 3) Recommend a sheep-foot roller to compact dam fill.
- 4) It is critical that the soil around the pipes and pipe appurtenances be Very Well Compacted.
- 5) All pipes shall have an Anti-Seep Collar. See Drawing.
- 6) Seed disturbed areas and fill with recommended JOB CLASS II grass/legume cover.
- 7) Mulch and crimp-in mulch after seeding.
- 8) Rock armoring should be 18 inch minus in emergency spillway or in exist slope.
- 9) See Drawing No. 4 for Emergency Spillway and Exit Slope - Armoring and Erosion Mats.

MFC
10-10-01

Roger Calza		MICROFILMED	
WHIP-Shallow Water Area		SEP 22 2003	
U. S. DEPARTMENT OF AGRICULTURE SOIL CONSERVATION SERVICE			
Designed <u>M. Cottrell</u>	Date <u>9/01</u>	Approved by _____	
Drawn <u>M. Cottrell</u>	Date <u>7/01</u>	Title _____	
Traced _____		Title _____	
Checked <u>MO</u>	Date <u>10/01</u>	Sheet <u>No 2</u>	Drawing No _____

Roger Calza - WHIP

Shallow Water Area



Max. fill ~~12'~~ 11'

NRCS Effective Ht ~~10'~~ 8'

IDWR Effective Ht ~~12'~~ 10'

Watershed ⁵⁰~~130~~ ac (85% forestland 15% pastureland)
MFC 9-12-01

Peak Discharge ²⁸~~22~~ cfs for a 24 hr 25 yr storm event
MFC 9-12-01

$$\text{Storage} = \frac{270'}{250'} \times \frac{210'}{170'} \times \frac{.25}{.6} = \frac{14,175 \text{ ft}^2}{25,500 \text{ ft}^2}$$


$$\frac{14,175 \text{ ft}^2}{25,500 \text{ ft}^2} \times \frac{12'}{15'} \times .4 = \frac{68,040}{153,000} \text{ ft}^3$$

$$\frac{68,040 \text{ ft}^3}{153,000 \text{ ft}^3} \times \frac{1 \text{ ac}}{43,560 \text{ ft}^2} = \frac{1.6 \text{ ac-ft}}{3.8 \text{ ac-ft}}$$

Surface Area 0.3 ac
Storage 1.6 ac-ft

MICROFILMED
SEP 22 2003


MFC
10-10-01



Dam X-Sec At Centerline

Critical:

Water may need to be applied to obtain adequate soil moisture for proper compaction.



Dam Profile At Centerline

Roger Calza.
WHIP-Shallow Water Area

USDA
Natural Resources Conservation Service



Designed: <u>M. Cottrell</u>	Date: <u>9/01</u>	Approved By: _____
Drawn: <u>M. Durham</u>	Date: <u>2-001</u>	Title: _____
Traced: _____	Date: _____	Date: _____
Checked: <u>ND</u>	Date: <u>10/01</u>	Sheet No. <u>3</u> OF <u>56</u>
		Drawing No. <u>1</u>

MICROFILMED

SEP 22 2003

ID-ENG-313D Emergency Spillway and Exit Slope

Armoring and Erosion Mats



Rock filter: 6 inches thick, made of 3 inch minus rock material; compacted into ground to act as a filter

18 inch minus rock means all rock material 18 inches and smaller (well graded)

Roger Calza
WHIP-Shallow Water Area

MFC 10-10-03

U. S. DEPARTMENT OF AGRICULTURE
NATURAL RESOURCES CONSERVATION SERVICE

Designed <u>M. Cottrell</u> 10/6/01	Approved by _____
Drawn <u>M. Durham</u> 9/01	Title _____
Traced _____	Title _____
Checked _____	Drawing No. <u>11</u>

State of Idaho
Department of Water Resources
Permit to Appropriate Water

NO. 87-10019

Priority: 09/25/2001

Maximum Diversion Volume: 3.5 AF

This is to certify, that **ROGER ERNEST CALZA**
824 S LOGAN ST
MOSCOW ID 83843

has applied for a permit to appropriate water from:

Source: UNNAMED STREAM **Tributary:** MIDDLE FORK BEAR CREEK

and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>ANNUAL VOLUME</u>
WILDLIFE STORAGE	01/01 to 12/31	3.5 AF

LOCATION OF POINT(S) OF DIVERSION:

UNNAMED STREAM NW¼NW¼ Sec. 29, Twp 41N, Rge 03W, B.M. LATAH County

PLACE OF USE: WILDLIFE STORAGE

Twp	Rge	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
41N	03W	29						X											

CONDITIONS OF APPROVAL

1. Proof of application of water to beneficial use shall be submitted on or before **August 1, 2004**.
2. Subject to all prior water rights.
3. Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which permit holder had no control.
4. The storage of water under this right is contingent upon the certification of the dam and authorization of storage per the dam safety provisions of the Idaho Code.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code. Witness the signature of the Director, affixed at Boise, this 25 day of July, 2002

Karl J Dreher
for **KARL J DREHER, Director**

MICROFILMED

SEP 22 2003

69565

Ident. No. 87-10019

RECEIVED

MAY 16 2002

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

RECEIVED
OCT 15 2001
IDWR/North

Department of Water Resources

To appropriate the public waters of the State of Idaho

1. Name of Applicant Roger Ernest CALZA Phone (208) 883-0176
Mailing address 824 South Logan ST. Moscow, ID. 83843
2. Source of water supply UNNAMED STREAM which is a tributary of Middle Fork Bear Crk.
3. Location of point of diversion is Township 41 N Range 3W Sec. 29 in the NW 1/4, NW 1/4, Govt. Lot —, B.M., Latah County;
additional points of diversion if any: NONE
4. Water will be used for the following purposes:

Amount <u>3.5</u> for <u>STORAGE FOR WILDLIFE HABITAT</u> purposes from <u>year round</u> to <u>12/31</u> (both dates inclusive)
Amount <u>—</u> for <u>—</u> purposes from <u>—</u> to <u>—</u> (both dates inclusive)
Amount <u>—</u> for <u>—</u> purposes from <u>—</u> to <u>—</u> (both dates inclusive)
Amount <u>—</u> for <u>—</u> purposes from <u>—</u> to <u>—</u> (both dates inclusive)
Amount <u>—</u> for <u>—</u> purposes from <u>—</u> to <u>—</u> (both dates inclusive)
Amount <u>—</u> for <u>—</u> purposes from <u>—</u> to <u>—</u> (both dates inclusive)
5. Total quantity to be appropriated is (a) — cubic feet per second and/or (b) 3.5 acre feet per annum
6. Proposed diverting works:
 - a. Describe type and size of devices used to divert water from the source ON-STREAM POND
NONE
 - b. Height of storage dam * 15' maximum feet; active reservoir capacity 3.5 acre-feet; total reservoir capacity 3.5 acre-feet
 - c. Proposed well diameter is — inches; proposed depth of well is — feet
 - d. Is ground water with a temperature of greater than 85°F being sought? NONE
 - e. If well is already drilled, when? —; Drilling firm —
Well was drilled for (well owner) —; Drilling Permit No. —
7. Time required for completion of works and application of water to proposed beneficial use is 2 years (minimum 1 year)
8. Description of proposed uses (if irrigation only, go to item 9):
 - a. Hydropower; show total feet of head and proposed capacity in kW. —
 - b. Stockwatering; list number and kind of livestock. —
 - c. Municipal; show name of municipality. —
 - d. Domestic; show number of households. —
 - e. Other; describe fully. Wildlife habitat Improvement/creation site

* Effective Ht. 12 ft

MICROFILMED

SEP 22 2003

9. Description of place of use:

a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.

b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RGE	SEC	NE				NW				SW				SE				TOTALS
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
T41	3W	29						~~W~~											
								W	(STORAGE)										

Total number of acres to be irrigated —

10. Describe any other water rights used for the same purposes as described above. NONE

11. a. Who owns the property at the point of diversion? Roger Ernest CALZA (no wife Stella)

b. Who owns the land to be irrigated or place of use? SAME

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing: No

12. Remarks: This is an approved and funded NRCS Whips project.
The approximately 1-2 ac. pond will have at least 40% shallow for wild-
life use. The pond will be "sky" fill from about 56 ac drainage.
See Dam fact page AND whip proposal.

13. MAP OF PROPOSED PROJECT REQUIRED - Attach an 8 1/2"x11" map clearly identifying the proposed point of diversion, place of use, section #, township & range. (A photocopy of a USGS 7.5 minute topographic quadrangle map is preferred.)

29 T41N R3W

BE IT KNOWN that the undersigned hereby makes this application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Roger E. Calza

Signature of Applicant (and title, if applicable)


Received by cm Date 9-25-01 Time 1:23 p.m. Preliminary check by RJ
 Fee \$ 100.00 Receipted by cm # N014671 Date 9-25-01
 Publication prepared by cb Date 11/28/01 Published in Moscow Pullman Daily News 12/6 & 13/01
 Publication approved cb Date 12/18/01

MINOR CORRECTIONS

9.2.2003

RECEIVED
OCT 15 2001
IDWR/North

T41n03w.shp
PLSS Section LinesSections.shp
Quad IndexQuadcov.shp




T.41N, R.3W.

SEP 22 2000

RECEIVED
OCT 15 2001
IDWR/North

PLAN VIEW




- 1) NRCS Effective Height = 10 ft.
- 2) Water may need to be applied to obtain adequate soil moisture for proper compaction.
- 3) Recommend a sheep-foot roller to compact dam fill.
- 4) It is critical that the soil around the pipes and pipe appurtenances be Very Well Compacted.
- 5) All pipes shall have an Anti-Seep Collar. See Drawing.
- 6) Seed disturbed areas and fill with recommended grass/legume cover.
- 7) Mulch and crimp-in mulch after seeding.
- 8) Rock armoring should be 18 inch minus in emergency spillway on in exist slope.
- 9) See Drawing No. 4 for Emergency Spillway and Exit Slope - Armoring and Erosion Mats.

MFC

Roger Calza		MICHO...	
WHIP- Shallow Water Area		SEP 22 2003	
U. S. DEPARTMENT OF AGRICULTURE SOIL CONSERVATION SERVICE			
Designed	M. Cottrell	Date	9/01
Drawn	M. Cottrell	Date	7/01
Traced		Sheet No 2	
No		Drawing No	

Roger Calza - WHIP

Shallow Water Area



Max. fill ~~12'~~ 11'

NRCS Effective Ht ~~10'~~ 8'

IDWR Effective Ht ~~12'~~ 10'

Watershed ⁵⁰~~130~~ ac (85% forestland 15% pastureland)
MFC 7-12-01

Peak Discharge ²⁸~~22~~ cfs for a 24 hr 25 yr storm event
MFC 9-12-01

$$\text{Storage} = \frac{270' \times 210' \times 225}{250' \times 175' \times 2.6} = \frac{14,175 \text{ ft}^2}{25,500 \text{ ft}^2}$$

$$\frac{14,175 \text{ ft}^2}{25,500 \text{ ft}^2} \times 12' \times .4 = \frac{68,040}{153,000 \text{ ft}^3}$$


$$\frac{68,040 \text{ ft}^3}{153,000 \text{ ft}^3} \times 1 \text{ ac} = \frac{1.6 \text{ ac-ft}}{43,560 \text{ ft}^2} = 3.5 \text{ ac-ft}$$

MFC
SEP 22 2001

MFC
10-10-01

Surface Area 0.3 ac


Storage 1.6 ac-ft



Dam X-Sec At Centerline

Critical:

Water may need to be applied to obtain adequate soil moisture for proper compaction.



Dam Profile At Centerline



Roger Calza
 WHIP-Shallow Water Area

USDA
 Natural Resources Conservation Service

Designed: <u>M. Cattrell</u>	Date: <u>9/01</u>	Approved By: _____
Drawn: <u>M. Durham</u>	Date: <u>2001</u>	Title: _____
Traced: _____	Sheet No. <u>3</u>	Drawing No. <u>1</u>
Checked: <u>ND</u>	Date: <u>10/01</u>	Of <u>56</u>

SEP 22 2003

Armoring and Erosion Mats



Rock filter: 6 inches thick; made of 3 inch minus rock material; compacted into ground to act as a filter

18 inch minus rock means all rock material 18 inches and smaller (well graded)

Roger Calza
WHIP-Shallow Water Area

U. S. DEPARTMENT OF AGRICULTURE
NATURAL RESOURCES CONSERVATION SERVICE

Designed M. Cottrell 10/01
Drawn M. Durham 9/01

Approved by _____
Title _____
Date _____

WARNING

CANCELLED OR LAPSED

This permit has been officially CANCELLED or LAPSED.

Ninety days following the date of official action this file will be DESTROYED.

August 12, 2004

ROGER ERNEST CALZA
824 S LOGAN ST
MOSCOW, ID 83843

LAPSE NOTICE

RE: PERMIT NO. 87-10019

Dear Permit Holder:

You are hereby notified that under the provisions of Section 42-218A, Idaho Code, the above referenced permit has lapsed and is of no further force nor effect. The department provided the proper forms to you in the proof due notice dated May 31, 2004. No further construction or additional development is authorized under this permit unless it is reinstated.

The permit can only be reinstated if you submit an acceptable proof of beneficial use or an acceptable request for extension of time to the department within sixty (60) days of the mailing of this lapse notice. An acceptable proof of beneficial use submittal must include the examination fee or a completed field examination report. A request for extension of time must be accompanied by a fifty dollar (\$50.00) fee.

Enclosed again for your use are a proof of beneficial use form and a request for extension of time form. Please note that only one extension of time can be granted unless the project has not been completed because of lack of a necessary approval by a government agency or by litigation which may bring title to the water in question.

Sincerely,

GARY SPACKMAN
Water Allocation Bureau

Enclosures

CERTIFICATION OF MAILING
I hereby certify that on 8/12/04
a copy of this document was
deposited in the United States mail,
postage prepaid addressed to the
individual(s) named above.

dy

May 31, 2004

ROGER ERNEST CALZA
824 S LOGAN ST
MOSCOW, ID 83843

PROOF DUE NOTICE

RE: PERMIT NO. 87-10019

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before August 01, 2004. (See last page of your approval permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a completed field examination report prepared by a certified water right examiner may be used to submit the required proof.


If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

Sincerely,

Deborah J. Gibson, Administrative Assistant
Water Allocation Bureau

Enclosures





State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Boise, ID 83706 - P.O. Box 83720, Boise, ID 83720-0098
Phone: (208) 327-7900 Fax: (208) 327-7866 Web Site: www.idwr.state.id.us

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

July 26, 2002

ROGER ERNEST CALZA
824 S LOGAN ST
MOSCOW ID 83843

RE: Permit No. 87-10019

Permit Approval Notice

Dear Permit Holder:

The Department of Water Resources has issued the enclosed permit authorizing you to establish a new water right. Please be sure to thoroughly review the conditions of approval and remarks listed on your permit.

The permit is a PRELIMINARY ORDER issued by the Department pursuant to Section 67-5243, Idaho Code. It can and will become a final order without further action by the Department unless a party petitions for reconsideration or files an exception and/or brief within fourteen (14) days of the service date as described in the enclosed information sheet.

As a permit owner you must commence the excavation or construction of the diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The date shown under condition no. 1 is the date when the project must be completed.

The Department will send you a 'Proof Due Notice' approximately 60 days prior to the above referenced date requesting you to file either a Proof of Beneficial Use form or a Request for Extension of Time form.

Please note that a separate stream channel alteration permit must be obtained from the Department prior to any activity in the stream channel other than construction or maintenance of the diversion structure for your water right(s). Applications for stream channel alteration permits must be filed a least sixty days prior to the commencement of work in the stream.


MICROFILMED

SEP 27 2003

Also, please note that water right owners are required to report any change of water right ownership and/or mailing address to the Department within 120 days of the change. Failure to report these changes could result in a \$100 late filing fee. Contact any office of the Department or visit the Department's homepage on the Internet to obtain the proper forms and instructions.

If you have any questions, please contact me at 208-327-7946.

Sincerely,



Shelley W. Keen

Water Rights Supervisor

SWK:klt

Enclosure(s)

MICROFILMED


APR 22 1993

CERTIFICATE OF SERVICE

I hereby certify that on July 26, 2002 I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER(Approved Permit) to the person(s) listed below:

RE: WATER RIGHT NO. 87-10019

**ROGER ERNEST CALZA
824 S LOGAN ST
MOSCOW ID 83843**


**Kari Lynn Townsend
Secretary**

ENCLOSURE

JUL 26 2002

**EXPLANATORY INFORMATION
TO ACCOMPANY A
PRELIMINARY ORDER**

The accompanying order or approved document is a "Preliminary Order" issued by the department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department of Water Resources (department) unless a party petitions for reconsideration, files an exception and brief, or requests a hearing as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the department within fourteen (14) days of the service date of this order. The department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See Section 67-5243(3) Idaho Code.

EXCEPTIONS AND BRIEFS

Within fourteen (14) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding with the Director. Otherwise, this preliminary order will become a final order of the agency.

REQUEST FOR HEARING

Unless a right to a hearing before the department or the Idaho Water Resource Board (Board) is otherwise provided by statute, any person aggrieved by any final decision, determination, order or action of the Director of the department and who has not previously been afforded an opportunity for a hearing on the matter may request a hearing pursuant to section 42-1701A(3), Idaho Code. A written petition contesting the action of the Director and requesting a hearing shall be filed within fifteen (15) days after receipt of the denial or conditional approval.

ORAL ARGUMENT

If the Director grants a petition to review the preliminary order, the Director shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Director will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Director orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Director in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with IDAPA Rules 37.01.01302 and 37.01.01303 (Rules of Procedure 302 and 303).

FINAL ORDER

The Director will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Director may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

RECEIVED

JUL 24 2002

E. J. J.

APPLICATION FOR PERMIT
STATE OFFICE ANALYSIS

Department of Water Resources

Reviewed by Cindy Zimmerman on 7/19/02No. 87-10019 Name: Calza Corp. Officers Ad ok ✓ Govt Lots ✓AREA OF CONCERN: No/Yes Moratorium GWMA TRUST/NON-TRUST

GROUNDWATER: (✓Flow Chart)

DRILLING PERMIT

All wells - 046(P23)

Irr. w/in WD - P05

WMD - North/East/West

≤ 0.24 cfs/5 acres - No MD

> 0.24 cfs/5 acres - 067

~~WMD~~

Supp irr (irr = only use) - 065-104

Supp irr (+ other uses) - 100-105

≤ 0.24 cfs/5 acres - No MD

> 0.24 cfs/5 acres - 01M

LOCATION:

Boise Front LoGeo - 058 (<85 GW)

Mitigation - 121

42-248 Area - P84 (20s-70s, 81-86)

Swan Falls Flag -

Trust - 051(P74) (consumptive uses)

Non-Trust - 048-049 (consumptive uses or non-cons. > 1.0 cfs)

USES:

STORAGE - ~~01H(P01)~~ ~~01P-18B(P09)~~ NA

IRR ≤ 5 ac - R66/R67/R68/R69 (0.03 cfs/ac)

> 5 ac - R62/R63/R64/R65 (0.02 cfs/ac)

STOCKWATER - R37 (BLM/USFS)

MINING - 054-081(P10)

FISH PROP - 029(70'S only)-007-042-081(P10)

Bridge)

HEAT/COOL - R07(injection well)

FIRE PROT. - 077

BENEFICIAL USE DUE: 8 / 01 / 2004

MISC CONDITIONS/REMARKS:

Protested - 020-W19

Development Period

≤ 1 yr - P16

> 1 yr - 26A(P17)

Ownership - 004

Non-consumptive - 027

Water Quality - 081-R07

SURFACE WATER: (✓Flow Chart)

F&G contacted - Yes/No Response

In/Above MSF - WB9

PLANNING REVIEW/RESPONSE

In-stream development - P52

WD - R04 (WD#)

≤ 0.20 cfs/others - 01H(P01), 01P or No MD

> 0.20 cfs - 01J(P08)

SPRINGS/SINK, INACTIVE WD & REST OF STATE

≤ 0.24 cfs/5 acres - No MD

> 0.24 cfs/5 acres - 01M or No MD

RIVER BASINS: (SW special considerations)

Snake R (01) - W22(P04), N/A

(02,03) - 007 (w/ remark WB9 if above Weiser)

Payette R (65) - 047(P04) (Payette Lake)

Salmon R (70's) - 029 (fish screens)

Weiser R (67) - 086-087

USES:

POWER - 17H-17K (+uses)-08A-025(P18)-01N-081(P10)

MUNICIPAL

Restricted area - 022,075

Irr., GW supp to SW - 102

DOMESTIC

Surface water - WB5 (Big Wood or Boise above Star

27A (Payette R)

>1 in restricted area - 070-071-075(no parks/common areas, etc)

Irr use listed separate - WB5

Moratorium approvable - W03 (2500 gpd - meets domestic definition i.e. D/convenience store)

Multiple pd's per ¼/4 - W32

Subd lot desc (pd) - W59

Subd lot desc (pu) - W60

Use definitions - W02 example - S/50 range

Pre-1987 development - 068-074 (allow 120 days for proof due)

Single p/d intended - 076

IRRIGATION SEASON - (Per updated map)OTHER CONDITIONS/REMARKS COMMENTS

ILLINOIS DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

W.R. # 87-10019

APPLICATION ID # 69565 ENT. 11/20 BCA OK to Publish ✓
INITIAL REVIEW

APPLICANT: CALZA BY: AB DATE: 11/20/01

ITEM REQUIRED INFORMATION

1. (x) Name and Address MAY 16 2002
2. (x) Source
3. (x) Point of Diversion & County
4. (x) Quantity
(x) Nature of Proposed Use
(x) Period of Use
5. (x) Total Quantity
6. (x) Description of diverting works
7. (x) Time required for b/u
8. (x) Proposed use
9. (x) Place of use or acres irrigated
10. (x) Other water Rights
11. (x) Ownership
12. (x) Map
(x) Signature
(x) Fee (Amt, receipt, acknowledgement)

*** Send info sheet Y () N ()

ADDITIONAL INFORMATION

- (Yes)(No)
___ Shape File Created Date ___ By: ___
___ Field check: by ___
___ Field report attached
___ Analysis Supp. attached(>5cfs/500af)
___ Water delivered by water master? Water District # ___

PROCESSING

- (Yes)(No) PRIORITY DATE: 10/15/01
___ x (Include Moratorium Remark)
___ x Statewide Advertising: (Diversion rate greater than 10 cfs or 1,000 af).
ms/jhurs/ok
ADVERTISE IN: CATAH County

LETTERS SENT REQUESTING:

- (x) Dam Information () Fish Information
() Power Information () Other: 2/4

INFORMATION RECEIVED:

- (x) Dam Information () Fish Information
() Power Information () Other: N/A

GROUNDWATER SECTION

WD Permit No.'s:	Tag #	Type:	Fees	Receipt No.	Upgrade Needed?
___	___	Dom. ___ Non-Dom. ___	Paid \$ ___	___	Y () N ()
___	___	Dom. ___ Non-Dom. ___	Paid \$ ___	___	Y () N ()
___	___	Dom. ___ Non-Dom. ___	Paid \$ ___	___	Y () N ()

- ___ Groundwater management area
___ Critical ground water area
___ Well Drilling Permit required
___ Well Drilling Application and Fees received
___ Well Drilling Application approved?
Remarks: _____

FINAL REGIONAL PROCESSING/REVIEW

- (Yes)(No)
___ Notice of pending void order issued. Final order response date: ___/___/___
___ Further information required from applicant
12/18 ___ Affidavit of publication received
12/18 ___ Application published correctly. If not, record action taken: _____
11/28 ___ Publication dates and paper recorded on application | Sr. Agent initial _____
___ Protests received, Final protest date: 12/24/01
___ Measuring device required
___ Measuring port required
___ Special conditions: _____
___ Special conditions of approval supplement and/or cover letter attached: _____

Approval Recommended by: _____ Date: ___/___/___

**Affidavit of
Publication**

STATE OF IDAHO
County of Latah ss

Lorraine Hudson
Legal Clerk

being first duly sworn, on oath depos-
es and says:

That she is the printer of Moscow-
Pullman Daily News, a newspaper of
general circulation, printed and pub-
lished daily except Sunday at
Moscow, Latah County, Idaho, in
compliance with Sections 60-106, 60-
107, and 60-108 of the Idaho Code
and the amendments thereto: that
the notice of which the annexed is a
full, true and correct printed copy was
published in the regular and entire
issues of said newspaper and not in
a supplement thereto, upon the fol-
lowing dates:

Dec. 6, 13,
2001

the same being the date designated
for the publication of said notice.

Lorraine Hudson

this *13* day of *Day*
in the year of 2001, before a Notary
Public, personally appeared _____

Lorraine Hudson

known or identified to me to be the
person whose name subscribed to
the within instrument, and being by
me first duly sworn,
declared that the statements therein
are true, and acknowledged to me
that he executed the same.

Heather Frazier

Notary Public for Idaho
Residing at Moscow, Idaho
My Commission expires
10/02/07

**APPLICATION FOR WATER
RIGHT**

Permit No. 87-10019

The following application has
been filed to appropriate the
public waters of the State of
Idaho:

ROGER ERNEST CALZA,
824 S. LOGAN ST, MOSCOW ID
83843

Points of Diversion NWNW
S29 T41N R03W LATAH County
Source UNNAMED STREAM
Tributary to MIDDLE FORK
BEAR CREEK

Use: WILDLIFE STORAGE
01/01 to 12/31 3.5AFA

Total Diversion: 3.5AFA

Date Filed: 09/25/2001

Place of Use: WILDLIFE
STORAGE


T41N R03W S29 NWNW

Permits will be subject to all
prior water rights. Protests may
be submitted based on the crite-
ria of Sec. 42-203A, Idaho Code.

Any protest against the
approval of this application must
be filed with the Director, Dept.
of Water Resource, Northern
Region, 1910 Northwest Blvd,
Suite 210, Coeur D'Alene ID
83814 together with a protest fee
of \$25.00 for each application on
or before 12/24/2001. The protes-
tant must also send a copy of the
protest to the applicant.

KARL J. DREHER, Director
Dec. 6, 13, 2001

RECEIVED
DEC 18 2001
IDWR/North



MICROFILMED

DEC 7 2 2001

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

87-10019

ROGER ERNEST CALZA
824 S LOGAN ST
MOSCOW ID 83843

Point(s) of Diversion NWNW S29 T41N R03W LATAH County
Source UNNAMED STREAM Tributary To MIDDLE FORK BEAR CREEK
Use: WILDLIFE STORAGE 01/01 To 12/31 3.5 AFA
Total Diversion: 3.5 AFA
Date Filed: 09/25/2001
Place Of Use: WILDLIFE STORAGE
T41N R03W S29 NWNW

Permits will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec 42-203A, Idaho Code.

Any protest against the approval of this application must be filed with the Director, Dept. of Water Resource, Northern Region, 1910 Northwest Blvd, Suite 210, Coeur D' Alene ID 83814 together with a protest fee of \$25.00 for each application on or before 12/24/2001. The protestant must also send a copy of the protest to the applicant.

KARL J DREHER, Director Published in Moscow Pullman Daily News on December 6 and 13, 2001.

MICROFILMED

SEP 22 2003



State of Idaho
DEPARTMENT OF WATER RESOURCES

NORTHERN REGION, Suite No. 210 • 1910 Northwest Blvd. • Coeur d'Alene, Idaho 83814-2615
(208) 769-1450

Fax (208) 769-1454

November 28, 2001

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

Legal Notice Department
MOSCOW-PULLMAN DAILY NEWS
PO BOX 8187
MOSCOW ID 83843

FAXED 11/28/01 TO 208-883-8205
TWO PAGES INCLUDING COVER LETTER

RE: Application for Permit No. 87-10019

Dear LEGAL NOTICE DEPARTMENT:

Enclosed you will find a legal notice which we wish to have published in your newspaper on the dates indicated (once a week for two consecutive weekly issues). If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Please send the affidavit and bill to this office before 12/24/2001. Your cooperation is appreciated.

Sincerely



Dianne Ball
Administrative Assistant

MICROFILMED

NOV 27 2001



State of Idaho
DEPARTMENT OF WATER RESOURCES

NORTHERN REGION, Suite No. 210 • 1910 Northwest Blvd. • Coeur d'Alene, Idaho 83814-2615
(208) 769-1450

Fax (208) 769-1454

November 28, 2001

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

ROGER ERNEST CALZA
824 S LOGAN ST
MOSCOW ID 83843

RE: Application for Permit No 87-10019

Dear Applicant(s):

The Department of Water Resources acknowledges receipt of your water right application. Please refer to the above referenced number in all future correspondence regarding this application.

A legal notice of the application has been prepared and is scheduled for publication in the Moscow Pullman Daily News on December 6 and 13, 2001. Submittal of protests to this application will be allowed for a period ending ten days after the second publication.

If the application is protested you will be sent a copy of the protest(s). All protests must be resolved before the application can be considered for approval. If the protest(s) cannot be resolved voluntarily, the Department will conduct a conference and/or hearing on the matter.

If the application is not protested, it will be forwarded to our State Office in Boise for final processing. The State Office will notify you of any action taken on the application and will send you a copy of the permit if approved. A typical processing time for an unprotested application is about eight to twelve weeks.

Please feel free to contact this office if you have any questions.

Sincerely,

Allen Beardslee
Senior Water Resource Agent

Enclosure Receipt No. N014671

MICROFILMED

SEP 22 2003



State of Idaho

DEPARTMENT OF WATER RESOURCES

NORTHERN REGION, Suite No. 210 • 1910 Northwest Blvd. • Coeur d'Alene, Idaho 83814-2615
(208) 769-1450

Fax (208) 769-1454

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

11/20/2001

JEROME HANSEN
IDF&G
1540 WARNER
LEWISTON ID 83501

Application to Permit No. 87-10019 - CALZA

Dear Jerome:

The Department of Water Resources is seeking written comment and/or recommendations from your agency regarding the above referenced water right application. A copy of the application is enclosed for your reference.

This office can complete the processing of an unprotested application as soon as the protest period is past; therefore, your prompt response to this request is appreciated. If your agency desires to file a formal protest against the approval of this application, your written protest along with a \$25.00 filing fee must be received in this office by December 24, 2001

Please contact this office if you have any questions regarding the application.

Sincerely,

A handwritten signature in cursive script, appearing to read 'Dianne'.

Dianne Ball
Administrative Assistant

Enclosure(s)

MICROFILMED

NOV 21 2001

RECEIVED

OCT 15 2001

IDWR/North

Dear Allen Beardslee,

October 12, 2001

Enclosed please find information necessary for our Application for Permit and Small Dam Application. This past week I and Mark Cottrell (NRCS-Moscow) reviewed your comments in letter dated October 2, visited the site for the forth time, and used lazar survey equipment to stake construction. Enclosures will hopefully address your concerns with the applications. I trust previous submission of application fees (\$110) will cover both applications. If you would be so kind to make contact with Dave Lepard he might explain accurately our intent since he has recently visited with Mark. Also note that this project is part of a USDA-NRCS WHIP (wildlife habitat improvement program) and this agency has considerable success in such constructions. I have furthermore visited the site with several highly respected and experienced contractors willing to take on the dam's construction. Lastly, because of the weather and season it is hoped that construction can start soon.

Most sincerely yours,

Roger E. Calza
824 South Logan Street
Moscow, ID. 83843
Phone; 883-0176

MICHAEL

SEP 22 2001



State of Idaho
DEPARTMENT OF WATER RESOURCES

NORTHERN REGION, Suite No. 210 • 1910 Northwest Blvd. • Coeur d'Alene, Idaho 83814-2615
(208) 769-1450 Fax (208) 769-1454

October 2, 2001

Mr. Roger Ernest Calza
824 South Logan St.
Moscow ID 83843

RE: Application for Permit

Dear Mr. Calza:

We are returning your Application for Permit, along with your Receipt for \$100.00.
Your filing is not acceptable at this time. Please provide the following information:

Enclosed is a topographic map. Please mark the map where your pond will be located.

RED DOT

Also enclosed is a Small Dam Application. If the hydraulic height (please refer to diagram) is 10 feet or greater, this application plus a \$10.00 fee should be submitted with your water right filing.

— Sent Sept 24

We will be happy to process your filing when we receive it back at this office. If you have any further questions, or if I can be of further assistance, feel free to give me a call.

Sincerely,

Allen Beardslee
Sr. Water Resource Agent

*please see
revised
plans*

Beardslee

10/2/01

RECEIVED
OCT 15 2001
IDWR/North

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR