


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Gerald D. [Signature]
(Applicant)

Affidavit of Publication

STATE OF IDAHO
County of Latah

ss.

Ray Rosch

being first duly sworn, on oath,
deposes and says:

That he is the printer of The DAILY IDAHONIAN, a newspaper of general circulation, printed and published daily except Sunday at Moscow, Latah County, Idaho, in compliance with Sections 60-106, 60-107, and 60-108 of the Idaho Code and the amendments thereto; that the notice of which the annexed is a full, true and correct printed copy was published in the regular and entire issues of said newspaper and not in a supplement thereto, upon the following

dates:

July 14, 21, 1983

the same being the dates designated for the publication of said legal notice.

Subscribed and sworn to before

me this 20th day of July

1983

Carol Fleener

Notary Public,

residing at Moscow, Idaho

RECEIVED

JUL 28 1983

Department of Water Resources
Northern District Office

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

86-7189: KLUSS, HAROLD, RT. 2 BOX 142, GENESEE, ID 83832; Source: GROUNDWATER; Date Filed: 06/27/1983; Diversion Pt: SWNW SENW Sec 34 T 38N R 05W; Use: IRRIGATION (0.20 CFS), STOCKWATER (0.02 CFS), DOMESTIC (0.04 CFS); In: SWNW SENW NESW NWSW Sec 34 T 38N R 05W SENW SWNW Sec 34 T 38N R 05W FOR 20 ACRES.

86-7190: JENKINS, KENNETH L., RT. 1 BOX 75, GENESEE, ID 83832; Source: GROUNDWATER; Date Filed: 06/27/1983; Diversion Pt: NENE Sec 01 T 37N R 05W; Use: IRRIGATION (0.06 CFS), DOMESTIC (0.04 CFS); In: NENE Sec 01 T 37N R 05W FOR 4 ACRES.

86-7192: WILSON, J.D., RT. 2 BOX 36-A, KENDRICK, ID 83537; Source: GROUNDWATER; Date Filed: 06/27/1983; Diversion Pt: NESW Sec 10 T 39N R 02W; Use: IRRIGATION (0.06 CFS), DOMESTIC (0.08 CFS); In: NWSW NWSE Sec 10 T 39N R 02W FOR 4 ACRES.

87-7099: ANDREWS, ERNEST &/or RENA, RT. 1 BOX 194, KENDRICK, ID 83537; Source: GROUNDWATER; Date Filed: 06/23/1983; Diversion Pt: SWNW Sec 15 T 39N R 05W; Use: IRRIGATION (0.03 CFS), STOCKWATER (0.02 CFS); DOMESTIC (0.04 CFS); In: SWNW Sec 15 T 39N R 05W FOR 1 ACRES.

87-7100: SHARP, LEE A. &/or ROSE MARIE, 2298 WALLEN RD., MOSCOW, ID 83843; Source: GROUNDWATER; Date Filed: 06/21/1983; Diversion Pt: SENW Sec 12 T 39N R 05W; Use: IRRIGATION (0.02 CFS), STOCKWATER (0.0088 CFS), DOMESTIC (0.04 CFS); In: SENW Sec 12 T 39N R 05W FOR 2 ACRES.

87-7101: SCHUTZ, GERALD D., 1010 N. POLK RD. EXT., MOSCOW, ID 83843; Source: GROUNDWATER; Date Filed: 06/27/1983; Diversion Pt: NESW Sec 05 T 39N R 05W; Use: IRRIGATION (0.14 CFS), DOMESTIC (0.25 CFS); In: NESW Sec 05 T 39N R 05W FOR 7 ACRES.

87-7102: LYON, ALAN L., 1228 HANSON, MOSCOW, ID 83843; Source: GROUNDWATER; Date Filed: 06/24/1983; Diversion Pt: SWNW Sec 22 T 39N R 05W; Use: DOMESTIC (0.04 CFS); In: SWNW Sec 22 T 39N R 05W.


87-7103: OSBORNE, CARL D., RT. 1 BOX 55, POTLATCH, ID 83855; Source: GROUNDWATER; Date Filed: 06/28/1983; Diversion Pt: SWNE Sec 18 T 42N R 04W; Use: IRRIGATION (0.08 CFS), STOCKWATER (0.02 CFS), DOMESTIC (0.04 CFS), RECREATION (0.14 CFS); In: SWNE Sec 18 T 42N R 04W FOR 4 ACRES.

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, 4055 Gov't. Way, Coeur d'Alene, Id., 83814 on or before AUGUST 1, 1983.

KEN DUNN, Dir.


July 14 & 21, 1983.

MICROFILMED



NAME: GERALD SCHULTZ
 PD: T39N, R5W, SEC.5, NESW
 PU:
 SOURCE: GROUNDWATER

PERMIT NUMBER: 87-07101
 GL MAP: # 12
 AC/IRR:7 QUAD:J-53
 :K-3




AND 1984 MAGNETIC NORTH
 TION AT CENTER OF SHEET

MICROFILMED

DEC 11 1992

FOR SALE BY
 A

K-3



MICROFILMED
DEC 11 1992

T39N
R5W
B

4	3	2	1	4	3	2	1
5	6			5			4
6							4
7							
1							
2	7			8			9
3							
4							
MICROFILMED DEC 1 1 1992							

MISSOURI MED
DEC 11 1992

B-15

F-91

T920

Lloyd Randall

Highway 95

Pink Rd.

Kyle Howle

NE SW

3467 - 78

Arnold Bu
14.4

F52 333F

Stephen

Redinger

Arnold Paul
A
11.0

T18 T920
3344

Robert C.
Peterson

90.1

SW 94

Slide
38-8
1987

16.9 26.3 94
2

Claude
Wright

Donald
Clifton

T532

19.7

Slide
38-8
1987

693 229 Meyer
3226 60

MICROFILMED

DEC 11 1992

42.9
10

F94
359F

USE TYPEWRITER OR
BALL POINT PEN


State of Idaho
Department of Water Resources

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

RECEIVED

JUL 28 1976

1. WELL OWNER Name <u>JERRY SCHUTZ</u> Address <u>MOSCOW IDAHO</u> Owner's Permit No. _____		7. WATER LEVEL Static water level <u>30</u> feet below land surface Flowing? ☐ Yes ☒ No G.P.M. flow _____ Temperature <u>50</u> ° F. Quality <u>GOOD</u> Artesian closed-in pressure _____ p.s.i. Controlled by ☐ Valve ☐ Cap ☐ Plug	
2. NATURE OF WORK ☒ New well ☐ Deepened ☐ Replacement ☐ Abandoned (describe method of abandoning) _____		8. WELL TEST DATA <u>AIR TEST</u> <u>10-12 GPM</u> ☐ Pump ☐ Bailer ☒ Other Discharge G.P.M. _____ Draw Down _____ Hours Pumped _____	
3. PROPOSED USE ☒ Domestic ☐ Irrigation ☐ Test ☐ Other (specify type) _____ ☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection		9. LITHOLOGIC LOG Hole Diam. _____ Depth From _____ To _____ Material _____ Water Yes: No: _____ <u>10 0 16 CLAY</u> <u>10 16 131 DECOMPOSED GRANITE</u> <u>HARD & SOFT AREAS</u> <u>WATER BEARING</u> <u>90' TO 131'</u>	
4. METHOD DRILLED ☐ Cable ☒ Rotary ☐ Dug ☐ Other			
5. WELL CONSTRUCTION Diameter of hole <u>8</u> inches Total depth <u>131</u> feet Casing schedule: ☒ Steel ☐ Concrete ☒ PVC Thickness _____ Diameter _____ From _____ To _____ feet <u>250</u> inches <u>8</u> inches <u>2</u> feet <u>18</u> feet _____ inches <u>PVC</u> inches _____ feet _____ feet <u>250</u> inches <u>6</u> inches <u>0</u> feet <u>131</u> feet _____ inches _____ inches _____ feet _____ feet _____ inches _____ inches _____ feet _____ feet Was casing drive shoe used? ☐ Yes ☒ No Was a packer or seal used? ☐ Yes ☒ No Perforated? ☒ Yes ☐ No <u>SKIL SAW</u> How perforated? ☐ Factory ☐ Knife ☐ Torch Size of perforation <u>1/8</u> inches by <u>8</u> inches Number _____ From _____ To _____ <u>30</u> perforations <u>90</u> feet <u>131</u> feet _____ perforations _____ feet _____ feet _____ perforations _____ feet _____ feet Well screen installed? ☐ Yes ☒ No Manufacturer's name _____ Model No. _____ Type _____ Slot size _____ Set from _____ feet to _____ feet Diameter _____ Slot size _____ Set from _____ feet to _____ feet Gravel packed? ☐ Yes ☒ No Size of gravel _____ Placed from _____ feet to _____ feet Surface seal depth <u>18</u> Material used in seal ☐ Cement grout ☒ Pudding clay ☐ Well cuttings Sealing procedure used ☐ Slurry pit ☐ Temporary surface casing ☒ Overbore to seal depth			
6. LOCATION OF WELL Sketch map location must agree with written location. (87)  Subdivision Name _____ Lot No. _____ Block No. _____ County <u>LATAH</u> <u>NE 1/4 SW 1/4 Sec. 5 T.39 N. R. 5 E. W.</u>		10. WORK STARTED <u>MAY 21 76</u> finished <u>MAY 23 76</u> 11. DRILLERS CERTIFICATION Firm Name <u>BURNS & WITT</u> Address <u>2019 PLYMOUTH LEWISTON</u> Date <u>7/25/76</u> Signed by (Firm Official) <u>J. R. Burns</u> and <u>C. J. Witt</u> (Operator)	

USE ADDITIONAL SHEETS IF NECESSARY

FORWARD THE WHITE COPY TO THE DEPARTMENT

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19____.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. Other: _____

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

Received by _____ Date _____

Publication prepared by _____ Date _____

Published in _____

Publication dates _____

Publication approved _____ Date _____

Protests filed by: _____

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by _____

MICROFILM

Received by _____ Date _____
11:45 AM GPO FEE

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 87-07101

Priority: July 18, 1983

Maximum Diversion Rate:
Maximum Diversion Volume:

0.04 CFS
33.0 AF

This is to certify, that GERALD D SCHUTZ
1010 N POLK RD
MOSCOW ID 83843

has complied with the terms and conditions
of the permit, issued pursuant to Application for Permit dated June 27, 1983; and
has submitted Proof of Beneficial Use on August 22, 1988. An examination indicates
that the works have a diversion capacity of .090 cfs of water from a GROUNDWATER
source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.04 CFS	9.0 AF
DOMESTIC	01/01 to 12/31	0.04 CFS	24.0 AF
	Totals	0.04 CFS	33.0 AF

LOCATION OF POINT(S) OF DIVERSION:

NESW , Sec. 5, Township 39N, Range 05W
LATAH County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
39N	05W	5	NESW	3		3

Total number of acres irrigated: 3

PLACE OF USE: DOMESTIC, same as IRRIGATION use

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right limited to the amount that can actually be beneficially use used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. The issuance of this right in no way grants any right-of-way or easement across the land of another.

MICROFILMED

DEC 11 1992

State of Idaho
Department of Water Resources


WATER RIGHT LICENSE

WATER RIGHT NO. 87-07101

CONDITIONS/REMARKS:

6. This right when combined with all other rights shall provide no more than .03 cfs per acre nor more than 3.0 afa per acre for the lands above.
7. Domestic use is for 40 homes.
8. Two points of diversion are located within NESW, S05, T39N, R05W.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 30TH day of SEPTEMBER, 1992.

Acting for  R. Keith Higginson, Director

DEC 11 1992

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE STATE OF IDAHO

IN THE MATTER OF PERMIT NO. 87-7101 IN THE)
NAME OF GERALD D. SCHUTZ) ORDER OF REINSTATEMENT)
_____)

WHEREAS, the Department issued the above-captioned permit with the condition that proof of construction of works and application of water to beneficial use (proof of beneficial use) be submitted on or before August 1, 1988; and,

WHEREAS, the Department notified the permit holder by certified mail that proof was due and instructed the permit holder of the steps to be taken to submit the proof of beneficial use; and,

WHEREAS, the Department notified the permit holder that the permit lapsed for failure of the permit holder to submit the proof of beneficial use; and,

WHEREAS, Section 42-218a of the Idaho Code provides that a permit may be reinstated upon a showing of reasonable cause within sixty days of the date of the notice of lapsing; and,

WHEREAS, the permit holder has provided a reasonable showing why the permit should be reinstated by submitting proof of beneficial use on August 22, 1988;

IT IS, THEREFORE, HEREBY ORDERED that Permit No. 87-7101 be REINSTATED and the priority advanced to July 18, 1983.

Dated this 19th day of October, 1988.

MICROFILMED
DEC 22 1988


L. GLEN SAXTON
Chief, Operations Bureau

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant Gerald D. Schutz Phone 882-5275

Post office address 1010 NORTH POLK ROAD EXT MORROW ID

2. Source of water supply DRILLED WELL which is a tributary of _____

3. Location of point of diversion is NE ^{2 points} $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 5 Township 39 N

Range 5 W B.M. Lying East of Latah County Road County, additional points of diversion if any: _____

Excepting the South 21 feet of said Parcel of land,

→ 4. Water will be used for the following purposes:

Amount 0.25 for DOMESTIC purposes from 1-1 ^{PERMANENT} NOV 82 to 12-31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount 0.14 for IRRIGATION purposes from 3-15 to 11-15 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

→ 5. Total quantity to be appropriated:

a. .25 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Underground WATER System.

well, pump & pipeline

b. Height of storage dam NA feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

~~#1~~ c. Proposed well diameter is 6 inches; proposed depth of well is 198 feet.
4 " " " 6 " " " 100 "

~~#2~~ 7. Time required for the completion of the works and application of the water to the proposed beneficial use is .5 years (minimum 1 year - maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: NE $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 5 Township 39 N

Range 5 W B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered NA.

(4) Name of municipality to be served EMPIRE MOBILE HOME PARK or number of families to be supplied with domestic water 100.

(5) If water is to be used for other purposes describe: _____

MICROFILMED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

[illegible]

Total number of acres to be irrigated **7**

→ c. Describe any other water rights used for the same purposes as described above. To Supply
MOBILE HOME PARK FOR POTABLE WATER AND IRRIGATION
OF YARDS.

9. a. Who owns the property at the point of diversion Gerald D. Schutz

b. Who owns the land to be irrigated or place of use SAME

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing

10. Remarks WE HAVE ADEQUATE STORAGE FOR A 24 HOUR PERIOD

WELL #1 DRILLED IN 1968

WELL #2 DRILLED IN 1972

RECORDED

Copy 1 From County Recorder Office.

Contract

Tax #2513

All that part of the South Half of the NE $\frac{1}{4}$ SW $\frac{1}{4}$ of Sec 5, Twp 39 N,

RMS WBM, lying East of the County Road as the same is now used.

EXCEPTING the South 21 feet of said parcel of land.

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Garrett D. [Signature]
(Applicant)

Original Priority 6/27/1983

Received by PKM Date 11/16/82 Time 11:45 AM (NO FEE)

Preliminary check by JK Fee \$ 45.00

Received by JK Date (08319) 6/27/83

Publication prepared by JK Date 7/7/83

Published in Outlook

Publication dates 7/14-21/83

Publication approved JK Date 8/1/83

Protests filed by: MSX

Copies of protests forwarded by _____

Hearing held by _____

Date _____

Recommended for approval denial by JK

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 87-7101 and said application is hereby APPROVED

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before August 1, 1988.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. Other:

Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.
The issuance of this permit in no way grants any right-of-way or easement across the land of another.

Witness my hand this 25th day of August, 1983.

D. Allen Saylor
Chief, Operations Bureau

Affidavit of Publication

STATE OF IDAHO
County of Latah

ss.

Ray Rosch

being first duly sworn, on oath,
deposes and says:

That he is the printer of The DAILY IDAHONIAN, a newspaper of general circulation, printed and published daily except Sunday at Moscow, Latah County, Idaho, in compliance with Sections 60-106, 60-107, and 60-108 of the Idaho Code and the amendments thereto; that the notice of which the annexed is a full, true and correct printed copy was published in the regular and entire issues of said newspaper and not in a supplement thereto, upon the following

dates: _____

July 14, 21, 1983

the same being the dates designated for the publication of said legal notice.

Subscribed and sworn to before

me this 20th day of July

19 83

Carol Fleener

Notary Public,

residing at Moscow, Idaho

RECEIVED

JUL 28 1983

Department of Water Resources
Northern District Office

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

86-7189: KLUSS, HAROLD, RT. 2 BOX 142, GENESEE, ID 83832; Source: GROUNDWATER; Date Filed: 06/27/1983; Diversion Pt: SWNW SENW Sec 34 T 38N R 05W; Use: IRRIGATION (0.20 CFS); STOCKWATER (0.02 CFS), DOMESTIC (0.04 CFS); In: SWNW SENW NESW NWSW Sec 34 T 38N R 05W SENW SWNW Sec 34 T 38N R 05W FOR 20 ACRES.

86-7190: JENKINS, KENNETH L., RT. 1 BOX 75, GENESEE, ID 83832; Source: GROUNDWATER; Date Filed: 06/27/1983; Diversion Pt: NENE Sec 01 T 37N R 05W; Use: IRRIGATION (0.06 CFS), DOMESTIC (0.04 CFS); In: NENE Sec 01 T 37N R 05W FOR 4 ACRES.

86-7192: WILSON, J.D., RT. 2 BOX 26-A, KENDRICK, ID 83537; Source: GROUNDWATER; Date Filed: 06/27/1983; Diversion Pt: NESW Sec 10 T 38N R 05W; Use: IRRIGATION (0.06 CFS), DOMESTIC (0.04 CFS); In: NWSW NWSE Sec 10 T 38N R 05W FOR 4 ACRES.

87-7090: ANDREWS, ERNEST &/or HENA, RT. 1 BOX 194, KENDRICK, ID 83537; Source: GROUNDWATER; Date Filed: 06/23/1983; Diversion Pt: SWNW Sec 15 T 39N R 05W; Use: IRRIGATION (0.03 CFS), STOCKWATER (0.02 CFS), DOMESTIC (0.04 CFS); In: SWNW Sec 15 T 39N R 05W FOR 1 ACRES.

87-7100: SHARP, LEE A. &/or ROSE MARIE, 2200 WALLEN RD., MOSCOW, ID 83843; Source: GROUNDWATER; Date Filed: 06/21/1983; Diversion Pt: SENW Sec 12 T 39N R 05W; Use: IRRIGATION (0.02 CFS), STOCKWATER (0.0006 CFS), DOMESTIC (0.04 CFS); In: SENW Sec 12 T 39N R 05W FOR 2 ACRES.

87-7101: SCHUTZ, GERALD D., 1010 N. FOLK RD. EXT., MOSCOW, ID 83843; Source: GROUNDWATER; Date Filed: 06/20/1983; Diversion Pt: NESW Sec 06 T 39N R 05W; Use: IRRIGATION (0.14 CFS), DOMESTIC (0.06 CFS); In: NESW Sec 06 T 39N R 05W FOR 7 ACRES.

87-7102: LYON, ALAN L., 1228 HANSON, MOSCOW, ID 83843; Source: GROUNDWATER; Date Filed: 06/24/1983; Diversion Pt: SWNW Sec 22 T 39N R 05W; Use: DOMESTIC (0.04 CFS); In: SWNW Sec 22 T 39N R 05W.

87-7104: OHLSON, CARL D., RT. 1 BOX M, POTLATCH, ID 83826; Source: GROUNDWATER; Date Filed: 06/25/1983; Diversion Pt: SWNE Sec 18 T 42N R 04W; Use: IRRIGATION (0.08 CFS), STOCKWATER (0.01 CFS), DOMESTIC (0.01 CFS), RECREATION (0.14 CFS); In: SWNE Sec 18 T 42N R 04W FOR 4 ACRES.

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, 4055 Gov't Way, Coeur d'Alene, Id., 83814 on or before AUGUST 1, 1983.

KEN DUNN, Dir.
July 14 & 21, 1983.

MICROFILMED

October 2, 1992

GERALD D SCHUTZ
1010 N POLK RD
MOSCOW ID 83843

RE: WATER RIGHT NO. 87-07101

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

RECEIVED
DEC 11 1992



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

August 17, 1992

GERALD D SCHUTZ
1010 N POLK RD
MOSCOW ID 83843

RE: Permit No. 87-07101

Dear Permit Holder(s):

We are in the process of licensing the above referenced water right. Because of an insufficient examination fee, the Department has no alternative but to issue the license for less than the amount actually diverted unless an additional fee is received. The amount of water to be licensed will be limited to 0.04 cfs rather than 0.09 cfs.

You can submit the additional exam fee along with a late payment penalty. The priority of the right will be advanced according to the number of days from the date of this letter to the date we receive the extra fee.

The exam fee required to cover the 0.09 cfs is \$50.00 and the late payment penalty is \$25.00, for a total of \$75.00.

The Department will hold action on licensing this right for 30 days to allow you to submit the above fee. If we do not receive the additional fee, we will proceed with licensing the water right for the limited amount of water.

Sincerely,

PAMELA SKAGGS
Water Resource Agent

PS:cz

RECEIVED

DEC 11 1992

August 17, 1992

GERALD D SCHUTZ
1010 N POLK RD
MOSCOW ID 83843

RE: Permit No. 87-07101

Dear Permit Holder(s):

We are in the process of licensing the above referenced water right. Because of an insufficient examination fee, the Department has no alternative but to issue the license for less than the amount actually diverted unless an additional fee is received. The amount of water to be licensed will be limited to 0.04 cfs rather than 0.09 cfs.

You can submit the additional exam fee along with a late payment penalty. The priority of the right will be advanced according to the number of days from the date of this letter to the date we receive the extra fee.

The exam fee required to cover the 0.09 cfs is \$50.00 and the late payment penalty is \$25.00, for a total of \$75.00.

The Department will hold action on licensing this right for 30 days to allow you to submit the above fee. If we do not receive the additional fee, we will proceed with licensing the water right for the limited amount of water.

Sincerely,

PAMELA SKAGGS
Water Resource Agent

PS:cz

RECEIVED
AUG 21 1992

.04

1080 gph

4.6 hrs to fill 5000

$24 \text{ hrs} \div 4.6 = 5.2 \text{ fills per day}$

$5 \times 5000 = 25,000 \text{ gpd}$

$25,000 \div 31 = 806 \text{ gpd/per home}$
 $40 = 625 \text{ " " "}$

.09

2424 gph

2 hrs to fill 5000

$24 \div 2 = 12 \text{ fills per day}$

$12 \times 5000 = 60,000$

$60,000 \div 31 = 1935 \text{ gpd/per home}$

MISSOURI = 1500 " " "

DEC 11 1992

LICENSE REVIEW CHECKLIST

Permit # 87-7101

Date 08-06-92
CS

	Yes	No	
NAME	☐	☒	Address Change?
PRIORITY DATE	☐	☒	Advance?
	☐	☒	Memo to Advance
	☐	☒	Order to Reinstate Needed? <u>DONE</u>
TOTAL CFS	☐	☒	Incorrect Fee for rate recommended?
	☒	☒	Disagree with Actual Measurement?
			<u>3 x .03 = .09 / .04 cfs (IRR + DOM)</u>
	☒	☐	Disagree with Theoretical? <u>3 x 8.8 x .7 = .037</u>
	☐	☒	Limited by Capacity? <u>.09 cfs 120' + (2.31 x 40)</u>
TOTAL VOLUME			Rate/ac <u>3.0</u> AFA Irr. Season <u>D</u>
			<u>3-15 to 11-15</u> Standard Irr. Season
			<u>Same Per Permit</u> Season Recommended
	☐	☒	Disagree with Examiner's Calculations?
			<u>3 x 3 = 9.0 afa (IRR) 40 x .6 = 24 afa (DOM)</u>
			Limited by Flow? <u>.04 x 245 x 1.9835 = 19.4 > 9.0</u>
			<u>.04 x 365 x 1.9835 = 29 > 24</u>
SOURCE	☐	☒	Changes? Clarification of <u>Originally</u>
	☐	☒	<u>Intended</u> source
	☐	☒	Notice of Intent to Void.
P/D			Verify with Map
	☐	☒	Amendment Needed?
	☐	☒	Is Overlap Analysis a Consideration?
P/U			Verify with Map
	☐	☒	Amendment Needed?
	☐	☒	Is Overlap Analysis a Consideration?
USES	☐	☒	Change(s) in Nature of Use?
	☐	☒	Amendment Needed?
REMARKS	☒	☐	Multiple P/Ds in 1/4 1/4? <u>2/NESW</u>
	☒	☐	Non-Irr. Uses <u>DOM/40 Homes</u>
	☐	☒	Special Overlap Condition
	☐	☒	Other
CONDITIONS	☐	☒	Measuring Device
	☐	☒	W/Master Control
	<u>R49</u>	☐	Overlap
	☐	☒	Water Quality
		☒	DATES/MISC
		☒	Water Dist.
		☒	App Rec'd
		☒	Exam Made

COMMENTS/MEMOS NEEDED: Reduced Acres, rate
102' static level/Used 120' minimum dynamic level

License 10-Day ☒ 15-Day ☐ Special Correspondence ☒
 Send Letter requesting fee for additional cfs that could be licensed.

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
JUN 27 1990

Department of Water Resources

A. GENERAL INFORMATION


Permit No. 87-07101
Phone No. 882-5275
1. Owner: Gerald P Schutz
Current Address: 1010 North Polk Road Moscow Id.
2. Accompanied by: Gerald Schutz EXAM. DATE: ~~7/5/87~~ 7/5/87
Address: Same Phone No. _____
Relationship to Permit Holder: Same
3. Source: ground water tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: None ☐ Copies Attached
2. Other water rights with same point of diversion: None ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = NTS

2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required). ☐ Aerial Photo Attached (required for irrigation of 10 acres or more).
☐ Photo of Diversion and System Attached PHOTO DID NOT DEVELOPE (required for all but single household domestic groundwater, and stockwater).

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

300' well that supplies a $1\frac{1}{2}$ " buried system and a 5000 gal storage tank. There are 40 similar lots on the system.

The system.

☐ See Remarks on page 4 for continuation

Well or Diversion Identification No.*	# 1	2 submersible	1 1/2 hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

[illegible]

Indicate Method of Determination.

6. Place(s) of Use:

[illegible]

Do not use this space

D. FLOW MEASUREMENTS

NGNF

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

From aerial photo 5 acres in lot

System potential from ~~well~~ #1

$$Q = \frac{8.8(1.7)(3)hp}{2.3(40) + 800} = .1 cfs \text{ limited to .04 by } \text{see sheet.}$$

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. ~~Measured Method:~~

calculating irrigated acreage

$$5 \text{ acres } \left(\frac{43560 \text{ ft}^2}{\text{acre}} \right) = 217,800 \text{ ft}^2 - \text{trailer area} - \text{road area}$$

2. ~~Alternate Method for Checking Purposes:~~

$$\text{Trailer area} = (4 \text{ ft} \times 120 \text{ ft}) = 48,200 \text{ ft}^2$$

$$\text{road area} = (30 \text{ ft} \times 1 \frac{1}{4} \text{ mile}) + (30 \text{ ft} \times \frac{1}{4} \text{ mile}) = 17,600 \text{ ft}^2 + 8,800 \text{ ft}^2$$

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3)

$$217,800 - 17,600 - 8,800 - 48,200 = 143,200 \text{ ft}^2 = 3 \text{ acres}$$

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 9$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 19.4$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 9 \text{ afa}$$

2. Volume Calculations for Other Uses:

$$\text{Domestic } (0.6)(40) = 24 \text{ afa}$$

Total use limited to 28.9 afa by flow rate.

$$.04(365)1.9835 = 28.95 - JK$$

DEC 11 1992

H. REMARKS AND OVERLAP REVIEW ANALYSIS

Well #2 is for backup purposes only.

film did not develop

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	From	To	Period of Use	Rate of Diversion Q (cfs)	Annual Volume V (afa)
Irrigation	3-15	11-15		0.09 cfs	9 afa
Domestic	1/1	12/31		0.09 cfs	29 afa
			Totals:	0.09 cfs	28.9 afa

2. Recommended Amendments

- ☐ Change P.D. as reflected above
- ☐ Change P.U. as reflected above

- ☐ Add P.D. as reflected above
- ☐ Add P.U. as reflected above

- ☒ None
- ☐ Other

J. AUTHENTICATION

Field Examiner's Name

Louis Sukoraty

Signature

[Signature]


Certification Date


2/5/87

Field Report Preparation Date

K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.


DEC 1 1 1992





NAME: GERALD SCHULTZ
 PD: T39N, R5W, SEC.5, NESW
 PU:
 SOURCE: GROUNDWATER

PERMIT NUMBER: 87-07101
 GL MAP: # 12
 AC/IRR: 7 QUAD: J-53
 : K-3




MICROFILMED

DEC 11 1992

FOR SALE B' A

K-3



RECEIVED
DEC 11 1992

T39N
R5W
E

4	3	2	1	4	3	2	1	4	3	2	1
5	6			5				4			
6											
7											
1											
2	7			8				9			
3											
4											

RAILROAD MED
DEC 11 1992

B-15

T920

F-91

Lloyd Randall

Highway 95

Kyle Howle

3467 - F8

Arnold Bu
14.4

Arnold Paul
A
11.6

Reding

T718
344 T92

Robert C.
Peterson

96.1

Slide
38-8
1987

16.9 26.3 9.4
2

Claude
Wright

Donald
Slip

42.9
10

F94
359F

Slide
38-8
1987

DEC 11 1992

State of Idaho
Department of Water Resources
WELL INSPECTION FORM

This form should be completed by the examiner when conducting a field examination to determine the extent of beneficial use of water from a well or whenever a well is inspected for other reasons. The form should be forwarded to Groundwater Protection Section in the State Office upon completion.

1. Legal Description of well location. Twp. 37N, Rge. 5W,
Sec. 5, Qtr./Qtr. NESW or Lot _____
2. Owner Gerald Schutz
Address 1010 North Polk Rd., City Moscow, State Id
3. Approx. date of well construction 9/88
Well Driller Earl Witt well Drilling
4. Casing: Diameter 8" Condition good
5. Casing length above land surface 1'
6. Well depth (ft) 304' Flowing — Temp. —
Access port —
7. Condition of piping and valving good
8. Evidence of well seal on order non at time of exam
9. Shut in pressure or static water level 102
10. Evidence of leakage around the casing no
11. Does well need repair no
12. Comments NONE

(OVER)



MICROFILMED

DEC 11 1992

Provide a schematic diagram showing the location of the well in the quarter-quarter with respect to houses, roads, other wells or readily identifiable features.

SCHEMATIC

GEOLOGICAL SURVEY



DEC 1 1 1992

INSPECTED

Inspected by Bob Z. Smith Date 2/5/89

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

1. WELL OWNER

Name Jerry Schultz
Address 21100
Owner's Permit No. 87-88-N-20

2. NATURE OF WORK

☐ New well ☐ Deepened ☒ Replacement
☐ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)

3. PROPOSED USE

☒ Domestic ☐ Irrigation ☐ Test ☐ Municipal
☐ Industrial ☐ Stock ☐ Waste Disposal or Injection
☐ Other _____ (specify type)

4. METHOD DRILLED

☒ Rotary ☒ Air ☐ Hydraulic ☐ Reverse rotary
☐ Cable ☐ Dug ☐ Other _____

5. WELL CONSTRUCTION

Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____


Thickness	Diameter	From	To
<u>1/2</u> inches	<u>8</u> inches	<u>1</u> feet	<u>99</u> feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet

Was casing drive shoe used? ☒ Yes ☐ No
Was a packer or seal used? ☐ Yes ☒ No
Perforated? ☐ Yes ☒ No
How perforated? ☐ Factory ☐ Knife ☐ Torch
Size of perforation _____ inches by _____ inches

Number	From	To
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet

Well screen installed? ☐ Yes ☒ No
Manufacturer's name _____
Type _____ Model No. _____
Diameter _____ Slot size _____ Set from _____ feet to _____ feet
Diameter _____ Slot size _____ Set from _____ feet to _____ feet
Gravel packed? ☐ Yes ☒ No Size of gravel _____
Placed from _____ feet to _____ feet
Surface seal depth 99 Material used in seal: ☐ Cement grout
☐ Bentonite ☐ Puddling clay ☐ _____
Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing
☒ Overbore to seal depth
Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent Weld
☐ Cemented between strata
Describe access port _____

6. LOCATION OF WELL

Sketch map location must agree with written location.

Subdivision Name _____
DEC 11 1992
Lot No. _____ Block No. _____
County Saline
N.E. 1/4 NE 1/4 Sec. 5, T. 39 N, R. 5 E.W.

7. WATER LEVEL

Static water level 132 feet below land surface.
Flowing? ☐ Yes ☐ No G.P.M. flow _____
Artesian closed-in pressure _____ p.s.i.
Controlled by: ☐ Valve ☐ Cap ☐ Plug
Temperature _____ °F. Quality _____
Describe artesian or temperature zones below.

8. WELL TEST DATA

☐ Pump ☐ Baller ☒ Air ☐ Other _____

Discharge G.P.M.	Pumping Level	Hours Pumped
<u>approx. 100+</u>		

9. LITHOLOGIC LOG

Bore Diam.	Depth		Material	Water	
	From	To		Yes	No
<u>12</u>	<u>0</u>	<u>98</u>	<u>orange-brown clay</u>		
<u>8</u>	<u>98</u>	<u>151</u>	<u>gray silty sand</u>		
<u>8</u>	<u>151</u>	<u>152</u>	<u>light gray sand</u>		
<u>8</u>	<u>152</u>	<u>323</u>	<u>gray silty clay</u>		
<u>8</u>	<u>323</u>	<u>324</u>	<u>silty sand</u>		

RECEIVED

SEP 22 1988

Department of Water Resources
Northern District Office

10.

Work started 8/30/88 finished 9/15/88

11. DRILLERS CERTIFICATION

I/We certify that all minimum well construction standards were complied with at the time the rig was removed.
Firm Name Earl L. Witt Firm No. _____
Address 319 Powers Dr. Date 9/17/88
Signed by (Firm Official) Earl L. Witt
and Raymond
(Geologist)

USE ADDITIONAL SHEETS IF



State of Idaho

DEPARTMENT OF WATER RESOURCES

NORTHERN REGION, Suite No. 9 • 4055 Government Way • Coeur d'Alene, Idaho 83814 • (208) 765-4639

CECIL D. ANDRUS
Governor

R. KEITH HIGGINSON
Director

November 4, 1988

Mr. Gerald Schutz
1010 N. Polk Rd.
Moscow, Id. 83843

Re: 87-7101

Dear Permitholder:

We acknowledge receipt of your statement of completion of water development use for the above-referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We do not know at this time when he will be able to conduct the examination; however, the examiner will try to contact you at the time he makes the examination so that you may show him the system. If you will not be available to show the system, please provide this office with the name and address of someone who will be able to do so. Your permit will remain valid until the examination is made.

If you have any questions concerning the field examination, please contact this office. Please be sure to use the above-referenced permit number in all future correspondence concerning this examination.

Sincerely,

/s/
TOM D. KING
Senior Water Resource Agent

TDK/pms

Tom King

MICROFILMED

DEC 22 1988

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 87-7101Date: 10/17/88General Considerations:

☒ Name same as permit
☒ Signature the same as permit holder
☒ Address change _____ If yes, prepare a data entry
☒ Proof received timely
☒ Reinstated

Source of Water:

☒ Surface water
☒ Groundwater
 ☒ 1. well log in file
 ☒ 2. drilling permit
 A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

☒ Rate of diversion appropriate for uses
☒ Is rate or volume and fee appropriate?
☒ Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

☒ Is a measuring device or access port required?
☒ Has one been installed?
☒ Waiver or modification of measuring device requested

Remarks:

Proof acceptable
 Reinstated

☒	<u>Priority Calculation:</u>		
	Date proof received	<u>Aug. 22, '88</u>	<u>234</u>
	Date proof due	<u>Aug. 1, '88</u>	<u>-213</u>
	No. of days late		<u>= 21</u>
	Priority date	<u>June 27, '83</u>	<u>+178</u>
	NEW PRIORITY DATE	<u>July 18, '83</u>	<u>=199</u>

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

03/86

RECEIVED

SEP 06 1988

RECEIVED

AUG 22 1988

STATE OF IDAHO Department of Water Resources

DEPARTMENT OF WATER RESOURCES

For Office Use Only

Fee Received _____

Date _____

Receipt # _____

Receipt by _____

Reviewed by JSSent to region 2

PROOF OF BENEFICIAL USE

Department of Water Resources

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 87-07101Name(s) of Permit Holder: Gerald D. SchutzPost Office Address: 1010 N. Polk Rd.MOSCOW IDTelephone No. 882-5275Source of Water: Wells - 2

Extent of Use:

Domestic 31 (number of households)

Stockwater _____ (number and type of stock)

Irrigation _____ (acres)

Other/Remark _____

Total rate and/or volume for which proof is submitted 04 cfs N/A acre-feetShow the date water was first diverted and beneficially used under this permit: Dec 1967Measuring Device: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☒ NoFee enclosed \$ 15.00
(See License Examination Fee Schedule)Flow Measurement Port: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☒ No

Person to contact to accompany the Department representative during the field examination:

Gerald Schutz
(Name)882-5275
(Telephone Number)1010 N. Polk RdMOSCOW ID
(Address)

The above information is my true statement of the extent to which the above permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

MICROFILMED

DEC 22 1988

Date

Signature of Permit Holder (and title, if appropriate)

To: File 87-7101

From: Groundwater Protection

Date: 10/17/88

Drilling Permit: ☒ Not Applicable
☐ Found and in file
☐ Not Found

Well Drillers Report:

☐ Not found, due to reported age of well
probably not available
☒ Found and is in file
☐ Not found

Follow-up

☐ Request from permit holder the well
drillers report and/or the name of the
well driller.
☐ Ask permit holder when well was drilled
and notify holder of drilling permit
requirement if after July 01, 1987.

OK

MICROFILMED

DEC 22 1988

USE TYPEWRITER OR
BALL POINT PEN

State of Idaho
Department of Water Resources

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

RECEIVED

1. WELL OWNER Name <u>JERRY SCHUTZ</u> Address <u>MOSCOW IDAHO</u> Owner's permit No. _____		7. WATER LEVEL Department of Water Resources Southern District Office Static water level <u>30</u> feet below land surface Flowing? ☐ Yes ☒ No G.P.M. flow _____ Temperature <u>50</u> ° F. Quality <u>GOOD</u> Artesian closed-in pressure _____ P.S.I. Controlled by ☐ Valve ☐ Cap ☐ Plug	
2. NATURE OF WORK ☒ New well ☐ Deepened ☐ Replacement ☐ Abandoned (describe method of abandoning) _____		8. WELL TEST DATA <u>AIR TEST</u> <u>10-12 GPM</u> ☐ Pump ☐ Bailer ☒ Other Discharge G.P.M. _____ G.P.M. _____ G.P.M. _____	
3. PROPOSED USE ☒ Domestic ☐ Irrigation ☐ Test ☐ Other (specify type) _____ ☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection		9. LITHOLOGIC LOG Hole Blom. Depth From To Material Depth 10 0 16 CLAY 16 16 16 131 DECOMPOSED GRANITE 131 131 131 131 HARD SOFT SAND 131 131 131 131 WATER BEARING 131 131 131 131 90' TO 131'	
4. METHOD DRILLED ☐ Cable ☒ Rotary ☐ Dug ☐ Other _____			
5. WELL CONSTRUCTION Diameter of hole <u>8</u> inches Total depth <u>131</u> feet Casing schedule: ☒ Steel ☐ Concrete ☒ PVC Thickness Diameter From To <u>250</u> inches <u>8</u> inches <u>2</u> feet <u>18</u> feet <u>250</u> inches <u>8</u> inches _____ feet _____ feet _____ inches _____ inches _____ feet _____ feet _____ inches _____ inches _____ feet _____ feet Was casing drive shoe used? ☐ Yes ☒ No Was a packer or seal used? ☐ Yes ☒ No Perforated? ☒ Yes ☐ No SKIN 5/8" How perforated? ☐ Factory ☐ Knife ☐ Torch Size of perforation <u>1/8</u> inches by <u>8</u> inches Number <u>30</u> From <u>90</u> feet To <u>131</u> feet _____ perforations _____ feet _____ feet _____ perforations _____ feet _____ feet Well screen installed? ☐ Yes ☒ No Manufacturer's name _____ Type _____ Model No. _____ Diameter _____ Slot size _____ Set from _____ feet to _____ feet Diameter _____ Slot size _____ Set from _____ feet to _____ feet Gravel packed? ☐ Yes ☒ No Size of gravel _____ Packed from _____ feet to _____ feet Surface seal depth <u>18</u> inches Seal in test ☐ Gravel seal ☒ Packing clay ☐ Wet setting Casing negative test ☐ String of ☐ Through surface casing ☒ Surface to test seal			

FROM *Pete Fleck*DATE *9-2-88*TO *File 87-7101*SUBJECT *Returned Proof*

Mr. Schutz called regarding returned proof. His system is presently set up with 2 wells. He is presently drilling a replacement well for one that has gone dry. (He has a drilling permit).

FILMED
DEC 22 1988

Mr. Schutz stated that his wells would only produce 0.04 CFS. No fee is needed. When proof is received, reinstate with a calculation of days late using Aug. 22 as proof received date.

SIGNATURE

August 24, 1988

Gerald D. Schutz
1010 N. Polk Ext.
Moscow, ID 83843

Dear Mr. Schutz:

Re: Permit No. 87-7101

Returned is your check No. 9005 (921-310/1231) in the amount of \$15 along with the proof of beneficial use form submitted to this office on August 22, 1988. For the amount you indicate on the proof form, there is not a \$15 filing fee.

I have a question concerning the amount of water you indicate on the proof form. You indicate the diversion of water for 31 households from two wells is about 18 gallons per minute (0.04 cfs). Is that correct?

If not, please determine what the diversion rate is, correct the proof form and return the proof and a fee, if appropriate. (Note the fee schedule on the back of the instruction sheet, enclosed). If the diversion rate is 18 gpm, then return the proof form as is soon to have the permit reinstated.

If you have any questions concerning this matter, please feel free to contact this office.

Sincerely,

RITA I. FLECK
Secretary/Records Manager

Enclosures

c: Acct. Sec.

MICROFILMED

DEC 22 1988



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 - (208) 334-7900

CECIL D. ANDRUS
GOVERNOR
R. KEITH HIGGINSON
DIRECTOR

August 13, 1988

GERALD D. SCHUTZ
1010 N. POLK RD. EXT.
MOSCOW, ID 83843

LAPSE NOTICE

RE: PERMIT NO. 87-07101

Dear Permit Holder:

You are hereby notified that under the provisions of Section 42-218A, Idaho Code, the above referenced water permit has lapsed. This office did not receive either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time. You were provided the proper form in our proof due notice to you dated July 31, 1988.

Your permit cannot be reinstated unless you submit proof of beneficial use or submit an extension of time request showing reasonable cause for delay. Either the completed proof of beneficial use submittal (including the examination fee or a completed field examination report) or the extension request form together with the \$15 fee must be received by this lapse notice or the permit will no longer be of any force of effect.

A proof of beneficial use form and a request for extension of time form are again enclosed for your use. Please note that only one extension of time can be granted unless the project has not been completed because of lack of a necessary approval by a governmental agency or by litigation which might bring title to the water in question.

L. Glen Saxton
L. Glen Saxton

Chief, Operations Bureau

Enclosures

LGS:RF

MICROFILMED

DEC 22 1988

*I DID NOT receive this
NOTICE. ~~the~~ ~~only~~ the only thing
I remember getting was the head
in Tap water notice.*

WARNING

CANCELLED OR LAPSED

This permit has been officially CANCELLED or LAPSED.

Ninety days following the date of official action this file will be DESTROYED.

August 13, 1988

GERALD D. SCHUTZ
1010 N. POLK RD. EXT.
MOSCOW, ID 83843

LAPSE NOTICE

RE: PERMIT NO. 87-07101

Dear Permit Holder:

You are hereby notified that under the provisions of Section 42-218A, Idaho Code, the above referenced water permit has lapsed. This office did not receive either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time. You were provided the proper form in our proof due notice to you dated July 31, 1988.

Your permit cannot be reinstated unless you submit proof of beneficial use or submit an extension of time request showing reasonable cause for delay. Either the completed proof of beneficial use submittal (including the examination fee or a completed field examination report) or the extension request form together with the \$15 fee must be received by this lapse notice or the permit will no longer be of any force of effect.

A proof of beneficial use form and a request for extension of time form are again enclosed for your use. Please note that only one extension of time can be granted unless the project has not been completed because of lack of a necessary approval by a governmental agency or by litigation which might bring title to the water in question.

L. Glen Saxton
Chief, Operations Bureau

Enclosures

LGS:RF

RECEIVED
DEC 22 1988

CERTIFICATION OF MAILING

I hereby certify that on 8/15/88
a ~~copy~~ original of this document was
deposited in the United States mail,
postage prepaid addressed to the
individual(s) named above.

Glenn Miller

138828

CERTIFIED MAIL
May 31, 1988

SCHUTZ, GERALD D.
1010 N. POLK RD. EXT.
MOSCOW, ID 83843

PROOF DUE NOTICE

RE: Permit No. 87-7101

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before August 1, 1988. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a completed field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this Department on or before the above described proof due date, or the permit will no longer be of any force nor effect.

Sincerely,

RITA FLECK
Secretary/Records Manager

Enclosures

MICROFILMED

DEC 22 1988

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

SCHUTZ, GERALD D.
1010 N. POLK RD. EXT.
MOSCOW, ID 83843

SEPTEMBER 14, 1983

RE: PERMIT NO. 87-7101

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

THE 1982 IDAHO LEGISLATURE ADDED A REQUIREMENT THAT AS A PERMIT HOLDER YOU MUST COMMENCE THE EXCAVATION OR CONSTRUCTION OF DIVERTING WORKS WITHIN ONE YEAR OF THE DATE THE PERMIT WAS ISSUED, AND YOU MUST PROCEED DILIGENTLY UNTIL THE PROJECT IS COMPLETED. THE ENCLOSED BLUE CARD MUST BE COMPLETED AND RETURNED TO THIS OFFICE AS SOON AS YOU COMMENCE CONSTRUCTION, NO LATER THAN ONE YEAR FROM THE DATE THE PERMIT WAS APPROVED.

WE HAVE ENCLOSED INSTRUCTIONS ENTITLED "MAKING PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT INTO A LICENSE.

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE

MICROFILMED

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: JK

APPLICATION NUMBER: 87-7101

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No* In form to receipt.

Field check by: _____

Date: _____

Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☒ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: JK

Date: 7/21/83

PROCESSING:

- ☐ Yes ☐ No Platted by: _____ Map No. _____
☐ Yes ☐ No Other rights on same place of use. _____
☒ Yes ☐ No* In form for advertising.
☐ Yes ☒ No Final date for protests: 8/1/83
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 7/28/83
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☐ Yes ☒ No Access port required.
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? _____
☒ 6/27/83 Date of priority recommended.
Special conditions of approval or cover letter. _____

By: JK

Date: 8/3/83

STATE OFFICE REVIEW:

SLW/LIT

26 04

- ☐ See attached sheet for more information.

By: JK

Date: 8/24/83

RECEIVED
AUG 23 1983

Department of Water Resources

MICROFILMED

POINT OF DIVERSION AND STREAM INDEX INFORMATION

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH

IDAHO STREAM CODE INDEX

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH

IDAHO STREAM CODE INDEX

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH

IDAHO STREAM CODE INDEX

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH

IDAHO STREAM CODE INDEX

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH

IDAHO STREAM CODE INDEX

8Z-Z101-

SCHUTZ, GERALD D.

1010 N. POLK RD. EXT., MOSCOW, ID 83843

Source: GROUNDWATER

Date Filed: 06/27/1983

Diversion Pt: NESW Sec 05 T 39N R 05W

Use: IRRIGATION	(0.14 CFS)
DOMESTIC	(0.25 CFS)

In: NESW Sec 05 T 39N R 05W FOR 7 ACRES

RECORDED
INDEXED



STATE OF IDAHO DEPARTMENT OF WATER RESOURCES

NORTHERN REGION

A. Kenneth Dunn
Director

Suite No. 9
4055 Government Way
Coeur d'Alene, Idaho 83814
(208) 667-6484

7/2/83

Divin. of Enviroment
1118 F. Street
Lewiston, Id. 83501

Re:

Gentlemen:

Enclosed is a recent filing with this Department that may be of
interest to you.

Sincerely,

Robert G. Haynes, P.E.
Regional Supervisor

RGH/paa

Enc. - Appln.

MICROFILMED



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
NORTHERN REGION

John V. Evans
Governor

A. C. Kenneth Dunn
~~Stephen Allen~~
Director

Suite No. 1
4055 Government Way
Coeur d'Alene, Idaho 83814
(208) 667-6484

November 19, 1982

Mr. Gerald D. Schutz
1010 N. Polk Rd. Ext.
Moscow, Id. 83843

Dear Mr. Schutz:

I regret to inform you that the Department cannot accept an Application for Permit without the appropriate filing fee. The fee for 15 cfs is \$325.00. I doubt, however, that you plan to construct a system that large, since 15 cfs is 6,732 g.p.m.

According to the U. S. Dept. of Health & Welfare, 100 homes would require approx. 24,000 gallons per day. Since most systems are designed to deliver the daily requirement within two hours, the system should deliver 200 g.p.m. or 0.45 cfs. The fee for this rate of diversion is \$45.00.

I am returning your Application for Permit to allow you to change the amount, if you wish to do so. I am also enclosing a set of instructions to allow you to complete Item Nos. 6c, 7, 8c and the map.

If you have any questions, please contact me at this office.

Sincerely,

TOM D. KING
Senior Water Resource Agent

TDK/pms

Enc. - Application
Instructions

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant Gerald D Schutz Phone 882-5275

Post office address 1010 NORTH POLK ROAD EAST MORROW ID.

2. Source of water supply DRILLED WELL which is a tributary of _____

3. Location of point of diversion is NE $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 5 Township 39 N

Range 5 W B.M. Lying East of County Road LATAH County, additional points of diversion if any: _____

Excepting the South 21 feet of said parcel of land.

→ 4. Water will be used for the following purposes:

Amount 15 for DOMESTIC purposes from Nov 82 to Dec 31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

→ 5. Total quantity to be appropriated:

a. 15 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Underground water system.

b. Height of storage dam NA feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

→ c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

→ 7. Time required for the completion of the works and application of the water to the proposed beneficial use is _____ years (minimum 1 year - maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: NE $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 5 Township 39 N

Range 5 W B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered NA

(4) Name of municipality to be served EMPIRE MOBILE HOME PARK or number of families to be supplied with domestic water 100

(5) If water is to be used for other purposes describe: _____

MICROFILMED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

[illegible]

Total number of acres to be irrigated _____

➔ c. Describe any other water rights used for the same purposes as described above. _____

9. a. Who owns the property at the point of diversion Gerald D. Schutz

b. Who owns the land to be irrigated or place of use SAN Jo

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing

10. Remarks _____



11

This image shows a full page of blank graph paper. The grid consists of 20 columns and 20 rows of squares, formed by thin black lines. There are no markings, text, or drawings on the paper.

1998

Small B. [Signature]

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State

of Idaho No. _____, and said application is hereby _____

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or be-

fore _____, 19____.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. Other: