

# Affidavit of Publication

STATE OF IDAHO  
County of Latah

} ss.

Ray Rosch

being first duly sworn, on oath,  
deposes and says:

That he is the printer of The DAILY IDAHONIAN, a newspaper of general circulation, printed and published daily except Sunday at Moscow, Latah County, Idaho, in compliance with Sections 60-106, 60-107, and 60-108 of the Idaho Code and the amendments thereto; that the notice of which the annexed is a full, true and correct printed copy was published in the regular and entire issues of said newspaper and not in a supplement thereto, upon the following

dates: April 8, 15,  
1982

the same being the dates designated for the publication of said legal notice.

Ray Rosch

Subscribed and sworn to before  
me this 20th day of April

1982

Carol Fleener

Notary Public,  
residing at Moscow, Idaho

## NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

87-7080

CLYDE, ROBERT &/or PATRICIA  
RT. 1 BOX 120, MOSCOW, ID 83843

Source: GROUNDWATER

Date Filed: 03/30/1982

Amount: 0.20 CFS

Diversion Point: SESW Sec 30 T 39N R

05W, LATAH Co.

Use: IRRIGATION (0.06 CFS) from 03/15 to 11/15

COMMERCIAL (0.10 CFS) from 01/01 to 12/31

DOMESTIC (0.04 CFS) from 01/01 to 12/31

Place of Use: SESW Sec 30 T 39N R 05W  
FOR 3 ACRES

Diversion Means: WELL, PUMP AND PIPELINE.

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 4055 Gov't Way, Coeur d'Alene, Id, 83814 on or before APRIL 26, 1982.

A. KENNETH DUNN  
Director

Apr. 8, 15, 1982

MICROFILMED

RECEIVED

APR 21 1982

Department of Water Resources  
Northern District Office




MICROFILMED

SEP 05 1991



REFILMED

SEP 05 1991



REF FILMED  
SEP 05 1991

87-07080

STATE OF IDAHO  
DEPARTMENT OF WATER RESOURCES

STATEHOUSE  
BOISE, IDAHO 83720  
(208) 334-4440  
MAY 13, 1987

CLYDE, ROBERT & PATRICIA  
RT. 1 BOX 120  
MOSCOW, ID 83843

LAPSE NOTICE

RE: PERMIT NO. 87-7080

DEAR PERMIT HOLDER:

YOU ARE HEREBY NOTIFIED THAT UNDER THE PROVISIONS OF SECTION 42-218A, IDAHO CODE, THE ABOVE REFERENCED WATER PERMIT HAS LAPSED. THIS OFFICE DID NOT RECEIVE EITHER AN ACCEPTABLE PROOF OF BENEFICIAL USE SUBMITTAL OR AN ACCEPTABLE REQUEST FOR AN EXTENSION OF TIME. YOU WERE PROVIDED THE PROPER FORMS IN OUR PROOF DUE NOTICE TO YOU DATED FEBRUARY 28, 1987.

YOUR PERMIT CANNOT BE REINSTATED UNLESS YOU SUBMIT PROOF OF BENEFICIAL USE OR SUBMIT AN EXTENSION OF TIME REQUEST SHOWING REASONABLE CAUSE FOR DELAY. EITHER THE COMPLETED PROOF OF BENEFICIAL USE SUBMITTAL (INCLUDING THE EXAMINATION FEE OR A COMPLETED FIELD EXAMINATION REPORT) OR THE EXTENSION REQUEST FORM TOGETHER WITH THE \$15 FEE MUST BE RECEIVED BY THIS DEPARTMENT WITHIN SIXTY DAYS OF THE DATE OF MAILING OF THIS LAPSE NOTICE OR THE PERMIT WILL NO LONGER BE OF ANY FORCE OR EFFECT.

A PROOF OF BENEFICIAL USE FORM AND A REQUEST FOR EXTENSION OF TIME FORM ARE AGAIN ENCLOSED FOR YOUR USE. PLEASE NOTE THAT ONLY ONE EXTENSION OF TIME CAN BE GRANTED UNLESS THE PROJECT HAS NOT BEEN COMPLETED BECAUSE OF LACK OF A NECESSARY APPROVAL BY A GOVERNMENTAL AGENCY OR BY LITIGATION WHICH MIGHT BRING TITLE TO THE WATER IN QUESTION.

L. GLEN SAXTON  
CHIEF, OPERATIONS BUREAU

ENCLOSURES

LGS:RF

**MICROFILMED**

JUL 10 1987

**CERTIFICATION OF MAILING**

I hereby certify that on 5-14-87  
a copy/an original of this document was  
deposited in the United States mail,  
postage prepaid addressed to the  
individual(s) named above

Rita Fleck

State of Idaho  
Department of Water Resources

# WATER RIGHT LICENSE

WATER RIGHT NO. 87-07080

Priority: May 24, 1982

Maximum Diversion Rate:

0.10 CFS

Maximum Diversion Volume:<sup>1</sup>

13.2 AF

This is to certify, that PATRICIA CLYDE  
ROBERT CLYDE

4234 HWY. 95 S.

MOSCOW, ID 838430000

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated March 30, 1982; and has submitted Proof of Beneficial Use on July 21, 1989. An examination indicates that the works have a diversion capacity of .100 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

| <u>BENEFICIAL USE</u> | <u>PERIOD OF USE</u> | <u>RATE OF DIVERSION</u> | <u>ANNUAL VOLUME</u> |
|-----------------------|----------------------|--------------------------|----------------------|
| IRRIGATION            | 03/15 to 11/15       | 0.06 CFS                 | 9.0 AF               |
| COMMERCIAL            | 01/01 to 12/31       | 0.10 CFS                 | 3.0 AF               |
| DOMESTIC              | 01/01 to 12/31       | 0.04 CFS                 | 1.2 AF               |
|                       | Totals               | 0.10 CFS                 | 13.2 AF              |

LOCATION OF POINT(S) OF DIVERSION:

SESW , Sec. 30, Township 39N, Range 05W  
LATAH County

PLACE OF USE: IRRIGATION

| <u>TWN</u> | <u>RGE</u> | <u>SEC</u> | <u>ACRES</u> | <u>ACRES</u> | <u>ACRES</u> | <u>TOTAL</u> |
|------------|------------|------------|--------------|--------------|--------------|--------------|
| 39N        | 05W        | 30         | SESW         | 3            |              | 3            |

Total number of acres irrigated: 3

PLACE OF USE: COMMERCIAL, same as IRRIGATION use

PLACE OF USE: DOMESTIC, same as IRRIGATION use

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.

SEP 05 1991

State of Idaho  
Department of Water Resources

# WATER RIGHT LICENSE


WATER RIGHT NO. 87-07080

CONDITIONS/REMARKS:

5. Commercial use is for 5 trailer rentals; domestic use is for 1 home.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 28<sup>TH</sup> day of AUGUST, 1991.

Acting for

  
R. Keith Higginson, Director

SEP 05 1991

4/86

STATE OF IDAHO  
DEPARTMENT OF WATER RESOURCES

## REQUEST FOR EXTENSION OF TIME

To provide additional time in which to submit proof  
of beneficial use for a water right permit

For Office Use Only  
\$15 FEE Receipted by CCW  
Date 6/24/87  
Receipt # 42639

**RECEIVED**  
JUN 25 1987

The Idaho Department of Water Resources will consider this form as a request that the permit holder(s) be granted an additional period of time in which to complete development of a water right under the provisions of Section 42-204, Idaho Code.

Permit No. 87-7080

Name(s) of Permit Holder: Robert and Patricia Clyde

Post Office Address: 4234 Highway 95 South, Moscow, Idaho 83843

Telephone No. (208) 882-7797

Date Proof is Due: May 1, 1987

Describe what work has been completed toward the development of this water right:  
(This must be filled out! If no work has been completed, show "none".)

The well has been drilled and the pump installed. Pipes have been installed and water service commenced to the residence to be served under the domestic portion of this water right. Pipes have been installed and water service commenced to five rental units to be served under the commercial portion of this water right. Two of the three acres to be irrigated under the irrigation portion of this water right have been irrigated.

Costing \$ at least \$10,000

The permit holder(s) has been unable to complete the remainder of the work for the following reasons:

The development of the ground for the described purposes has been incremental. Most of the work has been completed but it is expected to take additional time to prepare the ground, plant the crops to be irrigated and begin irrigation of the remaining acre. Development has proceeded as quickly as possible under the circumstances.

Permit holder(s) request an extension to May 1, 19 92.  
(1 yr. minimum)

X Patricia Clyde  
X Robert A. Clyde  
(Signature)\*

FEE: \$15.00

\*IF OTHER THAN PERMIT HOLDER,  
POWER OF ATTORNEY MUST BE SUPPLIED.

**MICROFILMED**

## ACTION OF THE DEPARTMENT OF WATER RESOURCES

JUL 10 1987

IT IS HEREBY ORDERED that the above request for extension of time be APPROVED and the time within which to submit proof of beneficial use is extended to May 1, 1990.

IT IS FURTHER ORDERED that the permit be REINSTATED and the priority advanced to May 24, 1982, pursuant to Sec. 42-218a, Idaho Code.

Signed this 7<sup>th</sup> day of July, 19 87.

J. Glen Saxton  
Chief, Operations Bureau

STATE OF IDAHO  
DEPARTMENT OF WATER RESOURCES  
APPLICATION FOR PERMIT

**APPROVED**

To appropriate the public waters of the State of Idaho

1. Name of applicant Robert and Patricia Clyde Phone (208) 882-7797  
Post office address Rt. 1 Box 120 Moscow, Id. 83843

2. Source of water supply Groundwater which is a tributary of \_\_\_\_\_

3. Location of point of diversion is SE  $\frac{1}{4}$  of SW  $\frac{1}{4}$  of Section 30 Township 39N  
Range 5W B.M. Latah County, additional points of diversion if any: \_\_\_\_\_

4. Water will be used for the following purposes:

Amount 0.04 for Domestic purposes from 1/1 to 12/31 (both dates inclusive)  
(cfs or acre-feet per annum)

Amount 0.10 for Commercial purposes from 1/1 to 12/31 (both dates inclusive)  
(cfs or acre-feet per annum)

Amount 0.06 for Irrigation purposes from 3/15 to 11/15 (both dates inclusive)  
(cfs or acre-feet per annum)

Amount \_\_\_\_\_ for \_\_\_\_\_ purposes from \_\_\_\_\_ to \_\_\_\_\_ (both dates inclusive)  
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 0.20 cubic feet per second and/or b. \_\_\_\_\_ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. \_\_\_\_\_  
Well, Fairbanks Morris submersible pump and pipeline

b. Height of storage dam \_\_\_\_\_ feet, active reservoir capacity \_\_\_\_\_ acre-feet; total reservoir capacity \_\_\_\_\_ acre-feet, materials used in storage dam: \_\_\_\_\_

Period of year when water will be diverted to storage \_\_\_\_\_ to \_\_\_\_\_ inclusive.  
(Month/Day) (Month/Day)

c. Proposed well diameter is 8 inches; proposed depth of well is 180 feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years (minimum 1 year - maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: SE  $\frac{1}{4}$  of SW  $\frac{1}{4}$  of Section 30 Township 39N  
Range 5W B.M.

(2) Amount of power to be generated: \_\_\_\_\_ horsepower under \_\_\_\_\_ feet of head.

(3) List number of each kind of livestock to be watered \_\_\_\_\_

(4) Name of municipality to be served \_\_\_\_\_, or number of families to be supplied with domestic water 1.

(5) If water is to be used for other purposes describe: Commercial for 5 rental units.

MICROFILMED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

| TWP | RANGE | SEC. | NE¼ |     |     |     | NW¼ |     |     |     | SW¼ |     |     |     | SE¼ |     |     |     | TOTALS |
|-----|-------|------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|--------|
|     |       |      | NE¼ | NW¼ | SW¼ | SE¼ | NE¼ | NW¼ | SW¼ | SE¼ | NE¼ | NW¼ | SW¼ | SE¼ | NE¼ | NW¼ | SW¼ | SE¼ |        |
| 39N | 5W    | 30   |     |     |     |     |     |     |     |     |     |     |     | 3 X |     |     |     |     | 3      |
|     |       |      |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |        |
|     |       |      |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |        |
|     |       |      |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |        |
|     |       |      |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |        |
|     |       |      |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |        |
|     |       |      |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |        |
|     |       |      |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |        |
|     |       |      |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |        |
|     |       |      |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |        |

Total number of acres to be irrigated 3

c. Describe any other water rights used for the same purposes as described above. None

9. a. Who owns the property at the point of diversion Applicant

b. Who owns the land to be irrigated or place of use Applicant

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing

10. Remarks

MICROFILMED



Proposed Priority 3/30/1982

Received by pms Date 3/31/82 Time 1:30 pm (from original)

Preliminary check by JK Fee \$ 30<sup>00</sup>

Receipted by pms Date 3/31/82 (21205)

Publication prepared by pms Date 4/1/82

Published in Daily Shoshone

Publication dates 4/8 + 15/82

Publication approved pms Date 4/27/82

Protests filed by: none

Copies of protests forwarded by \_\_\_\_\_

Hearing held by \_\_\_\_\_ Date \_\_\_\_\_

Recommended for approval denial by RYA JK

#### ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 87-7080, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before May 1, 19 87.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other: Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.

Witness my hand this 19<sup>th</sup> day of May, 1982.

A. Glen Saxton  
Chief, Operations Bureau

MICROFILMED

# Affidavit of Publication

STATE OF IDAHO  
County of Latah

ss.

Ray Rosch

being first duly sworn, on oath,  
deposes and says:

That he is the printer of The DAILY IDAHONIAN, a newspaper of general circulation, printed and published daily except Sunday at Moscow, Latah County, Idaho, in compliance with Sections 60-106, 60-107, and 60-108 of the Idaho Code and the amendments thereto; that the notice of which the annexed is a full, true and correct printed copy was published in the regular and entire issues of said newspaper and not in a supplement thereto, upon the following

dates: April 8, 15,

1982

the same being the dates designated for the publication of said legal notice.

Ray Rosch

Subscribed and sworn to before

me this 20<sup>th</sup> day of April

19 82

Carol Fleener

Notary Public,

residing at Moscow, Idaho

## NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

87-7080

CLYDE, ROBERT &/or PATRICIA  
RT. 1 BOX 120 MOSCOW, ID 83843

Source: GROUNDWATER

Date Filed: 03/20/1982

Amount: 1.20 CFS

Diversion Point: SESW Sec 30 T 39N R 05W, LATAH Co.

Use: IRRIGATION (0.06 CFS) from 03/15 to 11/15

COMMERCIAL (0.10 CFS) from 01/01 to 12/31

DOMESTIC (0.04 CFS) from 01/01 to 12/31

Place of Use: SESW Sec 30 T 39N R 05W

FOR 3 ACRES

Diversion Means: WELL, PUMP AND PIPELINE.

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 4055 Gov't Way, Coeur d'Alene, Id, 83814 on or before APRIL 26, 1982.

A. KENNETH BUNN  
Director

Apr. 8, 15, 1982

RECEIVED

APR 21 1982

Department of Water Resources  
Northern District Office

MICROFILMED

July 3, 1991

Mr. Robert Clyde  
4234 Hwy. 95 South  
Moscow, Id. 83843

Re: 87-7080

Dear Water User:

We have recently completed processing in our office of the exam on your permit to use groundwater. Our report has been sent to our state office and you should receive your water right license in the near future. In a search of our records, we were unable to identify a well log for your well. The well driller who constructed the well is required as a condition of his driller's license to submit a log for every well he drills.

Would you please supply us with any of the following information you may have:

1. A copy of the well driller's report, if you have a copy in your possession.
2. The names of any previous owners of the property, in case the well driller's report was filed under a previous owner's name.
3. The name of the well drilling firm that drilled your well, and the name of the owner of the property at the time the well was drilled.

By providing us with as much of the above information as possible, we will have a more complete record of the pertinent items relative to your water right. Having this information in our files may prove to be of value to you or a subsequent owner.

If you have any questions, please do not hesitate to contact this office.

Sincerely,

ROBERT G. HAYNES, P.E.  
Regional Manager

RGH/pms

August 29, 1991

PATRICIA CLYDE  
ROBERT CLYDE  
4234 HWY. 95 S.  
MOSCOW ID 838430000

RE: WATER RIGHT NO. 87-07080

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

SHARLA CURTIS  
Technical Records Specialist

SC:blm

Enclosure

SEP 05 1991

August 13, 1991

PATRICIA CLYDE  
ROBERT CLYDE  
4234 HWY. 95 S.  
MOSCOW, ID 838430000

RE: WATER RIGHT NO. 87-07080

Dear Water Right Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

SHARLA CURTIS  
Technical Records Specialist

SC:blm

Enclosure

SEP 05 1991

# LICENSE REVIEW CHECKLIST

Permit No. 87-7080

Name/Address change? ok ✓

Priority date Advance? yes no ✓

Memo to advance Order to reinstate needed? yes no ✓

Total cfs Limited by fee ok ✓

Limited by capacity ✓

Total volume Limited by flow ✓

Chart checked for AF rate/ac 3.0

Capacity Actual measurement checked ✓

Theoretical checked ✓

If greater than permit, check for other rts ✓

Source Changed? yes no ✓

If so, is memo needed to clarify? ✓

P/D Verify with map ✓ permit ✓

More than one per 1/4? Remember remark ✓

Check p/d overlap ✓

Uses Check irrigation period of use w/ chart ✓

P/U Verify with map ✓ permit ✓

> 5 acres irrigated, run overlap ✓

Remarks More than one p/d in 1/4 ✓

Description of non-irrig uses ✓

Special overlap condition ✓

## Conditions -

Measuring device ✓

W.Master control ✓

Overlap ✓

Water quality ✓

Other ✓

## Dates/Misc. -

Water Dist ✓

App Rec'd ✓

Proof Rec'd ✓

CHECK FOR ADJ. CLAIM Needed according to proof filed ✓

Filed - needs amended ✓

Add'l fee required ✓

Not filed - ✓

Not needed ✓

Comments/Changes to Examiner's Recommendations:

License 10-day ✓ 30-day ✓

Back of field report signed? ✓

Reviewer J. Curtis Date 8/5/91 Review time 6 min.

**SENIOR AGENT REVIEW**

**Check List**  
**for**  
**Beneficial Use Field Report**

**RECEIVED**  
JUN 28 1991

Department of Water Resources  
Permit 87-07080

**A. GENERAL INFORMATION**

- ✓ 1. Name and address are most current available. (Check BU statement)  
✓ 2. Exam Date  
✓ 3. Source (Check Permit)

**B. OVERLAP REVIEW**

- ✓ 1. & 2. (Rule 5,1,4)

**C. SYSTEM DESCRIPTION**

- ✓ 1. Diversion System Diagram (Rule 5,1,3 / 5,1,4)  
✓ 2. USGS (Rule 5,1,7 / 5,1,9) Aerial (Rule 5,1,17)  
Photo of pd and/or pu or explanation  
✓ 3. Word Picture (Rule 5,1,3 / 5,1,4)  
✓ 4. Diversion (Rule 5,1,3)  
✓ 5. Compare with USGS Map/Land Survey Maps/Aerial Photos/Permit.  
Method of determination  
✓ 6. Irrigation (Rule 5,1,8), Method of determination,  
Compare USGS/Land Survey? Aerial Photos/Permit.

✓ **D. FLOW MEASUREMENTS** Check math (Rule 5,1,13 / 5,1,14)

✓ **E. FLOW CALCULATIONS** Check math (Rule 5,1,13 / 5,1,14)

✓ **F. OPTIONAL**

✓ **G. VOLUME CALCULATIONS**

- Three significant figures/not less than 0.10 (Rule 6,1,2)  
Fish (Rule 5,1,11) number stock, homes, etc... (Rule 5,1,12)

✓ **H. REMARKS AND OVERLAP ANALYSES**

- ✓ All actual uses listed (Rule 5,1,2):  
✓ All unused, permitted uses listed (Rule 5,1,2):  
✓ Overlaps (Rule 5,1,4):  
✓ Return flows (Rule 5,1,5):  
✓ Conditions (Rule 5,1,6).

✓ **I. RECOMMENDATIONS**

- ✓ 1. Municipal (Rule 5,1,10): Compare with items E & G, permit, fee, capacity  
(Rule 5,1,15): Measured flows for each use listed separately (Rule 5,1,14).  
Period of year (Rule 5,1,13)  
✓ 2. Compare permit to exam for amendments (Rule 5,1,16)

✓ **J. AUTHENTICATION**

Name, Signature, Certification Date, Exam Date.

✓ **WELL INSPECTION REPORT**

Check with permit and well log for discrepancies

Signature

FW Ky



Date

8/30/90



UNCLASSIFIED

SEP 05 1991



05 1991

STATE OF IDAHO  
DEPARTMENT OF WATER RESOURCES  
**BENEFICIAL USE FIELD REPORT**

**A. GENERAL INFORMATION**


- Permit No. 87-07080  
Phone No. 882-7797  
1. Owner: Robert + Patricia Clyde  
Current Address: 4234 Highway 95 South Moscow ID 83843  
2. Accompanied by: None Robert Clyde EXAM. DATE: 8/7/90  
Address: same Phone No. same  
Relationship to Permit Holder: —  
3. Source: Groundwater tributary to —

**B. OVERLAP REVIEW**

1. Other water rights with same place of use: None ☐ Copies Attached  
2. Other water rights with same point of diversion: None ☐ Copies Attached ☐ Copies of Field Exam's Attached

**C. SYSTEM DESCRIPTION**

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



RECORDED

SEP 05 1991

Scale: 1" = NTS

2. ☒ Copy of U.S.G.S. Quadrangle Attached ☐ Aerial Photo Attached  
Showing location(s) of point(s) of diversion and (required for irrigation of 10 acres or more).  
place(s) of use (required).  
☒ Photo of Diversion and System Attached  
(required for all but single household domestic groundwater, and stockwater).

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

The water from the 8" x 180' well is pumped up with a 1 1/2 hp pump to supply 6 trailer units (3 occupied) ~~and~~ a workshop with facilities, and 1 domestic residence. The watering of the 4 acres is done with garden hose and sprinklers

☐ See Remarks on page 4 for continuation

| Well or Diversion Identification No.* | Motor Make | HP    | Motor Serial No. | Pump Make                      | Pump Serial No.<br>or Discharge Size |
|---------------------------------------|------------|-------|------------------|--------------------------------|--------------------------------------|
| S Submersible                         | Franklin   | 1 1/2 | 2823007103       | Berkely<br><del>Franklin</del> | 22M6410-15                           |
|                                       |            |       |                  |                                |                                      |
|                                       |            |       |                  |                                |                                      |

\*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:


[illegible]

6. Place(s) of Use:

| Twp. | Rge. | Sec. | NE¼ | NW¼ | SE¼ | SW¼ | NE¼ | NW¼ | SE¼ | SW¼ | NE¼ | NW¼ | SE¼ | SW¼ | Totals |
|------|------|------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|--------|
| 39N  | 5W   | 30   |     |     |     | D   | C   | 6   | 3   |     |     |     |     |     | 3      |

**Do not use this space**

106: 90 -



SEP 05 1991

87-07080

Do not use this space

D. FLOW MEASUREMENTS *None* ☐ Additional Data Sheets Attached

1.

| Measurement Equipment | Type | Make | Model No. | Serial No. | Size | Calib. Date |
|-----------------------|------|------|-----------|------------|------|-------------|
|                       |      |      |           |            |      |             |
|                       |      |      |           |            |      |             |
|                       |      |      |           |            |      |             |
|                       |      |      |           |            |      |             |

2. Measurements:

*35 psi on pressure meter*

E. FLOW CALCULATIONS ☐ Additional Computation Sheets Attached

1. Measured Method:

$$Q = \frac{(8.8)(4.5)(6.7)}{(2.3)(35) + 8} = .10 \text{ cfs}$$

2. Alternate Method for Checking Purposes: *Mr. Clyde Sord well produced 2.45 gal/min = .10 cfs*

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: \_\_\_\_\_ psi x 2.31 = \_\_\_\_\_ ft (1); Dynamic pumping level: \_\_\_\_\_ ft (2)

Total Head: (1) + (2) = \_\_\_\_\_ (3) ; Flow rate: \_\_\_\_\_ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = \_\_\_\_\_ (5)

Meter Input KW: 3.6 x \_\_\_\_\_ KH x \_\_\_\_\_ CTR or \_\_\_\_\_ MULT x \_\_\_\_\_ PTR x \_\_\_\_\_ N/ \_\_\_\_\_ T = \_\_\_\_\_ (6)

Meter Input HP: (6) x 1.34 = \_\_\_\_\_ (7)

Panel Input KW: \_\_\_\_\_ Ave PF x \_\_\_\_\_ Ave Volts x \_\_\_\_\_ Ave Amps x .001732 = \_\_\_\_\_ (6)

Panel Input HP: (6) x 1.34 = \_\_\_\_\_ (7) Efficiency: (5)/(7) x 100 = \_\_\_\_\_ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

*includes lawns for Trailer + domestic.*  
 $V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = (6)(3.0) = 18 \text{ AF}$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 43.729$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 18$$

2. Volume Calculations for Other Uses:

*60 head sheep*  $\Rightarrow (2 \text{ gal/day}) (365) (1/325850) = .13 \text{ AF TDK}$

*PER APP TDK*  $\Rightarrow 5 \text{ trailer units with water} \Rightarrow \text{Reqd } 3.6 \text{ AF } 3.0$

*1 domestic*  $\Rightarrow 6 \text{ AF } 1.2$

*1 Shop*  $\Rightarrow 15 \text{ gal/day} \Rightarrow .02 \text{ AF Negligible}$

# H. REMARKS AND OVERLAP REVIEW ANALYSIS

## I. RECOMMENDATIONS

### 1. Recommended Amounts

Beneficial Use

| Period of Use | To    | From  | Domestic (1) | Commercial (5) | Irrigation | Rate of Diversion<br>Q (cfs) | Annual Volume<br>V (af) |
|---------------|-------|-------|--------------|----------------|------------|------------------------------|-------------------------|
|               |       |       |              |                |            |                              |                         |
|               | 12/31 | 1/1   | 1/1          | 1/1            | 3/15       | .10                          | 1.2                     |
|               | 12/31 | 1/1   | 1/1          | 1/1            | 3/15       | .10                          | 3.036                   |
|               | 11/15 | 11/15 |              |                |            | .06                          | 9.18                    |
| Totals:       |       |       |              |                |            |                              | 20.132                  |

### 2. Recommended Amendments

- ☐ Change P.D. as reflected above  
☐ Change P.U. as reflected above  
☐ Add P.D. as reflected above  
☐ Add P.U. as reflected above

## J. AUTHENTICATION

Field Examiner's Name: Robert Knoblock  
 Signature: Robert Knoblock  
 Certification Date: 4/16/90  
 Field Report Preparation Date: 8/14/90



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

NOTIFIED

SEP 05 1991

State of Idaho  
Department Of Water Resources  
WELL INSPECTION FORM

If well is associated with water right, provide WR Permit No. 87-07080

Otherwise provide legal description and a sketch map and/or address so that the well can be located easily.

1. Legal Description of Well Location:

Twp. \_\_\_\_\_ N, Rge. \_\_\_\_\_ Sec. \_\_\_\_\_, \_\_\_\_\_  $\frac{1}{4}$  \_\_\_\_\_  $\frac{1}{4}$  Gov. Lot \_\_\_\_\_

2. Owner: \_\_\_\_\_

Address: \_\_\_\_\_

City \_\_\_\_\_, State \_\_\_\_\_

3. Casing  $\geq$  12 inches above ground: Yes ☒ No ☐

4. Access Port: Y ☒ N ☐  
Pressure Gauge: Y ☒ N ☐  
Flowing: Y ☐ N ☐

Static Water Level: \_\_\_\_\_  
Casing Diameter: 8"  
Temperature: \_\_\_\_\_

5. Are there any obvious construction problems that may be a source for contamination or waste of water: Y ☐ N ☒

If answer to Item 5 is Yes, describe in remarks and attach photo.

Remarks : \_\_\_\_\_

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

SEP 05 1991



State Idaho

## DEPARTMENT OF WATER RESOURCES

NORTHERN REGION, Suite 210 • 1910 Northwest Blvd. • Coeur d'Alene, Idaho 83814 • (208) 765-4639

CECIL D. ANDRUS

Governor

October 6, 1989

R. KEITH HIGGINSON

Director

Mr. Robert Clyde  
4234 Hwy. 95 South  
Moscow, Id. 83843

Re: 87-7080

Dear Applicant:

We acknowledge receipt of your statement of completion of water development use for the above-referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We do not know at this time when he will be able to conduct the examination; however, the examiner will try to contact you prior to the time the examination is made so that you may demonstrate the system. If you will not be available to show the system, please provide this office with the name and address of someone who will be able to do so. Your permit will remain valid until the examination is made.

If you have any questions concerning the field examination, please contact this office. Please be sure to use the above-referenced permit number in all future correspondence concerning this examination.

Sincerely,

/s/

TOM D. KING  
Senior Water Resource Agent

TDK/pms



SEP 05 1989

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 87-7080

Date: 9/13/89

General Considerations:

- ☒ Name same as permit  
☒ Signature the same as permit holder  
☒ Address change No If yes, prepare a data entry  
☒ Proof received timely  
☐ Reinstated

Source of Water:

- ☐ Surface water  
☒ Groundwater  
1. well log in file NO WELL LOG FOUND  
N/A 2. drilling permit 1968  
A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

- ☒ Rate of diversion appropriate for uses  
☒ Is rate or volume and fee appropriate?  
☒ Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

- NO Is a measuring device or access port required?  
☐ Has one been installed?  
☐ Waiver or modification of measuring device requested

Remarks:

*PROOF ACCEPTABLE*

Priority Calculation:

|                     |            |   |
|---------------------|------------|---|
| Date proof received | <u>N/A</u> |   |
| Date proof due      |            | - |
| No. of days late    |            | = |
| Priority date       |            | + |
| NEW PRIORITY DATE   |            | = |

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

RECEIVED

JUL 21 1989

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

For Office Use Only

Fee Received 50.00

Date 7/24/89

Receipt # 0008457

Receipt by C. W. 29

Reviewed by AS - 9/13/89

Sent to region       

Department of Water Resources **PROOF OF BENEFICIAL USE**

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 87-7080

Name(s) of Permit Holder: ROBERT AND PATRICIA CLYDE

Post Office Address: 4234 Highway 95 South, Moscow, Idaho 83843

Telephone No. 208/882-7797

Source of Water: GROUND WATER

Extent of Use:

Domestic 0.04 cfs (1) (number of households)

Stockwater        (number and type of stock)

Irrigation 0.06 cfs (3 ACRES) (acres)

Other/Remark 0.10 cfs COMMERCIAL

FOR SEVEN (7) RENTAL PROPERTIES

Total rate and/or volume for which proof is submitted 0.20 cfs        acre-feet

Show the date water was first diverted and beneficially used under this permit: SUMMER 1968

Measuring Device: Required?    Yes    No  
Installed?    Yes    No

Fee enclosed \$ 50.00  
(See License Examination Fee Schedule)

Flow Measurement Port: Required?    Yes    No  
Installed?    Yes    No

Person to contact to accompany the Department representative during the field examination:

T. SHAWN SULLIVAN  
(Name)

303/839-3812  
(Telephone Number)

1700 Lincoln St., Suite 3800 DENVER, COLORADO 80203  
(Address)

MICROFILMED

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

SEP 25 1989

8-17-88

Date

Patricia K. Clyde Robert E. Clyde  
Signature of Permit Holder (and title, if appropriate)

7-18-89

TO Whom it MAY CONCERN:

Please note that you should contact me  
to set up a field inspection. I can be  
reached as follows:

T. Shawn Sullivan  
1700 LINCOLN St, Suite 3800  
DENVER, CO 80203  
(W) 303/839-3812  
(H) 303/355-1813

Call me if you have any questions.

Sincerely,

T. Shawn Sullivan

MICROFILMED

SEP 25 1989

SHAUN SULLIVAN  
1700 LINCOLN ST. STE. 3800  
DENVER, COLO. 80203

State of Idaho  
Department of Water Resources  
Statehouse  
Boise, Idaho 83720

Fold at line over top of envelope to the right  
of the return address.

**CERTIFIED**

P 059 345 180

**MAIL**

RECEIVED

SEP 25 1989

STATE OF IDAHO  
DEPARTMENT OF WATER RESOURCES  
COMMENCEMENT OF WORKS

Permit No. 87-7080  
Name(s) of Permit Holder(s): Clyde, Robert + Patricia  
Post Office Address: 4234 Hwy 75 S.  
MOSCOW Ida Tel. No. 208-82-7797

- ☐ I hereby certify that construction of diversion works for the above referenced permit began on 10-19-82 (date) I understand that I must continue to develop the water system with due diligence to maintain a valid permit.
- ☐ I hereby certify that construction of diverting works on the above referenced project has not yet begun due to the following reason beyond my control\*:

\*Note: A financing difficulty is not an acceptable reason.

7-13-82  
Date

[Signature]  
Signature of Permit Holder



RECEIVED

JUL 16 1982

Department of Water Resources

MICROFILMED

SEP 25 1989



IDAHO DEPARTMENT OF WATER RESOURCES  
STATEHOUSE  
BOISE, IDAHO 83720

July 7, 1987

Robert and Patricia Clyde  
4234 Highway 95 South  
Moscow, ID 83843

Dear Mr. and Mrs. Clyde:

Re: Permit No. 87-7080

Enclosed is a copy of the approved request for extension of time. The time within which to submit proof of beneficial use is extended to May 1, 1990. Note that the permit has been reinstated and the priority advanced since the extension request was submitted after the proof due date.

If you have any questions concerning this matter, please feel free to contact this office.

Sincerely,

RITA I. FLECK  
Secretary/Records Manager

Enclosure

**MICROFILMED**  
JUL 10 1987

## STAFF REVIEW SHEET - EXTENSION OF TIME

Permit No. 87-7080Reviewed by [Signature]Date 7-6-1987

## BASIC INFORMATION

y Date stamp received  
Rein Extension received timely  
 (not prior to 6 month before proof due date or after reinstatement period)  
y Fee received and receipted  
y Name and signature same as permit  
y Address change (indicate on coding sheet)

## BASIS FOR EXTENSION REQUEST

y Has adequate work been completed to demonstrate due diligence?  
y Has the cost incurred been adequate to demonstrate an intent to complete the project?  
N/A Has the permit been involved in litigation?  
 a. Swan Falls \_\_\_\_\_ Dismissed from Swan Falls \_\_\_\_\_  
 Other \_\_\_\_\_ Identify \_\_\_\_\_  
 b. Is supporting documentation needed to complete the file? \_\_\_\_\_  
 Requested \_\_\_\_\_  
 c. Calculate the period of delay

Date litigation completed \_\_\_\_\_

Date litigation began \_\_\_\_\_

Total period of delay = \_\_\_\_\_

Present proof due date + \_\_\_\_\_

NEW PROOF DUE DATE = \_\_\_\_\_

Is delay by a government agency?

Is supporting documentation needed to complete the file? \_\_\_\_\_

Requested? \_\_\_\_\_

## ACTION TAKEN

- Recommend approval for 3 years  
 based on due diligence

## Special conditions or remarks:

y

Reinstate

Date extension received June 25 = 176Proof due date May 1 = -121No. of days late \_\_\_\_\_ = 5Priority date Mar 30, '82 = +89ADJUSTED PRIORITY DATE May 24, '82 = 144

JUL 10 1987

Prepare coding sheet

Change rolodex card

MICROFILMED

RECEIVED

JUN 25 1987

Department of Water Resources

June 20, 1987

Mr. L. Glen Saxton  
Chief, Operations Bureau  
Department of Water Resources  
State of Idaho  
Statehouse  
Boise, Idaho 83720

RE: Permit No. 87-7080

Dear Mr. Saxton:

We have received your lapse notice dated May 13, 1987. We submit a request for a five year extension of time and request that you reinstate our permit, Permit No. 87-7080. We were under the mistaken impression that the permit expired in the fall of 1987 and consequently failed to file a request for an extension of time prior to May 1, 1987.

As good cause for reinstating the permit and granting the extension of time we state that: (1) the well has been constructed and the pump installed, and (2) water has been beneficially used for all uses requested for the water right. Only the irrigation portion of the water right has not been fully used. We expect to complete our use of the irrigation portion within the next year or two. We request a five year extension to ensure that we can perfect the entire water right prior to expiration of the permit.

If you do not find good cause for extending of the permit, we request the opportunity to prove our beneficial use of the portion of the water right which we have developed. Since you request that we send either a Request for Extension of Time or a Proof of Beneficial Use, we have submitted only the Request for an Extension of Time. However, beneficial use can be proven for a majority of the water right requested.


MICROFILMED

JUL 10 1987


Mr. L. Glen Saxton  
June 20, 1987  
Page 2

Please contact us if we can be of further assistance.  
Thank you for your consideration of this matter.

Sincerely,



Robert Clyde



Patricia Clyde

RECORDED

JUL 10 1987



State of Idaho

# DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

CECIL D. ANDRUS  
Governor

A. KENNETH DUNN  
Director

Mailing address:  
Statehouse  
Boise, Idaho 83720  
(208) 334-4440

## EXTENSION OF TIME

June 26, 1987

Robert & Patricia Clyde  
4234 Highway 95 South  
Moscow, ID 83843

PERMIT NO. 87-7080

We are in receipt of the \$15 extension fee for Extension(s) of Time to provide additional time in which to submit proof of beneficial use on a water right permit.

Your request for extension(s) of time is being reviewed by staff. You will be informed of our decision when review has been completed.

Enclosed is our receipt No. 42639

Roberta Garrett  
Records Supervisor

Enclosure

**MICROFILMED**

JUL 10 1987

# WARNING

CANCELLED OR LAPSED

This permit has been officially CANCELLED or LAPSED.

Ninety days following the date of official action this file will be DESTROYED.

STATE OF IDAHO  
DEPARTMENT OF WATER RESOURCES

STATEHOUSE  
BOISE, IDAHO 83720  
(208) 334-4440  
MAY 13, 1987

CLYDE, ROBERT & PATRICIA  
RT. 1 BOX 120  
MOSCOW, ID 83843

LAPSE NOTICE

RE: PERMIT NO. 87-7080

DEAR PERMIT HOLDER:

YOU ARE HEREBY NOTIFIED THAT UNDER THE PROVISIONS OF SECTION 42-218A, IDAHO CODE, THE ABOVE REFERENCED WATER PERMIT HAS LAPSED. THIS OFFICE DID NOT RECEIVE EITHER AN ACCEPTABLE PROOF OF BENEFICIAL USE SUBMITTAL OR AN ACCEPTABLE REQUEST FOR AN EXTENSION OF TIME. YOU WERE PROVIDED THE PROPER FORMS IN OUR PROOF DUE NOTICE TO YOU DATED FEBRUARY 28, 1987.

YOUR PERMIT CANNOT BE REINSTATED UNLESS YOU SUBMIT PROOF OF BENEFICIAL USE OR SUBMIT AN EXTENSION OF TIME REQUEST SHOWING REASONABLE CAUSE FOR DELAY. EITHER THE COMPLETED PROOF OF BENEFICIAL USE SUBMITTAL (INCLUDING THE EXAMINATION FEE OR A COMPLETED FIELD EXAMINATION REPORT) OR THE EXTENSION REQUEST FORM TOGETHER WITH THE \$15 FEE MUST BE RECEIVED BY THIS DEPARTMENT WITHIN SIXTY DAYS OF THE DATE OF MAILING OF THIS LAPSE NOTICE OR THE PERMIT WILL NO LONGER BE OF ANY FORCE OR EFFECT.

A PROOF OF BENEFICIAL USE FORM AND A REQUEST FOR EXTENSION OF TIME FORM ARE AGAIN ENCLOSED FOR YOUR USE. PLEASE NOTE THAT ONLY ONE EXTENSION OF TIME CAN BE GRANTED UNLESS THE PROJECT HAS NOT BEEN COMPLETED BECAUSE OF LACK OF A NECESSARY APPROVAL BY A GOVERNMENTAL AGENCY OR BY LITIGATION WHICH MIGHT BRING TITLE TO THE WATER IN QUESTION.

L. GLEN SAXTON  
CHIEF, OPERATIONS BUREAU

ENCLOSURES

LGS:RF

MICROFILMED

JUL 10 1987

CERTIFICATION OF MAILING

I hereby certify that on 5-14-87  
a copy (an original of this document was  
deposited in the United States mail,  
postage prepaid, addressed to the  
individual(s) named above.

*Dita Fleck*

STATE OF IDAHO  
DEPARTMENT OF WATER RESOURCES

-----

STATEHOUSE  
BOISE, IDAHO 83720  
(208) 334-4440  
CERTIFIED MAIL  
FEBRUARY 28, 1987

138820

CLYDE, ROBERT & PATRICIA  
RT. 1 BOX 120  
MOSCOW, ID 83843

PROOF DUE NOTICE

RE: PERMIT NO. 87-7080

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF THE ABOVE REFERENCED WATER PERMIT WAS THAT PROOF OF THE EXTENT OF YOUR BENEFICIAL USE MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE MAY 1, 1987. (SEE LAST PAGE OF YOUR APPROVED PERMIT OR YOUR LAST APPROVED EXTENSION REQUEST.) ENCLOSED IS A FORM WHICH WHEN ACCOMPANIED BY THE LICENSE EXAMINATION FEE OR A COMPLETED FIELD EXAMINATION REPORT PREPARED BY A CERTIFIED WATER RIGHT EXAMINER MAY BE USED TO SUBMIT THE REQUIRED PROOF.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU OR A PREVIOUS OWNER OF THIS PERMIT HAVE NOT RECEIVED A PRIOR EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME IF THE DELAY IS FOR REASONABLE CAUSE AS PROVIDED IN SECTION 42-204, IDAHO CODE. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION WHICH MIGHT BRING TITLE TO THE WATER IN QUESTION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED. AN EXTENSION OF TIME REQUEST FORM IS ENCLOSED FOR YOUR CONVENIENCE.

EITHER AN ACCEPTABLE PROOF OF BENEFICIAL USE SUBMITTAL OR AN ACCEPTABLE REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE DESCRIBED PROOF DUE DATE. IF NEITHER IS RECEIVED, THE DEPARTMENT WILL SEND YOU A LAPSE NOTICE. WITHIN SIXTY (60) DAYS OF THE MAILING OF THE LAPSE NOTICE, THE PERMIT WILL NO LONGER BE OF ANY FORCE NOR EFFECT.

SINCERELY,

RITA FLECK  
SECRETARY/RECORDS MANAGER

ENCLOSURES

**MICROFILMED**

JUL 10 1987

STATE OF IDAHO  
DEPARTMENT OF WATER RESOURCES

---

STATEHOUSE  
BOISE, IDAHO 83720  
(208) 334-4440

CLYDE, ROBERT & PATRICIA  
RT. 1 BOX 120  
MOSCOW, ID 83843

MAY 26, 1982

RE: PERMIT NO. 87-7080

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

WE HAVE ENCLOSED A FORM ENTITLED "MAKING PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT INTO A LICENSE.

SINCERELY,

DAVID R. TUTHILL, JR., P.E.  
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE

MICROFILMED

State of Idaho  
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: JK

APPLICATION NUMBER: 87-1080

CHECK:

- ☒ Source.  
☒ Point of diversion.  
☒ County.  
☒ Quantity of water and period of use.  
☒ Description of diverting works.  
☒ Time required for beneficial use of water.  
☒ Place of use or acres irrigated.  
☒ Map.  
☒ Signature.  
☒ Fee.  
☐ Yes ☒ No  
☐ Yes ☒ No  
☐ Yes ☒ No  
☐ Yes ☒ No\*

Field check by: \_\_\_\_\_

Date: \_\_\_\_\_

Comments: \_\_\_\_\_

Field check required.

Critical groundwater area.

Request dam safety information. Sent by: \_\_\_\_\_ Date: \_\_\_\_\_

In form to receipt.

\*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: \_\_\_\_\_

SEND COPIES TO:

- ☐ Idaho State Health Department.  
☐ Idaho Fish and Game Department.  
☐ Idaho Department of Lands.  
☐ U.S. Bureau of Land Management.  
☐ U.S. Forest Service.  
☐ Other \_\_\_\_\_

Copies sent by: \_\_\_\_\_ Date: \_\_\_\_\_

PROCESSING:

- ☐ Yes ☐ No Platted by: \_\_\_\_\_ Map No. \_\_\_\_\_  
☐ Yes ☐ No Other rights on same place of use. \_\_\_\_\_

- ☒ Yes ☐ No\* In form for advertising.  
Final date for protests: 4/26/82 ✓  
☐ Yes ☐ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 4/21/82 ✓  
☒ Application published correctly. If not, record action taken: \_\_\_\_\_  
☒ Fee amount, receipt date & number, recorded on application.  
☒ Publication dates and paper, recorded on application.  
☒ Protests, dates, withdrawal, etc., recorded on application.  
☒ Recommendation & initial, recorded on application.  
☐ Yes ☒ No Measuring device required.  
☐ Yes ☒ No Access port required.  
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? \_\_\_\_\_  
3/30/82 Date of priority recommended.  
Special conditions of approval or cover letter.

Appl. returned more 30 days late. Priority reduced.

By: \_\_\_\_\_ Date: \_\_\_\_\_

STATE OFFICE REVIEW:

return receipt w/ cover letter  
SLW/LIZ 26

- ☐ See attached sheet for more information.

By: [Signature] Date: 5/17/82

RECEIVED

MAY 03 1982

Department of Water Resources

MICROFILMED

POINT OF DIVERSION AND STREAM INDEX INFORMATION

TRACT SEC TWP RGE gov't rediv. REACH  
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH  
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH  
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH  
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH  
lot (R)

IDAHO STREAM CODE INDEX



BZ-2080

CLYDE, ROBERT &/or PATRICIA

RT. 1 BOX 120, MOSCOW, ID 83843

Source: GROUNDWATER

Date Filed: 03/30/1982

Amount: 0.20 CFS

Diversion Point: SESW Sec 30 T 39N R 05W, LATAH Co.

|                 |            |                     |
|-----------------|------------|---------------------|
| Use: IRRIGATION | (0.06 CFS) | from 03/15 to 11/15 |
| COMMERCIAL      | (0.10 CFS) | from 01/01 to 12/31 |
| DOMESTIC        | (0.04 CFS) | from 01/01 to 12/31 |

Place of Use: SESW Sec 30 T 39N R 05W FOR 3 ACRES

Diversion Means: WELL, PUMP AND PIPELINE.

MICROFILMED

A. Kenneth Durn  
XXXXXXXXXXXX

December 11, 1981

Mr. Robert Clyde  
Rt. 1 Box 120  
Moscow, Id. 83843

Dear Mr. Clyde:

The Department cannot accept an Application for Permit in pencil. I have, therefore, taken the liberty of having a new application prepared for you.

I am also returning at this time your Check No. 92-49 in the amount of \$30.00 and your original permit. Please check the new application carefully and if you find it is accurate, please sign it and return it with the \$30.00 filing fee.

If you have any questions, please contact me at this office.

Sincerely,

TOM D. KING  
Senior Water Resource Agent

TDK/pms

Enc. - Applications (2)  
Check

MICROFILMED

**STATE OF IDAHO**  
**DEPARTMENT OF WATER RESOURCES**  
**APPLICATION FOR PERMIT**

To appropriate the public waters of the State of Idaho

1. Name of applicant Robert and Patricia Clyde Phone (208) 882-7797

Post office address Rt. 1 Box 120 Moscow, Id. 83843

2. Source of water supply Groundwater which is a tributary of \_\_\_\_\_

3. Location of point of diversion is SE  $\frac{1}{4}$  of SW  $\frac{1}{4}$  of Section 30 Township 39N

Range 5W B.M. Latah County, additional points of diversion if any: \_\_\_\_\_

4. Water will be used for the following purposes:

Amount 0.04 for Domestic purposes from 1/1 to 12/31 (both dates inclusive)  
(cfs or acre-feet per annum)

Amount 0.10 for Commercial purposes from 1/1 to 12/31 (both dates inclusive)  
(cfs or acre-feet per annum)

Amount 0.06 for Irrigation purposes from 3/15 to 11/15 (both dates inclusive)  
(cfs or acre-feet per annum)

Amount \_\_\_\_\_ for \_\_\_\_\_ purposes from \_\_\_\_\_ to \_\_\_\_\_ (both dates inclusive)  
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 0.20 cubic feet per second and/or b. \_\_\_\_\_ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. \_\_\_\_\_

Well, Fairbanks Morris submersible pump and pipeline

b. Height of storage dam \_\_\_\_\_ feet, active reservoir capacity \_\_\_\_\_ acre-feet; total reservoir capacity \_\_\_\_\_ acre-feet, materials used in storage dam: \_\_\_\_\_

Period of year when water will be diverted to storage \_\_\_\_\_ to \_\_\_\_\_ inclusive.  
(Month/Day) (Month/Day)

c. Proposed well diameter is 8 inches; proposed depth of well is 180 feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial

use is 5 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: SE  $\frac{1}{4}$  of SW  $\frac{1}{4}$  of Section 30 Township 39N

Range 5W B.M.

(2) Amount of power to be generated: \_\_\_\_\_ horsepower under \_\_\_\_\_ feet of head.

(3) List number of each kind of livestock to be watered \_\_\_\_\_

(4) Name of municipality to be served \_\_\_\_\_, or number of families to be supplied with domestic water 1.

(5) If water is to be used for other purposes describe: Commercial for 5 rental units.

MICROFILM

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

[illegible]

Total number of acres to be irrigated 3

c. Describe any other water rights used for the same purposes as described above. None

9. a. Who owns the property at the point of diversion Applicant

b. Who owns the land to be irrigated or place of use Applicant

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing \_\_\_\_\_

10. Remarks

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

T39N R5W

[illegible]

Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

(Applicant)

Received by pms Date 12/14/81 Time 1:30 pm (from original)

Preliminary check by \_\_\_\_\_ Fee \$ \_\_\_\_\_

Received by \_\_\_\_\_ Date \_\_\_\_\_

Publication prepared by \_\_\_\_\_ Date \_\_\_\_\_

Published in \_\_\_\_\_

Publication dates \_\_\_\_\_

Publication approved \_\_\_\_\_ Date \_\_\_\_\_

Protests filed by: \_\_\_\_\_

Copies of protests forwarded by \_\_\_\_\_

Hearing held by \_\_\_\_\_ Date \_\_\_\_\_

Recommended for approval denial by \_\_\_\_\_

---

#### ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. \_\_\_\_\_, and said application is hereby \_\_\_\_\_.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before \_\_\_\_\_, 19 \_\_\_\_.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. Other: