



CONSERVATION PLAN MAP

Prepared by SOIL CONSERVATION SERVICE * UNITED STATES DEPARTMENT of AGRICULTURE
cooperating with

Latah

S. C. DISTRICT

OWNER Jim Agidius
OPERATOR same

FARM NO.

SCALE 8" = 1 mi.

PHOTO NO.

DATE

ACRES

APPROXIMATE

6/72

40 AC.

APPROXIMATE


Latah

COUNTY

Idaho

STATE

34.25 AC NE SW, SE 5.15 AC SENW SEC-25 T-40N




AREAS
1-2+4
PROPOSED
FOR
IRRIGATION

CENTER
OF
SECTION 25

1/4" PVC

26067-4

WATERWAY WAS LOCATED INCORRECTLY ON MAP



State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

License of Water Right No. 87-7060 Priority July 24, 1979 Amount 0.04 cfs

THIS IS TO CERTIFY, that James P. or Netta M. Agidius
of Moscow, Idaho, has complied with the terms and conditions of Permit
No. 87-7060 issued pursuant to Application for Permit dated July 24, 1979,
and has submitted proof to the Department of Water Resources on September 29, 1980,
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of 0.04 cfs of water from springs,
tributary to sinks, and that the permit holder has applied to a beneficial use and
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
Domestic	from January 1 to December 31	at 0.02 cfs and	1.2 acre feet
(1 Unit)			
Irrigation	from March 15 to November 15	at 0.02 cfs and	9.7 acre feet
Storage for			
Irrigation	from January 1 to December 31	at n/a cfs and	1.0 acre feet
* (both dates inclusive)			

Subject, however, to the condition that no more than 0.04 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed is for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
11.9 acre feet per year, said waters to be diverted within the NE $\frac{1}{4}$ SW $\frac{1}{4}$ Section 25,
Twp 40N, Rge 5W in the County of Latah

Description and location of place of use:

Twp.	Range	Sec.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				Totals
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
40N	5W	25									8								8

Total number of acres irrigated 8

* Irrigation
From Storage March 15 to November 15 1.0 acre feet

NOTE: Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho
Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use
herein described, and is subject to all prior water rights, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 29TH day of
JUNE, 19 84.

Acting for the Director

Norman C. Young

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant JAMES P. OR NETTAM. AGIDIUS Phone (208) 882-5344
Post office address 416 N. BLAINE MOSCOW IDAHO 83843
2. Source of water supply SURFACE AND UNNAMED SPRINGS which is a tributary of NONE
3. Location of point of diversion is NE $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 25 Township 40 N
Range 5W B.M. LATHA County, additional points of diversion if any: NONE

4. Water will be used for the following purposes:

Amount 104 for DOMESTIC purposes from JAN. to 31 DEC (both dates inclusive)
(cfs or acre-feet per annum)

Amount 102 for IRRIGATION purposes from MAY 1 to NOV 15 (both dates inclusive)
(cfs or acre-feet per annum)

Amount 5 for IRRIGATION from storage purposes from MAY 1 to NOV 15 (both dates inclusive)
(cfs or acre-feet per annum)

Amount 5 for irrigation purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)

Telephone conversation with Mr. Agidius 7/25/79 RGH.

5. Total quantity to be appropriated:

- a. .06 102 cubic feet per second and/or b. 5 acre-feet per annum.

6. Proposed diverting works:

- a. Description of ditches, flumes, pumps, headgates, etc. SPRING - 1/2 HP BERNLEY SUBMERSIBLE -
'POND' - 1" PACIFIC CENTRIFUGAL - ALL WATER WILL BE PUMPED TO POINT
OF USE THRU 1 1/4" PVC OR PLASTIC PIPE (1400 FT)

- b. Height of storage dam 5 feet, active reservoir capacity 1 acre-feet; total reservoir capacity 1 1/8 acre-feet, materials used in storage dam: CLAY

Period of year when water will be diverted to storage JAN. 1 to DEC 31 inclusive.
(Month/Day) (Month/Day)

- c. Proposed well diameter is 50 inches; proposed depth of well is 8 feet.
SPRING SPRING

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 0 years (minimum 1 year - maximum 5 years).
Allow 1 yr. J.J. 8-7-79

8. Description of proposed uses:

- a. If water is not for irrigation:

(1) Give the place of use of water: NE $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 25 Township 40N
Range 5W B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water 1.

(5) If water is to be used for other purposes describe: _____

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:



CONSERVATION PLAN MAP

Prepared by SOIL CONSERVATION SERVICE * UNITED STATES DEPARTMENT of AGRICULTURE
cooperating with

Latah

OWNER Jim Agidius
OPERATOR same Idaho
COUNTY STATE

FARM NO.
SCALE 3" = 1 mi.
PHOTO NO.

DATE 6/72
ACRES 40 AC.
APPROXIMATE

34.25 AC NE 1/4 SW, SE 1/4 SW SEC-25 T-140N



AREAS
1-2+4
PROPOSED
FOR
IRRIGATION

CENTER
OF
SECTION 25

1 1/4" PVC

WATERWAY WAS LOCATED INCORRECTLY ON MAP

26087-4

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

A full-page sheet of white graph paper featuring a uniform grid of thin black horizontal and vertical lines. The grid consists of 20 columns and 20 rows, creating a total of 400 small squares. There are no margins, text, or other markings on the page.

Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

James P. Agidius
(Applicant)

Proposed Priority 7/29/79

Received by me Date 7/24/79 Time 11:40 AM
Preliminary check by RBT Fee \$ 20.00
Received by me Date 7/27/79 (1-4123)
Publication prepared by me Date 8/1/79
Published in Daily Tribune
Publication dates 8/8-12/79
Publication approved me Date 8/17/79
Protests filed by: none

Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by RBT Jim

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 87-7060, and said application is hereby approved.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before October 1, 19 80.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. Other: _____

Witness my hand this 10 day of September, 19 79.

D. Allen Gayton
Chief, Operations Bureau

Affidavit of Publication

STATE OF IDAHO
County of Latah

ss.

W. Mauneau

being first duly sworn, on oath,
deposes and says:

That he is the printer of The
DAILY IDAHONIAN, a newspaper
of general circulation, printed and
published daily except Sunday at
Moscow, Latah County, Idaho, in
compliance with Sections 60-106,
60-107, and 60-108 of the Idaho
Code and the amendments there-
to; that the notice of which the
annexed is a full, true and correct
printed copy was published in the
regular and entire issues of said
newspaper and not in a supple-
ment thereto, upon the following

dates: *August 9,*

16, 1979

the same being the dates desig-
nated for the publication of said
legal notice.

[Signature]
Subscribed and sworn to before

me this *15th* day of *August*

19 *79*

Carol Fleener

Notary Public,

residing at Moscow, Idaho

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following
application(s) have been submitted for
permit to appropriate the public waters of
the State of Idaho:

87-7060

AGIDIUS, JAMES P. &/or NETTA M.
416 N. BLAINE, MOSCOW, ID 83843

Source: UNNAMED SPRINGS

Date Filed: 07/24/1979

Amount: 0.06 CFS 5.0 AC-FT

Diversion Point: NESW Sec 25 T 40N R
05W, LATAH Co.

Use: IRRIGATION (0.02 CFS) from 05/01
to 11/15

IRRIGATION STORAGE (5.0 AC-FT)
from 01/01 to 12/31

IRRIGATION FROM STORAGE (5.0 AC-
FT) from 05/01 to 11/15

DOMESTIC (0.04 CFS) from 01/01 to 12/31

Place of Use: NESW Sect. 25 T 40N R 05W

FOR 8 ACRES

Diversion Means: PUMP & PIPE

If issued, the permit(s) will be subject
to all prior water rights. Protests against
the granting of any permit must be filed
with the Director of the Idaho Department
of Water Resources, 4055 Gov't Way,
Coeur d'Alene, Id. 83814 on or before
AUGUST 27, 1979.

C. STEPHEN ALLRED
Director

Aug. 9, 16, 1979

July 17, 1984


RE: Permit No. 87-7060

James P. or Netta M. Agidius
2418 Cumerine Rd.
Moscow, ID 83843

Dear Mr. and Mrs. Agidius:

Enclosed herewith is a copy of the Water Right License issued on the above referenced Permit.

Sincerely,



JIM JOHNSON
Water Distribution Supervisor

JJ:kw
Enclosure

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Statehouse
Boise, Idaho 83720

RECEIVED
MAY 21 1984

MAY 31 1984

Department of Water Resources

FORWARDING
NOT EXPIRED
RETURN TO SENDER



John-25

CONFIDENTIAL

Resend
10-day

James P. or Netta M. Agidius
416 N. Blaine
Moscow, ID 83842

6-5-81

Office: 2418 Cummerine Rd.

Moscow, Vol. 83843



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

~~May 24, 1984~~

June 5

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

RE: Permit No. 87-7060

James P. or Netta M. Agidius
~~416 N. State~~ 2418 Cumerine Rd.
Moscow, ID 83843

Dear Mr. and Mrs. Agidius:

A representative of this Department has made an examination of the works covered by your Permit No. 87-7060, and has found the following:

Amount of water that can be recognized as beneficially used under Idaho law: 0.04 cfs Source: springs trib to sinks

The maximum quantity diverted shall not exceed 12.9 acre feet per year.

Point(s) of diversion: NE $\frac{1}{4}$ SW $\frac{1}{4}$ Section 25, Twp 40N, Rge 5W

Beneficial Use: Domestic use for 1 unit, irrigation from storage, storage for irrigation and irrigation of 8 acres within NE $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 25, Twp 40N, Rge 5W

Priority date established: July 24, 1979

Conditions (if any):

If you do not concur with these findings, please contact us within 10 days, otherwise a water license will be issued as set forth above.

Sincerely,

JIM JOHNSON
Water Distribution Supervisor

JJ:sc

RECORDED

State of Idaho
DEPARTMENT OF WATER RESOURCES
FIELD REPORT

RECEIVED
JUL 22 1982
Department of Water Resources

87-7060

Permit No.
29-1

CONTACT WITH PERMIT HOLDER

	DATE	INITIALS	REMARKS
☐ Appointment letter mailed:			
☐ Telephone call made: (List Telephone No. used)			
☐ Appointment scheduled for: (Date, time, location)			

RECEIVED
APR 13 1984

Department of Water Resources

EXAMINATION

Date 7/9/82 Accompanied by James Ugidius Total Q measured _____
If source is surface water, estimate total flow of source _____
Methods of measurement Estimate/Calculation Meets Permit requirements? Yes

Measurement calculations: $10 \text{ gpm} = 0.02 \text{ afa}$ irrigation too low
 $V_{\text{max}} = (0.02 \text{ afa/s}) (3600 \text{ s/hr}) (24 \text{ hr/d}) (30 \text{ day/mo}) (6.5 \text{ mo}) (1 \text{ afa/43560 ft}^2) = 7.7 \text{ AFA}$ ✓
 $V_{\text{irr}} = (3.0)(8) = 24.0 \text{ AFA}$ ✓
 $\therefore 7.7 \text{ AFA}$
 $V = 0.02 \times 1.9835 \times 245 = 9.7 \text{ AF}$ ✓
 Domestic $Q_{\text{max}} = 8.8(0.5)(0.83) = 3.68 \text{ cfs}$ ✓
 $2.33(30) + 80$
 $Q_{\text{max}} = 0.023$ ✓
 $HP = 0.5$
 $H_{\text{topo}} = 80'$
 $P = 30 \text{ psi}$
 $\% = 80$

WELL/DIVERSION* NO.	HP	MOTOR MAKE	MOTOR SERIAL NO.	PUMP MAKE	PUMP SERIAL NO.	MEASURING DEVICE TYPE	CONDITION OF MEAS. DEV.	REMARKS
1 Domestic	1/2	Berkeley						Submersible
2 Pond	8hp	Briggs	F011850	Pacific	B2P24229			

System Description 2 separate systems - 1/2 HP pump from spring for domestic, 8HP pump from 1 AF pond for irrigation. Total of 30 ac of possible irrigation with no more than 8 ac at any one time.
Irrigation pump is throttled back to only produce 10 gpm through trickle irrigation system
 *Code with map on reverse side. Disregard code if only one.

RECOMMENDED AMOUNTS

USE	Q (cfs)	V (afa)	FROM	TO
Irrigation ✓	0.02 ✓	9.7 ✓	3/15 5/4 ✓	11/15 ✓
Storage for Irrigation ✓	N/A	1.0 ✓	1/1 ✓	12/31 ✓
Irrigation from Storage ✓	N/A	1.0 ✓	3/15 5/4 ✓	11/15 ✓
Domestic ✓	0.02 ✓	1.2 ✓	1/1 ✓	12/31 ✓
Total	0.04 ✓	12.9 ✓		

Remarks Single family domestic ✓

per Bob Haynes the springs run into pond where storage occurs.
 permit allows only for 5 AFA. FROM STORAGE

SCHEMATIC DIAGRAM OF SYSTEM
(Include distance from pump to measuring device, if applicable.)

SCHEMATIC DIAGRAM OF SYSTEM

Point(s) of diversion: NE SW sec 25 T40N R5W

Place(s) of Use $\swarrow$ per map above

[illegible]

Recommended Amendments:

☐ Change P.D., as reflected above

☐ Change P.U., as reflected above

☐ Add P.D. as reflected above

☐ Add P.U. as reflected above

Other ☐
None ☒

Examiner's Signature _____

Checked by Spencer

2000


Approved by _____

Date _____

7/14/82 7/15/82

31

3-9-84 / 4-30-84



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Northern Region

JOHN W. EVANS
Governor
C. STEPHEN ALLRED
Director

4055 Government Way
Coeur d'Alene, ID 83814
(208) 667-6484

October 16, 1980

Mr. James P. Asidius
415 N. Blaine
Moscow, Idaho 83843

RE: 67-7060

Dear Mr. Asidius:

We acknowledge receipt of your statement of completion of water development and use for the above-referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We do not know at this time when he will be able to conduct the examination, however, the examiner will try to contact you at the time he makes the examination so that you may show him the system. Your permit will remain valid until the examination is made.

If you have any questions concerning the field examination, please contact this office.

Very truly yours,

TOM D. KING
Senior Water Resource Agent

TDK/fms

cc. IDWR - State Office

MICROFILMED

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 87-7060

Name(s) of Permit Holder:

Post Office Address:

Moscow Idaho 83843

Tel. No. 882-344

Source of Water:

Extent of Use:

☐ Domestic

(number of households)

☐ Stockwater

(number and type of stock)

☒ Irrigation

(acres)

☒ Other

5 5/7
Garden & nursery stock and mixing pesticides

Measuring Device:

Required?

☐ Yes

☒ No

Installed?

☐ Yes

☒ No

Access Port:

Required?

☐ Yes

☒ No

Installed?

☐ Yes

☒ No

The above information is a true statement of the extent to which the above numbered permit has been developed.



25 Sept. 1980

Date

James P. Aguilas
Signature of Permit Holder

MICROFILMED

James P. Agidius
416 N. Blaine
Moscow Idaho 83843



Department of Water Resources

SEP 29 1980

RECEIVED



IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

AGIDIUS, JAMES P. & NETTA M.
416 N. BLAINE
MOSCOW, ID 83843

188393

JULY 31, 1980

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 87-7060 WAS THAT EVIDENCE OF THE EXTENT OF DEVELOPMENT MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE OCTOBER 01, 1980. (SEE LAST PAGE OF YOUR APPROVED PERMIT). ENCLOSED IS A POST CARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF OF BENEFICIAL USE.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU HAVE NOT PREVIOUSLY RECEIVED AN EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME PROVIDED THE DELAY IS FOR REASONABLE CAUSE AS INDICATED IN SECTION 42-204, IDAHO CODE, AMENDED. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED. A REQUEST FOR EXTENSION OF TIME FORM IS ENCLOSED FOR YOUR CONVENIENCE. PLEASE NOTE THAT A FEE OF \$15.00 MUST BE SUBMITTED WITH THIS FORM.

EITHER THE BENEFICIAL USE POST CARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE MENTIONED DATE, OTHERWISE, THE PERMIT WILL LAPSE AND BE OF NO FURTHER FORCE OR EFFECT WITHIN 60 DAYS.

SINCERELY,

RITA FLECK
SR. SECRETARY

ENCLOSURES

MICROFILMED



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 373 W. Franklin Street, Boise, Idaho

JOHN V. EVANS
Governor

C. STEPHEN ALLRED
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 384-2215

September 10, 1979

James & Netta Agidius
416 N. Blaine
Moscow, Idaho 83843

Dear Mr. & Mrs. Agidius,

RE: Permit No. 87-7060

Enclosed is a copy of your approved Application for Permit. We direct your attention to the conditions of approval as listed on the fourth page.

Sincerely,

David R. Tuthill, Jr.

DAVID R. TUTHILL, JR.
Supervisor, Water Allocations Section

DRT:lr

Enclosure

MICROFILMED

87-7060

STAFF REVIEW - STATE OFFICE

1. ☒ Name vs. Signature
2. ☒ Source
3. ☒ Point of Diversion
4. ☒ Amnt. & Period of Use
5. ☒ Descrip. of Diverting Wrks.
6. ☒ Time req. for Proof of B/U
7. ☒ Place of Use for other than irrig.
8. ☒ Place of Use for irrigation (add acres)
9. ☒ Property Owner at Pt. of Div. & Pl. of Use
10. ☒ Map
11. 20 Fee & Rec't. No.

Copies Sent To:

☒ Idaho Health Department	☒ U.S.F.S.
☒ Idaho Fish & Game Dept.	☒ Dept. of Lands
☒ Bureau of Land Management	☒ Other

Dam Safety Information N/A (Goes to Permit Section)

Check:

Critical G.W. Area ☐ yes ☒ no

Other rights on same land None plotted from same source

Withdrawals of all protests received N/A yes ☐ no

Conditions:

ID Power Co. Letter - Snake R. ☒

ID Power Co. Letter - G.W. & Tribs. ☒

Snake River Condition ☒

Payette River Letter ☒

Priority Date 7/24/79

Water Quality #16 ☒

Water Quality #10 ☒

intrastate ☐ interstate ☐

Meas. Dev. or Sc. Meas. ☒

Totalizing meter ☒

Supplemental ☒

Right-of-Way Cond. ☒

Watermaster Cond. ☒

Wtr. Dist No. ☒

Meas. Dev. Cond. for apps within a Water Dist. ☒

Short letter w/o conditions

Maureen -
Type correction on
items 7 & 6.b.

Jim
Reviewer
9/7/79
Date

DEPARTMENT OF WATER RESOURCES
- STAFF ANALYSIS -

Item Initial Date

Application No. 87-1060 Agudine

☒ Source
☒ Point of Diversion
☒ County
☒ Quantity of Water and Period of Use
☒ Description of Diverting Works
☒ Time required for B/U of water
☒ Place of Use or Acres Irrigated
☒ Map
☒ Signature
☒ Fee

(1) RJA 7-25-79

In form to receipt

(2) _____

Send Copies to:

_____ Idaho State Health Department
_____ Idaho Fish and Game Department
_____ Bureau of Land Management

(3) _____

_____ Request Special Use Permit from U.S.F.S.
_____ Request Easement from B.L.M.
_____ Request Information from Applicant
_____ Request Dam Safety Information

(4) RJA 7-25-79

In form for advertising

(5) _____

Platted on Map No. _____

(6) _____

Located within Water District No. _____

(7) _____

Critical groundwater area: yes _____ no _____

(8) _____

Groundwater levels:

_____ Declining, _____ Stable, _____ Increasing

(comment) _____

(9) _____

Other rights on the same place of use

(10) _____

Comments: _____

(11) ms 8/29/79

Affidavit of Publication received(date) 8/16/79

(12) ms 8/29/79

Final date for protests 8/27/79
Protests received: yes _____ no ☒

(13) ms 8/29/79

All requested information received from agencies or applicant: yes ☒ no _____

(14) _____

Action recommended:

☒ Approve _____ Deny

RECEIVED
SEP 06 1979

Department of Water Resources

7-24-79 Proposed Priority

Reason for Reduction _____

Measuring device required

See attached sheet for other conditions of approval

☒ No special conditions for approval

(15) District Madison

By RJA Date 8-31-79

MICROFILMED

82-2060_

AGIDIUS, JAMES P. &/or NETTA M.

416 N. BLAINE, MOSCOW, ID 83843

Source: UNNAMED SPRINGS

Date Filed: 07/24/1979

Amount: 0.06 CFS 5.0 AC-FT

Diversion Point: NESW Sec 25 T 40N R 05W, LATAH Co.

Use: IRRIGATION	(0.02 CFS)	from 05/01 to 11/15
IRRIGATION STORAGE	(5.0 AC-FT)	from 01/01 to 12/31
IRRIGATION FROM STORAGE	(5.0 AC-FT)	from 05/01 to 11/15
DOMESTIC	(0.04 CFS)	from 01/01 to 12/31

Place of Use: NESW Sec 25 T 40N R 05W FOR 8 ACRES

Diversion Means: PUMP & PIPE

MICROFILMED

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES
Northern Region

JOHN V. EVANS
Governor
C. STEPHEN ALLRED
Director

4055 Government Way
Coeur d'Alene, ID 83814
(208) 667-6484

August 2, 1979

Mr. James P. Asidius
416 N. Blaine
Moscow, Idaho 83843

RE: 87-7060

Dear Mr. Asidius:

Enclosed is Receipt No. 14123 in the amount of \$20.00 which was received by this office for the filing fee on the above-referenced item.

Sincerely,

Patricia M. Styra

PMS

Enclosure

MICROFILMED