



STATE OF IDAHO DEPARTMENT OF WATER RESOURCES

NORTHERN REGION

REMARKS / PHOTOS

PERMIT # 87-7057

DATE

INITIALS

7/31/80 APPLYING FOR EXT. ~ PER L.B.

k

1/14/81 CALLED R. GARRETT WTL FILE

k

1/19/81 " LINDA H. " "

k

1/20/81 EXT SUBMITTED AFTER BLI DUE DATE

k

2/6/81 875-0147 NO ANS.

k

3/23/82 " "

k

8/83 CONTACTED TERRY HOWARD ~ HE SAID HE WOULD CONTACT

MR. WILLIAMS TO FIND OUT IF MR. W. WANTS HIM

TO DO THE EXAM

k

9/83 875-0147 NO ANS ~ MR. HOWARD DID NOT

CALL BACK, I ASSUME MR W. WANTS IDWR

TO DO THE EXAM

k

1/8/87 AN OVERLAP OF STOCK WATER EXISTS

87-4031

k

7/8/87

J.A.



NOV 24 1989

MICROFILMED



STATE OF IDAHO DEPARTMENT OF WATER RESOURCES

NORTHERN REGION

REMARKS / PHOTOS


PERMIT # 877057

DATE

INITIALS



MICROFILMED
NOV 24 1989



Mapped 1
This is
script

MICROFILMED

T 41 N

R 5 W
NOV 24 1989

SEC. 21

87-7057

EXAM DATE - 7-20-87

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 87-07057

Priority: April 13, 1979

Maximum Diversion Rate:
Maximum Diversion Volume:¹

0.04 CFS
12.2 AF

This is to certify, that ROY E. WILLIAMS

RR 1 BOX 15

VIOLA, ID 83872

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated April 13, 1979; and has submitted Proof of Beneficial Use on May 12, 1980. An examination indicates that the works have a diversion capacity of .040 cfs of water from:

SPRINGS
UNNAMED STREAM

tributary to GNAT CREEK
tributary to GNAT CREEK

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	05/01 to 09/30	0.04 CFS	11.0 AF
DOMESTIC	01/01 to 12/31	0.01 CFS	1.2 AF
	Totals	0.04 CFS	12.2 AF

LOCATION OF POINT(S) OF DIVERSION:

SWSW , Sec. 21, Township 41N, Range 05W
LATAH County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
41N	05W	21	SWSW	4		4

Total number of acres irrigated: 4

PLACE OF USE: DOMESTIC, same as IRRIGATION use

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to reflect cropping patterns or acceptable standards of water delivery efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.

MICROFILMED

NOV 24 1989

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 87-07057

CONDITIONS/REMARKS:

5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 3.0 afa per acre for the lands above.
6. Domestic use is for 1 home.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 16TH day of NOVEMBER, 1989.

Acting for

R. Keith Higginson, Director

MICROFILMED

NOV 24 1989

This is a change of use for a previously established claim. See file for Roy E. Williams Sect 21, T41N, R5W. Previous use was for stock watering only.

Identification No. 87-7057

Application No. _____

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES **APPROVED**
APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

1. Name of applicant Roy E. Williams Phone: 208 875 0147
post office address RR 1 Box 55 Viola, Idaho 83872
2. Source of water supply Spring & Creek which is a tributary of gnat creek
3. a. Location of point of diversion is SW $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 21 Township 41N
Range 5W B.M. LATAH County; additional points of diversion if any: _____

- b. If water is not consumed, it will be discharged into Creek at a point in SW $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 21 Township 41N Range 5W B.M. _____

4. Water will be used for the following purposes:

Amount .01 cfs for domestic purpose from Jan 1 to Dec 31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount .01 cfs for stock purpose from Jan 1 to Dec 31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount .01 cfs for irrigation purpose from May 1 to Sept 30 (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

- a. .03 cubic feet per second and/or
b. _____ acre feet per annum.

6. Proposed diverting works:

- a. Description of ditches, flumes, pumps, headgates, etc. Spring Box &
CULVERT WITH TRAP

- b. Height of storage dam 4 feet, active reservoir capacity .1 acre feet; total reservoir capacity .1 acre feet, materials used in storage dam: rock & dirt

Period of year during which storage will occur Variable to _____ inclusive.
(Mo. Day) (Mo. Day)

- c. Proposed well diameter is NA inches; proposed depth of well is NA feet.

7. a. Time required for the completion of the works and application of the water to the proposed beneficial use

* is NA years. (This is a change of use from a previously established claim, see file for Roy Williams)

- b. Estimated construction cost is \$ 1000.

8. Description of proposed uses:

- a. If water is ~~not~~ for irrigation:

- (1) Give the place of use of water: SW $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 21 Township 41N
Range 5W B.M.

- (2) Amount of power to be generated: NA hp under NA feet of head.

- (3) List number of each kind of livestock to be watered 50 head of cattle

- (4) Name of municipality to be served NA, or number of families to be supplied with domestic water 1.

- (5) If water is to be used for other purposes describe: _____

MICROFILMED

[illegible]

2

87-4031

Reg. 3. Williams
Reg. 3. Williams


applicant to make this filing.

X 2 diversion pt.

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

Sec 21, T41N, R5W

Sec 20, T41N, R5W



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Roy E. Williams
(Applicant)

Map from legal X-4/13/79

Proposed Priority 4-13-79

Received by me Date 4/13/79 Time 11:35 AM
Preliminary check by me Fee \$ 10.00
Received by me Date 4/13/79 (13527)
Publication prepared by me Date 4/18/79
Published in Idaho Statesman
Publication dates 4/26-5/3/79
Publication approved me Date 5/4/79
Priority reduced to _____ Reason _____

Protests filed by: none

Copies of protests forwarded by _____

Hearing held by _____ Date _____
Recommended for approval denial by me 3.5.

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 87-7057, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before July 1, 19 80.

c. Other: _____

2. Denial of said application is for the following reasons: _____

Witness my hand this 4 day of June, 19 79.

Chief, Operations Bureau

A. Allen Bayton

Affidavit of Publication

STATE OF IDAHO
County of Latah

ss.

AJ Mauney

being first duly sworn, on oath,
deposes and says:

That he is the printer of The DAILY IDAHONIAN, a newspaper of general circulation, printed and published daily except Sunday at Moscow, Latah County, Idaho, in compliance with Sections 60-106, 60-107, and 60-108 of the Idaho Code and the amendments thereto; that the notice of which the annexed is a full, true and correct printed copy was published in the regular and entire issues of said newspaper and not in a supplement thereto, upon the following

dates: April 26
May 3, 1979

the same being the dates designated for the publication of said legal notice.

Mauney
Subscribed and sworn to before

me this 2nd day of May

1979
Carol Fleener

Notary Public,

residing at Moscow, Idaho

APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

87-7057

WILLIAMS, ROY E.

RR 1, BOX 55, VIOLA, ID 83872

Source: UNNAMED SPRING tributary to GNAT CREEK, UNNAMED CREEK tributary to GNAT CREEK.

Date Filed: 04/13/1979

Amount: 0.13 CFS

Diversion Point: SWSW Sec 21 T 41N R 05W, LATAH Co.

Use: DOMESTIC (0.01 CFS) from 01/01 to 12/31. STOCKWATER (0.01 CFS) from 01/01 to 12/31. IRRIGATION (0.11 CFS) from 05/01 to 09/30

Place of Use: SWSW Sec 21 T 41N R 05W

SESE Sec 20 T 41N R 05W FOR 20 ACRES

Diversion Means: SPRING BOX & CULVERT WITH TRAP

87-7058

CHIN, LEONARD

717 EAST B, MOSCOW, ID 83843

Source: GROUNDWATER

Date Filed: 04/13/1979

Amount: 0.0074 CFS

Diversion Point: NESW Sec 13 T 39N R 06W, LATAH Co.

Use: DOMESTIC (0.0074 CFS) from 01/01 to 12/31

Place of Use: NESW Sec 13 T 39N R 06W

Diversion Means: WELL, PUMP & PIPELINE

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 4055 Gov't Way, Coeur d'Alene, Id. 83814 on or before MAY 14, 1979.

C. STEPHEN ALLRED
Director

April 26, May 3, 1979

MICROFILMED

November 16, 1989

ROY E. WILLIAMS
RR 1 BOX 15
VIOLA, ID 83872

RE: PERMIT NO. 87-07057

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

NOV 24 1989

October 26, 1989

ROY E. WILLIAMS
RR 1 BOX 15
VIOLA, ID 83872

RE: PERMIT NO. 87-07057

Dear Permit Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

RECORDED

NOV 24 1989

POINT OF DIVERSION OVERLAP REVIEW

WR-NUMBER	TWP	RNG	SC	TRACT 1\4 1\4 1\4	LT	#SOURCE	#NAME
8707057 8704031	41N	05W	21	SW SW		SPRING SPRING	WILLIAMS, ROY WILLIAMS, ROY

MICROFILMED

NOV 24 1969

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Staff Analysis Sheet
for
Beneficial Use Field Report

87-7057
Permit No.

RECEIVED

NOV 05 1987

A. Prior to Conducting the Exam, the File Contains:

- ☒ Blank Field Report Form
- ☒ Copy of Permit
- ☒ Copies of any Amendments/Orders with conditions of approval
- ☒ Computer Data Proof Report
- ☒ Copy of U.S.G.S. Quad
- ☒ Check for Government Lots. If so, make a copy of Government Plat

Department of Water Resources

Check of P/D index 1-8-87 (Initial and date)

Overlap? ☒ yes ☐ no If yes: ☐ copy of exam(s) attached?

Type of Overlap? ☐ Add acres or uses to existing system

☐ Increase rate of flow or volume

☒ Other: INCREASE FOR STOCK ?

Check of P/U index 1-8-87 (Initial and date)

Overlap? ☒ yes ☐ no If yes: ☐ copy of water right(s) attached?

Type of Overlap? ☐ Increase rate of flow or volume

☐ Add P/D's

☐ Increase number of acres within tracts

☒ Other: STEAK WATER INCREASE ?

Aerial Photo

Required? ☐ yes ☒ no If yes: ☐ copy attached?

Scheduling Letter sent? _____ (Initial and date)

☒ Appointment made and telephone conversation memo attached

B. After Conducting the Exam, the File Contains:

- ☒ Fully completed and signed Field Report Form
- ☐ Photographs of Point of Diversion and Place of Use
- ☐ Corrected Computer Data Proof Report with recommended license information, and date and signature of examiner.

C. Review and Processing:

Exam Completed Jennifer Agnew (Signature of examiner and date)

Exam Reviewed by Senior Water Resource Agent 11/3/87 (Initial and date)

Exam Reviewed by Manager of Regional Office 10/23/87 (Initial and date)

Exam Date Entered in Computer 11/3/87 (Initial and date)

Exam sent to State Office 11/3/87 (Initial and date)

Copy of Staff Analysis Sheet sent to Manager of Regional Office and Original
Refiled in White File _____ (Initial and date)



STATE OF IDAHO DEPARTMENT OF WATER RESOURCES

NORTHERN REGION

REMARKS / PHOTOS

PERMIT # 87-7057

DATE

INITIALS

7/31/80 APPLYING FOR EXT. ~ PER L.B. L
1/14/81 CALLED R. GARRETT LTL FILE L
1/19/81 " LINDA H. " " L
1/20/81 EXT SUBMITTED AFTER BLI DUE DATE L
2/6/81 875-0147 NO ANS. L
3/23/82 " " L
8/83 CONTACTED TERRY HOWARD ~ HE SAID HE WOULD CONTACT
MR. WILLIAMS TO FIND OUT IF MR. W. WANTS HIM
TO DO THE EXAM L
9/83 875-0147 NO ANS ~ MR. HOWARD DID NOT
CALL BACK, I ASSUME MR W. WANTS IDWR
TO DO THE EXAM L
1/8/87 AN OVERLAP OF STOCK WATER EXISTS
87-4031 L

7/8/87

J.A.



NOV 24 1989
MICROFILMED




STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
NORTHERN REGION

REMARKS / PHOTOS

PERMIT # 871057

DATE

INITIALS



MICROFILMED
NOV 24 1989

HOWARD • DONLEY ASSOCIATES, INC.

Consulting Engineers and Geologists

Howard Donley, President, P.E.
Terry R. Howard, Vice-President, P.E., P.G.
Larry G. Clark, Manager, P.E.
H. Robert Howard, Manager, P.E.

Redwood City, California
Moscow, Idaho
Casper, Wyoming
Boise, Idaho

Rt. 4, Box 399 • Moscow, Idaho 83843 • (208) 882-1006
885-7977

April 22, 1982

Mr. Tom D. King
Sr. Water Resource Agent
State of Idaho
4055 Government Way
Coeur d'Alene, ID 83814

Dear Mr. King:

I have inspected the facilities pertinent to the Water Right application of Dr. Roy E. Williams (87-7057). He has installed and is operating continuously a domestic water supply from a spring alongside a creek approximately 150 yards east of his house. This supply also waters horses as needed and a garden and part of a pasture as water is available. He has installed a culvert beneath a small embankment across the creek upstream from the spring extraction point. This culvert can be closed or partially closed to form a small collection pond behind the culvert. This pond is pumped on an "as needed" basis or on an "as water is available" basis for irrigation of garden and pasture. However, limits on demand and on water supply in the creek make the use of the system intermittent.

Yours very truly,



Terry R. Howard, P.E., P.G.

TRH:s1

MICROFILMED

NOV 24 1989

RECEIVED

APR 23 1982

Department of Water Resources
Northern District Office

NOTICE OF CLAIM TO A WATER RIGHT

NO. 87-4031

Notice is hereby given that Roy E Williams

1213 Kouse, Moscow, Id

has filed a claim to a water right established by diversion and application
to beneficial use of cubic feet per second gallons per minute

of water from an unnamed spring & stream

with point of diversion in the SW1/4SW1/4 Sec 21, T41N, R5W, B.M., Latah
County.

The water is claimed to be used from April 1 to Dec 1
for stock water

with a priority of Jan 1964;
the place of use is within the SW1/4SW1/4 Sec 21, T41N, R5W, B.M.

Any exception to this claim of water right may be filed with the Idaho
Department of Water Resources, 4055 Government Way, Coeur d'Alene, Idaho,
83814.

INDEXED


NOV 24 1989

C. STEPHEN ALLRED
Director

OVERLAP

Published in the Daily Idahonian, Moscow, Id

on February 9 and February 16, 1978



Mapped 1
This is
script

T 41 N

MICROFILMED
R 5 W
NOV 24 1989

SEC. 21

87-7057

EXAM DATE - 7-20-87

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

Permit No. 87-7057
Phone No. 885-6259 & 875-0147
EXAM. DATE: 7-20-87
Phone No. _____

1. Owner: Roy E. Williams
Current Address: P.O. Box 15, Viola, Idaho 83872

2. Accompanied by: _____
Address: SAME
Relationship to Permit Holder: SAME


3. Source: 2 springs & creek tributary to Gant Creek

B. OVERLAP REVIEW

1. Other water rights with same place of use: 87-4031
☐ Copies Attached
2. Other water rights with same point of diversion: 87-4031
☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = NTS

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and place(s) of use (required).
☐ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater.)
- ☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).

MICROFILMED

NOV 24 1989

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

Stock is covered by claim #87-4031. From #1 spring through 2" line to 1400 gal storage tank from which 2" line to Domestic use + 1/2 Ac lawn & garden and 2" line to stock. For irr. 2" line in storage pond $\approx 10' \times 10' \times 3'$ Fed by spring & creek irr is done through Flood & small sprinklers. When not irr. culvert is unplugged and ~~tree~~ no pond results. irr. is limited to water supply.

☐ See Remarks on page 4 for continuation

4. $h_{st. irr} \approx 3'$ $h_{st. Dom} \approx 3'$

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
#1 irr		2			2"
#2 Domestic	Berkeley	2			2"

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			SW	SW	21	41N	SW	Latah	Map-permit

6. Place(s) of Use:

Indicate Method of Determination Map-permit

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
41N	SW	21											0						
41N	SW	21											4						4

MICROFILMED

NOV 24 1989

Do not use this space

Do not use this space

D. FLOW MEASUREMENTS

None JK

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

$$Q_{Total} = .03 \text{ cfs} \quad Q = \frac{(.75)(8.8)(2)}{2.3(20) + 3} = .27 \text{ cfs}$$

2. Alternate Method for Checking Purposes:

$$Q_{Dom} = .03 \text{ cfs}, \quad Q_{irr} = .03 \text{ cfs} \quad Q_{irr} = \frac{(.75)(8.8)(2)}{2.3(60) + 3} = .09 \text{ cfs}$$

F. PUMP EFFICIENCY DATA (Optional)

$$Q_{irr} = 4(.02) = .08 \text{ cfs}$$

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3)

; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 12 \text{ AF}$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 9 \text{ AF}$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 9 \text{ AF}$$

2. Volume Calculations for Other Uses:

$$V_{irr} = (.03 \text{ cfs}) \times 3 \text{ day} \times (153 \text{ days}) \times \left(\frac{3600 \text{ sec}}{\text{hr}} \right) \times \frac{1}{43,560 \text{ ft}^3} = 1.1 \text{ AF}$$

$V_{Dom} = 1.2 \text{ AF}$

IMPROVED

NOV 24 1989

JK

H. REMARKS AND OVERLAP REVIEW ANALYSIS

#87-4031 overlaps #87-7057 in stock water

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Domestic	1-1	12-31	.03 cfs	1.2 AF
Irrigation	5-1	9-30	.03 cfs	1.1 AF 9 JK
Totals:			.03 cfs	10.2 JK 2.3 AF

2. Recommended Amendments

☐ Change P.D. as reflected above

☐ Add P.D. as reflected above

☒ None

☐ Change P.U. as reflected above

☐ Add P.U. as reflected above

☐ Other

J. AUTHENTICATION

Field Examiner's Name

Jennifer Argraves


Signature

Jennifer Argraves

Certification Date

Field Report Preparation Date

7-20-87



K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

JOM 3/22/89

MICROFILMED

NOV 24 1989

4/86 note 12/30/86.
I have already mailed this
form in once (April 1, 1986)
Roy E Williams

RECEIVED
JAN 08 1987
No Fee
Required

For Office Use Only
Fee Received -0-
Date 1/5/86
Receipt # -
Receipt by Z
Sent to S.O. 1/6/87

STATE OF IDAHO
Department of Water Resources
DEPARTMENT OF WATER RESOURCES
EXAMINATION FEE INFORMATION

RECEIVED
JAN 8 1987

1. Permit No. 87-7057

ONE OF THE FOLLOWING BOXES SHOULD BE MARKED TO DESIGNATE YOUR CHOICE:

☒ I choose to have the department make the field examination. Attached is the examination fee. (If this box is marked, complete items 1 thru 8.)

2. Permit Holder: Roy E. Williams

3. Post Office Address: P.O. Box 15, Viola, Idaho 83822

Telephone No. 208 8856259 & 8750147

4. Source of Water: Spring & Creek

5. Extent of Use:
Domestic 1 (No. of households) Stockwater 12 horses & occasional cattle (No. and type of stock)

Irrigation 4 acres intermittent (acres) Other/Remark No. of cattle & no. of horse units. Consequently division varies by season.
irrigation .04 cfs.

6. Total rate &/or volume for which proof is submitted .03 cfs acre-feet

7. Show the date water was first diverted and beneficially used under this permit:
1978 - approx June.

8. Person to contact to accompany the department representative during the field examination:
Roy E. Williams
(Name)

P.O. Box 15, Viola, Idaho 83822 208 8856259 or 8750147
(Address) (Telephone Number)

RECEIVED
NOV 24 1985

☐ I choose to have the field examination conducted by a certified water right examiner. Attached is a statement from the certified examiner verifying that he has been retained to conduct the examination. (If this box is marked, complete items 1 thru 7.)

12/30/86 Roy E. Williams Landowner
Date Signature of Permit Holder (and Title, if appropriate)

State of Idaho

Department of Water Resources

LICENSE EXAMINATION FEE SCHEDULE

(c.f.s. = cubic feet per second
AF = acre feet)

cfs	AF	Fee
0 - 0.04	0 - 4	\$ 0
.05 - 0.20	5 - 20	50.00
.21 - 1.0	21 - 100	100.00
1.01 - 2.0	101 - 200	125.00
2.01 - 3.0	201 - 300	150.00
3.01 - 4.0	301 - 400	175.00
4.01 - 5.0	401 - 500	200.00
5.01 - 6.0	501 - 600	225.00
6.01 - 7.0	601 - 700	250.00
7.01 - 8.0	701 - 800	275.00
8.01 - 9.0	801 - 900	300.00
9.01 - 10.0	901 - 1000	325.00
10.01 - 11.0	1001 - 1100	350.00
11.01 - 12.0	1101 - 1200	375.00
12.01 - 13.0	1201 - 1300	400.00
13.01 - 14.0	1301 - 1400	425.00
14.01 - 15.0	1401 - 1500	450.00
15.01 - 16.0	1501 - 1600	475.00
16.01 - 17.0	1601 - 1700	500.00
17.01 - 18.0	1701 - 1800	525.00
18.01 - 19.0	1801 - 1900	550.00
19.01 - 20.0	1901 - 2000	575.00
20.01 & over	2001 & over	600.00

Checks should be made payable to the
Department of Water Resources.

No fee is required for single family
domestic use or stockwater use.

GENERAL INFORMATION

0801 48 VON

4/86

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

EXAMINATION FEE INFORMATION

For Office Use Only
Fee Received _____
Date _____
Receipt # _____
Receipt by _____
Sent to S.O. _____

RECEIVED

MAY 8 1988

1. Permit No. 87.7057
138 116

ONE OF THE FOLLOWING BOXES SHOULD BE MARKED TO DESIGNATE YOUR CHOICE: Department of Water Resources

☐ I choose to have the department make the field examination of this permit; attached is the examination fee. (If this box is marked, complete items 1 thru 8.)

2. Permit Holder: Roy E. Williams

3. Post Office Address: P.O. Box 15, Viola, Idaho
Telephone No. 208 8856259

4. Source of Water: Spring & Creek

5. Extent of Use:

Domestic 1 (No. of households) Stockwater 3 to 10 (No. and type of stock)

Irrigation no (acres) Other/Remark _____

6. Total rate &/or volume for which proof is submitted .03 cfs _____ acre-feet

7. Show the date water was first diverted and beneficially used under this permit:

SEPT. 1978

8. Person to contact to accompany the department representative during the field examination:

Roy E. Williams
(Name)

P.O. Box 15, Viola, Idaho 83872 208 8856259
(Address) (Telephone Number)

☐ I choose to have the field examination conducted by a certified water right examiner. Attached is a statement from the certified examiner. I have selected verifying that he has been retained to conduct the examination. (If this box is marked, complete items 1 thru 7.)

MICROFILMED

5/5/86
Date

Roy E. Williams NOV 24 1988
Signature of Permit Holder (and title, if appropriate)

State of Idaho
Department of Water Resources

LICENSE EXAMINATION FEE SCHEDULE

(c.f.s. = cubic feet per second
AF = acre feet)


cfs	AF	Fee
0 - 0.04	0 - 4	\$ 0
.05 - 0.20	5 - 20	50.00
.21 - 1.0	21 - 100	100.00
1.01 - 2.0	101 - 200	125.00
2.01 - 3.0	201 - 300	150.00
3.01 - 4.0	301 - 400	175.00
4.01 - 5.0	401 - 500	200.00
5.01 - 6.0	501 - 600	225.00
6.01 - 7.0	601 - 700	250.00
7.01 - 8.0	701 - 800	275.00
8.01 - 9.0	801 - 900	300.00
9.01 - 10.0	901 - 1000	325.00
10.01 - 11.0	1001 - 1100	350.00
11.01 - 12.0	1101 - 1200	375.00
12.01 - 13.0	1201 - 1300	400.00
13.01 - 14.0	1301 - 1400	425.00
14.01 - 15.0	1401 - 1500	450.00
15.01 - 16.0	1501 - 1600	475.00
16.01 - 17.0	1601 - 1700	500.00
17.01 - 18.0	1701 - 1800	525.00
18.01 - 19.0	1801 - 1900	550.00
19.01 - 20.0	1901 - 2000	575.00
20.01 & over	2001 & over	600.00

Checks should be made payable to the
Department of Water Resources

No fee is required for single family
domestic use or stockwater use.

MICROFILMED

NOV 24 1989



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720

87-7057
WILLIAMS, ROY E.
RR 1, BOX 55
VIOLA, ID 83872

138116

April 30, 1986

CERTIFIED MAIL

EXAMINATION FEE NOTICE

Dear Permit Holder:

Department records show that proof of beneficial use has been submitted for the above-referenced permit, but that a field examination has not yet been conducted to determine the extent of beneficial use of the water for licensing purposes.

House Bill 671 (effective April 4, 1986) enacted by the 1986 Idaho Legislature requires the payment of a fee before this department can conduct the field examination needed to issue a license confirming use of water under the permit. This letter is notification that the license examination fee is due within sixty (60) days of the date of this letter. The examination fee information sheet (enclosed) must be returned with the fee.

As an alternative to submitting the fee, the department will accept a field examination report completed by a certified water right examiner from the private sector. If you choose to have the examination done by a certified water right examiner, you need not submit the license examination fee to the department, but you must within sixty (60) days of the date of this letter return to the department, the examination fee information sheet showing appropriate information together with a statement from the certified examiner to verify that you have retained a certified examiner to conduct the field examination. If you choose this alternative, a completed field examination report must be submitted within one year of the date of this letter. You cannot later change your decision to use this alternative and submit the fee needed for the department to conduct the field examination, but you may submit the fee to another certified examiner.

MICROFILMED

Certified water right examiners are licensed engineers, geologists or land surveyors certified by the department to conduct water right examinations. The procedure for certifying examiners results from the recently enacted HB 671 and is being developed at this time. A listing

NOV 24 1986

of certified water right examiners will be available from this department when examiners have been certified.

If your permitted use, in fact, has already been examined by the department and you have not asked to have the examination repeated, the fee requirement is not applicable to your permit. If you believe this is the case, please contact the department.

The license examination fee is to be based on the amount of water you indicate you have developed, as listed in item 6 on the examination fee information sheet. The amount of water on which the examination fee is based can be less than the permitted amount, if less water has been diverted and beneficially used. The licensed amount of water, however, will not exceed the amount you claim on the examination fee information sheet. The enclosed license examination fee schedule shows a listing of applicable fees.

FAILURE TO SUBMIT WITHIN THE SIXTY (60) DAY PERIOD, THE FEE OR THE STATEMENT THAT A CERTIFIED EXAMINER HAS BEEN RETAINED TO MAKE THE FIELD EXAMINATION, WILL BE CAUSE TO ADVANCE THE PRIORITY OF THE PERMIT ONE DAY FOR EACH DAY THAT THE FEE SUBMITTAL IS LATE.

FAILURE TO SUBMIT THE FEE OR THE COMPLETED FIELD EXAMINATION REPORT WITHIN A YEAR WILL BE CAUSE TO CONSIDER THE PROOF OF BENEFICIAL USE TO BE INCOMPLETE AND TO LAPSE THE PERMIT.

The attached examination fee information sheet and the fee may be submitted to the following department offices.

Northern Region

Idaho Dept. of Water Resources
4055 Government Way
Coeur d'Alene, ID 83814
Phone: 765-4639

Eastern Region

Idaho Dept. of Water Resources
150 Shoup Ave., Suite 15
Idaho Falls, ID 83401
Phone: 525-7161

Southern Region

Idaho Dept. of Water Resources
1041 Blue Lakes Blvd. North
Twin Falls, ID 83301
Phone: 734-3578

Western Region

Idaho Dept. of Water Resources
450 W. State St., (Third Floor)
Boise, ID 83720
Phone: 334-2190

Sincerely,



L. GLEN SAXTON
Chief, Operations Bureau

Enclosures

MICROFILMED

NOV 24 1989

August 12, 1980

Roy Williams
College of Mines U of I
Moscow, Idaho 83843

Dear Mr. Williams,

We are returning your check for \$15.00 along with the request for an extension of time for Permit 87-7057.

The reason we are doing this is because you have already submitted your proof to beneficial use card.

Once the proof has been submitted it is not necessary to request an extension.

If you have any questions on this matter please let me know.

Sincerely,

JIM JOHNSON
Water Distribution Supervisor

JJ:mr

Enclosure

MICROFILMED

NOV 24 1989

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES
Northern Region

JOHN V. EVANS
Governor
C. STEPHEN ALLRED
Director

4055 Government Way
Coeur d'Alene, ID 83814
(208) 667-6484

June 16, 1980

Mr. Roy E. Williams
Rt. 1 Box 55
Viola, Idaho 83872

RE: 87-7057

Dear Mr. Williams:

We acknowledge receipt of your statement of completion of water development and use for the above-referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We do not know at this time when he will be able to conduct the examination, however, the examiner will try to contact you at the time he makes the examination so that you may show him the system. Your permit will remain valid until the examination is made.

If you have any questions concerning the field examination, please contact this office.

Very truly yours,

TOM D. KING
Senior Water Resource Asent

TDK/pms

cc: IDWR - State Office

MICROFILMED

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 87-2057.

Name(s) of Permit Holder:

ROY E. WILLIAMS

Post Office Address:

RRI BOX 55

VIOLA, IDAHO 83872

Tel. No. 208 8850147

Source of Water:

SPRING & CREEK

Extent of Use:

☒ Domestic

1

(number of households)

☒ Stockwater

horse-cattle

(various)

(number and type of stock)

☐ Irrigation

(acres)

☐ Other

Measuring Device:

Required?

☐ Yes

☒ No

Installed?

☐ Yes

☐ No

Access Port:

Required?

☐ Yes

☒ No

Installed?

☐ Yes

☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.


May 8, 1980

Date

ROY E. WILLIAMS

Signature of Permit Holder

SPK PM 1992
9 MAY 1980
Roy S. Williams
P.R. Box 55
Viola, Idaho 83822



IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

RECEIVED

MAY 12 1980

Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

WILLIAMS, ROY E.
RR 1, BOX 55
VIOLA, ID 83872

158143

APRIL 30, 1980

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 87-7057 WAS THAT EVIDENCE OF THE EXTENT OF DEVELOPMENT MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE JULY 01, 1980. (SEE LAST PAGE OF YOUR APPROVED PERMIT). ENCLOSED IS A POST CARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF OF BENEFICIAL USE.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU HAVE NOT PREVIOUSLY RECEIVED AN EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME PROVIDED THE DELAY IS FOR REASONABLE CAUSE AS INDICATED IN SECTION 42-204, IDAHO CODE, AMENDED. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED.

EITHER THE BENEFICIAL USE POST CARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE MENTIONED DATE, OTHERWISE, THE PERMIT WILL LAPSE AND BE OF NO FURTHER FORCE OR EFFECT WITHIN 60 DAYS.

SINCERELY,

RITA FLECK
SR. SECRETARY

ENC: 1

MICROFILMED



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 373 W. Franklin Street, Boise, Idaho

JOHN V. EVANS

Governor

C. STEPHEN ALLRED

Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 384-2215

June 5, 1979

Re: Permit No. 87-7057

Roy E. Williams
R. R. 1, Box 55
Viola, Idaho 83872

Dear Mr. Williams:

Enclosed is a copy of your approved Application for Permit. We direct your attention to the conditions of approval as listed on the fourth page.

Sincerely,

DAVID R. TUTHILL, JR.
Supervisor, Water Allocations Section

DRT:lr

Enclosure

UNRECORDED
UNFILED

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: JS

APPLICATION NUMBER: 87-7057

CHECK:

Williams

Field check by: _____

Date: _____

Comments: _____

- JS ☒ Source.
13 ☒ Point of diversion.
all items ☒ County. ant
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☐ Yes ☒ No* In form to receipt.

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- N/A ☐ Idaho State Health Department. Copies sent by: _____ Date: _____
☐ Idaho Fish and Game Department. _____
☐ Idaho Department of Lands. _____
☐ U.S. Bureau of Land Management. _____
☐ U.S. Forest Service. _____
☐ Other _____

PROCESSING:

- JS ☐ Yes ☒ No Platted by: _____ Map No. _____
☐ Yes ☒ No Other rights on same place of use. None platted
☒ Yes ☐ No* In form for advertising. _____
Final date for protests: May 14, 1979
☒ Yes ☐ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 5/2/79
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☐ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☐ Yes ☒ No Access port required.
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? _____
4.13.79 Date of priority recommended.
Special conditions of approval or cover letter. _____


By: JS Date: 5-17-79

STATE OFFICE REVIEW:

NOIS - ADD comment to item 7a

- Approve
☐ See attached sheet for more information.

By: JS Date: 5/24/79



82-2052-

WILLIAMS, ROY E.

RR 1, BOX 55, VIOLA, ID 83872

Source: UNNAMED SPRING tributary to GNAT CREEK
UNNAMED CREEK tributary to GNAT CREEK

Date Filed: 04/13/1979

Amount: 0.13 CFS

Diversion Point: SWSW Sec 21 T 41N R 05W, LATAH Co.

Use: DOMESTIC	(0.01 CFS)	from 01/01 to 12/31
STOCKWATER	(0.01 CFS)	from 01/01 to 12/31
IRRIGATION	(0.11 CFS)	from 05/01 to 09/30

Place of Use: SWSW Sec 21 T 41N R 05W SESE Sec 20 T 41N R 05W
FOR 20 ACRES

Diversion Means: SPRING BOX & CULVERT WITH TRAP

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Northern Region

JOHN V. EVANS
Governor
C. STEPHEN ALLRED
Director

4055 Government Way
Coeur d'Alene, ID 83814
(208) 667-6484

April 18, 1979

Mr. Roy E. Williams
RR 1, Box 55
Viola, Idaho 83872

RE: 87-7057

Dear Mr. Williams:

Enclosed is Receipt No. 13527 in the amount of \$20.00 which was received by this office for the filing fee on the above-referenced item.

Sincerely,

Patricia M. Styra

PMS

Enclosure