




State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 87-7042

Priority: January 12, 1978 Amount: .20 CFS 35.4 AFA

This is to certify, that GORDON G. HANSEN
MARLENE HANSEN

1248 KARNE DR.
MOSCOW, ID 83843

has complied with the terms and conditions of the permit issued pursuant to Application for Permit dated January 12, 1978, and has submitted proof to the Department of Water Resources on March 3, 1983, that water has been applied to a beneficial use; an examination by the Department indicates that the works have a diversion capacity of .20 cfs of water from;

UNNAMED STREAM tributary to SINKS

and that a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>VOLUME</u>
Irrigation	03/15 to 11/15	.20 cfs	30.0 afa
Irrigation storage	01/01 to 12/31		5.0 afa
Stockwater	01/01 to 12/31	.02 cfs	.2 afa
Stockwater storage	01/01 to 12/31		.2 afa
Totals		.20 CFS	35.4 AFA

LOCATION OF POINT OF DIVERSION(S): NENW , Sec. 17, Township 40N, Range 5W
Latah County

PLACE OF USE: Irrigation

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
40N	5W	17	NENW 6	NWNW 4			10
Total number of acres irrigated:							10

PLACE OF USE: Stockwater

TWN RGE SEC

40N 5W 17 NENW

PLACE OF USE: Irrigation storage, same as Irrigation use

PLACE OF USE: Stockwater storage, same as Irrigation use

CONDITIONS/REMARKS:

1. The right to the use of the water hereby confirmed is limited to the amount which can actually be beneficially used and is restricted and appurtenant to the lands or place of use and to the purpose herein described, as provided by the laws of Idaho.
2. This right is subject to all prior water rights and may be forfeited by five years of non-use.

MICROFILMED

JUL 12 1988

State of Idaho
Department of Water Resources

PAGE 2


WATER RIGHT LICENSE

WATER RIGHT NO. 87-7042

CONDITIONS/REMARKS:

3. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
4. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 3.0 afa per acre for the lands above.
5. The maximum combined rate of diversion under this right & Right 87-7043 shall not exceed .20 cfs.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 13th day of April, 1988.


Director

MICROFILMED

JUL 12 1988

Identification No. _____

Application No. 87-7042

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT **APPROVED**

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

1. Name of applicant GORDON G. OR MARLENE HANSEN Phone: _____
post office address 805 N. MAIN, MOSCOW, ID 83843
2. Source of water supply RUNOFF which is a tributary of _____
- * 3. a. Location of point of diversion is ~~NE~~ NE $\frac{1}{4}$ of ~~SW~~ NW $\frac{1}{4}$ of Section 17 Township 40N
Range 5W B.M. LATAH County; additional points of diversion if any: _____
- b. If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____
4. Water will be used for the following purposes:
Amount 6 AF for STORAGE ^{FOR IRRIGATION & STOCKWATER} purpose from JAN 7 to DEC 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount 0.20 for IRRIGATION purpose from MAR 15 to NOV 15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount 0.02 for STOCKWATER purpose from JAN 1 to DEC 31 (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated:
a. 0.20 cubic feet per second and/or
b. 6 acre feet per annum.
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. POND TO COLLECT SURFACE
RUNOFF PUMP FOR IRRIGATION & STOCKWATER
- b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir
capacity _____ acre feet, materials used in storage dam: _____
Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)
- c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
is 5 years.
b. Estimated construction cost is \$ _____.
- * 8. Description of proposed uses:
a. If water is **not** for irrigation:
(1) Give the place of use of water: Stockwater
NE $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 17 Township 40N
Range 5W B.M. LOT #6 OF NEARING 3RD ADDITION
(2) Amount of power to be generated: _____ hp under _____ feet of head.
(3) List number of each kind of livestock to be watered 30 HEAD OF CATTLE
(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water _____.
(5) If water is to be used for other purposes describe: _____

*

//

77

Application For

6000000000

Applicant

- applicant to make this filing—

10. Remarks

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

PP of place use

sec 17
T40N
R5W

Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Gordon Hansen
(Applicant)

* Per tele/con 1/24/78 TK

Proposed Priority 1-12-78

Received by TK Date 1-12-78 Time Noon

Preliminary check by TK Fee \$ 10.00

Received by B Date 1-25-78 (9537)

Publication prepared by B Date 1-25-78

Published in Idaho Statesman

Publication dates 2-24-78 9-28

Publication approved B Date 2-10-78

Priority reduced to _____ Reason _____

Protests filed by: _____

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by TK

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 87-7042, and said application is hereby APPROVED

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or

before April 1, 19 83.

c. Other: The rate of diversion of water for irrigation under this permit and all

other water rights on the same land shall not exceed 0.02 cubic feet per

second for each acre of land.

2. Denial of said application is for the following reasons: _____

Witness my hand this 26TH day of

April

19 78

Administrator

Norman C. Jones

Affidavit of Publication

STATE OF IDAHO
County of Latah

ss.

A. J. Macnean

being first duly sworn, on oath,
deposes and says:

That he is the printer of The
DAILY IDAHONIAN, a newspaper
of general circulation, printed and
published daily except Sunday at
Moscow, Latah County, Idaho, in
compliance with Sections 60-106,
60-107, and 60-108 of the Idaho
Code and the amendments there-
to; that the notice of which the
annexed is a full, true and correct
printed copy was published in the
regular and entire issues of said
newspaper and not in a supple-
ment thereto, upon the following

dates:

*February 2,
9, 1978*

the same being the dates desig-
nated for the publication of said
legal notice.

[Signature]
Subscribed and sworn to before

me this *8th* day of *February*

19 *78*

Carol Fleener

Notary Public,

residing at Moscow, Idaho

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Gordon G or
Marlene Hansen 805 N Main, Moscow, Id
has on January 12, 1978 submitted Applica-
tion No. 87-7042 for a permit to appropriate
20 cubic feet per second & 6 acre feet per
annum of water from runoff by means of a
pond & pump within the NE $\frac{1}{4}$ NW $\frac{1}{4}$ Sec 17,
T40N, R5W, B.M., Latah County to be used
from Jan 1 to Dec 31 for stockwater (0.02
cfs) and storage for irrigation &
stockwater (6 AF) and from March 15 to
Nov 15 for the irrigation of 11 acres (0.20
cfs) within the NE $\frac{1}{4}$ NW $\frac{1}{4}$ Sec 17 &
SE $\frac{1}{4}$ SW $\frac{1}{4}$ Sec 8, all in T40N, R5W, B.M.

If issued, this permit will be subject to
all prior water rights. Protests against the
granting of the permit must be filed with
the Idaho Department of Water
Resources, 4055 Government Way, Coeur
d'Alene, Idaho 83814, on or before
February 20, 1978.

C. STEPHEN ALLRED
Director

Feb. 2, Feb. 9, 1978

OK
2-10-78
[Signature]

April 13, 1988

GORDON G. & MARLENE HANSEN
1248 KARNE DR.
MOSCOW, ID 83843

RE: Permit No. 87-7042

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

FILED
JUL 12 1988

March 16, 1988

GORDON G. & MARLENE HANSEN
1248 KARNE DR.
MOSCOW, ID 83843

RE: Permit No. 87-7042

Dear Permit Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

JUL 12 1988

RECEIVED

NOV 29 1985

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
LICENSING REPORT

10-DAY

87-7042

Permit No.

Department of Water Resources

1. Measurement Calculations

a) Field Measurement Calculations (Include theoretical capacities and system capacity)

13 SPRINKLERS - $\frac{3}{16} \times \frac{3}{32}$ AT 30 PSI - 6.93 gpm/HEAD

$$\frac{(13)(6.93)}{448.8} = 0.2 \text{ cfs} \checkmark$$

3 HEAD STOCK - 0.02 cfs

b) Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 10 \times 3.5 = 35 \text{ AF/ANN}$
 $V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 0.2 \times 246 \times 1.9835 = 97 \text{ AF}$
 $V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 35 \text{ AF/ANN}$

3.0 per irrig.
 requirement
 30.0 at field
 headgate

c) Volume Calculations for Other Uses:

Pond $\frac{150 \times 180 \times 8}{808 \times 2.08} = 5 \text{ AF STORAGE} \checkmark$
 Stock 3 HEAD - 0.2 AF

2. Overlap Review per VAX 7/26/88:

a) Other water rights with same place of use: 87-7043 $\checkmark$ 87-7128 domestic

b) Other water rights with same point of diversion: ~~None~~ 87-7043 per exam
 from a g.w. source

c) Analysis:

IRRIGATION - SHOULD NOT EXCEED 0.2 cfs
 OR 35 AF WHEN COMBINED WITH 87-7043
 STOCKWATER - SHOULD NOT EXCEED 0.02 cfs
 OR 0.2 AF WHEN COMBINED WITH 87-7043

JUL 12 1988

Recommend R29R17 (87-7043, 0.20 cfs)

RECOMMENDED AMOUNTS

Permit No. ✓	87-7042	Priority ✓	Jan. 12, 1978	Amount ✓	.200	App. Date ✓	1/12/1978	Date Proof Submitted ✓	MAR. 3, 1983	System Capacity ✓	.200
--------------	---------	------------	---------------	----------	------	-------------	-----------	------------------------	--------------	-------------------	------

4. Permit Holder: GORDON ⁵⁰⁰ MARLENE HANSEN -
Address: 1248 HAREN DRIVE, MOSCOW, ID 83843
5. Source: ~~RAVINE~~ ^{UNNAMED Stream} tributary to SINKS

- | 6. Beneficial Use | Period of Use
From To | Rate of Diversion
Q (cfs) | Annual Volume
V (ata) |
|-----------------------------|--------------------------|------------------------------|--------------------------|
| IRRIGATION ✓ | MAR 15 'Nov 15 ✓ | .20 cfs | ~~30.0~~ 30.0 AFA |
| STORAGE FOR IRR. ✓ | JAN 1 'Dec 31 ✓ | N/A | 5.0 AFA |
| STORAGE FOR STOCK ✓ | JAN 1 'Dec 31 ✓ | N/A | 0.2 AFA |
| STOCKWATER ✓ | JAN 1 'Dec 31 ✓ | .02 ✓ | .2 ✓ AFA |
| | | .20 cfs | ~~35.2~~ 35.4 AFA |
| 7. Point(s) of Diversion: ✓ | Allowable Maximums: | | |

[illegible]

- [illegible]

9. Recommended Conditions/Remarks: R17 (87-7043, 0.20 g/L) 829

10. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None

8861 2 JUL 1988

RECEIVED

11. Examiner's Signature _____
 Checked in Regional Office by _____
 Approved in State Office by _____
- ☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other _____
- Date 10/25/85 Date 11/20/85 Date 2-22-88

88/20/23

Approved in State Office by

Checked in Regional Office by

11. Examiner's Signature

☐ Change P.U. as reflected above

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None

10. Recommended Amendments

8861 21 706

IDENTIFIED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

1. Owner: GORDON G. OR MARLENE HANSEN Permit No. 87-7042
Current Address: 1248 KAREN DR. MOSCOW, ID 83843 Phone No. 882-6831
2. Accompanied by: APPLICANT EXAM. DATE: 9/6/85
Address: _____ Phone No. _____
Relationship to Permit Holder: _____
3. Source: UNNAMED STREAM (RUNOFF) tributary to _____

Well/Diversion* No.	Motor Make	HP	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	WISCONSIN	3 1/4	108 2982	JAGER	1 1/2"
	PORTABLE		MIDEL AFH		

*Code with points of diversion, system diagram & photos on reverse side. Disregard if only one.

5. System Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)
WATER IS GRAVITY FLOW FROM POND IN PIPE WITH SEVERAL
OUTLETS. PORTABLE PUMP FROM OUTLET TO A SPRINKLER
LATERAL WITH 30PSI AND 13 SPRINKLERS.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
PRESSURE GAUGE						

7. Measurements ☐ Additional data/computation sheets attached

HEADS - $\frac{3}{116}$ K $\frac{3}{32}$

STOCK - 3 HEAT


- | 8. Point(s) of Diversion: | Indicate Method of Determination |
|---------------------------|----------------------------------|
|---------------------------|----------------------------------|

[illegible]

- | | | |
|----|------------------|---|
| 9. | Place(s) of Use: | Irrigation - give acres served by system at time of exam.
Indicate Method of Determination |
|----|------------------|---|

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
70N	5W	17					6	4										10	
							X (STOCK & STORAGE)												
Total Acres																		10	

10. Other water rights on these lands _____
11. Other water right diverted from same p.d. _____
12. **Diversion and Delivery System Diagram:** Indicate all major components and distances between components. Indicate ditch size/pipe i.d. as applicable. Indicate on systems with measurement port the distance between the port and the nearest component/pipe bend/restriction both upstream and downstream, and the inside pipe diameter at the measurement port. On multiple diversion systems indicate how diversion systems are connected.



13. ☐ Photo of Diversion & System Attached
- ☒ Aerial Photo of Place of Use Attached or Map of Irrigated Acreage Attached
14. Remarks _____


15. Recommended Amendments
- ☐ Change P.D. as reflected above
- ☐ Add P.D. as reflected above
- ☐ Change P.U. as reflected above
- ☐ Add P.U. as reflected above
16. Examiners/Consultant's Signature _____ Date 9/6/85
- Consultant's License Number _____
- IDWR Director's Authorization to Conduct _____
- Beneficial Use Examination _____

CONSULTANT SEAL

DATE

JUL 12 1988

87-4043



MICROFILMED

JUL 12 1988

BM 2705

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Northern Region

JOHN V. EVANS
Governor
A. KENNETH DUNN
Director

4055 Government Way
Coeur d'Alene, ID 83814
(208) 667-6484

MARCH 18, 1983

GORDON & MARLENE HANSEN
1248 KARNE DRIVE
MOSCOW ID 83843

RE: Permit No. 87-7042

Dear Permit Holder:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this department.

A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office by phone at 667-6484 or in person at our office.

Sincerely,

TOM D. KING
Senior Water Resource Agent

cc: IDWR - State Office

MICROFILMED

JUL 12 1988

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 87-7042

Name(s) of Permit Holder: Gordon & Marlene Hansen

Post Office Address: 1248 Kane dr. Newing addition

Prosser Idaho 83843 Tel. No. 882-6831

Source of Water: Run off

Extent of Use:

- ☐ Domestic _____ (number of households)
- ☒ Stockwater 30 head of cattle (number and type of stock)
- ☒ Irrigation 2.65 acres (acres)
- ☐ Other _____

Measuring Device: Required? ☐ Yes ☒ No Installed? ☐ Yes ☐ No


Access Port: Required? ☐ Yes ☒ No Installed? ☐ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

2-27-83
Date

Gordon Hansen
Signature of Permit Holder

PLACE
13 CENT
STAMP
HERE



DEPARTMENT OF WATER RESOURCES



IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

MAIL ROOM

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

138269

HANSEN, GORDON G. & MARLENE
805 N. MAIN
MOSCOW, ID 83843

PROOF DUE NOTICE

JANUARY 31, 1983

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 87-7042 WAS THAT PROOF OF THE EXTENT OF YOUR BENEFICIAL USE MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE APRIL 01, 1983. (SEE LAST PAGE OF YOUR APPROVED PERMIT OR YOUR LAST APPROVED EXTENSION REQUEST). ENCLOSED IS A POSTCARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU OR A PREVIOUS OWNER OF THIS PERMIT HAVE NOT RECEIVED A PRIOR EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME IF THE DELAY IS FOR REASONABLE CAUSE AS PROVIDED IN SECTION 42-204, IDAHO CODE. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED. AN EXTENSION OF TIME REQUEST FORM IS ENCLOSED FOR YOUR CONVENIENCE.

EITHER THE BENEFICIAL USE POSTCARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE DESCRIBED PROOF DUE DATE. IF NEITHER IS RECEIVED, THE DEPARTMENT WILL SEND YOU A LAPSE NOTICE. WITHIN SIXTY (60) DAYS OF THE MAILING OF THE LAPSE NOTICE, THE PERMIT WILL NO LONGER BE OF ANY FORCE NOR EFFECT.

SINCERELY,

RITA FLECK
SECRETARY/RECORDS MANAGER

ENCLOSURES

WATER RIGHT ANALYSIS FORM

- DATA ENTRY -

Identification No. 1 87-7042
OTd No. New No.

Record

1. Original Owner: Mordon H. + Marlene Hansen

Present Owner: _____

2. Address: 805 N. Main3. City: Moscow State: ID Zip: 838434. A. Source of Water: unnamed stream

B. Tributary of: _____

5. A. Stage (A,P,L,D,S,J): P

B. Status (D,L,R,C,A,I,F - leave blank if valid): _____

C. Priority Date: 1-12-1978D. County: 57E. Total Diversion Rate: .2F. Total Diversion Volume: 6.

G. Transfer/Amendment (P,T of A or blank): _____

H. Water District: _____

I. DLE/Carey Act (D,C or blank): _____

J. Right Basis (for adjudication claims A,B,C only): _____

	Tract	Sec.	Twp.	Rge.	Gov't Lot	Rediv.
6. A. Point of Diversion	<u>NW NW</u>	<u>17</u>	<u>40N</u>	<u>5W</u>		

7. Period of Use, Use, Diversion Rate/Volume:

from 3-15 to 11-15 for A purposes. Amount .2 cfs
(cfs or AC-FT/yr)from 1-1 to 12-31 for AS purposes. Amount 6 AFfrom 1-1 to 12-31 for AR purposes. Amount 6 AFfrom 1-1 to 12-31 for S purposes. Amount .02 cfsfrom 1-1 to 12-31 for SS purposes. Amount 6 AFfrom 1-1 to 12-31 for SR purposes. Amount 6 AF

from _____ to _____ for _____ purposes. Amount _____

14. Diversion Means (brief narrative):

[illegible]

67-0878

May 3, 1978

Re: Permit No.'s 87-7042 and 87-7043

Gordon G. or Marlene Hansen
805 N. Main
Moscow, ID 83843

Dear Mr. and Mrs. Hansen:

Enclosed are copies of your approved Applications for Permit No.'s 87-7042 and 87-7043. We direct your attention to the conditions of approval as listed on the fourth pages.

Sincerely,

L. Glenn Saxton
Chief, Operations Bureau

LGS:kw
Enclosures

INTER-DEPARTMENT MEMO — 1

FROM

B

DATE

3.20.28

TO

Folk

SUBJECT

after advertising, we discovered through the
co. assessors office that all property had with
Dec. 17. No readvertising is necessary
because of the way the original was used

B

SIGNATURE

MICROFILMED

DEPARTMENT OF WATER RESOURCES
- STAFF ANALYSIS -

Item Initial Date

Application No. Hansen

☒ Source
☒ Point of Diversion
☒ County
☒ Quantity of Water and Period of Use
☒ Description of Diverting Works
☒ Time required for B/U of water
☒ Place of Use or Acres Irrigated
☒ Map
☒ Signature
☒ Fee

(1) SK 1-24-78

In form to receipt

(2) _____

Send Copies to:

Idaho State Health Department

Idaho Fish and Game Department

Bureau of Land Management

(3) _____

Request Special Use Permit from U.S.F.S.

Request Easement from B.L.M.

Request Information from Applicant
☒ Request Dam Safety Information

(4) SK 1-24-78

In form for advertising

(5) _____

Platted on Map No. _____

(6) _____

Located within Water District No. _____

(7) _____

Critical groundwater area: yes _____ no _____

(8) _____

Groundwater levels:

_____ Declining, _____ Stable, _____ Increasing

(comment) _____

(9) _____

Other rights on the same place of use

(10) _____

Comments: none kw

(11) _____

Affidavit of Publication received(date) 2-10-78

(12) _____

Final date for protests 2-20-78

Protests received: yes _____ no ☒

(13) _____

All requested information received from agencies or applicant: yes ☒ no _____

(14) _____

Action recommended:

☒ Approve _____ Deny

1-12-78 Proposed Priority

_____ Reason for Reduction _____

_____ Measuring device required

_____ See attached sheet for other conditions of approval

☒ No special conditions for approval

(15) District Northern

By Bob Haynes Date 2-21-78

Supplemental

February 21, 1978

RE: Application No. 87-7042

Gordon G or Marlene Hansen
805 N Main
Moscow, Id 83843

Dear Mr & Mrs Hansen,

Please find enclosed a copy of the pamphlet "Safety of Dams" and the information form. You will need these if your pond does end up more than 10 feet deep.

If we may be of any further assistance, please do not hesitate to contact us.

Sincerely,

ALEA BEITO
Secretary

AB

Enclosures



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
NORTHERN REGION

John V. Evans
Governor

C. Stephen Allred
Director

Suite No. 1
4055 Government Way
Coeur d'Alene, Idaho 83814
(208) 667-6484

January 26, 1978

RE: Applications No. 87-7043 & 87-7042

Daily Idahonian
Box 399
Moscow, Id. 83843

Gentlemen:

Enclosed is a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to our office along with the publication bill. Your cooperation in this matter is appreciated.

Very truly yours,

ROBERT G. HAYNES, P.E.
District Supervisor

RGH:ab

Enc: Legal Notice(s)

*Bill received
2-10-78
B*

RECEIVED
JAN 27 1978
DISTRICT SUPERVISOR

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Gordon G or Marlene Hansen
805 N Main, Moscow, Id
has on January 12, 1978 submitted Application No. 87-7042
16
for a permit to appropriate .20 cubic feet per second/ acre feet per annum
of water from runoff
by means of a pond & pump
within the NE1/4 Sec 17, T40N, R5W, B.M., Latah County

to be used from Jan 1 to Dec 31 for stockwater (0.02 cfs) and storage
for irrigation & stockwater (6 AF) and from March 15 to Nov 15 for the irrigation
of 11 acres (0.20 cfs)
within the NE1/4 Sec 17 & SE1/4 Sec 8, all in T40N, R5W, B.M.

If issued, this permit will be subject to all prior water rights. Protests
against the granting of the permit must be filed with the Idaho Department of
Water Resources, 4055 Government Way, Coeur d'Alene, Idaho 83814, on or before
February 20, 1978.

C. STEPHEN ALLRED
Director

Published in the Daily Idahoian, Moscow, Id
on February 2 and February 9, 1978

MIDNIGHT

Dear Sir,

JAN 12 1978

If there is anything
else you need, please
contact me.

Thank you,

Marlene Hansen
805 W. Main
Moscow, Idaho

Marlene Hansen

208-882-3822

RECEIVED

