


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

T 40
T 39



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

x *W. A. Smith*
Wm. A. Smith, P.E.
Director of Public Works

Affidavit of Publication

STATE OF IDAHO }
County of Latah } ss.

A J Marneau

being first duly sworn, on oath,
deposes and says:

That he is the printer of The
DAILY IDAHONIAN, a newspaper
of general circulation, printed and
published daily except Sunday at
Moscow, Latah County, Idaho, in
compliance with Sections 60-106,
60-107, and 60-108 of the Idaho
Code and the amendments there-
to; that the notice of which the
annexed is a full, true and correct
printed copy was published in the
regular and entire issues of said
newspaper and not in a supple-
ment thereto, upon the following

dates: August 11
18 1977

the same being the dates desig-
nated for the publication of said
legal notice.

A J Marneau
Subscribed and sworn to before

me this 12th day of August

19 77

Carol Fleener

Notary Public,

residing at Moscow, Idaho

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that City of
Moscow, 122 E. Fourth St., Moscow, Id.
has on August 4, 1977 submitted Applica-
tion No. 87-7034 for a permit to appropriate
750 gallons per minute of water from a
groundwater source by means of a well,
pump & pipeline within the NE $\frac{1}{4}$ SE $\frac{1}{4}$ Sec
17, T39N, R5W, B.M., Latah to be used
from Jan. 1 to Dec. 31 for municipal (750
gpm) and from March 15 to Nov. 15 for
irrigation (450 gpm) within the City of
Moscow, Id.

If issued, this permit will be subject to
all prior water rights. Protests against the
granting of the permit must be filed with
the Idaho Department of Water
Resources, 4055 Government Way, Coeur
d'Alene, Idaho 83814, on or before August
29, 1977.

C. STEPHEN ALLRED
Director

Aug. 11, 18, 1977


OK
8-19-77
SDW

MICROFILMED

This is a detailed topographic map of the Moscow, Idaho area. The map features a grid of streets in the urban area, including Washington St, Adams St, 6th St, 8th St, Lewis St, Veatch St, Logan St, Lynn St, Hayes St, Mabelle St, and various other streets. Key landmarks include St. Mary's Sch., Jr. High Sch., Whitmore Sch., High Sch., Courthouse, and Sunport Memorial Gardens. The terrain is characterized by contour lines indicating elevations from 2500 to 3100 feet. A red rectangle is drawn around a specific area near the Sunport Memorial Gardens, with handwritten notes "10K BW" and "5W" next to it. The map also shows "Valley Creek", "Palouse Fork", and "RIDGE". A scale bar at the top left indicates distances in miles (0.1, 0.2, 0.3). A compass rose is located in the upper right corner. The map is labeled with "MOSCOW" and "Palouse Fork".

This is a detailed topographic map of the Moscow, Idaho area. The map features a grid of streets in the urban area, including Washington St, Adams St, 6th St, 8th St, Lewis St, Veatch St, Logan St, Lynn St, Hayes St, Mabelle St, and Paradise St. Key landmarks include St. Mary's Sch., Jr. High Sch., Whitmore Sch., High Sch., Courthouse, and Sunport Memorial Gardens. The terrain is characterized by contour lines indicating elevations from 2600 to 3100 feet. A red rectangle is drawn around a specific area near the Sunport Memorial Gardens, with handwritten notes "10K BW" and "5W" nearby. The map also shows "Valley Creek", "Palouse Fork", and "RIDGE". A scale bar indicates distances in miles (0.1 to 0.5). A compass rose is located in the upper right corner.

(8) Remarks _____



Scale: 2 inches equal 1 mile.

Map should show the location of the point of diversion and the place of use of the water by 40-acre subdivisions, section, township and range of the public land survey system.

State of Idaho)
County of _____) ss.
County of _____)

Be it known that the undersigned, being duly sworn, deposes and says that he, she, they subscribed the foregoing claim to a water right, together with all attached information, and that the matters and facts therein are true to the best of the affiants knowledge.

Sworn to before me this _____ day of _____, 19____. (Claimant)

Notary Public
Residing at _____

My commission expires _____

For Department Use Only

Received by _____	Date _____	Exception filed by: _____	Forwarded to claimant by: _____	Date _____
Prelim. check by _____	Date _____			
\$10.00 fee received by _____	Date _____			
Approved for publication by _____				
Published in _____				
Dates _____				

MICROFILMED

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

License of Water Right No. 87-7034 Priority August 4, 1977 Amount 1.45 cfs

THIS IS TO CERTIFY, that City of Moscow
of Moscow, Idaho, has complied with the terms and conditions of Permit
No. 87-7034 issued pursuant to Application for Permit dated August 4, 1977,
and has submitted proof to the Department of Water Resources on July 19, 1982,
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of 1.45 cfs of water from a groundwater source,
tributary to _____, and that the permit holder has applied to a beneficial use and
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
Municipal	from January 1 to December 31	at 1.45 cfs and	n/a
	from _____ to _____	at _____ cfs and	
	from _____ to _____	at _____ cfs and	

(both dates inclusive)

Subject, however, to the condition that no more than 1.45 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed is for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
n/a acre feet per year, said waters to be diverted within the NE $\frac{1}{4}$ SE $\frac{1}{4}$ Section 17,
Twp 39N, Rge 5W in the County of Latah

Description and location of place of use:

Twp.	Range	Sec.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				Totals
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	

Total number of acres irrigated _____

NOTE: Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use herein described, and is subject to all prior water rights, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 13TH day of

JANUARY, 19 84.

Acting for the Director

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF CHANGING THE MEASURING
DEVICE REQUIREMENT FOR PERMIT NO. 87-7034

ORDER

WHEREAS, the above numbered permit was approved with the condition that a measuring device of a type approved by the Department be permanently installed and maintained as part of the diverting works; and,

WHEREAS, on July 1, 1978, the Department adopted a new water measurement condition which states: "An access port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department"; and,

WHEREAS, the former condition required the permit holder to purchase and install a measuring device or hire a professional engineer to certify the rate of diversion; and,

WHEREAS, the measuring device condition effective July 1, 1978, requires less capital expenditure by the permit holder; and,

WHEREAS, to be equitable to holders of permits issued prior to July 1, 1978, the new condition should be retroactive;

NOW THEREFORE, it is hereby ordered that the condition of approval of this permit related to water measurement is hereby changed as follows:

"The permit holder shall either install a measuring device or provide a certified measurement by a professional engineer or install an access port or other device as specified by the Department".

Dated this 1st day of June 1981.

Glen Saxton
GLEN SAXTON
Chief, Operations Bureau

MICROFILMED

RECEIVED

AUG 1 1977

Identification No. 87-7034
Application No. Department of Water Resources
Northern District Office

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

1. Name of applicant City of Moscow Phone: 882-5553
post office address 122 E Fourth St, Moscow, Id 83843
2. Source of water supply groundwater which is a tributary of
3. a. Location of point of diversion is NE $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 17 Township 39N
Range 5W B.M. Latah County; additional points of diversion if any:
- b. If water is not consumed, it will be discharged into at a point in $\frac{1}{4}$ of $\frac{1}{4}$ of Section Township Range B.M.
4. Water will be used for the following purposes:
Amount 750 gpm Municipal purpose from Jan 1 to Dec 31 (both dates inclusive)
Amount 450 gpm Irrigation purpose from Mar 15 to Nov 15 (both dates inclusive)
Amount for purpose from to (both dates inclusive)
5. Total quantity to be appropriated gallons per minute
a. 750 XXXXXXXXXXXXXXXXXXXX
b. acre feet per annum.
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. well, 100 hp turbine pump with 15 hp cnetrifugal booster, 750 gpm
- b. N/A Height of storage dam feet, active reservoir capacity acre feet; total reservoir capacity acre feet, materials used in storage dam:
Period of year during which storage will occur to inclusive.
c. Proposed well diameter is 8 inches; proposed depth of well is 556 feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years.
b. Estimated construction cost is \$.
8. Description of proposed uses:
a. If water is not for irrigation: City of Moscow, Moscow, Idaho, ~~within~~
(1) Give the place of use of water: $\frac{1}{4}$ of $\frac{1}{4}$ of Section Township
Range B.M.
(2) Amount of power to be generated: hp under feet of head:
(3) List number of each kind of livestock to be watered
(4) Name of municipality to be served City of Moscow, Moscow, Id., or number of families to be supplied with domestic water
(5) If water is to be used for other purposes describe: N/A

RECEIVED

Subject to irrigation rights of cemetery.

10. Remarks.

applicant to make this filing.

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the

b. Who owns the land to be irrigated or place of use? APPL/CONF

9. a. Who owns the property at the point of diversion
City of Moscow, Moscow, Idaho

c. Describe any other water rights used for the same purposes as described above.


Total number of acres to be irrigated-

[illegible]

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

T 40
T 39



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.


Wm. A. Smith, P.E.
Director of Public Works

8/ 4/77

Proposed Priority

Received by AK Date 8-4-77 Time 1:00 PM

Preliminary check by AK Fee \$ 35.00

Received by AK Date 8-5-77 (5003)

Publication prepared by AK Date 8-5

Published in Idaho Observer

Publication dates 8-21-77 to 8-27-77

Publication approved AK Date 8-19-77

Priority reduced to _____ Reason _____

Protests filed by: _____

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by AK

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 87-7034, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before September 1, 19 82.

c. Other: For licensing purposes a scientific measurement of the diversion

rate of the system as it is normally operated shall be provided by either

properly installing an approved type of measuring device or by having a

professional engineer certify the rate of diversion to the Department prior

to submitting proof of beneficial use of water.

Witness my hand this 6 day of September 19 77.

Deputy Director

Affidavit of Publication

STATE OF IDAHO
County of Latah

} ss.

A J Marneau

being first duly sworn, on oath,
deposes and says:

That he is the printer of The
DAILY IDAHONIAN, a newspaper
of general circulation, printed and
published daily except Sunday at
Moscow, Latah County, Idaho, in
compliance with Sections 60-106,
60-107, and 60-108 of the Idaho
Code and the amendments there-
to; that the notice of which the
annexed is a full, true and correct
printed copy was published in the
regular and entire issues of said
newspaper and not in a supple-
ment thereto, upon the following

dates:

*August 11,
18, 1977*

the same being the dates desig-
nated for the publication of said
legal notice.

[Signature]
Subscribed and sworn to before

me this *12th* day of *August*

19 *77*

Carol Fleener

Notary Public,
residing at Moscow, Idaho

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that City of
Moscow, 122 E. Fourth St., Moscow, Id.
has on August 4, 1977 submitted Applica-
tion No. 87-7034 for a permit to appropriate
750 gallons per minute of water from a
groundwater source by means of a well,
pump & pipeline within the NE $\frac{1}{4}$ SE $\frac{1}{4}$ Sec.
17, T34N, R5W, B.M., Latah to be used
from Jan. 1 to Dec. 31 for municipal (750
gpm) and from March 15 to Nov. 15 for
irrigation (450 gpm) within the City of
Moscow, Id.

If issued, this permit will be subject to
all prior water rights. Protests against the
granting of the permit must be filed with
the Idaho Department of Water
Resources, 4055 Government Way, Coeur
d'Alene, Idaho 83814, on or before August
29, 1977.

C. STEPHEN ALLRED
Director

Aug. 11, 18, 1977

*OK
8-19-77
SDW*

MEMORANDUM

DATE: March 11, 1996

TO: Files 87-07193 and 87-07034

FROM: Shelley W. Keen *(SWK)*

RE: Discussion with Al Beardslee

This morning I discussed a number of items regarding Application for Permit 87-07193 with Al Beardslee of Northern Region.

- We discussed the need for review of this application under the provisions of the interagency agreement regarding the coordinated management of the Pullman-Moscow Ground Water Aquifer. Al said he is not aware of the requirements of the agreement, so he will discuss it with Bob Haynes. I should wait for his reply before processing the application.
- Al told me that he spoke with the city engineer, who assured him that the entire place of use will be within the city limits of Moscow.
- From his discussion with the city engineer, Al believes that licensed right 87-07034 was forfeited. Application 87-07193 contains a statement that right 87-07034 has not been exercised since July, 1989. We discussed revoking the license under the provisions of Idaho Code Section 42-350 and agreed that I would send the applicant a letter broaching the subject.

January 23, 1984

RE: Permit No. 87-7034

City of Moscow
Box 9203
Moscow, ID 83843

Gentlemen:

Enclosed herewith is a copy of the Water Right License issued on the above referenced Permit.

Sincerely,

A handwritten signature in cursive script, appearing to read "Jim Johnson", with a long horizontal flourish extending to the right.

JIM JOHNSON
Water Distribution Supervisor

JJ:kw
Enclosure



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

December 19, 1983

RE: Permit No. 87-7034

City of Moscow
Box 9203
Moscow, ID 83843

Gentlemen:

A representative of this Department has made an examination of the works covered by your Permit No. 87-7034, and has found the following:

Amount of water that can be recognized as beneficially used under Idaho law: 1.45 cfs Source: groundwater

The maximum quantity diverted shall not exceed n/a acre feet per year.

Point(s) of diversion: NE 1/4 SE 1/4 Section 17, Twp 39N, Rge 5W

Beneficial use: Municipal use within the city limits of Moscow

Priority date established: August 4, 1977

Conditions (if any):

If you do not concur with these findings please contact us within 10 days, otherwise a water license will be issued as set forth above.

Sincerely,

JIM JOHNSON
Water Distribution Supervisor

JJ:kw

Well currently used only during summer peak use.
Irrigation included in municipal

MAP (Attach Aerial Photo)

[illegible]

SCHEMATIC DIAGRAM OF SYSTEM

(Include distance from pump to measuring device, if applicable.)

Point(s) of diversion: *NESE, S.17, T.89N, R.6W*
same permit

Place(s) of Use

City of Moscow

[illegible]

Recommended Amendments:

- ☐ Change P.D. as reflected above
- ☐ Change P.U. as reflected above

- ☐ Add P.D. as reflected above
- ☐ Add P.U. as reflected above

- ☐ Other
- ☒ None

Examiner's Signature _____

Checked by

Approved by _____

Date _____

Date _____


Date _____

4/12/83
11/30/83

*Rest near
Cherry
Hendy*

4th

PULLMAN (M.S.H.) 9.3 MI.
0.1 MI TO U.S. 95



MICROFILMED

2577 II NE
(MOSCOW WEST)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Northern Region

JOHN V. EVANS
Governor
A. KENNETH DUNN
Director

4055 Government Way
Coeur d'Alene, ID 83814
(208) 667-6484

October 8, 1982

City of Moscow
Box 9203
Moscow, ID 83843

RE: 87-7034

Gentlemen:

We acknowledge receipt of your statement of completion of water development and use for the above-referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We do not know at this time when he will be able to conduct the examination, however, the examiner will try to contact you at the time he makes the examination so that you may show him the system. If you will not be available to show the system, please provide this office with the name and address of someone who will be able to do so. Your permit will remain valid until the examination is made.

If you have any questions concerning the field examination, please contact this office. Please be sure to use the above-referenced permit number in all future correspondence concerning this examination.

Very truly yours,

TOM D. KING
Senior Water Resource Asent

TDK/pms

cc: IDWR - State Office

MICROFILMED

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 87-7034.

Name(s) of Permit Holder: CITY OF MOSCOW, IDAHO

Post Office Address: P.O. Box 9203 MOSCOW, IDAHO
83843 Tel. No. 882-5553

Source of Water: WELL - GROUNDWATER

Extent of Use: ☒ Domestic 3,790 (number of households)
☐ Stockwater (number and type of stock)
☐ Irrigation (acres)
☐ Other

Measuring Device: Required? ☐ Yes ☒ No Installed? ☒ Yes ☐ No
 Access Port: Required? ☒ Yes ☐ No Installed? ☒ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

7/16/82
 Date

ASSIST. CITY ENGINEER
Dean C. Wagon
 Signature of Permit Holder

PLACE
TEN CENT
STAMP
HERE

RECEIVED

JUL 19 1982

Department of Water Resources



IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

138340

CITY OF MOSCOW
122 E. 4TH ST.
MOSCOW, ID 83843

JUNE 30, 1982

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 87-7034 WAS THAT EVIDENCE OF THE EXTENT OF DEVELOPMENT MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE SEPTEMBER 01, 1982. (SEE LAST PAGE OF YOUR APPROVED PERMIT). ENCLOSED IS A POST CARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF OF BENEFICIAL USE.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU HAVE NOT PREVIOUSLY RECEIVED AN EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME PROVIDED THE DELAY IS FOR REASONABLE CAUSE AS INDICATED IN SECTION 42-204, IDAHO CODE, AMENDED. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED.

EITHER THE BENEFICIAL USE POST CARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE MENTIONED DATE, OTHERWISE, THE PERMIT WILL LAPSE AND BE OF NO FURTHER FORCE OR EFFECT WITHIN 60 DAYS.

SINCERELY,

RITA FLECK
SR. SECRETARY

ENC: 1

RECEIVED



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

A. KENNETH DUNN

Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

February 24, 1982

Dear Wateruser:

The enclosed Order changes the measuring device condition of approval on your water right permit.

The changed condition is less restrictive and provides you the option to install an access port or have your system measured and certified by a professional engineer. Instructions for access port installation are also enclosed.

If you have questions regarding this matter, please contact the regional office nearest to you.

Sincerely,

DAVID R. TUTHILL JR., P. E.
Supervisor, Water Allocations Section

DRT:jg

Enclosures

NORTHERN REGION OFFICE
Route #5, Box 203, Government Way
Coeur d'Alene, Idaho 83814
Telephone 667-6484

EASTERN REGION OFFICE
150 Shoup Avenue
Idaho Falls, Idaho 83401
Telephone 525-7161

SOUTHERN REGION OFFICE
1041 Blue Lake Boulevard North
Twin Falls, Idaho 83301
Telephone 734-3578

WESTERN REGION OFFICE
92 South Cole Road
Boise, Idaho 83709
Telephone 334-2190

RECEIVED
FEB 25 1982
FBI

September 6, 1977

Re: Permit No. 87-7034

City of Moscow
122 E. Fourth St.
Moscow, ID 83843

Gentlemen:

Enclosed is a copy of your approved Application for Permit No. 87-7034 . We direct your attention to the conditions of approval as listed on the fourth page.

Be sure to note that a special condition requiring you to either install and maintain a measuring device at your point of diversion or to provide the Department a certified measurement of the systems diversion capacity prior to submitting proof of beneficial use of water. We have enclosed a letter describing the different types of measuring devices accepted by this office.

Sincerely,

BOBBY D. FLEENOR
Chief, Operations Bureau

BDF/cah

Enclosure

RECEIVED

DEPARTMENT OF WATER RESOURCES
- STAFF ANALYSIS -

Item Initial Date

Application No. City of Moscow

☒ Sourcee
☒ Point of Diversion
☒ County
☒ Quantity of Water and Period of Use
☒ Description of Diverting Works
☒ Time required for B/U of water
☒ Place of Use or Acres Irrigated
☒ Map
☒ Signature
☒ Fee

(1) RAH 8-5-77
(2) RAH 8-5-77

In form to receipt

Send Copies to:

☒ Idaho State Health Department Division
☐ Idaho Fish and Game Department
☐ Bureau of Land Management

(3) _____

☐ Request Special Use Permit from U.S.F.S.
☐ Request Easement from B.L.M.
☐ Request Information from Applicant
☐ Request Dam Safety Information

(4) RAH 8-5-77

In form for advertising

(5) _____

Platted on Map No. _____

(6) _____

Located within Water District No. _____

(7) _____

Critical groundwater area: yes _____ no ☒

(8) _____

Groundwater levels:

_____ Declining, ☒ Stable, _____ Increasing

(comment) _____

(9) _____

Other rights on the same place of use

(10) _____

Comments: OK

(11) RAH 8-19-77

Affidavit of Publication received (date) 8-19-77

(12) _____

Final date for protests 8-29-77

Protests received: yes _____ no ☒

(13) _____

All requested information received from agencies or applicant: yes ☒ no _____

(14) _____

Action recommended:

☒ Approve _____ Deny

8-4-77 Proposed Priority

Reason for Reduction _____

☒ Measuring device required

See attached sheet for other conditions of approval

No special conditions for approval

(15) District Northern

By Bob Haynes Date 8-29-77

MICROFILMED



STATE OF IDAHO

DEPARTMENT OF HEALTH AND WELFARE

Division of Environment - 1525 Idaho Street - Lewiston, Idaho 83501

August 12, 1977

Robert G. Haynes, P. E.
State of Idaho
Dept. of Water Resources
Suite No. 1
4055 Government Way
Coeur d'Alene, Idaho 83814

Re: Application No.87-7034
City of Moscow

Dear Mr. Haynes,

We have reviewed engineering plans for the above referenced project and have no objections to the issuance of water rights.

Sincerely,

DEPARTMENT OF HEALTH & WELFARE

Marlin D. Brinkley
Marlin D. Brinkley, P. E.
Environmental Engineer

MDB/cmd
cc: Bob Olson
Mike Christie

RECEIVED
AUG 15 1977

Department of Water Resources
Northern District Office

RECEIVED
1977

Department of Water Resources
Northern District Office



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
NORTHERN REGION

John V. Evans
Governor

C. Stephen Allred
Director

Suite No. 1
4055 Government Way
Coeur d'Alene, Idaho 83814
(208) 667-6484

August 5, 1977

RE: Application No. 87-7034

Daily Idahonian
Box 399
Moscow, Id 83843

Gentlemen:

Enclosed is a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to our office along with the publication bill. Your cooperation in this matter is appreciated.

Very truly yours,

ROBERT G. HAYNES, P.E.
District Supervisor

cc:ab

Enc: Legal Notice(s)

RECEIVED

Bill
received
8-19-77
OK SDW

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that City of Moscow

122 E Fourth St, Moscow, Id

has on August 4, 1977 submitted Application No. 87-7034

for a permit to appropriate 750 ^{gallons per minute} ~~cubic feet per second~~

of water from a groundwater source

by means of a well, pump & pipeline

within the NE 1/4 Sec 17, T39N, R5W, B.M., Latah

to be used from Jan 1 to Dec 31

for municipal (750 gpm) and from March 15 to Nov 15 for irrigation (450 gpm)

within the City of Moscow, Id

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 4055 Government Way, Coeur d'Alene, Idaho 83814, on or before August 29, 1977.

C. STEPHEN ALLRED
Director

Published in the Daily Idahonian, Moscow, Id

on August 11 and August 18, 1977

RECEIVED

August 5, 1977

RE: Application No. 87-7034

Ed Tulloch
Dept of Health & Welfare
Division of Environment
1525 Idaho St
Lewiston, Id 83501

Dear Mr Tulloch,

We are enclosing a copy of an application that may be of interest to your agency. Please review the application and if you have any comments, please submit them to our Department as soon as possible. We normally complete the processing of an application within a 6-week period and we are required to take final action shortly thereafter.

If we may be of further assistance, please contact us.

Sincerely,

ROBERT G. HAYNES, P.E.
Regional Supervisor

RGH:ab

Enclosure

August 4, 1977

Re: Claim to a Water Right

Mr. William A. Smith
Director of Public Works
City of Moscow
Moscow, Idaho 83843

Dear Mr. Smith:

Enclosed you will find your check No. 92-47/1231 in the amount of \$10.00, along with the Claim to a Water Right. Please have the Claim notarised and return it to this office along with the fee for processing.

If this office can be of any further assistance, please do not hesitate to contact us.

Sincerely,

SHARON D. WARD
Secretary



STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES
NORTHERN DISTRICT
4055 Government Way
667-6484

COEUR D'ALENE, IDAHO 83814

August 5, 1977

RE: Application No. 87-7034

City of Moscow
122 E Fourth
Moscow, Id 83843

Attached is your receipt No. 5703 in the amount of \$35.00 for the filing fee on the above referenced item which was received in this office.

Sincerely,

Alea Beito
Secretary

AB

Attachment

MICROFILMED

CITY OF MOSCOW

MOSCOW, IDAHO
83843

122 East Fourth

Telephone: 882-5553—Area Code: 208

August 3, 1977

Tom King
Senior Water Resources Agent
Idaho Department of Water Resources
Suite No. 1, 4055 Government Way
Coeur d' Alene, Idaho 83814

Re: Application for Permit
& Claim - Sunset Memorial
Gardens Well

Dear Mr. King:


Enclosed are revised Application for Permit and Claim for Water forms for the Sunset Memorial Gardens Well. Also enclosed is the \$35.00 and \$10.00 filing fees.

We appreciate Sharon Wards' help in getting these forms properly filled out.

We have applied for Emergency Drought Assistance funding for the pumping equipment for this well. One of the conditions of this funding is approval by your department of our application to appropriate ground water.

Any help you can give us in expediting this review process will be greatly appreciated.

Very truly yours,



Wm. A. Smith, P.E.
Director of Public Works

WAS:slg
Encl:

RECEIVED
AUG 4 1977
Department of Water Resources
Northern District Office

CITY OF MOSCOW

MOSCOW, IDAHO
83843

122 East Fourth

Telephone: 882-5553—Area Code: 208

Department of Water Resources

July 13, 1977

RECEIVED

JUL 19 1977

Department of Water Resources
Nampa District Office

State of Idaho
Department of Water Resources
State Office
373 W. Franklin
Boise, Idaho 83707

RE: Sunset Memorial
Gardens Well
Water Right Claim

Dear Sirs:

Enclosed please find a claim to a water right
for the City of Moscow, Idaho.

Please contact the writer if you have any
questions.

Sincerely,



Gary Presol, P.E.
Project Engineer

GP:dm

Enc.

7/15/77 T. Presol, Jr. to City of Moscow, Idaho

July 25, 1977

Gary Presol, Project Engineer
122 East Fourth
City of Moscow
Moscow, Id 83843

Dear Mr Presol,

Enclosed is the claim you filed with this Department. Using it, I have filled out another Claim and an Application for Permit.

Please complete item 6 of the new claim and draw a map showing the point of diversion and place of use with reference to Township, Range & Section. Have the claim notarized and forward it to this office with a \$10.00 filing fee.

The Application for Permit must have the following items completed: Items 8a1, 8a4, 9a, 9b, 9c, & 11. Please have an authorized person sign the application, making note of their title. Then forward the application with a filing fee of \$35.00 to this office.

If we can be of any further assistance, please do not hesitate to contact us.

Sincerely,

TOM KING
Senior Water Resource Agent

TK:ab

Enclosure

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Section 42-225a, Idaho Code

CLAIM TO A WATER RIGHT

Under the provisions of Section 42-225a, Idaho Code, a person may file a claim to a right to use water which has been established by diversion and application to beneficial use. **The filing of this claim does not confirm the water right but will serve for information purposes only.** It may, however, become the basis for future adjudication of the water right by the Court.

Notice is hereby given that City of Moscow (name of claimant)
of 122 E Fourth St, Moscow, Id 83843, claims a right to the diversion and beneficial use of
(mailing address)
the public water of the State of Idaho

The extent and nature of said claim is as follows:

- (1) Describe source of water: (name of stream, lake, spring, etc., or ground water) _____
groundwater, tributary to, _____
- (2) Describe the purpose for which the water has been used and the time during the year when you have used the right claimed:
- | | | |
|-----------------------|-----------------|---|
| Amount <u>750 gpm</u> | Use <u>Irr.</u> | Period of Use: From <u>3-15</u> To <u>11-15</u> |
| Amount _____ | Use _____ | Period of Use: From _____ To _____ |
| Amount _____ | Use _____ | Period of Use: From _____ To _____ |
- (cfs, gpm or a/f) (dom., irri., stock, etc.) (both dates inclusive)

- (3) Total quantity of water claimed: _____ cubic feet per second, or _____ acre feet per annum, and/or 750 gallons per minute.

- (4) Priority claimed: (the date water was first applied to beneficial use) 1952

A claim is not acceptable on a ground-water source with a priority later than March 25, 1963 or on a surface-water source with a priority later than May 20, 1971. An exception to this rule is that a claim may be filed on domestic use from a ground-water source.

- (5) A) Point of diversion: (give location of point where water is diverted from its source)
NE ¼ SE ¼, Sec. 17 Twp. 39N Rge. 5W B.M. County of Latah Latah
Additional points of diversion: _____

B) Describe means of diversion of water: (pump and pipeline, well, diversion dam, reservoir, length of ditch and field, etc.) Give sizes and capacities; be as specific as possible.
Well, 100 HP turbine pump with 15 HP centrifugal booster, 750 GPM

- (6) A) Describe location of use by listing number of irrigated acres within each 40-acre tract in appropriate box. If use is not for irrigation, place an "X" in appropriate box to show location.

T	R	SEC.	NE¼				NW¼				SW¼				SE¼				TOTAL
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
39N	5W	17	X	X	X	X	X	X	X	X	X	X	X	X					
		8	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	
		7	X			X					X	X	X	X	X	X	X	X	
		18	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	
		16					X	X	X	X	29	29							58
		9							X	X		X	X				X	X	
		5													X	X			

Total No. of acres 58

B) If the water is used for other than irrigation, fully describe that use, being as specific as possible:
Irrigation of cemetery

- (7) If you are claiming water as a member of an organization, list name of organization: _____

August 1, 1977

**Gary Presol, Project Engineer
City of Moscow**

**122 E. Fourth St.
Moscow, ID 83843**

Dear Mr. Presol:

Your Claim to a Water Right and Application for a Permit are being returned for signatures and fees. The fee is \$10.00 for the claim and \$35.00 for the application. The signatures must include the title of the persons signing the documents.

If this office can be of any further assistance, please do not hesitate to contact us.

Sincerely,

**TOM KING
Senior Water Resource Agent**

TK/ndv

Enclosure