


R. 5 W

3000000

Hwy. 1 1/2 mi.
8



AD

39

N

Calculated 28 c.f.s.
Q measured
Q recommended 95.5 - 28
Volume 95.5

100 gal per min	2.28 cfs	94.5
1 dom. house	0.3 cfs	1.0
1 club house	0.2 cfs	1.0
	2.78 cfs	95.5


Acreage
Found 80.0
recommended 800

Subdv. _____

- Amendments
- ☒ None
 - ☐ P.D.
 - ☐ Place of use
 - ☐ _____

$1.44 \times 214 = 308.16$

TO
GODESS



State of Idaho
Department of Water Administration

LICENSE OF WATER RIGHT

License of Water Right No. 87-7002 Priority July 26, 1968 Amount 0.28 cfs

THIS IS TO CERTIFY, that MOSCOW ELKS CLUB
of Moscow, Idaho, has complied with the terms and conditions of Permit
No. 87-7002 issued pursuant to Application for Permit dated July 26, 1968,
and has submitted proof to the Department of Water Administration on September 9, 1969,
that he has applied water to a beneficial use; an examination by the Department indicates that the
works have a capacity of 0.28 cfs, and that the water has in fact been applied to a
beneficial use; a right to the use of water from a ground water source
tributary of _____, is hereby confirmed in the following amounts:

Amount 0.28 cfs for Irrigation from April 15 to Oct. 15 (both dates inclusive)

Amount 0.05 cfs for Domestic from Jan. 1 to Dec. 31 (both dates inclusive)

Amount _____ for _____ from _____ to _____ (both dates inclusive)

Subject, however, to the condition that no more than 0.28 cfs of water be diverted at
any one time, said waters to be diverted within the _____

SE $\frac{1}{4}$ NE $\frac{1}{4}$ Sec. 15, Twp. 39 N, Rge. 5 W, B.M.

in the county of Latah; and that the amount of water so diverted and to which such
right is entitled and confirmed is for the purposes aforesaid and is limited to the amount which can
actually be beneficially used and shall not exceed 102 acre feet per year or _____

3.0 acre feet per acre, for irrigation use and 1.2 acre feet per year for
domestic use with the total amount not to exceed 103.2 acre feet per year.


Description and location of place of use:

TWP.	RANGE	SEC.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				TOTALS
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
39 N	5 W	15			40	40													80
		15				X	(domestic)												

Total number of acres irrigated 80

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands
or place of use herein described, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 28 day of
December, 19 73.


Director

87-7002

APPLICATION FOR AMENDMENT

87-7002

2002-28

amendment Show 40-acre subdivisions, townships, ranges and ditches.

[illegible]

Scale: 2 inches equal 1 mile

That no one will be injured by such change, and that such change will be made at permit holders own risk.

holders own risk.

Signed at Winnipeg, Manitoba, this 16 day of Dec., 1913.

(Signature)

for the
EJL # 249
Museum, ID

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER ADMINISTRATION

1. R. KEITH HIGGINSON, Director of the Department of Water Administration.

hereby approve the above application for amendment for Permit No. 87-7002.

Witness my hand this 28 day of December

19 73

Director

Identification No.

87-7002

Application No.

42702

STATE OF IDAHO
DEPARTMENT OF RECLAMATION

APPROVED

APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Idaho

887-3577

OR USE ISSUED FOR 0.38 SEC. FT.
LICENSE PAGE NO.

1. Name of applicant Moscow Elks Club
post office address 112 North Main, Moscow, Idaho 83843

2. Source of water supply well which is a tributary of _____

3. a. Location of point of diversion is SE $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 15 Township 39N
Range 5W B.M. Latah County; additional points of diversion if any: _____

b. If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M.

4. Quantity to be appropriated:

a. 0.5 cubic feet per second and/or

b. 0 acre feet per annum will be stored.

5. Water will be used for the following purposes:

irrigation purpose from April 15 to October 15 (both dates inclusive)

_____ purpose from _____ to _____ (both dates inclusive)

_____ purpose from _____ to _____ (both dates inclusive)

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. sprinkler system

b. Height of storage dam _____ feet; active reservoir capacity _____ acre feet; total reservoir
capacity _____ acre feet; materials used in storage dam: _____

c. Proposed well diameter is 10 inches; proposed depth of well is 140 feet.

7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
is 1 years.

b. Estimated construction cost is \$ 3,000.

8. Description of proposed uses:

a. If water is **not** for irrigation:

(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M.

(2) Amount of power to be generated: _____ hp under _____ feet of head.


(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water _____.

(5) If water is to be used for other purposes describe: _____

87-7002

11. Map of proposed project:



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Moscow Elks Club
(Applicant)
Carmichael E. Davis Secy.
87-7002

Received by ej Date 7-26-68 Time 8:00 a.m.
Preliminary check by DW Fee \$ 10.00 7-26-68
Receipted by ej Date 7-29-68
Publication prepared by BS Date 8-1-68
Published in Daily Opokanians curr.
Publication dates 8-8-68 10-10-68
Publication approved BS Date 8-7-68
Priority reduced to _____ Reason _____

Protests filed by: none

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by DW

APPROVED

ACTION OF STATE RECLAMATION ENGINEER

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 87-7002, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before October 1, 19 69.
- c. Other: This permit is supplemental to all prior rights. The applicant shall permanently install a measuring device of a type approved by the department as part of the diverting works.

2. Denial of said application is for the following reasons: _____

Witness my hand this 16th day of September, 19 68.

Josh A. Barnett
Deputy State Reclamation Engineer

Identification No. 8

Permit No. 87-7002

42702

STATE OF IDAHO
DEPARTMENT OF RECLAMATION

PROOF OF APPLICATION OF WATER TO BENEFICIAL USE

Department of Reclamation

1. a) Name of Permit Holder Moscow Elks Club #249
b) Post Office Address 112 North Main, Moscow, Idaho 83843
2. Permit Number 87-7002
3. Date of Priority that you are prepared to establish 7/26/68
4. a) Source from which water was appropriated Well
b) Location of the point of diversion: SE 1/4 NE 1/4, Section 15
Township 39N, Range 5W Boise Meridian, Other points of diversion: _____
5. a) The amount of water and use to which the water has been applied:
amount 11 ac ft for Irrigation purposes from 1 July to Oct 30 incl.
(cfs and/or acre feet per annum) (Month-Day) (Month-Day)
amount _____ for _____ purposes from _____ to _____ incl.
(cfs and/or acre feet per annum) (Month-Day) (Month-Day)
amount _____ for _____ purposes from _____ to _____ incl.
(cfs and/or acre feet per annum) (Month-Day) (Month-Day)
b) Total amount appropriated 11 ac ft cfs and/or acre feet per annum
c) Describe how and by whom measurement of rate of flow or amount of storage was made and the qualifications of the person making the measurement: Measurement made by estimation from pump data. Estimates made by Ken Jordan, resident golf prof.
6. If the means of diversion and conveyance are owned by someone other than the Permit Holder:
a) Give the name or description of the canal, ditch or other works by which the water is conducted to the place of use: _____
b) Describe the agreement or understanding by which you take water from the works: _____
7. a) Briefly describe the works for diverting and conveying the water to the place of use, (If from a subterranean source, give the pump size, motor size, size of well casing, depth of well; if from surface water, give brief description of diversion structure and/or canal or ditch) pump size = 80 gal./min.; motor size = 7 1/2 H.P.; 8" well casing; total depth of well is 270 ft. and cased to 230 ft.
b) Describe the type and size of measuring device which you have installed at your point of diversion: _____
c) Give well drillers name and address and date the well was completed A. E. Spray
Rt 3 - Box 195
Moscow, Idaho 83843

EXAM TYPED
11-4-69
JMB

87-7002

W.B. JMB

8. If for other than irrigation, describe the beneficial use to which you have applied the water and the place of use _____

9. Irrigation uses: Describe the lands irrigated by giving the acreages irrigated within each 40 acre subdivision: 9 acres in each 40 acres.

TWP.	RANGE	SEC.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				TOTALS
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
39N	5W	15			✓	✓													80

Total number of acres irrigated 18

10. Remarks: Well did not produce the expected amount of water. Therefore, the 0.5 cfs applied for was not available.

The above information is a true statement of the extent to which the above numbered permit has been developed.

9-8-69
(Date)

Emmett E. Davis Sr.
(Signature)

State of Idaho)
County of Latah) ss.

On this 8th day of September, 19 69, personally appeared before me the signer(s) of the above instrument, who duly acknowledged to me that he (she) (they) executed the same.

Marguerite H. Albio
Notary Public residing at Idaho

My commission expires 5-5-72

14 September 1968

RECEIVED

SEP 16 1968

Mr. Steve Allred
Department of Reclamation
State of Idaho
Statehouse
Boise, IDAHO

Department of Reclamation

RE: PERMIT NO. 87-7002
ELKS GOLF COURSE

Dear Steve:

I am enclosing a personal check in the amount of ten dollars (\$10.00) to readvertise the description of the intended well to be located as follows:


"The land to be irrigated is eighty (80) acres located in the South one-half ($\frac{1}{2}$) of the North-east in Section 15, Township 39, North Range 5 West."

This is to correct the description originally listed in our application as it was in error.

Steve, I hope that this corrects the error and now everything is in order. Please let me know. Also send up the other papers and information that you people need to now and I will attempt to get the information needed.

Thank you very much for your help and assistance in this matter.

Very truly yours,


J.P. Anzuiza
Tournament Chairman
BEO Elks Golf Course #249

ENC: Check in the amount of ten dollars

87-7002

Affidavit of Publication

STATE OF IDAHO
County of Latah

ss.

RECEIVED

OCT 18 1968

Department of Reclamation

A. J. Macnean

being first duly sworn, on oath,
deposes and says:

That he is the printer of The
DAILY IDAHONIAN, a newspaper
of general circulation, printed and
published daily except Sunday at
Moscow, Latah County, Idaho, in
compliance with Sections 60-106,
60-107, and 60-108 of the Idaho
Code and the amendments there-
to; that the notice of which the
annexed is a full, true and correct
printed copy was published in the
regular and entire issues of said
newspaper and not in a supple-
ment thereto, upon the following

dates: Oct. 10, 17, 1968

the same being the dates desig-
nated for the publication of said
legal notice.

[Signature]
Subscribed and sworn to before

me this 17th day of Oct.

1968
A. B. Robinson

Notary Public,
residing at Moscow, Idaho

NOTICE FOR CORRECTION FOR APPLICATION FOR PERMIT

Notice is hereby given that Ap-
plication No. 87-7002 in the name
of Moscow Elk Club was advertised
incorrectly. The place of use was
listed as being in the S1/4 sec.
15 T. 38 N. R. 5 W. B.M., Latah
County; whereas, the actual place of
use is located in the S1/4 sec.
15 T. 39 N. R. 5 W. B.M., Latah
County.

Any protest against this correction
for the above application must be
filed with the Department of Re-
clamation within ten days from the
last date of publication of this no-
tice.

R. KEITH HIGGINSON
State Reclamation Engineer
Oct. 10, 17, 1968

87-7002

INVOICE

PUBLISHERS OF THE DAILY IDAHO NIAN

The News-Review Publishing Co., INC.

COMMERCIAL PRINTING LITHOGRAPHY AND OFFSET

409 SOUTH JACKSON MOSCOW, IDAHO 83843 — TELEPHONE 882-5561

DATE Oct. 17, 1968

Department of Reclamation
Statehouse-Annex 2
Boise, Idaho

Order No.

Net—No Discount Allowed

NOTICE FOR CORRECTION FOR APPLICATION
FOR PERMIT

\$ 5.25

I hereby certify that the foregoing account is just and correct, that the amount claimed is legally due, after allowing all just credits, and that no part of same has been paid.

Daily Idahonian

By: [Signature]

87-7003

Affidavit of Publication

STATE OF IDAHO
County of Latah

ss.

W. T.
W. T. Marineau

being first duly sworn, on oath,
deposes and says:

That he is the printer of The DAILY IDAHONIAN, a newspaper of general circulation, printed and published daily except Sunday at Moscow, Latah County, Idaho, in compliance with Sections 60-106, 60-107, and 60-108 of the Idaho Code and the amendments thereto; that the notice of which the annexed is a full, true and correct printed copy was published in the regular and entire issues of said newspaper and not in a supplement thereto, upon the following

dates: *Aug 8, 15, 1968*

the same being the dates designated for the publication of said legal notice.

W. T. Marineau
Subscribed and sworn to before

me this *19* day of *Aug*.

1968
A. B. Robinson

Notary Public,

residing at Moscow, Idaho

RECEIVED

AUG 20 1968

Department of Reclamation

NOTICE OF APPLICATION FOR WATER

Notice is hereby given that Moscow Elks Club, 122 North Main, Moscow, Idaho, has on July 26, 1968 applied for permit to divert 0.5 cubic feet per second of water from a subterranean source under application No. 87-7002. Water will be diverted by a well and a sprinkler system within the SE 1/4, sec. 15, T. 39 N, R. 5 W, B.M., Latah County and is to be used from April 15 to October 15 for irrigation in the S 1/2 SE 1/4, sec. 15, T. 39 N, R. 5 W, B.M.

Any protest against this application must be filed with the Department of Reclamation within ten days from the last date of publication of this notice.

R. KEITH HIGGINSON,
State Reclamation Engineer.
Aug 6, 15 1968.

H.K.

87-7002

Affidavit of Publication

STATE OF IDAHO }
County of Latah } ss.

W. T. Marineau
W. T. Marineau

being first duly sworn, on oath,
deposes and says:

That he is the printer of The DAILY IDAHONIAN, a newspaper of general circulation, printed and published daily except Sunday at Moscow, Latah County, Idaho, in compliance with Sections 60-106, 60-107, and 60-108 of the Idaho Code and the amendments thereto; that the notice of which the annexed is a full, true and correct printed copy was published in the regular and entire issues of said newspaper and not in a supplement thereto, upon the following

dates: *Aug 8, 15, 1968*

the same being the dates designated for the publication of said legal notice.

W. T. Marineau
Subscribed and sworn to before

me this *19* day of *Aug.*

19 *68*
A. B. Robinson

Notary Public,
residing at Moscow, Idaho

RECEIVED
Department of Reclamation

NOTICE OF APPLICATION FOR WATER

Notice is hereby given that Moscow Elks Club, 112 North Main, Moscow, Idaho, has on July 26, 1968 applied for permit to divert 0.5 cubic feet per second of water from a subterranean source under application No. 87-7002. Water will be diverted by a well and a sprinkler system within the SE $\frac{1}{4}$ NE $\frac{1}{4}$, sec. 15, T. 39 N, R. 5 W, B.M., Latah County and is to be used from April 15 to October 15 for irrigation in the S $\frac{1}{2}$ SE $\frac{1}{4}$, sec. 15, T. 39 N, R. 5 W, B.M.

Any protest against this application must be filed with the Department of Reclamation within ten days from the last date of publication of this notice.

K. KEITH HIGGINSON,
State Reclamation Engineer.
Aug. 8, 15, 1968.

87-7002

INVOICE

PUBLISHERS OF THE DAILY IDAHO NIAN

The News-Review Publishing Co., INC.

COMMERCIAL PRINTING - LETTERPRESS and OFFSET

409 SOUTH JACKSON MOSCOW, IDAHO 83843 - TELEPHONE 882-5561

DATE Aug. 19, 1968

State Department of Reclamation
 107 State House
 Boise, Idaho 83701

RECEIVED

AUG 20 1968

Order No.

Department of Reclamation

Net—No Discount Allowed

NOTICE OF APPLICATION FOR WATER
 No. 87-7002

Aug. 8	24 lines @ 15¢	\$3.60
Aug. 15	24 lines @ 10¢	<u>2.40</u>
		\$6.00

I hereby certify that the foregoing account is just and correct, that the amount claimed is legally due, after allowing all just credits, and that no part of same has been paid.

Signed:
 The Daily Idahonian

W.T. Marineau

87-7002

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION



Cecil D. Andrus
Governor
R. Keith Higginson
Director

614 State Street
Statehouse — Annex 2
Boise, Idaho 83720
(208) 384-2190

Water Rights Administration
Water Resource Investigations
Dam and Reservoir Safety
Water Well Drilling
Waste Disposal Wells
Stream Channel Protection

December 28, 1973

Re: Permit No. 87-7002

Mr. J. P. Anduiza
University of Idaho
Admissions Office
Moscow, Idaho 83843

Dear Mr. Anduiza:

Enclosed herewith is a copy of the water license issued on the above referenced permit.

We are also enclosing a copy of the approved amendment along with Receipt #13460 in the amount of \$10.00.

Sincerely,

BOBBY D. FLEENOR
Assistant Director

jfr

Enclosures

87-7002



University of Idaho

Admissions Office
Moscow, Idaho/83843
Telephone (208) 885-6326

16 December 1973

Mr. R. Keith Higginson, Director
State of Idaho
Department of Water Administration
State House - Annex 2
Boise, ID 83707

RE: Permit No. 87-7002

Dear Mr. Higginson:

Please excuse the abnormal delay in getting this returned to your office.

As a part of my job assignment in working for the University, is to visit every high school in the State which keeps me on the road from September to the middle of December.

Recently I was in Boise and had intended to bring this by your office and to leave it with you, but just never made it.

Part if the reason for the delay was that I did not fully understand what it was all about. Steve Allred (who I realize is on the other side of the fence in terms of jobs) is a very good friend and Steve took the time to explain to me what it was all about.

I hope you will please excuse my delay. If there is a late fee or anything else I have to do, please let me know. I would appreciate it if you would please forward such correspondence to my office.

Thank you for accepting this so late, and have a nice holiday season.

Very truly yours,

J.P. ANDUIZA
Asst. Director of Admissions

*Rec'd
#13460*

87-7002

PM 87-7002
DEC 8 1973
SENDER: Be sure to follow instructions on other side

PLEASE FURNISH SERVICE(S) INDICATED BY CHECKED BLOCK(S)

(Additional charges required for these services)



Show address
where delivered



Deliver ONLY
to addressee

RECEIPT

Received the numbered article described below

REGISTERED NO.

SIGNATURE OR NAME OF ADDRESSEE (Must always be filled in)

CERTIFIED NO.

25045

1

L B P O E

INSURED NO.

2

SIGNATURE OF ADDRESSEE'S AGENT, IF ANY

Ernest Davis

DATE DELIVERED

SHOW WHERE DELIVERED (Only if requested, and include ZIP Code)


8

87-7002

PS Form 3811 Sep. 1972

cd5-10-51377-2

U.S. POSTAL SERVICE
OFFICIAL BUSINESS



PENALTY FOR PRIVATE
USE TO AVOID PAYMENT
OF POSTAGE, \$300



Postmark of Delivering Office

SENDER INSTRUCTIONS

Print in the space below your name, address, including ZIP Code.



- If special services are desired, check block(s) on other side.
- Moisten gummed ends and attach to back of article.

**RETURN
TO**



DEPARTMENT OF WATER ADMINISTRATION
STATEHOUSE - ANNEX
BOISE, IDAHO 83701

87-2002

December 11, 1973

CERTIFIED MAIL # 25045

Re: Permit No. 87-7002

Mr. J. P. Anduiza, Chairman
Water Committee for Moscow Elks
#249 Golf Course
112 Main North
Moscow, Idaho 83843

Dear Mr. Anduiza:

On August 27, 1973, the Department requested that you amend the above referenced permit to change the nature of use as listed under the permit, to the nature of use actually found by the field examiner. You were advised that when such an amendment was approved, the Department could issue a water license.

The Department has failed to receive said amendment and, as a result, is unable to issue a water license. Therefore, you are hereby notified that under the provisions of Section 42-311, Idaho Code, as amended, said permit is hereby held for cancellation for failure to complete the permit as required, and you are required to show cause before the Director of the Department of Water Administration on or before January 21, 1974, why said permit should not be cancelled.

Permit No. 87-7002 claims the use of 0.5 cubic feet per second of water from a well and the permit was approved September 16, 1969.

R. KEITH HIGGINSON
Director

jfr

87-7002

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION

Cecil D. Andrus
Governor
R. Keith Higginson
Director

614 State Street
Statehouse - Annex 2
Boise, Idaho 83720
(208) 384-2190



Water Rights Administration
Water Resource Investigations
Dam and Reservoir Safety
Water Well Drilling
Waste Disposal Wells
Stream Channel Protection

November 6, 1973

Re: Permit No. 87-7002

Mr. J. P. Anduiza, Chairman
Water Committee for Moscow Elks
#249 Golf Course
112 North Main
Moscow, Idaho 83843

Dear Mr. Anduiza:

On August 27, 1973, we forwarded an application for amendment to you and requested that you amend your permit prior to issuance of a license.

As of this date, we have not heard from you, concerning this matter.

Please submit the application for amendment, along with the \$10.00 filing fee, within 10 days so that we may issue a water license on this permit.

Sincerely,

BOBBY D. FLEENOR
Assistant Director

BDF:JC

87-7002

STATE OF IDAHO

DEPARTMENT OF WATER ADMINISTRATION



Cecil D. Andrus
Governor
R. Keith Higginson
Director

Statehouse - Annex 2
Boise, Idaho 83707
(208) 384-2215

Water Rights Administration
Water Resource Investigations
Dam and Reservoir Safety
Water Well Drilling
Waste Disposal Wells
Stream Channel Protection

August 27, 1973

Re: Permit No. 87-7002

Mr. J.P. Anduiza, Chairman
Water Committee for Moscow Elks
#249 Golf Course
112 North Main
Moscow, Idaho 83843

Dear Mr. Anduiza:

Enclosed please find an Order which removes the measuring device requirement from the above referenced permit.

A representative of this Department has made an examination of the works covered by your Permit No. 87-7002 and has found the following:

Quantity of water diverted: 0.28 cfs

Amount of water that can be recognized as beneficially used under Idaho law: 0.28 cfs

The maximum quantity diverted shall not exceed 103.2 acre feet per year.

Beneficial use: Irrigation of 80 acres within the S $\frac{1}{2}$ NE $\frac{1}{4}$, and domestic purposes within the SE $\frac{1}{4}$ NE $\frac{1}{4}$ Sec. 15, Twp. 39 N, Rge. 5 W, B.M.

Point of diversion: SE $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 15, Twp. 39 N, Rge. 5 W, B.M.

Priority date established: July 26, 1968

Our field examiner's report indicates that you are using water from this well for domestic purposes, however, this permit does not cover domestic use. Therefore, in order to be able to issue a water license for both irrigation and domestic purposes, it will be necessary for you to amend the permit to include domestic use.

We have enclosed a partially completed application for amendment for your use in this matter. Please sign the application and return it to this office with a \$10.00 filing fee within 30 days of the date of this letter. Upon receipt of the completed application and fee, a water license will be issued as set forth above.

87 7002

If you do not concur with these findings, please contact us within the 30 day period.

Sincerely,

BOBBY D. FLEENOR
Assistant Director

BDF/bjg

Enc: Order
Amendment application

87 7002

BEFORE THE DEPARTMENT OF WATER ADMINISTRATION
OF THE
STATE OF IDAHO

IN THE MATTER OF REMOVAL OF THE MEASURING)
DEVICE REQUIREMENT FOR PERMIT NO. 87-7002) ORDER
IN THE NAME OF MOSCOW ELKS CLUB)

WHEREAS, on July 26, 1968, Moscow Elks Club applied to the Department of Water Administration (formerly the Department of Reclamation) for a permit to appropriate 0.5 cubic feet per second of water from a ground water source to be diverted within the SE $\frac{1}{4}$ NE $\frac{1}{4}$, Section 15, Twp. 39N, Rge. 5W, B.M., Latah County, to be used for irrigation purposes; and,


WHEREAS, on September 16, 1968, the Department approved said application and issued Permit No. 87-7002 with the condition that proof of construction of works and application of water to beneficial use be submitted to the Department on or before October 1, 1969, and that a measuring device of a type approved by the Department be permanently installed and maintained as part of the diverting works; and,

WHEREAS, on September 9, 1969, the Department received the required proof of application of the water to beneficial use; and,

WHEREAS, on August 1, 1972, the Department conducted a field examination and determined that a measuring device is not required at this time for a determination of the quantity of water appropriated under said permit;

IT IS, THEREFORE, HEREBY ORDERED that the condition of approval that a measuring device of a type approved by the Department be permanently installed and maintained as part of the diverting works, be and is, REMOVED from Permit No. 87-7002.

Dated this 20 day of August, 1973.


R. KEITH HIGGINSON
Director

DDR:jc

87 7002

STATE OF IDAHO
DEPARTMENT OF RECLAMATION
BOISE

REPORT OF EXAMINER

PERMIT NO. 87-7002

REPORT ON PROOF OF Moscow Elks Club, 112 N. Main, Moscow

87 7002

R-5

80.0


39

A

☒ Calculated
☒ Measured 28 cfs.
☒ Recommended 95.5-28
☒ Volume 95.5
☐ Range
☐ Found 80.0
☐ Recommended 80.0
☐ Notes
☒ None
☐ R.D.
☐ Place of use
☐

100 gal per min	2.28 cfs	94.3
1 dom. house	0.3 cfs	1.6
1 club house	0.2 cfs	1.4
	2.78 cfs	95.3

$$14416.214 = 94.3$$



STATE OF IDAHO
DEPARTMENT OF RECLAMATION
BOISE, IDAHO
REPORT OF EXAMINER

8822577

Permit No. 87-7002

This proof is for 0.5 cfs PROOF - 11 AF

In Water District No.

1. Name of applicant Moscow Elks Club, 112 North Main, Moscow, Idaho 83843

2. Source of water supply: ground-water

3. Location of point of diversion: Is in the SE $\frac{1}{4}$ NE $\frac{1}{4}$ of Section 15

T. 39 N R. 5 W County of Latah

4. Describe works as they exist, giving dimensions and capacities of same:

PERMIT - sprinkler system, well; dia. 10", depth 140'.

PROOF - pump size= 80 gpm; motor size= $7\frac{1}{2}$ HP; 8" well casing; total depth of well is 270' and cased to 230'.

5. Water is used for: irrigation & domestic and use at club house

6. State whether or not water has been turned into works of diversion: yes

7. List legal subdivisions of lands to be irrigated. If proof is for beneficial use, give exact number of acres under cultivation in each forty-acre tract. (Describe manner and place of use if other than irrigation):

39 N - 5 W, Sec. 15 SE $\frac{1}{4}$ NE $\frac{1}{4}$ 80 acres

on timer (automatic continuous)
100 gpm 21 min per hr. 4-1/11-1 (214 days)
1 domestic 1 club house (6 shower etc) 200 per day

(Submit map on attached plat, showing location and details of above description.)

8. What large stream would the water here appropriated finally reach?

Remarks: Other rights - 2 existing wells that are too small & are not adequate to do the job. Well is expected to replace the 2 wells now in use.

PROOF - well did not produce the expected amount of water. Therefore, the 0.5 cfs applied for was not available.

pumping 100 gpm running on timer
21 min every hr. 4-1/11-1 also used for
domestic at house and domestic at club house year round
1-1/12-31 showers etc has pressure for domestic

This examination was made on the

(Signed)

August 1972
Examiner.

87 7002

DATE EXAMINATION RECORDS

4555 office - Moscow - SCS sub unit office
5555 office - Moscow - Kendrick

Permit No. 87-7002

Examination for b/u - Moscow Elks Club #249

County Latah

Quantity: .5 Permit
11.0 acre-feet - Proof

Source: ground-water

P.D.: SE $\frac{1}{4}$ NE $\frac{1}{4}$

Use: irrigation

Extension:

Protest:

Completion of Work:

Other Remarks:

Filed: 7-26-68 Made: 9-9-69
Due: 10-1-69 Priority: 7-26-68

Done: *[Signature]*

INSTRUCTIONS TO EXAMINERS

1. Always carefully note the location of the point of diversion and accurately plat same.
2. When proof is for beneficial use, carefully check up the number of acres actually irrigated in each forty and accurately plat same.
3. Make a map showing the correct location of streams and ditches, and the irrigated lands, and any adjacent permanent landmarks, such as towns, lakes, large streams and public roads.
4. If any unusual conditions are discovered, make plain statement of them under remarks.
5. Always see the holder, if possible, and go over the whole ground with him and make your report only upon actual existing facts and conditions.
6. Give general characteristics of soils, topography, and crops raised.

87 7002

July 6, 1970

C
Re: Permit No. 87-7002 - Moscow Elks Club #249

O
Mr. J.P. Anduiza, Chairman
Water Committee for Moscow Elks
#249 Golf Course
112 North Main
Moscow, Idaho 83843

P
Dear Mr. Anduiza:

Y
Thank you for your letter of June 24, 1970, regarding the measuring device requirement for the above referenced permit.

This is to advise that the Department will accept the method of measuring water under this permit as outlined in your letter. Before a license can be issued a field examination must be made by a representative from this Department. We cannot tell just when this examination will be made but our examiner will try to contact you at the time he makes the examination so that you may show him the system. If someone other than you should be contacted by the examiner, please advise.

Very truly yours,

Donald W. McEldowney
Appropriation Supervisor

DWM:DR

87-7002

RECEIVED

JUN 26 1970

Department of Reclamation

112 North Main
Moscow, Idaho 83843
June 24, 1970

Mr. Steve C. Allred, Assistant
State Reclamation Engineer
State of Idaho
Department of Reclamation
State House
Boise, Idaho 83707

RE: Permit #87-7002

Dear Steve:

As per your instructions, I am noting the information regarding the water use for the Moscow Elks #249 Golf Course.

It is our intention and our case to measure the water used in the following manner:

- 1) Our present well and pump are only capable of pumping approximately 80 gallons per minute every other half hour.
- 2) The water is pumped to a metal storage tank, open, that holds 43,000 gallons of water. (Our entire sprinkling system is gravity flow.)
- 3) However, it should be noted that because of the quality of the well and the fact that the water is used for a golf course, our pumping season is normally from 1 June to 1 October.
- 4) As you can note, we have the capability of pumping a little over 57,000 gallons of water per day.
- 5) During a normal operation, we will use the total 57,000 gallons and more if the additional water were available.
- 6) Our measuring device is the storage tank to determine the amount of water used. We normally sprinkle at night, approximately 8 hours, using 10 sprinklers drawing about 10 gallons per minute; thus, using 48,000 gallons of water per night covering the period from 1 June to 1 October. The remaining water is used for the facilities at the Club House.

OK
CSA
AKD
87
7-6-70
2:30P


87-7002

Mr. Steve C. Allred
June 24, 1970
Page 2

7) We feel that a personal investigation of our system and its problem would prove that this measure is an adequate system and would provide the State of Idaho with the needed information for the proper protection of its natural resources.

We respectfully request that we be allowed to utilize the differential contents of our storage tank to fulfill the measuring device requirements of permit number 87-7002.

Respectfully submitted,

A handwritten signature in dark ink, appearing to read "J. P. Anduiza", is written over a horizontal line.

J. P. Anduiza, Chairman
Water Committee for Moscow Elks
#249 Golf Course
112 North Main
Moscow, Idaho 83843

ksh

87-7002

REPORT OF WELL DRILLER
State of Idaho

State law requires that this report shall be filed with the State Reclamation Engineer within 30 days after completion or abandonment of the well.

WELL OWNER:

Name Moscow Fork Golf Course

Address Moscow Idaho 83843

Owner's Permit No. 2-72-10

NATURE OF WORK (check): Replacement well ☐

New well ☒ Deepened ☐ Abandoned ☐

Water is to be used for: domestic watering

METHOD OF CONSTRUCTION: Rotary ☐ Cable ☒

Dug ☐ Other ☐

(explain)

CASING SCHEDULE: Threaded ☐ Welded ☒

10 "Diam. from 1 ft. to 64 ft.

64 "Diam. from 64 ft. to 226 ft.

"Diam. from ft. to ft.

"Diam. from ft. to ft.

Thickness of casing: 250 Material:

Steel ☒ concrete ☐ wood ☐ other ☐

(explain)

PERFORATED? Yes ☒ No ☐ Type of

perforator used: Cutting tool

Size of perforations: 6 " by 1/4 "

8 pipe perforations from 64 ft. to 145 ft.

perforations from ft. to ft.

perforations from ft. to ft.

perforations from ft. to ft.

WAS SCREEN INSTALLED? Yes ☐ No ☒

Manufacturer's name

Type Model No.

Diam. Slot size Set from ft. to ft.

Diam. Slot size Set from ft. to ft.

CONSTRUCTION: Well gravel packed? Yes ☐

No. ☒ size of gravel Gravel

placed from ft. to ft. Surface seal

provided? Yes ☒ No ☐ To what depth?

226 ft. Material used in seal: crushed stone

Did any strata contain unusable water? Yes ☐

No. ☒ Type of water:


Depth of strata ft. Method of sealing

strata off:

Surface casing used? Yes ☒ No. ☐

Cemented in place? Yes ☒ No ☐

Locate well in section



LOCATION OF WELL: County Latah

SE SW NE NW Sec. 15 T. 39 (N/S R. 5 E/W)

Use other side for additional remarks

Size of drilled hole: 232-10 " Total
depth of well: 270 " Standing water
level below ground: 33 " Temp.

Fahr. ° Test delivery: app. 60 gpm
or cfs Pump? ☐ Bail ☐

Size of pump and motor used to make test:
5 HP motor & submersible

Length of time of test: 21 Hrs. Min.

Drawdown: 10 ft. Artesian pressure: ft.

above land surface Give flow cfs

or gpm. Shutoff pressure:

Controlled by: Valve ☐ Cap ☐ Plug ☐

No control ☐ Does well leak around casing?

Yes ☐ No ☒

DEPTH

MATERIAL

WATER

YES OR NO

FROM TO

FEET FEET

0	2	Top soil	
2	12	Clay grey soft	
12	40	Clay white fine sand soft	
40	45	Clay white soft sand	
45	51	Clay brown soft	
51	145	broken basalt medium size	
145	151	brown clay	
151	168	broken basalt & clay	
168	176	brown clay	
176	185	white & brown clay	
185	188	white clay	
188	200	tan clay	
200	238	white sandy clay	
238	254	brown sandy clay	
254	270	grey sandy clay	

Work started: 9-24-68

Work finished: 10-24-68

Well Driller's Statement: This well was drilled under my supervision and this report is true to the best of my knowledge.

Name: R. E. Spray Well Drilling

Address: Rt 3 Box 195 B Moscow, Idaho

Signed by: Raymond McPherson

License No. 13 Date: 11-14-68

September 9, 1969

Re: Permit No. 87-7002 (42702)

Emmert E. Davis, Secretary
Moscow Elks' Club #249
112 North Main
Moscow, Idaho 83843

Dear Mr. Davis:

We acknowledge receipt of your affidavit submitted as proof of beneficial use for permit 42702/87-7002.

Before a license can be issued a field examination must be made by a representative from this department.

We cannot tell just when this examination will be made, but our examiner will try to contact you at the time he makes the examination so that you may show him the system. If someone other than yourself should be contacted, please advise.

Very truly yours,

Donald W. McEldowney
Appropriation Examiner

DWM:JMB

87-7002

**POST OFFICE DEPARTMENT
OFFICIAL BUSINESS**

**PENALTY FOR PRIVATE USE TO AVOID
PAYMENT OF POSTAGE, \$300**

**POSTMARK OF
DELIVERING OFFICE**

INSTRUCTIONS: Show name and address below and complete instructions on other side, where applicable. Moisten gummed ends, attach and hold firmly to back of article. Print on front of article RETURN RECEIPT REQUESTED.

**RETURN
TO**

NAME OF SENDER

Department of Reclamation

STREET AND NO. OR P.O. BOX

Annex # 2 Statehouse

POST OFFICE, STATE, AND ZIP CODE **Boise, Idaho 83707**

POD Form 3811 Apr. 1967 655-16-71548-10

INSTRUCTIONS TO DELIVERING EMPLOYEE

☐ Show to whom, date, and
address where delivered

☐ Deliver ONLY
to addressee

(Additional charges required for these services)

RECEIPT

Received the numbered article described below.

REGISTERED NO.

SIGNATURE OR NAME OF ADDRESSEE *(Must always be filled in)*

CERTIFIED NO.

1

BPO #249

21159

2

SIGNATURE OF ADDRESSEE'S AGENT, IF ANY

INSURED NO.

Ernest E. Davis

DATE DELIVERED

SHOW WHERE DELIVERED *(only if requested)*

3

AUG - 4 1969

87-7002

CERTIFIED MAIL

August 1, 1969

Re: Permit No. 87-7002

Moscow Elks Club
112 North Main
Moscow, Idaho 83843

Gentlemen:

One of the conditions of the approval of your permit no. 87-7002 was that proof of application of the water to beneficial use be submitted to this office on or before October 1, 1969.

Enclosed is an affidavit form which must be used to submit this proof. You may request an extension of time provided the delay is for reasonable cause as indicated in Section 42-204, Idaho Code Amended.

Either the proof or a request for extension of time must be received by this department on or before the above mentioned date, otherwise the permit will lapse and be of no further force or effect.



State Reclamation Engineer

Enc: Proof form
DR

87-7002

November 1, 1968

Re: Permit No. 87-7002 - Moscow Elks Club

**Moscow Elks Club
112 North Main
Moscow, Idaho**

Gentlemen:

87-7002

We enclose a copy of your approved application for permit _____
in which we direct your attention to the limitations and conditions as given
on the fourth page under approval of the State Reclamation Engineer.

Very truly yours,

C. Stephen Allred, Assistant
State Reclamation Engineer

CBA:kh

**Enclosures: Copy of application
Receipt Nos. 2079 for \$10. &
W-363 \$10.
2 informational letter**

87-7002

NOTICE TO LUMBER DEALERS

The University of Idaho will purchase a list of lumber including select spruce and select pine.

For official bid forms and specifications, interested persons should write or telephone Mr. C. O. Dye, Purchasing Agent, University of Idaho, Room 205, Administration Office Building, Moscow, Idaho, telephone number 882-3511, extension 8254. The identification of this invitation is S 9247.

The University reserves the right to refuse any or all bids and to choose the bid which, in our opinion, is to the best interest of the University of Idaho.

Bids close 21 October 1968.

Signed: C. O. DYE,
Purchasing Agent
University of Idaho
Moscow, Idaho

Oct. 8, 9, 10, 1968 S 9247

NOTICE FOR CORRECTION FOR APPLICATION FOR PERMIT

Notice is hereby given that Application No. 87-7002 in the name of Moscow Elks Club was advertised incorrectly. The place of use was listed as being in the S $\frac{1}{2}$ SE $\frac{1}{4}$, sec. 15, T. 39 N., R. 5 W., B.M., Latah County; whereas, the actual place of use is located in the S $\frac{1}{2}$ NE $\frac{1}{4}$, sec. 15, T. 39 N., R. 5 W., B.M., Latah County.

Any protest against this correction for the above application must be filed with the Department of Reclamation within ten days from the last date of publication of this notice.

R. KEITH HIGGINSON
State Reclamation Engineer

Oct. 10, 17, 1968

RECEIVED

OCT 8 1968

Department of Reclamation

87-7002

October 4, 1968

Re: Application NO. 87-7002
Moscow Elks Club

Daily Idahonian
Moscow,
Idaho 83843
Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted assuming the notice is correct. If we have any corrections, we will notify you before the first publication date. If you can not publish the notice on the proposed dates please contact us immediately.

An affidavit of publication must be submitted to the Department of Reclamation, along with the publication bill. In order to receive payment, the following certification must appear on the bill:

I hereby certify that the foregoing account is just and correct, that the amount claimed is legally due, after allowing all just credits, and that no part of same has been paid.

Signature of claimant

Very truly yours,

Donald W. McKidowney
Appropriation Examiner

DWM:ks
enclosure: legal notice

87-7002

NOTICE OF CORRECTION FOR APPLICATION FOR PERMIT

Notice is hereby given that Application No. 87-7002 in the name of Moscow Elks Club was advertised incorrectly. The place of use was listed as being in the S $\frac{1}{2}$ SE $\frac{1}{4}$, sec. 15, T. 39 N, R. 5 W, B.M., Latah County; whereas, the actual place of use is located in the S $\frac{1}{2}$ NE $\frac{1}{4}$, sec. 15, T. 39 N, R. 5 W, B.M., Latah County.

Any protest against this correction for the above application must be filed with the Department of Reclamation within ten days from the last date of publication of this notice.

R. KEITH HIGGINSON
State Reclamation Engineer

Published in the Daily Idahonian, Moscow, Idaho on October 10 and October 17, 1968.

87-7002

August 1, 1968

Re: Application No. 87-7002
Moscow Elks Club

The Daily Idahonian
Moscow,
Idaho 83843

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted assuming the notice is correct. If we have any corrections, we will notify you before the first publication date. If you can not publish the notice on the proposed dates please contact us immediately.

An affidavit of publication must be submitted to the Department of Reclamation, along with the publication bill. In order to receive payment, the following certification must appear on the bill:

I hereby certify that the foregoing account is just and correct, that the amount claimed is legally due, after allowing all just credits, and that no part of same has been paid.

(Do not sign here)

Signature of claimant

Very truly yours,

Donald W. McEldowney
Appropriation Examiner

DWM:ks

Enclosure: legal notice

RECEIVED

AUG 7 1968

Department of Reclamation

**NOTICE OF APPLICATION
FOR WATER**

Notice is hereby given that Moscow Elks Club, 112 North Main, Moscow, Idaho, has on July 26, 1968 applied for permit to divert 0.5 cubic feet per second of water from a subterranean source under application No. 82-7002. Water will be diverted by a well and a sprinkler system within the SE $\frac{1}{4}$ NE $\frac{1}{4}$, sec. 15, T. 39 N, R. 5 W, B.M., Latah County and is to be used from April 15 to October 15 for irrigation in the SE $\frac{1}{4}$ SE $\frac{1}{4}$, sec. 15, T. 39 N, R. 5 W, B.M.

Any protest against this application must be filed with the Department of Reclamation within ten days from the last date of publication of this notice.

R. KEITH HIGGINSON,
State Reclamation Engineer.
Aug. 8, 1968.

NOTICE OF APPLICATION FOR WATER

Notice is hereby given that Moscow Elks Club, 112 North Main, Moscow,
Idaho has on July 26, 1968
applied for permit to divert ~~store~~ 0.5 cubic feet per second ~~per second~~
of water from a subterranean source
under application No. 87-7002. Water will be diverted by a well and
a sprinkler system within the SE1/4, sec. 15, T. 39 N.
R. 5 W, B.M., Latah County
and is to be used from April 15 to October 15 for irrigation
in the SE1/4, sec. 15, T. 39 N, R. 5 W, B.M.

Any protest against this application must be filed with the Department of
Reclamation within ten days from the last date of publication of this notice.

R. KEITH HIGGINSON
State Reclamation Engineer

Published in the Daily Idahonian, Moscow, Idaho
on August 8 and August 15.

87-7002