

TRANSFER REVIEW SHEET

Date Reviewed _____

Trans # 71071Right No(s) * 35-1349 _____
Split? Y N _____AREA OF CONCERN: No/Yes ESPA

PURPOSE OF TRANSFER FOR EACH RIGHT:

Change p/d
Add p/dChange use period
Change nature of useChange p/uRightID's of From & To records correct? Y N (resolve with S.O.)
Check for Partial Decree issuance, etc. since time of application's entryPROOF OF OWNERSHIP COMPLETE FOR OLD & NEW P/U yes Lien Holder Release NA

GROUNDWATER:

DRILLING PERMIT

All wells Y N (contact GW)
DP upgrade req'd Y N North/East/West

WMD

 ≤ 0.24 cfs/5 acres Y N No MD
 > 0.24 cfs/5 acres Y N 067

WMD

 ≤ 0.24 cfs/5 acres Y N No MD
 > 0.24 cfs/5 acres Y N 01M or 01QSUPPLEMENTAL
SUPPLEMENTALY N 065-104 (where irrigation is the only use)
Y N 100-105 (where there are other uses besides irrigation)

WITHIN ESPA

Y N 113-114-116 (mitigation)
Y N 115 (meas. Device)

USES:

STORAGE Y N 18C-R02-01P-18B-NA
IRR ≤ 5 ac Y N R66/R67/R68/R69 (0.03 cfs/ac)
 > 5 ac Y N R62/R63/R64/R65 (0.02 cfs/ac)
Volume only Y N R58/R59/R60/R61
STOCKWATER Y N R37 (all BLM/USFS)
MINING Y N 054-106
FISH PROP Y N 029 (70's basins only)-007-122-106
HEAT/COOL Y N R07 (injection well)
FIRE PROT. Y N 077
DAIRY Y N 082 (zoning if a concern)-106-WD8

SURFACE WATER:

WD

 ≤ 0.20 cfs/others
 > 0.20 cfs

WD, SPRINGS/SINK, INACTIVE WD & REST OF STATE

 ≤ 0.24 cfs/5 acres
 > 0.24 cfs/5 acres

- R05 (WD# _____) WM comments rec'd _____

- R02, 01P or No MD

- R43

- No MD

- 01M or 01Q

STANDARD SEASON

_____ to _____ (use X61 if extended season)

STANDARD VOLUME

_____ af/ac

CONSUMPTIVE USE VOLUME

_____ af/ac

USES:

POWER

- 17H-17K (+uses)-025-106

MUNICIPAL

Restricted area

- 022-075 RA FN - 007-109-X64

Irr., GW supp to SW

- 102

DOMESTIC

Surface water

- WB5 (Big Wood or Boise above Star Bridge)

- 27A (Payette River)

 > 1 in restricted area

- 070-071-075 (no parks/common areas, etc)

Irr use listed separate

- WB5

MISC CONDITIONS/REMARKS:

T07 - 1 yr to develop
T08 - comply or rescind
T17 - > 1 pd, measure all (use w/ WB4)
T18 - Special T17 & R43 combined -
multiple pds in WDProtested Y N 020-X19
Water Quality Y N 106-R07X27 - Number of acres/season in ppu
X35 - Combined totals of multiple rts

X49 - measure p/d's (source chg'd to orig trib)

X51 - 2+ yrs to develop

X53 - Use ltd to orig. source availability

X54 - forfeited ac/rate (used rarely)

X55 - (transfer shrinks total water to less ac)

004 - no right-of-way

X58 - pending claim (statutory or AJ b/u claim)

X61 - extended irr season

X62 - replaces N11 and N13

X63 - replaces C12

WB4 - + p/ds, cfs & afa (used with T17)

WD8 - land application of waste water

01Q - used instead of 01M when there's another meas. Cond (i.e. T17 & 01M)

Apply one to chg'd & unchg'd

rts that are subject to SRBA:

T09 - on-going SRBA (no Dir Rpt
or Recomm yet)

T19 - replaces C18

(if at Recommendation
or Partial Decree stage)T20 - use only on unchg'd rts
not subject to SRBA

OTHER CONDITIONS/REMARKS

COMMENTS

Database files updated _____ Approval form printed ✓ Shape files created _____

Special Mailing Instructions (cc's, etc) _____

Final database update after approval ✓ *Comment to WR No(s). NA10-29-2004 28

71070

TRANSFER REVIEW SHEET

Trans # 71071

Date Reviewed _____

Right No(s) * 35-1349Split? Y N Y N Y N Y N Y N Y NAREA OF CONCERN: No/Yes ESPA

PURPOSE OF TRANSFER FOR EACH RIGHT:

Change p/d
Add p/dChange use period
Change nature of useChange p/uRightID's of From & To records correct? Y N (resolve with S.O.)

Check for Partial Decree issuance, etc. since time of application's entry

PROOF OF OWNERSHIP COMPLETE FOR OLD & NEW P/U YesLien Holder Release NA

GROUNDWATER:

DRILLING PERMIT

All wells

DP upgrade req'd Y N (contact GW)

WMD North/East/West

≤ 0.24 cfs/5 acres

> 0.24 cfs/5 acres

WMD

≤ 0.24 cfs/5 acres

> 0.24 cfs/5 acres

SUPPLEMENTAL

SUPPLEMENTAL

WITHIN ESPA

USES:

STORAGE

IRR ≤ 5 ac

> 5 ac

Volume only

STOCKWATER - R37 (all BLM/USFS)

MINING - 054-106

FISH PROP - 029 (70's basins only)-007-122-106

HEAT/COOL - R07 (injection well)

FIRE PROT. - 077

DAIRY - 082 (zoning if a concern)-106-WD8

SURFACE WATER:

WD

≤ 0.20 cfs/others

> 0.20 cfs

WD, SPRINGS/SINK, INACTIVE WD & REST OF STATE

≤ 0.24 cfs/5 acres

> 0.24 cfs/5 acres

STANDARD SEASON

STANDARD VOLUME

CONSUMPTIVE USE VOLUME

- R05 (WD# _____) WM comments rec'd _____

- R02, 01P or No MD

- R43

- No MD

- 01M or 01Q

(use X61 if extended season)

af/ac

af/ac

- 065-104 (where irrigation is the only use)

- 100-105 (where there are other uses besides irrigation)

- 113-114-116 (mitigation)

- 115 (meas. Device)

USES:

POWER

MUNICIPAL

Restricted area

Irr., GW supp to SW

DOMESTIC

Surface water

>1 in restricted area

Irr use listed separate

- 17H-17K (+uses)-025-106

- 022-075 RA FN - 007-109-X64

- 102

- WB5 (Big Wood or Boise above Star Bridge)

- 27A (Payette River)

- 070-071-075 (no parks/common areas, etc)

- WB5

MISC CONDITIONS/REMARKS:

T07 - 1 yr to develop

T08 - comply or rescind

T17 - >1 pd, measure all (use w/ WB4)

T18 - Special T17 & R43 combined -
multiple pds in WD

Protested - 020-X19

Water Quality - 106-R07

X27 - Number of acres/season in ppu

X35 - Combined totals of multiple rts

X49 - measure p/d's (source chg'd to orig trib)

X51 - 2+ yrs to develop

X53 - Use ltd to orig. source availability

X54 - forfeited ac/rate (used rarely)

X55 - (transfer shrinks total water to less ac)

004 - no right-of-way

X58 - pending claim (statutory or AJ b/u claim)

X61 - extended irr season

X62 - replaces N11 and N13

X63 - replaces C12

WB4 - + p/ds, cfs & afa (used with T17)

WD8 - land application of waste water

01Q - used instead of 01M when there's another meas. Cond (i.e. T17 & 01M)

Apply one to chg'd & unchg'd

rts that are subject to SRBA:

T09 - on-going SRBA (no Dir Rpt
or Recomm yet)

T17 - replaces C18

(if at Recommendation
or Partial Decree stage)T20 - use only on unchg'd rts
not subject to SRBA

OTHER CONDITIONS/REMARKS

COMMENTS

Database files updated _____ Approval form printed ✓ Shape files created _____

Special Mailing Instructions (cc's, etc) _____

Final database update after approval ✓ *Comment to WR No(s). NA10-29-2004 28

71070

75-4176

75-4106

756-6674

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
TRANSFER ANALYSIS SHEET

71070

INITIAL REVIEW BY:

DC

1. Right number 35-13491 Applicant Superior LLC

2. Type of right: ☒ Decree ☐ License ☐ Claim ☐ SRBA Recommendation

3. Purpose of transfer: ☒ Change point of diversion ☐ Add diversion point(s)
☒ Change place of use ☐ Other _____

4. Check:

a. ☐ Source ☐ Priority ☐ Amount ☐ Purpose ☐ Period of use

b. ☐ Description of original point of diversion.

c. ☐ Description of original place of use.

✓ Data Entry done
~~and return~~
folder

5. Amount of land &/or water transferred:

a. ☒ All of right.

b. ☐ Part of right (NOTE! Part B should be filled in only if part of the right is owned by the applicant).

c. Map for remainder of right? ☐ Yes ☐ No

d. ☐ Check description of point(s) of diversion.

e. ☐ Check description of place of use

f. ☐ Check map (shows p.d. and p.u. after transfer).

g. ☐ Check for correct signature, notarization, and fee.

h. ☐ Check proof of ownership of right &/or land from which water is transferred.

i. ☐ Check for expansion in use of right. Comments NONE

j. ☐ Check for existing water rights from same source, on land water is being transferred to.

Right number(s) NONE

k. ☐ Is use within a Watermaster District? ☒ Yes ☐ No

If yes, what district? 120

FINAL PROCESSING REVIEW BY: _____

1. Watermaster recommendation requested on _____ Received on _____

2. Reviewed by Adjudication Staff? ☐ Yes ☐ No

3. Is transfer published correctly? ☐ Yes ☐ No

4. Protest received? ☐ Yes ☐ No

RECOMMENDED ACTION

1. ☒ Approve

2. ☐ Deny

3. Conditions* _____

4. By Ra Date 4/5/04

Approval Updates Completed
10-29-2004 CS

*All uses within Watermaster District require special conditions

71070