


13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number,




BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Maureen Matheson
(Applicant)

T 5 N
R 37 E

T 5 N
T 4 N



Place of Use

Point of Diversion


Roberts


Roberts

Slough

APR 22 1957

35-08969







35-8969
MICROFILMED
APR 22 1997

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 35-08969

Priority: December 31, 1991 Maximum Diversion Rate: 0.82 CFS
Maximum Diversion Volume: 236.0 AF

This is to certify, that MAUREEN MATHESON
DORIAN MATHESON

2961 E 650 N
ROBERTS ID 83444

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated December 31, 1991; and has submitted Proof of Beneficial Use on April 11, 1994. An examination indicates that the works have a diversion capacity of 0.820 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/01 to 10/31	0.82 CFS	236.0 AF

LOCATION OF POINT(S) OF DIVERSION: SWNE , Sec. 33, Township 05N, Range 37E
JEFFERSON County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
05N	37E	33	NWNE 33	SWNE 26		59

Total number of acres irrigated: 59

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount that can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right is for the use of trust water and is subject to review 20 years after the issuance of the permit to determine availability of water and to re-evaluate the public interest.
6. Diversion and use of water under this right is subject to an annual use fee if rules are subsequently promulgated which provide for the submittal of the fee.

MAUREEN MATHESON

APR 22 1994

State of Idaho
Department of Water Resources


WATER RIGHT LICENSE


WATER RIGHT NO. 35-08969

CONDITIONS OF APPROVAL AND REMARKS

7. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.0 afa per acre for the lands above.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 21ST day of APRIL, 1992.


KARL J. DREHER, Director



RECEIVED
APR 22 1992

RECEIVED

APR 09 1997

State of Idaho
Department of Water Resources

Department of Water Resources

APPLICATION FOR AMENDMENT

(For Licensing Purposes)

WATER RIGHT NO. 35-08969

Date of Priority: December 31, 1991

Maximum Diversion Rate:

0.82 CFS

Maximum Diversion Volume:

236.0 AF

Comes now

MAUREEN MATHESON

DORIAN MATHESON

2961 E 650 N

ROBERTS ID 83444

and represents to the Director of the

Idaho Department of Water Resources:

That he is the owner and holder of Permit to appropriate the Public Waters of the State of Idaho No. 35-08969, and requests that the permit be changed as follows:

Source: GROUNDWATER

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/01 to 10/31	0.82 CFS	236.0 AF

LOCATION OF POINT(S) OF DIVERSION:

SWNE , Sec. 33, Township 05N, Range 37E
JEFFERSON County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
05N	37E	33	NWNE 33	SWNE 26		59

Total number of acres irrigated: 59

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed at 2961 E. 650 N., this 5th day of April, 1997.
Roberts Idaho

Dorian Matheson
(Signature)

MICROFILMED

APR 22 1997

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 35-08969

FOR DEPARTMENT USE ONLY

Preliminary check by Ret Fee = \$50.00 Receipted by Ret # C038540 Date 4-9-97


ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, Karl J. Dreher, of the Department of Water Resources hereby approve the
above Application for Amendment for Permit No. 35-08969 with the following;

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount that can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right is for the use of trust water and is subject to review 20 years after the issuance of the permit to determine availability of water and to re-evaluate the public interest.
6. Diversion and use of water under this right is subject to an annual use fee if rules are subsequently promulgated which provide for the submittal of the fee.
7. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.0 afa per acre for the lands above.

Witness my hand this 21st day of April, 1997.


KARL J. DREHER, Director

NOT RECORDED
APR 9 1997

RECEIVED
APR 11 1994

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 35-08969 Telephone No. 208-228-2124

2. Name(s) of Permit Holder(s): Maurice and Dorian Matheson

3. Post Office Address: 2961 E. 650N. Roberts Idaho 83444

4. Source of Water: Ground

a. If ground water, well driller's name: Lamar Barrus Date drilled: 6-26-92

b. Pump horsepower: _____ Pressure (psi): _____ Dynamic pumping level (ft.): 15'

5. Extent of Use:

Domestic _____ (No. of households) Irrigation 75 (No. of acres)

Stockwater ☒ (No. and type of stock) Other _____
50 Head cattle & horses

6. Total rate and/or volume for which proof is submitted 1.40 cfs _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? ☐ Yes ☒ No Installed? ☐ Yes ☐ No

OR

Flow Measurement Port: Required? ☐ Yes ☒ No Installed? ☐ Yes ☐ No

8. Fee Enclosed: \$ 125.00 (See License Examination Fee Schedule)

9. Person to contact to accompany the Department representative during the field examination:

Dorian Matheson 208-228-2124
Name Telephone No.

2961 E. 650N. Roberts Idaho 83444
Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

April 8, 1994
Date

Dorian Matheson
Signature (and title if on behalf of a company or organization)

APR 18 1994

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 35-08969

Proposed Priority: December 31, 1991 Maximum Diversion Rate: 1.40 CFS

This is to certify, that **MAUREEN MATHESON**
DORIAN MATHESON
119 N 4000 E
RIGBY ID 83442

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	04/01 to 10/31	1.40 CFS

LOCATION OF POINT(S) OF DIVERSION: NWNE , Sec. 33, Township 05N, Range 37E
JEFFERSON County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
05N	37E	33	NWNE 40	SWNE 30		70

Total number of acres irrigated: 70

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before May 2, 1994.
2. Subject to all prior water rights.
3. Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which permit holder had no control.
4. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
5. Any license issued by IDWR pursuant to the right or portion thereof for the use of trust water is subject to a term review of 20 years after the date of this approval to determine availability of water for the use and to re-evaluate the public interest at the end of the term.
6. Diversion and use of water under this right is subject to an annual use fee if rules are subsequently promulgated which provide for the submittal of the fee.
7. The Director retains jurisdiction of this right and/or subsequent license issued to change, add or remove any requirement as determined to be appropriate.
8. The rate of diversion of water for irrigation under this right and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.

RECORDED

MAY 15 1992


State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 35-08969

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

9th day of April, 1992

for 
R. Keith Higginson, Director

RECORDED

MAY 15 1992

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant Maureen or Dorian Matheson Phone 745-9270

Post office address 119 N 4000 E Rigby Id 83442

2. Source of water supply Groundwater which is a tributary of _____

3. Location of point of diversion is _____ 1/4 of NW 1/4 of NE 1/4, Govt. Lot _____

Sec. 33 Township 5N Range 37E B.M. Jefferson County; additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 1.40 for Irrigation purposes from 1 April to 31 Oct (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated is (a) 1.40 and/or (b) _____
cubic feet per second acre feet per annum

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. well, pump & sprinkler system

b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet; period of year when water will be diverted to storage: _____ to _____ inclusive.

c. Proposed well diameter is 12" inches; proposed depth of well is 60' feet.

d. Is ground water with a temperature of greater than 90°F being sought? no

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 2 years (minimum 1 year).

MICROFILMED
MAY 15 1992

PM

a. Hydropower; show total feet of head and proposed capacity in kW.

b. Stockwatering; list number and kind of livestock.

c. Municipal; show name of municipality.

d. Domestic; show number of households.

e. Other; describe fully.

9. Description of place of use:

a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.

b. If water is used for other purposes, place a symbol of the use (example: *D for Domestic*) in the corresponding column.

ponding place of use below. See instructions for standard symbols.

[illegible]

70 Total number of acres to be irrigated

10. Describe any other water rights used for the same purposes as described above. *None*

11. a. Who owns the property at the point of diversion? *applicant*

b. Who owns the land to be irrigated or place of use? *Applicant*

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the


applicant to make this filing.

12. Remarks:

UNCLASSIFIED

~~MAY 15 1992~~

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number,



BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Maureen Matheron
(Applicant)

RECEIVED

MAY 15 1992

e. Other:

permit.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

_____, 19____.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

1. Approval of said application is subject to the following limitations and conditions:

Idaho No. _____, and said application is hereby _____.

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

Received by DMB Date 31 Dec 91 Time 14:20 Preliminary check by EO/6830
Fee \$ 65.00 Received by DMB # EO/6830 Date 31 Dec 91
Publication prepared by RB Date 1-16-92 Published in Jefferson Star
Publication approved RB Date 2-10-92

The Jefferson Star
Rigby, Idaho

AFFIDAVIT OF PUBLICATION

State of Idaho)
) ss
County of Jefferson)

RECEIVED

JAN 27 1992

Department of Water Resources
Eastern District Office

I, LaReena Lydon

of the Jefferson Star, published weekly at
Rigby, Jefferson County, Idaho, do
solemnly swear that the

Notice of Application,
a copy of which notice appears attached
hereto, was published in the regular and
entire issue of said newspaper, and not in
any supplement issue thereof for (2) two
consecutive issues, the first publication
having been made on Jan 15, 1992
and the last publication having been made
on Jan 22, 1992.
Further, that said newspaper is one of
general circulation in said county; that it is a
legal newspaper, conforming to legal
specifications under the Idaho Statutes; that
it has at least two hundred bona fide
subscribers living within the county of
publication; and that it has been
continuously and uninterruptedly published
in said county during a period of seventy-
eight consecutive weeks prior to the first
publication of the said notice.

NOTICE OF APPLICATION FOR TRUST WATER RIGHT

35-08969

MATHESON, MAUREEN

MATHESON, DORIAN

119 N. 4000 E.

Rigby, ID 83442

Source: GROUNDWATER

Diversion Pt: NWNE Set 33 T 05N R

37E in Jefferson County.

Use: IRRIGATION (1,400 CFS)

Total Diversion: (1,400 CFS)

Date Filed: 12/31/1991

In: JEFFERSON County

T05N R37E S33 NWNE SWNE

7.0 ACRES TOTAL

The permit(s) will be subject to all
prior water rights. Protests may be sub-
mitted based on the criteria of Sec. 42-
203A, Idaho Code and/or the new pub-
lic interest criteria of Sec. 42-203C,
Idaho Code. Protests must be filed with
the Director, Dept. of Water Resources,
Statehouse Mail, Boise, Idaho 83720 on
or before FEBRUARY 3, 1992.

R. Keith Higginson, Director

Published in the Jefferson Star,
Jan. 15 and 22, 1992.

On this 24th day of Jan
in the year of 1992, before me, a Notary
Public, personally appeared

LaReena Lydon
known or identified to me to be the person
whose name subscribed to the within
instrument, and being by me first duly
sworn, declared that the statements therein
are true, and acknowledged to me that he
executed the same.

Merrill C. Fueman
Notary Public of Idaho

Residing at Idaho Falls

My commission expires: 7-10-93

RECEIVED
MAY 15 1992



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

April 21, 1997

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

MAUREEN MATHESON
DORIAN MATHESON
2961 E 650 N
ROBERTS ID 83444

RE: WATER RIGHT NO. 35-08969

Dear Water Right Holder(s):

The Department of Water Resources (the Department) has issued the enclosed license confirming that a water right has been established in accordance with the permit referenced above. The license is a preliminary order issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department unless a party petitions for reconsideration or files an exception and/or brief as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of this order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3), Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, this preliminary order will become a final order of the Department.

If any party appeals or takes exceptions to this preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

APR 22 1997

ORAL ARGUMENT

If the Department grants a petition to review the preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Department in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

FINAL ORDER

The Department will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Department may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The Department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

For your records I have also enclosed a copy of your Application for Amendment of Permit, which was approved.

Sincerely,

A handwritten signature in cursive script that reads "Shelley W. Keen".

Shelley W. Keen
Water Rights Supervisor

SK:ph


Enclosure

CERTIFICATE OF MAILING

I hereby certify that on the 21st day of April, 1997, I mailed
a true and correct copy, postage prepaid, of the foregoing
PRELIMINARY ORDER (Approved License) to the person(s) listed below:

Water Right No. 35-08969

MAUREEN MATHESON
DORIAN MATHESON
2961 E 650 N
ROBERTS ID 83444



Vanessa Roby
Secretary

APR 22 1997



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

March 31, 1997

DORIAN MATHESON
2961 E 650 N
ROBERTS ID 83444

RE: Water Right 35-08969

Dear Dorian:

Thank you for calling this morning. I have enclosed the correct amendment form, which is based on the field report submitted by our Eastern Region staff. A copy of the field report is also enclosed for you.

Before your right can be licensed, the permit must be amended to describe the right as it was actually developed. The enclosed Application for Amendment form contains information that will be included on the license when it is issued. The amendment shows the correct location of the point of diversion and the place of use, as reported by the field examiner. The last page of the Application for Amendment form contains a list of conditions and remarks proposed for the license when it is issued. These conditions and remarks may be modified upon further administrative review.

Please review the amendment form carefully. If you concur with the information presented, sign the form and return it with the \$50.00 filing fee within fourteen days.

If you have any questions, please contact me at 208-327-7946.

Respectfully,

Shelley Walter Keen
Water Rights Supervisor

Enclosures

APPROVED
APR 22 1997

MEMORANDUM

DATE: March 31, 1997

TO: Water Right File 35-08969

FROM: Shelley W. Keen *SWK*

RE: Phone call from Dorian Matheson

Dorian Matheson called this morning to discuss the amendment request I sent him last week. It looks as though we sent him a draft amendment that is based on the original permit, not on the field report. I told him to disregard the amendment request he has received and to expect another one soon. I also told him that I would include the map submitted with the field report.

RECEIVED
APR 1 1997



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

March 27, 1997

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

MAUREEN MATHESON
DORIAN MATHESON
2961 E 650 N
ROBERTS ID 83444

RE: WATER RIGHT NO. 35-08969

Dear Permit Holder(s):

The above referenced water right is in the process of being licensed. However, before a license can be issued, your permit must be amended to depict your water right as it has actually been developed.

The enclosed Application for Amendment contains information that will be included on the license when it is issued. The amendment reflects a change in the location of the point(s) of diversion. Please review carefully and if you concur, sign the amendment and return with the \$50.00 filing fee within 14 days.

The last page of the Application for Amendment form contains a list of Conditions of Approval and Remarks proposed for the license when it is issued. These conditions of approval and remarks may be modified upon further administrative review.

If you do not concur, or if you have any questions about this information, please contact me as soon as possible. My telephone number is (208) 327-7946.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:ph

Enclosure

1000000000

049 27 12

LICENSE REVIEW CHECKLIST

PERMIT NO. 35-08969

DATE 3/7/97

REVIEWER: SHARLA

NAME	Change <u>—</u>	OK <u>✓</u>	Address Change <u>NO</u>
SOURCE	<u>—</u>	<u>✓</u>	Is change clarification of originally intended source? <u>—</u>
POINT OF DIV	<u>✓</u>	<u>—</u>	If not, prepare Notice of Intent to Void <u>—</u>
PLACE OF USE	<u>—</u>	<u>✓</u>	Amendment required <u>YES</u>
			Amendment required <u>NO</u>

Does map agree with written description? ✓ yes — no

OVERLAPS — P/D — P/U

RATE OF DIV

Permitted Rate 1.4 cfs
 Fee limit 2.0 cfs \$12500
 Measured 1.11 .82 cfs ave.
 Theoretical 5.05 cfs 6.96

pushing water uphill & pump cavitating (?)
probably 50% or less efficiency
125 hp for = 70 ac (?)

Recommended Total Div Rate .82 cfs

ANNUAL VOLUME/
 NATURE OF USES —

Use ✓

Volume Calculation

59 x 4.0 = af
236.0 af
af
af
af
 SUBTOTAL 236.0 af

31
23
(59)
 60 nozzles @ 3.9 gpm =
 .45 cfs

Flow rate .82 cfs X 214 days X 1.98 = 347.5 af
 Total volume recommended 236.0 af
 (SUBTOTAL or Flow Rate, whichever is less)

REMARKS

discussion w/ S. Keen 3/14, going w/ .82 ave.

CONDITIONS — Watermaster Control WD# —

— GW Measurement/Measuring Device

R31 Overlap

— Use-specific conditions R55, R56

Advancement of Priority Date Required — yes ✓ no

SRBA Claim Filed N/A

Adjustment Memo N/A

1st Amend Letter P39 P38

2nd Amend Letter P47

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

NOV 29 1996

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 35-8969

1. Owner: Maureen and Dorian Matheson Phone No. 228-2124

Current Address: 2961 E. 650 N. Roberts, ID 83444

2. Accompanied by: Dorian Matheson EXAM DATE: 17 JUL 96

Address: _____ Phone No. _____

Relationship to Permit Holder: _____

3. Source: Groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with the same place of use: _____

2. Other water rights with the same point of diversion: _____

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			SW	NE	33	05N	37E	Jefferson	on site / USGS map

2. Place(s) of Use:

Indicate Method of Determination on site

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
05N	37E	33		33	26													59	

APR 22 1997

2. Measurements:

$$\bar{C}_{Meas} = 0.82 \text{ CF5}$$

Polysonic

Calib. Date

•

**Code to correspond with No. on map and aerial photo*

Pump Serial No. or
Discharge Size

2

Copy of USGS Quadrangle Attached showing location(s) or point(s) of diversion and place(s) of use (required).


Aerial Photo Attached

(required for irrigation of 10+ acres)

Photo of Diversion and System Attached

Score: 1

Not to
Scale.



3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.

E. NARRATIVE/REMARKS/COMMENTS

* Permit to Appropriation requests 1.4 CFS on 75 acres.
* Pump is Cavitating.

Four $\frac{1}{2}$ mile lines with 5/8" nozzles, 15 nozzles per line - 22 PSI.

* Note: After walking acreage involved there is evidence of 59 irrigated acres. The rest of land is covered in trees and brush. Took out 1.25 acres for buildings and corals.

* Note: Stock watering - there are 20 horses and 34 cows being watered.

* Note: Point of Diversion is actually in SWNE of Sec. 33.
Place of Use NWNE 33 acres SWNE 26 acres.

Mainline is 4" PVC buried

Polysomni - 0.82 CFS

* Q Theoretical: HP=125

PSI=22

EFF=70%

* Theoretical is unrealistic considering system i.e., cavitating pump; pushing water uphill, etc.

Have conditions of permit approval been met? ☐ yes ☐ no

WATER DIVISION
APR 22 1987

F. FLOW CALCULATIONS

Measured Method:

$$Q_{max} = 0.82 \text{ CFS}$$

Additional Computation Sheets Attached

$$Q_{Theor} = \frac{125(8.814) \cdot 7}{60 + (22 \times 2.308)} = 6.96 \text{ CFS}$$

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 59 \times 4.0 = 236 \text{ AFA}$$

$$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 0.82(214)1.9835 = 348 \text{ AFA}$$

$$V = \text{Smaller of } V_{IR} \text{ and } V_{DR} = 236 \text{ AFA}$$

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use

Irrigation

Period of Use

From 4-1
To 10-31

Rate of Diversion

Q (cfs)
0.82

Annual Volume

V (afa)
236 AFA

2. Recommended Amendments

☒ Change P.D. as reflected above

☐ Add P.D. as reflected above

☐ None

☐ Change P.U. as reflected above

☐ Add P.U. as reflected above

☐ Other

I. AUTHENTICATION

Field Examiner's Name: Steven Garrison Date: 17 JUL 96

Reviewer: [Signature] Date: 10-23-96

SEAL

THEORETICAL PUMP FLOW CALCULATIONS

Formula:

$$Q_{cfs} = [(Hp)(8.814)(Eff)] \div [Lift + (psi \times 2.308)]$$

$$Hp = \text{Horsepower} = \underline{125}$$

$$Eff = \text{Efficiency} = \underline{.7} \quad (\text{Usually } 70\%)$$

$$\text{Lift: (Static Level + Assumed Draw down)}$$

$$\text{Static Water Level} = \underline{40} \text{ ft.}$$

$$\text{Assumed Draw down} = + \underline{20} \text{ ft.}$$

$$\text{Lift} = \underline{60}$$

OR

$$\text{Measured Dynamic Water Level} = \underline{\hspace{2cm}} \text{ ft.}$$

$$psi = \text{Operating Pressure} = \underline{22} \text{ psi}$$

$$Q_{cfs} = \left[\frac{125}{Hp} \times 8.814 \times \frac{.7}{eff} \right] \div \left[\frac{60}{Lift} + \left(\frac{22}{psi} \times 2.308 \right) \right]$$

$$Q_{cfs} = \left[\underline{771.225} \right] \div \left[\underline{110.776} \right]$$


$$Q_{cfs} = \underline{6.96} \text{ cfs}$$

APR 22 1967

PERMIT NO. 35-8969


T 5 N
R 37 E

Place
of
Use




T 5 N
7 4 N

35-08969



0-0 2 2 100

TSN R37E





SETUP NO. 1

PIPE O.D. 6.000 IN

PIPE WALL THICKNESS 0.128 IN

PIPE I.D. 5.744 IN

PIPE MATERIAL CARBON STEEL

PIPE SOUND VELOCITY 10597.129 F/S

LINER MATERIAL NONE

LINER SOUND VELOCITY 0.000 F/S

LINER THICKNESS 0.000 IN

INSIDE ABS ROUGHNESS 0.00015000

FLUID MATERIAL WATER

FLUID SOUND VELOCITY 4863.330 F/S

FLUID VISCOSITY 1.132 CST

TRANSDUCER TYPE STANDARD

TRANSDUCER MOUNTING

TRANSDUCER SPACING 4.339 IN

12:23:30 07-17-96

Min. Rate 0.00 CFS
Max. Rate 1.22 CFS
Avg. Rate 0.65 CFS
FLOW RATE 0.65 CFS
NET TOT(X1) 197089 GAL
POS TOT(X1) 36857 GAL
NEG TOT(X1) 3725 GAL

12:24:30 07-17-96

Min. Rate 0.00 CFS
Max. Rate 1.22 CFS
Avg. Rate 0.76 CFS
FLOW RATE 0.80 CFS
NET TOT(X1) 197768 GAL
POS TOT 87536 GAL
NEG TOT 3725 GAL

12:27:30 07-17-96

Min. Rate 0.00 CFS
Max. Rate 1.22 CFS
Avg. Rate 0.82 CFS
FLOW RATE 1.11 CFS
NET TOT(X1) 198519 GAL
POS TOT 88298 GAL
NEG TOT(X1) 3725 GAL

12:29:30 07-17-96

Min. Rate 0.00 CFS
Max. Rate 1.22 CFS
Avg. Rate 0.60 CFS
FLOW RATE 0.65 CFS
NET TOT(X1) 199032 GAL
POS TOT(X1) 88800 GAL
NEG TOT(X1) 3725 GAL

35-8969

17 JUL 96

MOON-11800

APR 2 1997

35-8969

SETUP NO. 1

PIPE O.D 6.000 IN

PIPE WALL THICKNESS 0.128 IN

PIPE I.D 5.744 IN

PIPE MATERIAL CARBON STEEL

PIPE SOUND VELOCITY 10597.129 F/S

LINER MATERIAL NONE

LINER SOUND VELOCITY 0.000 F/S

LINER THICKNESS 0.000 IN

INSIDE ABS ROUGHNESS 0.00015000

FLUID MATERIAL WATER

FLUID SOUND VELOCITY 4863.330 F/S

FLUID VISCOSITY 1.132 CST

TRANSDUCER TYPE STANDARD

TRANSDUCER MOUNTING U

TRANSDUCER SPACING 4.339 IN

12:23:30 07-17-96

Min. Rate 0.00 CFS
Max. Rate 1.22 CFS
Avg. Rate 0.65 CFS
FLOW RATE 0.68 CFS
NET TOT(X1) 197089 GAL
POS TOT(X1) 86857 GAL
NEG TOT(X1) 3725 GAL

12:25:30 07-17-96

Min. Rate 0.00 CFS
Max. Rate 1.22 CFS
Avg. Rate 0.76 CFS
FLOW RATE 0.90 CFS
NET TOT(X1) 197768 GAL
POS TOT(X1) 87536 GAL
NEG TOT(X1) 3725 GAL

12:27:30 07-17-96

Min. Rate 0.00 CFS
Max. Rate 1.22 CFS
Avg. Rate 0.82 CFS
FLOW RATE 1.11 CFS
NET TOT(X1) 198519 GAL
POS TOT(X1) 88288 GAL
NEG TOT(X1) 3725 GAL

12:29:30 07-17-96

Min. Rate 0.00 CFS
Max. Rate 1.22 CFS
Avg. Rate 0.60 CFS
FLOW RATE 0.05 CFS
NET TOT(X1) 199032 GAL
POS TOT(X1) 88800 GAL
NEG TOT(X1) 3725 GAL

17 JUL 96

35-8969



35-8969

APR 12 1961

ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE

Permit No. 35-08969

Reviewed by [Signature]

Date 4-18-94

GENERAL CONSIDERATIONS

TYPES OF USE

yes Name same as permit?
no Address same as permit?

irr. stock

yes Proof timely received?
If not, complete calculation below.

Correct Uses? no

SOURCE OF WATER

✓ Surface water source
✓ Ground water source

yes Drilling permit required?

no Copy in the file? Drilling Permit No. 35-92-E-0047

200.00 Amount paid for permit yes Correct?

yes Well log in the file?

LICENSE EXAMINATION FEE

yes Required?
125.00 Amount Submitted
yes Correct?

MEASURING DEVICE

 Required?
 Installed?
 Waiver requested?

PRIORITY CALCULATION

Date proof received	<u> </u>	<u> </u>
Date proof due	<u> </u>	<u> </u>
No. of days late	<u> </u>	<u> </u>
Priority Date	<u> </u>	<u> </u>
New Priority Date	<u> </u>	<u> </u>

DEFICIENCIES OR ACTION ITEMS

Proof acceptable

DATA ENTRY

New Address 2961 E. 650 N.

Roberts JA. 83444

Proof Made 4-11-94

April 18, 1994

MAUREEN AND DORIAN MATHESON
2961 E 650 N
ROBERTS ID 83444

PROOF ACKNOWLEDGEMENT LETTER

RE: PERMIT NOS. 35-08969

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the EASTERN Regional Office in Idaho Falls, at (208)525-7161.

Sincerely,

JULIE L. YARBROUGH
Senior Secretary

c: IDWR - Region

RECEIVED
APR 18 1994

April 1, 1994

Maureen Matheson
Dorian Matheson
2961 E 650 N
Roberts, ID 83444

RE: Permit No. 35-08969

Dear Permit Holder:

Enclosed are the forms needed to file proof of beneficial use on water right permit no. 35-08969. The forms were originally sent by certified mail on February 28, 1994, to the name and address listed on the water right permit, but they were returned undelivered by the postal service.

Please read the original enclosed letter, complete the necessary forms and return them to this office on or before the proof due date of May 1, 1994.

If you have any questions or I can be of any assistance, please do not hesitate to call.

Sincerely,

JULIE L. YARBROUGH
Senior Secretary

Enclosures


MAILED

APR 18 1994

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
1301 North Orchard Street
Boise, Idaho 83706-2237



ATTEMPTED, NOT KNOWN



2233


NOT Menam

2961 E 650W
Roberts Id.

RECEIVED 83444

MAR 10 1994

Department of Water Resources



ATTEMPTED, NOT KNOWN

APR 18 1994

~~P.O. Box Menam Id 83434~~

February 28, 1994

MAUREEN MATHESON
DORIAN MATHESON
119 N 4000 E
RIGBY ID 83442

PROOF DUE NOTICE

RE: PERMIT NO. 35-08969

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before May 1, 1994. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.


SINCERELY,

JULIE L. YARBROUGH
Senior Secretary

Enclosures

~~UNRECORDED~~

APR 18 1994



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORT

USE TYPEWRITER OR
BALLPOINT PEN

State law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.

1. WELL OWNER

Name Dorian Matheson
Address 2961 E - 650 N - Roberts
Drilling Permit No. 35-92E-048744
Water Right Permit No. 35-08969 047

7. WATER LEVEL

Static water level 38' feet below land surface.
Flowing? ☐ Yes ☒ No G.P.M. flow _____
Artesian closed-in pressure _____ p.s.i.
Controlled by: ☐ Valve ☒ Cap ☐ Plug
Temperature _____ °F. Quality _____
Describe artesian or temperature zones below.

2. NATURE OF WORK

☒ New well ☐ Deepened ☐ Replacement
☐ Well diameter increase ☐ Modification
☐ Abandoned (describe abandonment or modification procedures
such as liners, screen, materials, plug depths, etc. in lithologic
log, section 9.)

8. WELL TEST DATA

☐ Pump ☐ Bailer ☐ Air ☐ Other _____

Discharge G.P.M.	Pumping Level	Hours Pumped
?		

3. PROPOSED USE

☐ Domestic ☒ Irrigation ☐ Monitor
☐ Industrial ☐ Stock ☐ Waste Disposal or Injection
☐ Other _____ (specify type)

9. LITHOLOGIC LOG

Bore Diam.	Depth		Material	Water	
	From	To		Yes	No
12	0	5	CLAY		X
12	5	20	COARSE SAND	X	
12	20	30	FINE RED GRAY	X	
12	30	50	FINE SILT SAND	X	
12	50	60	SAND & CLAY	X	
12	60	70	HEAVY BRN CLAY		X
			Set on Basalt		
			at 70 ft -		

4. METHOD DRILLED

☐ Rotary ☐ Air ☐ Auger ☐ Reverse rotary
☒ Cable ☐ Mud ☐ Other _____
(backhoe, hydraulic, etc.)

5. WELL CONSTRUCTION

Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____
Thickness _____ Diameter _____ From _____ To _____
_____ inches _____ inches _____ feet _____ feet
_____ inches _____ inches _____ feet _____ feet
_____ inches _____ inches _____ feet _____ feet

Was casing drive shoe used? ☒ Yes ☐ No
Was a packer or seal used? ☐ Yes ☐ No
Perforated? ☒ Yes ☐ No
How perforated? ☐ Factory ☒ Knife ☐ Torch ☐ Gun
Size of perforation? 3/16 inches by 3 inches
Number _____ From _____ To _____
130 perforations 20 feet 32 feet
_____ perforations _____ feet _____ feet
_____ perforations _____ feet _____ feet

Well screen installed? ☐ Yes ☒ No
Manufacturer _____ Type _____
Top Packer or Headpipe _____
Bottom of Tailpipe _____


Diameter _____ Slot size _____ Set from _____ feet to _____ feet
Diameter _____ Slot size _____ Set from _____ feet to _____ feet
Gravel packed? ☐ Yes ☐ No ☐ Size of gravel _____
Placed from _____ feet to _____ feet

Surface seal depth 18 Material used in seal: ☐ Cement grout
☒ Bentonite ☐ Puddling clay ☐ _____
Sealing procedure used: ☐ Slurry pit
☐ Temp. surface casing ☐ Overbore to seal depth
Method of joining casing: ☐ Threaded ☒ Welded
☐ Solvent Weld ☐ Cemented between strata

Describe access port 1 1/2 pipe

6. LOCATION OF WELL

Sketch map location must agree with written location.



Subdivision Name _____

Lot No. _____ Block No. APR 18 1994

County Jefferson

NW 1/4 NE 1/4 Sec. 33, T. 5 N ☒ S ☐ R. 37 E ☒ W ☐

10.

Work started 6-23-92 finished 6-26-92

11. DRILLER'S CERTIFICATION

I/We certify that all minimum well construction standards were
complied with at the time the rig was removed.

Firm Name BARRUS Firm No. 23

Address Basalt Date 7-1-92

Signed by Drilling Supervisor La Mon N Barrus

and
(Operator) La Mon N Barrus
(If different than the Drilling Supervisor)



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

April 14, 1992

MAUREEN MATHESON
DORIAN MATHESON
119 N 4000 E
RIGBY ID 83442

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 35-08969

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

As a permit owner you must commence the excavation or construction of the diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The date shown under condition no. 1 is the date when the project must be completed. You will receive a "Proof Due Notice" from this Department approximately 60 days prior to the completion date requiring you to file either a Proof of Beneficial Use form stating that the project has been completed or file a Request for an Extension of Time in which to file the proof statement.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

You should be aware that you are located within a drainage basin where surface water diversions are regulated by a watermaster. It is possible that diversion of groundwater under your permit may cause a reduction of surface water flow. Siting your well as far as possible from surface water channels and casing your well so that groundwater tributary to surface water flows are not diverted will reduce the potential for the watermaster to regulate your water use.

APR 15 1992

This permit authorizes the appropriation of trust water. Trust water is defined as that portion of a particular hydropower water right which exceeds certain minimum stream flows established by state action, and is held in trust by the State of Idaho for the use and benefit of the people within the state. Conditions pertaining to a term review, annual use fee and jurisdiction of the permit are trust water conditions.

Sincerely,

PAMELA SKAGGS
Technical Records Specialist

PS:clh

Enclosures

MAIL ROOM
MAY 15 1992

MEMORANDUM

TO: FILE

FROM: TIM LUKE

RE: APP. NO. 35-8969/Trust Water Processing

DATE: 4-7-92

The above application is a trust water filing which has been forwarded to the state office for final review and processing.

The applicants have not stated on the application that there are other rights used for the same purposes. The water rights and adjudication databases do not show other overlapping rights. I recommend counting all 70 acres under the filing as trust acreage. All trust conditions are applicable.

0010-001-11111

MAY 15 1992

APPLICATION FOR PERMIT REVIEW

Application #: 35-08969
Date: 4-16-92

Reviewer: Brenda Miller

✓ SYSTEM COMPLETED:

- ✓ No - 26A-P17
- Complete in 1 year - P16
- Yes
- Proof not submitted - P16
- Proof submitted - N/A

✓ GROUNDWATER:

- ✓ GT. 0.2 cfs <flo-ch> - 01G-P03, 01C-P03 (existing well)
- No measurement required <flow chart>
- LT. 0.2 cfs - No measurement required <flow chart>
- Drilling Permit:
- Approved w/permit - P99
- Not included - 046-P23 (All GW, even existing wells)
- SURFACE WATER: not in w/d - 01C-P03 (=GT.2 w/pump), NMR <flow chart>

✓ LOCATION:

- ✓ Water Districts - WD No. 04
- Surface water - 005, 005-01H-P01 (LT.2 w/pump)
- 005-01J-P08 (GT.2)
- ✓ Groundwater - P05
- Irrigation Districts - 023
- Canal Co. Areas - 023
- Drainage Districts - 024
- Boise Front (63) - 058 (Groundwater)
- ✓ Swan Falls Flag - 7 (1, Blank or Other)
- ✓ Trust - 051-052-053-P74 (Consumptive Uses)
- Non Trust <1> - 048-049

RIVER BASINS:

- (Surface Water) Water District Control Condition &....
- Boise (63) - 05A & 11E
- Payette (65) - 047-P04, 059-P71
- Snake (01, 02 & 03) - 11A-P04(01), 061-P07(02/03 No W.D.Cond.)

USE:

- Fish Propagation - 06A, 09E-P10 & 010 (WQ/Choose One),
- 042(req.), 002-P06(MD), 07A(Spec.),
- 044(Policy 5G)
- Power - Use Power Review
- Mining - 06A, 010, or 09E-P10 & 054(req.)
- Storage - 18A-for multiple measuring devices(In WD),
- 18B-P09(Size)
- Rec/Wildlf/Aes - 027(Non-Consumptive)
- Domestic - 021(restricted areas)

OWNERSHIP:

- Non land owner - 004

PROTESTED:

- Agreement - 020

✓ Beneficial Use Due Date:

Other Conditions Recommended

05-02-1994

Route for Trust REVIEW ✓ Done

Need trustwater advertising
language

Dist. for staffing: 06-Jan-1992
Submitted for advertising: 1-7-92

Form No. 202a
4/87

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATIONS FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY JPM DATE 1-7-92 APPLICATION NO. 35-8968
APPLICANT NAME: MAUREEN OR DORIAN MATHESON

REQUIRED INFORMATION

☒ Name (If applicant is a corporation or partnership, names must be provided for the director, officers, & other partners.)
☐ Address
☐ Source (See USGS Quad for names of water sources)
☐ Point of Diversion (10 acres for spring, lot & block descriptions for subdivisions, local name, flow and/or volume)
☐ County
☐ Quantity (flow and/or volume)
☐ Period of Use
☐ Nature of proposed use (Include description of use.)
☐ Description of diverting works
☐ Time required for beneficial use of water
☐ Place of use or acres irrigated
☐ Map
☐ Signature (If applicant is corp. partnership, or municipality, title of signator is required)
☐ Fee
☐ Yes ☐ No* In form to receipt

ADDITIONAL INFORMATION

☒ Overlapping place of use (Describe source & relationship to present application on the back.)
☒ Overlapping point of diversion
☐ Yes ☒ No Field check required
☐ Field check by _____
☐ Yes ☒ No Field report attached
☐ Yes ☒ No Critical groundwater area
☐ Yes ☒ No Groundwater management area
☐ Yes ☒ No Send dam safety information
☐ Yes ☒ No Send power requirement letter
☐ Yes ☒ No Send fish farm requirement letter
☐ Yes ☒ No Power residency affidavit
☐ Yes ☒ No Power efficiency form
☒ Yes ☐ No Within trustwater boundary (If yes, attach trust water supplementary analysis sheet.)
☐ Yes ☒ No Diversion greater than 5 cfs or 500 acre ft. (If yes, attach large diversion supplementary analysis sheet.)

See reverse side for additional information

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT

Date Requested

RECEIVED
FEB 18 1992

Department of Water Resources

PROCESSING ☒ Yes ☐ No In form for advertising
☐ Yes ☒ No Statewide advertising
☒ Yes ☐ No Fee amount, receipt date & No. recorded on application

SEND COPIES TO ☐ Idaho Dept. of Health & Welfare ☐ U.S. BLM
☐ Idaho Dept. of Fish & Game ☐ U.S. Forest Service
☐ Idaho Dept. of Lands ☒ ~~Water District~~
☐ Adjudication Bureau Unit ☒ Other Tim Luke

+ Nelson, Tucker
Law Firm

FINAL REGIONAL PROCESSING REVIEW

☒ Yes ☐ No Affidavit of publication received
☒ Yes ☐ No Application published correctly. If not, record action taken.

☒ Yes ☐ No Publication dates & paper, recorded on application
☐ Yes ☒ No Protests received
Final date for protest 2-3-92
☐ Yes ☐ No Protests, dates, resolution of protest, recorded on application
☐ Yes ☒ No Recommendations, attached
☐ Yes ☒ No Measuring device required
☒ Yes ☐ No Access port required
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what Dist. _____
☒ Yes ☐ No Special conditions of approval or cover letter below. _____

_____ See below for additional information
Date of priority recommended 12-31-91
By HWT Date 2-13-92

STATE OFFICE REVIEW

_____ See below for additional information
By _____ Date _____

ADDITIONAL INFORMATION

P/D OVERLAP: 35-02047 -> 2 Acres only
P/D OVERLAP: 35-02047 -> different source (surface water)
Condition: OIG

LOCAL PUBLIC INTEREST

Comments received from

_____ City	_____ Idaho Fish & Game	_____ Irrigation District
_____ County	_____ Idaho Health & Welfare	_____ Canal Company
_____ Reservations	_____ Division of Environment	_____ Other _____

Project impacts/implications report

COMMENTS



State of Idaho
DEPARTMENT OF WATER RESOURCES

150 Shoup Ave., Suite 15, Idaho Falls, Idaho 83402 - (208) 525-7161

EASTERN REGION

CECIL D. ANDRUS
GOVERNOR
R. KEITH HIGGINSON
DIRECTOR

15-Jan-1992

MAUREEN OR DORIAN MATHESON
119 N 4000 E
RIGBY ID 83442

RE: Application No. 35-08969

Dear Water Right Applicant:

The Department of Water Resources acknowledges receipt of your water right permit. This office is currently in the process of advertising the application in the Jefferson Star on 1-16 & 23-1992. The advertisement will be published for two consecutive weeks, and a period of ten days following the second publication will be allowed for the submittal of protests.

If the application is protested, you will be sent a copy of the protest. The protest must be resolved before the application is approved or denied. If the protest is not resolved voluntarily, this Department will conduct a conference and/or hearing on the matter.

If the application is not protested, it will be forwarded to our state office in about five weeks. State office personnel will conduct a complete review prior to final processing of the application and will notify you of the outcome of this review. When a permit is issued, you will be sent a copy. A typical processing time for an unprotested application is about eight weeks.

Please feel free to contact this office if you have any questions regarding this procedure.

Sincerely,

Harold W. Jones
HAROLD W. JONES
Water Rights Supervisor

HWJ/rb

MICROFILMED

MAY 15 1992

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Eastern Region
150 Shoup Ave., Suite 15

Idaho Falls, Idaho 83402
(208) 525-7161

JANUARY 8, 1992

THE JEFFERSON STAR
P.O. BOX 37
RIGBY, ID 83442

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before FEBRUARY 3, 1992.

Yours truly,

Rita Bodell
Secretary

Encl.

MICROFILMED
MAY 15 1992

NOTICE OF APPLICATION FOR TRUST WATER RIGHT

MICROFILMED

MAY 15 1992

35-08969

MATHESON, MAUREEN
MATHESON, DORIAN
119 N 4000 E
RIGBY, ID 83442

Source: GROUNDWATER

Diversion Pt: NWNE Sec 33 T 05N R 37E in JEFFERSON County.

Use: IRRIGATION (1.400 CFS)
Total Diversion: (1.400 CFS)

Date Filed: 12/31/1991

In: JEFFERSON Count
T05N R37E S33 NWNE SWNE

70.0 ACRES TOTAL

**NOTICE OF APPLICATION
FOR TRUST WATER RIGHT**

35-08969

MATHESON, MAUREEN
MATHESON, DORIAN
119 N. 4000 E.
Rigby, ID 83442
Source: GROUNDWATER
Diversion Pt: NWNE Set 33 T 05N R
37E in Jefferson County.
Use: IRRIGATION (1.400 CFS)
Total Diversion: (1.400 CFS)

Date Filed: 12/31/1991
In: JEFFERSON County
T05N R37E S33 NWNE SWNE
70.0 ACRES TOTAL

The permit(s) will be subject to all
prior water rights. Protests may be sub-
mitted based on the criteria of Sec. 42-
203A, Idaho Code and/or the new pub-
lic interest criteria of Sec. 42-203C,
Idaho Code. Protests must be filed with
the Director, Dept. of Water Resources,
Statehouse Mail, Boise, Idaho 83720 on
or before FEBRUARY 3, 1992.

R. Keith Higginson, Director
Published in the Jefferson Star,
Jan. 15 and 22, 1992.

The permit(s) will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code and/or the new public interest criteria of Sec. 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, Statehouse Mail, Boise, Idaho 83720 on or before FEBRUARY 3, 1992.

R. Keith Higginson, Director

Published: 1/15/1992 & 1/22/1992

1992
FEB 3 1992