


13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.




Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

[Handwritten signature]

(Applicant)

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____

____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

____ Aerial Photo Attached (required for irrigation of 10+ acres)

____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	US motor	400	VO1U281R00AR	Verti-line	12" discharge

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Pressure gage	Fluid	ashcroft			180 psi	
Flow meter	sonic	Poly				

2. Measurements:

operating pressure ? (gages won't fit existing ports.)
dynamic pumping depth 338' (according to owner)
sonic Reading 3097 gpm (6.9 cfs)

MICROFILMED


NOV 29 1996

35-8942



35-08942

MICROFILMED
NOV 29 1996



R36E

T 2 N

MICROFILMED
NOV 29 1997

Mapped, edited, and published by the Geological Survey

Control by USGS and NOS/NOAA

Culture and drainage by multiplex methods
from aerial photographs taken 1946

Topography by plane table 1946

SCALE 1:24 000

ROAD CLASSIFICATION

②
39.6

HEL

HEL

1514
12468

POINT OF
DIVERSION

⑧

125.3

SLIDE

1514
12468

⑦

58.5

②

47.8

③

58.4

④

40.2

910
1645

92 SLIDE

T2N
R36E

⑤

83.4

⑥

48.3

92 SLIDE

⑦

20.2

35-08942

16 15
21 22



NEW PROPERTY OWNER NOTICE OF CHANGE OF WATER RIGHT OWNERSHIP

Please print or type
(see instructions on back of page)

Data entered
9/8/97
RECEIVED
Mailed to S.O.
MAR 05 1997
3-5-97
Department of Water Resources
Eastern Region

DATE OF CLOSING: 2/28/97

RECEIVED

LEGAL DESCRIPTION OF PROPERTY: Township 2N Range 36E
Section 9, 1/4 of 1/4 of 1/4 Govt. Lot , BM.
Lot , Block , Subdivision/Townsite .

MAR 10 1997

If you have additional legal descriptions, please attach separate sheet.

Department of Water Resources

See Attached

- ☐ Served Only by a Public Service Water Supply (all water is received from a city or company who maintains water supply system, owns the water right, and bills the customer on a regular basis)
- ☒ Water Right Number(s)
Assigned by IDWR: 35-08863 and 35-08942
- ☐ Name and Address of Former Owner/Claimant(s)(Seller): Jestin D. Croft
Natural Guardian Limited Partnership
- ☐ New Owner/Claimant (Purchaser):
- ☐ New Mailing Address: PO Box 50305
Idaho Falls, Idaho 83405
- ☐ New Telephone Number: (208) 528-2011
- ☐ Does the change in ownership result in a splitting of the water right owned/claimed? yes X no
If yes, then describe the portion of the water right that is now owned/claimed by the new owner:

- ☐ Attach proof of ownership, describe proof attached: Warranty Deed

(proof of ownership must describe either the property conveyed or include the claim number. Proof of ownership is not required if this form is signed by the former owner/claimant.)

- ☐ Signature of New Owner/Claimant(s) NATURAL GUARDIAN LIMITED PARTNERSHIP acting through its general partner TESAMEN ENTERPRISES, INC. Date
BY: [Signature] Date
- ☐ Signature of Former Owner/Claimant(s): [Signature] Date
Date

(Signature of former claimant(s) is not required if proof of ownership is attached.)

FOR IDWR USE ONLY:

Initial Review and Data-Entry

Date: By:

Further Action Needed:

Further Action Taken

Date: By:

Final Review and Data-Entry

Date: By:

Claim Numbers of Split, if any:

MICROFILMED

MAR 25 1997

Original to be mailed to Idaho Department of Water Resources
Copies to Former Owner and New Owner

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 35-08942

Priority: April 17, 1991

Maximum Diversion Rate:

0.22 CFS

This is to certify, that JESTIN D CROFT
9801 W ARCO HWY
IDAHO FALLS ID 83402

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated April 17, 1991; and has submitted Proof of Beneficial Use on February 24, 1993. An examination indicates that the works have a diversion capacity of 6.900 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/01 to 10/31	0.22 CFS	

LOCATION OF POINT(S) OF DIVERSION: NESE , Sec. 9, Township 02N, Range 36E
BONNEVILLE County

<u>PLACE OF USE:</u> IRRIGATION		<u>ACRES</u>		<u>ACRES</u>		<u>ACRES</u>		<u>TOTAL</u>
<u>TWN</u>	<u>RGE</u>	<u>SEC</u>						
02N	36E	9	SENE 9	NESE 39	NWSE 8			
			SWSE 15	SESE 35				106
		10	SWNW 3	SENW 2	NESW 30			
			NWSW 35	SWSW 40	SESW 40			
			NWSE 8	SWSE 10				168
		15	NWNE 8	SWNE 8	NENW 40			
			NWNW 20	SWNW 26	SENW 40			
			NESW 25	NWSW 17	SESW 12			
			NWSE 5					201
		16	NENE 2	SENE 4	NESE 1.5			7.5
Total number of acres irrigated:								482.5

CONDITIONS OF APPROVAL AND REMARKS

1. This water right is appurtenant to the described place of use.
2. This right is subject to all prior water rights and may be forfeited by five years of non-use.
3. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
4. Any license issued by IDWR pursuant to the right or portion thereof for the use of trust water is subject to a term review of 20 years after the date of this approval to determine availability of water for the use and to re-evaluate the public interest at the end of the term.
5. Diversion and use of water under this right is subject to an annual use fee if rules are subsequently promulgated which provide for the submittal of the fee.

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE


WATER RIGHT NO. 35-08942

CONDITIONS OF APPROVAL AND REMARKS

6. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.0 afa per acre for the lands above.
7. Use of this right with Right 35-08863 is limited to a total combined annual diversion volume of 1608.0 af, and to the irrigation of a combined total of 402 acres in a single irrigation season.
8. This right is limited to the irrigation of 68 acres within the place of use described above in a single irrigation season.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 26th day of November, 1996.


KARL J. DREHER, Director



RECORDED
NOV 28 1996

RECEIVED

NOV 25 1996

State of Idaho
Department of Water Resources

Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 35-08942

Date of Priority: April 17, 1991
Comes now JESTIN D CROFT
9801 W ARCO HWY
IDAHO FALLS ID 83402

Maximum Diversion Rate: 0.22 CFS

and represents to the Director of the

Idaho Department of Water Resources:

That he is the owner and holder of Permit to appropriate the Public Waters of the State of Idaho No. 35-08942, and requests that the permit be changed as follows:

Source: GROUNDWATER

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/01 to 10/31	0.22 CFS	

LOCATION OF POINT(S) OF DIVERSION:

NESE, Sec. 9, Township 02N, Range 36E
BONNEVILLE County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
02N	36E	9	SENE 9	NESE 39	NWSE 8	
			SWSE 15	SESE 35		106
		10	SWNW 3	SENE 2	NESW 30	
			NWSW 35	SWSW 40	SESW 40	
			NWSE 8	SWSE 10		168
		15	NWNE 8	SWNE 8	NENW 40	
			NWNW 20	SWNW 26	SENE 40	
			NESW 25	NWSW 17	SESW 12	
			NWSE 5			201
		16	NENE 2	SENE 4	NESE 1.5	7.5

Total number of acres irrigated: 482.5

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed at Bonnie, Idaho, this 21 day of November, 1996.

MICROFILMED
NOV 29 1996

Jestin D Croft
(Signature)

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 35-08942

FOR DEPARTMENT USE ONLY

Preliminary check by ket Fee = \$50.00 Receipted by ket # C037048 Date 11-25-96

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, Karl J. Dreher, of the Department of Water Resources hereby approve the
above Application for Amendment for Permit No. 35-08942 with the following;


CONDITIONS OF APPROVAL AND REMARKS

1. This water right is appurtenant to the described place of use.
2. This right is subject to all prior water rights and may be forfeited by five years of non-use.
3. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
4. Any license issued by IDWR pursuant to the right or portion thereof for the use of trust water is subject to a term review of 20 years after the date of this approval to determine availability of water for the use and to re-evaluate the public interest at the end of the term.
5. Diversion and use of water under this right is subject to an annual use fee if rules are subsequently promulgated which provide for the submittal of the fee.
6. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.0 afa per acre for the lands above.
7. Use of this right with Right 35-08863 is limited to a total combined annual diversion volume of 1608.0 af, and to the irrigation of a combined total of 402 acres in a single irrigation season.
8. This right is limited to the irrigation of 68 acres within the place of use described above in a single irrigation season.

Witness my hand this 26th day of

November 1996
K. J. Dreher
for KARL J. DREHER, Director

MICROFILMED
NOV 29 1996



FEB 24 1993

Department of Water Resources
Eastern District Office

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

OFFICE USE ONLY
Amt. of Fee \$ 125⁰⁰
Date 24 Feb 1993
Receipt No. # 5018295
Receipt by KCW

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 35-8942 Telephone No. 523-5897
2. Name(s) of Permit Holder(s): Jestin D. Croft
3. Mailing Address: 9801 W. Arco Hwy Idaho Falls Id 83402
4. Source of Water: Groundwater

If **GROUNDWATER**, Well Driller's Name: Andrew Well Drilling Date Drilled: July 8, 91

OPTIONAL:

Pump horsepower: 400 hp Pressure (psi): 75 Dynamic pumping level (ft.): 350-400

5. Extent of Use (as authorized by the permit): POINT OF DIVERSION IS THE SAME AS 35-8863

Domestic _____ (No. of households) Stockwater _____ (No. and type of stock)

Irrigation 68 (No. of acres) Other _____

6. Total rate and/or volume for which proof is submitted 1.36 cfs OR _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? _____ Yes _____ No Installed? _____ Yes ☒ No

OR

Flow Measurement Port: Required? _____ Yes _____ No Installed? ☒ Yes _____ No

8. Fee Enclosed: \$ 125.00 (See License Fee Schedule on back of Instruction Sheet)
9. Person to contact to accompany the Department representative during field examination of the water system.

Same as above
Name _____ Telephone No. _____
" " "
Address _____

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

24 Feb 1993
Date

Jestin D. Croft
Signature (and title, if on behalf of a company or organization)

APR 08 1993

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 35-08942

Proposed Priority: April 17, 1991 Maximum Diversion Rate: 1.36 CFS
This is to certify, that JESTIN D. CROFT
9801 W. ARCO HWY
IDAHO FALLS, ID 83402
has applied for a permit to appropriate water from: GROUNDWATER
and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
-----------------------	----------------------	--------------------------

IRRIGATION	04/01 to 11/01	1.36 CFS
------------	----------------	----------

LOCATION OF POINT(S) OF DIVERSION: NESE Sec. 9, Township 02N, Range 36E
BONNEVILLE County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
02N	36E	9	SWNE 10	SENE 35	NWSE 17	68
			SWSE 6			

Total number of acres irrigated: 68

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before August 1, 1994.
2. Subject to all prior water rights.
3. Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which permit holder had no control.
4. A flow measurement port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.
5. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
6. Any license issued by IDWR pursuant to the permit or portion thereof for the use of trust water is subject to a term review of 20 years after the date of this approval to determine availability of water for the use and to re-evaluate the public interest at the end of the term.
7. Diversion and use of water under this permit is subject to an annual use fee if rules are subsequently promulgated which provide for the submittal of the fee.
8. The Director retains jurisdiction of the permit and/or subsequent license issued to change, add or remove any requirement as determined to be appropriate.

AUG 21 1991

Permit To Appropriate Water

NO. 35-08942

CONDITIONS/REMARKS:

9. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this

12th day of August, 1991.

for R. Keith Higginson, Director



AUG 21 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant Justin A. Craft Phone 523-5897

Post office address 9801 W. Hwy Arco Hwy, Idaho falls, Idaho 83402.

2. Source of water supply Groundwater which is a tributary of _____

3. Location of point of diversion is NE SE SE NE 1/4 of _____ 1/4 of _____ Govt. Lot _____

Sec. 9 Township 2N Range 36E B.M. Bonaville County; additional

points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 1.36 for Irrigation purposes from April to Nov (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated is (a) 1.36 and/or (b) _____
cubic feet per second acre feet per annum

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. well, pump & sprinkler system

b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.

c. Proposed well diameter is 24 inches; proposed depth of well is 450' feet.

d. Is ground water with a temperature of greater than 90°F being sought? no

7. Time required for the completion of the works and application of the water to the proposed beneficial use is
3 years (minimum 1 year).

AUG 21 1991

8. Description of proposed uses (if irrigation only, go to item 9):

- Hydropower; show total feet of head and proposed capacity in KW. _____
- Stockwatering; list number and kind of livestock. _____
- Municipal; show name of municipality. _____
- Domestic; show number of households. _____
- Other; describe fully. _____

9. Description of place of use:

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- If water is used for other purposes, place a symbol of the use (example: *D* for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
2N	36E	9			10	35										17	6		68

Total number of acres to be irrigated 68

10. Describe any other water rights used for the same purposes as described above. None


- Who owns the property at the point of diversion? applicant
- Who owns the land to be irrigated or place of use? applicant
- If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: Pd is the same as 35-08863

RECEIVED
AUG 21 1991

AUG 21 1991

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

[Handwritten Signature]

(Applicant)

AUG 21 1991
ED

Received by Jo Date 4-17-91 Time 11:26 Preliminary check by _____
Fee \$ 65.00 Receipted by Jo # E015971 Date 4-17-91
Publication prepared by RB Date 6-20-91 Published in Past-Register
Publication approved RB Date 7-26-91

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other:

RECEIVED
AUG 21 1991

**NOTICE OF APPLICATION
FOR TRUST WATER RIGHT**
25-07584

BUTIKOFER, MERLE
424 N 3900 E
RIGBY, ID 83442
Source: GROUNDWATER
Diversion Pt: SESE Sec 12 T 03N R 37E
Use: IRRIGATION (3,000 CFS)
Total Diversion: (3,000 CFS)
Date Filed: 2/22/ 1991
In: T03N R38E S07 NESW NWSW SWSW
SESW

150.0 ACRES TOTAL
25-07588

TOLBERT, GARRY
12055 N. 45 E.
IDAHO FALLS, ID 83401
Source: GROUNDWATER
Diversion Pt: NESE Sec 11 T 03N R 38E
Use: IRRIGATION (.600 CFS)
Total Diversion: (.600 CFS)
Date Filed: 4/ 3/ 1991
In: T03N R38E S11 NESE
30.0 ACRES TOTAL

35-08865
CAMPBELL, DERLIN L.
7444 W. ARCO HWY.
IDAHO FALLS, ID 83401
Source: GROUNDWATER
Diversion Pt: NENWNW Sec 13 T 02N R
36E

NWNWNW Sec 13 T 02N R 36E
Use: IRRIGATION (.060 CFS)
Total Diversion: (.060 CFS)
Date Filed: 7/19/ 1989
In: T02N R36E S13 NWNW
3.0 ACRES TOTAL

35-08934
CITY OF IDAHO FALLS
P.O. BOX 502220
IDAHO FALLS, ID 83405
Source: GROUNDWATER
Diversion Pt: NWNWNW Sec 14 T 02N R
36E
Use: RECREATION (.240 CFS)
Total Diversion: (.240 CFS)
Date Filed: 6/ 2/ 1989
In: T02N R36E S14 NENW NWNW
SWNW

35-08942
CROFT, JESTIN D.
9801 W. ARCO HWY
IDAHO FALLS, ID 83402
Source: GROUNDWATER
Diversion Pt: NESW Sec 9 T 02N R 36E
Use: IRRIGATION (1,360 CFS)
Total Diversion: (1,360 CFS)
Date Filed: 4/17/ 1991

In: T02N R36E S09 SWNE SENE NWSE
SWSE

68.0 ACRES TOTAL

The permit(s) will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code and/or the new public interest criteria of Sec.42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, 150 Shoup Ave., Suite 15, Idaho Falls, Idaho 83402 on or before JULY 8, 1991.

R. Keith Higginson, Director
Published: June 20, 27, 1991

Handwritten:
No

APPROVED
AUG 21 1991



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

March 14, 1997

NATURAL GUARDIAN LIMITED PARTNERSHIP
PO BOX 50305
IDAHO FALLS ID 83405


RE: Water Right Nos. 35-08863 and 3508942

Dear Water Right Holder(s):

We acknowledge receipt of the correspondence changing ownership of the above referenced water rights to you. We have modified our computer records to reflect these changes in ownership. We have also enclosed reports regarding these water rights.

If you have any questions regarding this matter, please feel free to contact us.

Sincerely,


Jim Johnson, Manager
Water Permits Section

JJ:ph

Enclosures

MICROFILMED
MAR 25 1997



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

November 26, 1996

JESTIN D CROFT
9801 W ARCO HWY
IDAHO FALLS ID 83402

RE: WATER RIGHT NOS. 35-08863 AND 35-08942

Dear Water Right Holder(s):

Enclosed are copies of the Water Right Licenses issued on the above referenced permits along with copies of your approved Applications for Amendment. Should you have any questions regarding these documents, please contact me.

Also, please note that as of July 1, 1996, water right owners are required to report any change of water right ownership and any change of mailing address to the department. If you have acquired a water right or have changed your mailing address PRIOR TO July 1, 1996, you have until July 30, 1998, to notify the department. If you acquire a water right or change your mailing address AFTER July 1, 1996, you must notify the department within 120 days of the change.

Failure to report these changes could result in a \$100 late filing fee. Contact any office of the department to obtain the proper reporting form.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:ph

Enclosures

MICROFILMED
NOV 29 1996

RECEIVED

NOV 25 1996

Department of Water Resources

November 21, 1996

State of Idaho
Dept. of Water Resources
1301 North Orchard Street
Statehouse Mail
Boise, ID 83720-9000
ATTN: Mr. Shelley Walter Keen, Water Rights Supervisor


RE: Water Rights 35-08942 and 35-08863

Dear Mr. Keen:

I'm so sorry we have taken so long in sending you our signature and check for the above listed water rights. I'm sure we thought it would be a labored project and seemed overwhelming on top of fall harvest time.

Thankyou so much for the aerial photo map. I hadn't helped Jess with the quarter quarter section descriptions (he was reading them backwards) and when we sat down together it went very fast! We found the descriptions to be accurate. Therefore you will find the enclosed documents and check for the Amendments. We anxiously await the final Water Permits for this farm.

Sincerely,



Jess & Barbara Croft
9801 W. Arco Hwy
Idaho Falls, ID 83402

MICROFILMED

NOV 29 1996



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

November 19, 1996

BARBARA CROFT
9801 W ARCO HWY
IDAHO FALLS ID 83402

RE: Water Rights 35-08942 and 35-08863

Dear Barbara:

I appreciated your call yesterday to let me know of your progress in reviewing my request that you file amendments for Permits 35-08942 and 35-08863. As we discussed, I have enclosed a copy of the aerial photo used by our field examiner to determine the place of use for your rights. I think it will go a long way toward addressing some of the concerns you have.

I will look forward to hearing from you shortly. If you have any questions, please contact me at 208-327-7946.

Respectfully,

A handwritten signature in cursive script that reads "Shelley Walter Keen".

Shelley Walter Keen
Water Rights Supervisor

Enclosure

MICROFILMED
NOV 29 1996



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

November 13, 1996

JESTIN D CROFT
9801 W ARCO HWY
IDAHO FALLS ID 83402

RE: WATER RIGHT NOS. 35-08863 and 35-08942

Dear Water Right Holder(s):

I previously forwarded to you Applications for Amendment so that you could amend your permits to depict your water rights as they have actually been developed.

As of this date, I have not received these amendments. If I do not receive the amendments within fourteen (14) days, Water Right Licenses will be issued for less than could have been allowed. In case the amendment forms I sent you have been misplaced, new ones are enclosed. Please note that the filing fee for each amendment is \$50.00, for a total of \$100.00.

If you have any questions, please call me at (208) 327-7946.

Sincerely,

A handwritten signature in cursive script that reads "Shelley W. Keen".

Shelley W. Keen
Water Rights Supervisor

SK:ph

Enclosures

MICROFILMED
NOV 29 1996

MEMORANDUM

DATE: September 27, 1996

TO: Files 35-08942 and 35-08863

FROM: Shelley W. Keen *SK*

RE: Phone call from Barbara Croft

Barbara Croft called today to say that she will not be able to respond to my amendment request until harvest is complete.

MEMORANDUM

DATE: September 18, 1996
TO: Files 35-08942 and 35-08863
FROM: Shelley W. Keen *SWK*
RE: Call from Barbara Croft

Barbara Croft called this afternoon to say that she is reviewing the licensing amendments I sent to her. She said that she will reply by the first of October.



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

September 10, 1996

JESTIN D CROFT
9801 W ARCO HWY
IDAHO FALLS ID 83402

RE: WATER RIGHT NOS. 35-8863 and 35-08942

Dear Water Right Holder(s):

The above referenced water rights are in the process of being licensed. However, before the licenses can be issued, your permits must be amended to depict your water rights as they actually have been developed.

The enclosed Applications for Amendment contain information that will be included on the licenses when they are issued. The amendments reflect a change in the location of the place(s) of use description. Please review carefully and if you concur, sign the amendments and return with the \$100.00 (\$50.00 for each amendment) filing fee within 14 days.

The last page of the Application for Amendment form contains a list of Conditions of Approval and Remarks proposed for the license when it is issued. These conditions of approval and remarks may be modified upon further administrative review.

If you do not concur, or if you have any questions about this information, please contact me as soon as possible. My telephone number is (208) 327-7946.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:ph

Enclosures

MICROFILMED

NOV 29 1996

MEMORANDUM

TO: Files 35-08863 & 35-08942

FROM: Sharla

DATE: September 9, 1996

RE: Recommendation Adjustment(s)

The entire place of use irrigated under these two permits is 482.5 acres. The two rights combined were filed for a total of 402 acres. A permissible place of use will be shown for each right, with the appropriate conditions limiting the two rights a) to a combined total diversion rate of 6.9 cfs as measured, b) a total annual volume of 1608 af (402 acres X 4.0 af/acre), and c) a total number of 402 acres/irrigation season.

H. RECOMMENDATIONS

1. Recommended Amounts

35-08863:		
	Irrigation	4/1 - 10/31 6.68 cfs
35-08942:		
	Irrigation	4/1 - 10/31 0.22 cfs

Examiner: Gary Buss

Exam date: July 19, 1993

MICROFILMED

NOV 29 1996

LICENSE REVIEW CHECKLIST

PERMIT NO. 35-08942 DATE 9/9/96

REVIEWER: S H A R L A

NAME Change OK

Address Change NO

SOURCE ✓

Is change clarification of originally intended source? ✓

If not, prepare Notice of Intent to Void

POINT OF DIV

Amendment required

PLACE OF USE ✓

Amendment required yes

Does map agree with written description? yes no

OVERLAPS P/D P/U

RATE OF DIV

Permitted Rate 1.36 cfs
 Fee limit 2.0 cfs \$12500
 Measured 6.9 cfs
 Theoretical cfs

35-08863 6.90
6.69
.22

Recommended Total Div Rate 1.36 cfs

ANNUAL VOLUME/ NATURE OF USES

Use ir. Volume Calculation af
 af
 af
 af
 af

4/1-10/31 person

SUBTOTAL

Flow rate .22 cfs X 214 days X 1.98 af
 Total volume recommended af
 (SUBTOTAL or Flow Rate, whichever is less)

REMARKS

W28 edited limit: 1.9 cfs
1608 af
402 af
W27(66 af)

CONDITIONS Watermaster Control WD#

 GW Measurement/Measuring Device
31 Overlap

 Use-specific conditions

Advancement of Priority Date Required yes no

SRBA Claim Filed N/A
 Adjustment Memo

1st Amend Letter P41, P38
 2nd Amend Letter P42

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

SEP 03 1996

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 35-8942

1. Owner: Justin D. Croft Phone No. _____

Current Address: 9801 W. Arco Hwy., Idaho Falls, Id 83402

2. Accompanied by: Jess Croft EXAM DATE: 7-19-93

Address: Same Phone No. 523-5897

Relationship to Permit Holder: owner

3. Source: groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with the same place of use: _____

2. Other water rights with the same point of diversion: _____

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			NE	SE	9	2N	36E	Bannock	USGS Quad map

2. Place(s) of Use:


Indicate Method of Determination ON SITE / APCS AERIAL

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	

MICROFILMED

NOV 29 1996

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe I.D. as applicable.



Scale: 1" = _____

____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

____ Aerial Photo Attached (required for irrigation of 10+ acres)

____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	US motor	400	VO14281R000R	Verti-line	12" discharge

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Pressure gage	Fluid	Cashcroft			180 psi	
Flow meter	sonic	Poly				

2. Measurements: operating pressure ? (gages won't fit existing ports.)
dynamic pumping depth 338' (according to owner)
sonic Reading 3097 gpm (6.9 cfs)

MICROFILMED

NOV 29 1996

E. NARRATIVE/REMARKS/COMMENTS

400 Hp pump to 12" underground
main line supplying water to 20
1/4 mile Handlines (11/64")

.85 inches
per second

Have conditions of permit approval been met? ☒ yes

☐ no

MICROFILMED
NOV 29 1996

F. FLOW CALCULATIONS

_____ Additional Computation Sheets Attached

Measured Method:

G. VOLUME CALCULATIONS**1. Volume Calculations for Irrigation:** $V_{LR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____ $V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____ $V = \text{Smaller of } V_{LR} \text{ and } V_{D.R.} =$ _____**2. Volume Calculations for Other Uses:****H. RECOMMENDATIONS****1. Recommended Amounts**

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
Totals:			_____	_____

2. Recommended Amendments

___ Change P.D. as reflected above ___ Add P.D. as reflected above ___ None
___ Change P.U. as reflected above ___ Add P.U. as reflected above ___ Other

I. AUTHENTICATION

Field Examiner's Name

Larry B...

Date

7-19-93

Reviewer _____

Date _____

SEAL

MICROFILMED

NOV 29 1996

MODE SELECT
INPUT

OUTER DIAMETER
12.3819 IN

PIPE MATERIAL
? CS,SS

WALL THICKNESS
0.1098 IN

INNER LINING
? NO LING.

KIND OF FLUID
? WATER

SENSOR MOUNTING
? U

TYPE OF SENSOR
? SMALL

DATA CHANGE
? NO

SPACING
9.573 IN U

MODE SELECT
T0 CHECK

0454.3 MMSEC
099.96 % T0

07-19 11:1100 *R
+003.00 % A12

ZERO MODE
AUT ZERO

[REDACTED]
+

[REDACTED]
+

[REDACTED]
+

[REDACTED] *R
+

DAMPING SET ER
01 SEC

07-19 11:3700 *R
+ 3.085E 3GPM

07-19 11:3700 *R
+ 3.088E 3GPM

07-19 11:3700 *R
+ 3.088E 3GPM

07-19 11:3700 *R
+ 3.091E 3GPM

07-19 11:3800 *R
+ 3.094E 3GPM

07-19 11:3800 *R
+ 3.097E 3GPM

35-8947

35-8947

MICROFILMED
NOV 29 1996

Measurement tape

35-8947

MICROFILMED
NOV 29 1996


22

35-8942



35-08942

MICROFILMED
NOV 29 1996




Mapped, edited, and published by the Geological Survey

Control by USGS and NOS/NOAA

Culture and drainage by multiplex methods
from aerial photographs taken 1946
Topography by plane table

SCALE 1:24 000



ROAD CLASSIFICATION

17 MI. TO INTERSTATE 15
IDAHO FALLS 18 MI.

10' R. 36 E. R. 37 E.

(WOODVILLE)
3570' NW

405

403

402

401

480 000 FEET 400

4817

43°30'

112°15'

670 000 FEET

4818

4819

4820

4821

4822

32°30'

T. 3 N.

T. 2 N.

32 MI. TO U.S. 26

ARCO 56 MI.

32

33

34

35

36

4760

4770

4780

4790

4800

4810

4820

4830

4840

4850

4860

4870

4880

4890

4900

4910

4920

4930

4940

4950

4960

4970

4980

4990

5000

5010

5020

5030

5040

5050

5060

5070

5080

5090

5100

5110

5120

5130

5140

5150

5160

5170

5180

5190

5200

5210

5220

5230

5240

5250

5260

5270

5280

5290

5300

5310

5320

5330

5340

5350

5360

5370

5380

5390

5400

5410

5420

5430

5440

5450

5460

5470

5480

5490

5500

5510

5520

5530

5540

5550

5560

5570

5580

5590

5600

5610

5620

5630

5640

5650

5660

5670

5680

5690

5700

5710

5720

5730

5740

5750

5760

5770

5780

5790

5800

5810

5820

5830

5840

5850

5860

5870

5880

5890

5900

5910

5920

5930

5940

5950

5960

5970

5980

5990

6000

6010

6020

6030

6040

6050

6060

6070

6080

6090

6100

6110

6120

6130

6140

6150

6160

6170

6180

6190

6200

6210

6220

6230

6240

6250

6260

6270

6280

6290

6300

6310

6320

6330

6340

6350

6360

6370

6380

6390

6400

6410

6420

6430

6440

6450

6460

6470

6480

6490

6500

6510

6520

6530

6540

6550

6560

6570

6580

6590

6600

6610

6620

6630

6640

6650

6660

6670

6680

6690

6700

6710

6720

6730

6740

6750

6760

6770

6780

6790

6800

6810

6820

6830

6840

6850

6860

6870

6880

6890

6900

6910

6920

6930

6940

6950

6960

6970

6980

6990

7000

7010

7020

7030

7040

7050

7060

7070

7080

7090

7100

7110

7120

7130

7140

7150

7160

7170

7180

7190

7200

7210

7220

7230

7240

7250

7260

7270

7280

7290

7300

7310

7320

7330

7340

7350

7360

7370

7380

7390

7400

7410

7420

7430

7440

7450

7460

7470

7480

7490

7500

7510

7520

7530

7540

7550

7560

②

39.6

HEL

HEL

1514

1746

1514

12468

POINT OF
DIVERSION

⑧

②

②

HEL

110

115

④

1005

HEL

③

T
2
N

R36E

⑥

92 SQU

HEL

④

914

35-08942

16	15
21	22

March 5, 1993

JESTIN D. CROFT
9801 W. ARCO HWY
IDAHO FALLS ID 83402

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 35-08942

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the EASTERN Regional Office in Idaho Falls at (208)525-7161.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

c: IDWR - Region

RECEIVED

APR 08 1993

ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE

Permit No. 35-08942 Reviewed by Klg Date 3/2/93

GENERAL CONSIDERATIONS

TYPES OF USE

yes Name same as permit?
yes Address same as permit?
yes Proof timely received? Correct Uses? yes
If not, complete calculation below.

SOURCE OF WATER

 Surface water source
✓ Ground water source
yes Drilling permit required?
yes Copy in the file? Drilling Permit No. 35-91-E-0055-000
200 Amount paid for permit yes Correct?
yes Well log in the file?

LICENSE EXAMINATION FEE

MEASURING DEVICE

yes Required?
125 Amount Submitted
yes Correct?
yes Required?
yes Installed?
NA Waiver requested?

PRIORITY CALCULATION

Date proof received NA
Date proof due -
No. of days late =
Priority Date +
New Priority Date

DEFICIENCIES OR ACTION ITEMS

proof acceptable

DATA ENTRY

New Address

Proof Made 2/24/93
3/5/93 Klg

Drilling Permit No. 35-E-055
Water Right Permit No. 35-8863
Injection Permit No. _____

State of Idaho
Department of Water Resources

RECEIVED
JUL 15 1991

APPLICATION FOR DRILLING PERMIT

Department of Water Resources

(please print) Justin D. Croft

Address 9801 W. Arco Hwy

Arco Falls, Idaho 83402 Telephone 523-5897

Owner ☒ Well Operator () Other, specify _____

1 well location NE 1/4 NW 1/4, or Gov't Lot No. _____

7, Twp. 2N, Rge. R36, County Bonneville

Address of Well Site _____

Section and subdivision _____

Intended use of well:

Domestic: The use of water for homes, organization camps, public campgrounds, livestock and for any other purpose in connection therewith, including irrigation of up to 1/2 acre of land, if the total use is not in excess of 13,000 gpd; any other uses, if the total use does not exceed a diversion rate of 0.04 cfs and a diversion volume of 2500 gpd.

Domestic does not include water for multiple ownership subdivisions, mobile home parks, commercial or business establishments, unless the use does not exceed a diversion rate of 0.04 cfs and a diversion volume of 2500 gpd.

Non-Domestic: Any beneficial use not included within the definition of domestic.

Location

Monitoring - A well bore schematic and map is required for each well.

No. of proposed wells: _____

Construction information:

New well () Deepen () Replace - See Condition 9

Proposed Surface Diameter 18" Proposed Maximum Depth 350'

Anticipated bottom hole temperature:

35°F or less (Cold water well)
85°F to 212°F (Low temp. geothermal well)
212° or more (Geothermal well)

Construction Start Date July 9, 1991

Anticipated Well Driller Andrew Well Drilling

Note: The actual well driller must be identified prior to drilling.

Applicant's signature Roberta A. Croft Date July 9, 1991

MICROFILMED

APR 08 1993

ACTION OF THE DEPARTMENT OF WATER RESOURCES

Permit is Approved

Date 7/9/91

ed, this permit authorizes the constuction or modification of a well subject to the following conditions. READ CAREFULLY!

AL CONDITIONS:

well must be constructed in compliance with the applicable statutes, specific conditions of approval shown on the water permit, injection well permit, transfer or amendment and the rules and regulations of the Department for water appropriation, tion wells and well construction standards.

drilling permit is valid for two (2) months from the above approval date for the start of construction and is valid for one (1) from the approval date for completion of the well unless an extension has been granted.

permit does not constitute an approval of the District Health Department or the Idaho Department of Health and Welfare which may be required before construction of this well.

well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.

approval of this drilling permit does not authorize trespass on the land of another party.

permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.

drilling permit does not represent a right to divert and use the water of the State of Idaho.

bottom hole temperature of 85° or greater is encountered, well construction shall cease and the well driller and the well owner shall contact the Department immediately.

this permit is for a replacement well, the well being replaced must be abandoned in accordance with Department Rules and regulations.

FIG CONDITIONS:

Ronald Carson
Signature of Authorized Department Representative

Regional Manager
Title

Permit No. ED16301 Received by LL Fee \$200.00 Date 7/9/91 **UNRECORDED**

EXTENSION OF DRILLING PERMIT

APR 08 1993

extension approved by _____ Approval Date _____

extension is good for 60 days beyond the above extension approval date.

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

Department of Veterans Affairs

1. WELL OWNER					7. WATER LEVEL																																																																																																																																																																																															
Name <u>Jestin D. Croft</u> Address <u>9801 West Arco Hwy</u> Drilling Permit No. <u>35-91-E-055</u> Water Right Permit No. <u>35-8863</u>					Department of Water Resources Eastern District Office Static water level <u>338</u> feet below land surface. Flowing? ☐ Yes ☐ No G.P.M. flow _____ Artesian closed-in pressure _____ p.s.i. Controlled by: ☐ Valve ☐ Cap ☐ Plug Temperature <u>69</u> F. Quality <u>Good</u> Describe artesian or temperature zones below. _____																																																																																																																																																																																															
2. NATURE OF WORK					8. WELL TEST DATA																																																																																																																																																																																															
☒ New well ☐ Deepened ☐ Replacement ☐ Well diameter increase ☐ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)					☐ Pump ☐ Baller ☐ Air ☐ Other _____																																																																																																																																																																																															
3. PROPOSED USE					<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Discharge G.P.M.</th> <th>Pumping Level</th> <th>Hours Pumped</th> </tr> </thead> <tbody> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> </tbody> </table>					Discharge G.P.M.	Pumping Level	Hours Pumped																																																																																																																																																																																								
Discharge G.P.M.	Pumping Level	Hours Pumped																																																																																																																																																																																																		
4. METHOD DRILLED					9. LITHOLOGIC LOG																																																																																																																																																																																															
☒ Rotary ☐ Air ☐ Hydraulic ☐ Reverse rotary ☐ Cable ☐ Dug ☐ Other _____					<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th rowspan="2">Bore Diam.</th> <th colspan="2">Depth</th> <th rowspan="2">Material</th> <th rowspan="2">Water Yes No</th> </tr> <tr> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr><td>18</td><td>0</td><td>6</td><td>Soil</td><td>X</td></tr> <tr><td> </td><td>6</td><td>10</td><td>Broken gray basalt</td><td>X</td></tr> <tr><td> </td><td>10</td><td>27</td><td>Firm gray basalt</td><td>X</td></tr> <tr><td> </td><td>27</td><td>41</td><td>Hard gray basalt</td><td>X</td></tr> <tr><td> </td><td>41</td><td>58</td><td>Firm brown basalt</td><td>X</td></tr> <tr><td> </td><td>58</td><td>61</td><td>Broken rock and clay</td><td>X</td></tr> <tr><td> </td><td>61</td><td>72</td><td>Firm gray basalt</td><td>X</td></tr> <tr><td> </td><td>72</td><td>76</td><td>Broken gray basalt</td><td>X</td></tr> <tr><td> </td><td>76</td><td>93</td><td>Hard gray basalt</td><td>X</td></tr> <tr><td> </td><td>93</td><td>100</td><td>Cinders & brown clay</td><td>X</td></tr> <tr><td> </td><td>100</td><td>118</td><td>Firm gray basalt</td><td>X</td></tr> <tr><td> </td><td>118</td><td>121</td><td>Red Clay</td><td>X</td></tr> <tr><td> </td><td>121</td><td>132</td><td>Firm brown basalt</td><td>X</td></tr> <tr><td> </td><td>132</td><td>141</td><td>Tough brown clay</td><td>X</td></tr> <tr><td> </td><td>141</td><td>179</td><td>Firm brown basalt</td><td>X</td></tr> <tr><td> </td><td>179</td><td>201</td><td>Hard gray basalt</td><td>X</td></tr> <tr><td> </td><td>201</td><td>224</td><td>Firm brown basalt</td><td>X</td></tr> <tr><td> </td><td>224</td><td>235</td><td>Hard gray basalt</td><td>X</td></tr> <tr><td> </td><td>235</td><td>240</td><td>Broken brown basalt</td><td>X</td></tr> <tr><td> </td><td>240</td><td>245</td><td>Firm brown basalt</td><td>X</td></tr> <tr><td> </td><td>245</td><td>260</td><td>Broken brown basalt</td><td>X</td></tr> <tr><td> </td><td>260</td><td>280</td><td>Firm brown basalt</td><td>X</td></tr> <tr><td> </td><td>280</td><td>330</td><td>Hard gray basalt</td><td>X</td></tr> <tr><td> </td><td>330</td><td>335</td><td>Broken gray basalt</td><td>X</td></tr> <tr><td> </td><td>335</td><td>343</td><td>Firm gray basalt</td><td>X</td></tr> <tr><td> </td><td>343</td><td>352</td><td>Cinders</td><td>X</td></tr> <tr><td> </td><td>352</td><td>371</td><td>Hard basalt</td><td>X</td></tr> <tr><td> </td><td>371</td><td>380</td><td>Broken Basalt</td><td>X</td></tr> <tr><td> </td><td>380</td><td>392</td><td>Firm Basalt</td><td>X</td></tr> <tr><td> </td><td>392</td><td>395</td><td>Cinders</td><td>X</td></tr> <tr><td> </td><td>395</td><td>406</td><td>Hard Basalt</td><td>X</td></tr> <tr><td> </td><td>406</td><td>410</td><td>Broken basalt</td><td>X</td></tr> <tr><td> </td><td>410</td><td>415</td><td>Cinders</td><td>X</td></tr> <tr><td> </td><td>415</td><td>423</td><td>Broken basalt</td><td>X</td></tr> <tr><td> </td><td>423</td><td>436</td><td>Hard Basalt</td><td>X</td></tr> <tr><td> </td><td>436</td><td>444</td><td>Broken basalt</td><td>X</td></tr> </tbody> </table>					Bore Diam.	Depth		Material	Water Yes No	From	To	18	0	6	Soil	X		6	10	Broken gray basalt	X		10	27	Firm gray basalt	X		27	41	Hard gray basalt	X		41	58	Firm brown basalt	X		58	61	Broken rock and clay	X		61	72	Firm gray basalt	X		72	76	Broken gray basalt	X		76	93	Hard gray basalt	X		93	100	Cinders & brown clay	X		100	118	Firm gray basalt	X		118	121	Red Clay	X		121	132	Firm brown basalt	X		132	141	Tough brown clay	X		141	179	Firm brown basalt	X		179	201	Hard gray basalt	X		201	224	Firm brown basalt	X		224	235	Hard gray basalt	X		235	240	Broken brown basalt	X		240	245	Firm brown basalt	X		245	260	Broken brown basalt	X		260	280	Firm brown basalt	X		280	330	Hard gray basalt	X		330	335	Broken gray basalt	X		335	343	Firm gray basalt	X		343	352	Cinders	X		352	371	Hard basalt	X		371	380	Broken Basalt	X		380	392	Firm Basalt	X		392	395	Cinders	X		395	406	Hard Basalt	X		406	410	Broken basalt	X		410	415	Cinders	X		415	423	Broken basalt	X		423	436	Hard Basalt	X		436	444	Broken basalt	X
Bore Diam.	Depth		Material	Water Yes No																																																																																																																																																																																																
	From	To																																																																																																																																																																																																		
18	0	6	Soil	X																																																																																																																																																																																																
	6	10	Broken gray basalt	X																																																																																																																																																																																																
	10	27	Firm gray basalt	X																																																																																																																																																																																																
	27	41	Hard gray basalt	X																																																																																																																																																																																																
	41	58	Firm brown basalt	X																																																																																																																																																																																																
	58	61	Broken rock and clay	X																																																																																																																																																																																																
	61	72	Firm gray basalt	X																																																																																																																																																																																																
	72	76	Broken gray basalt	X																																																																																																																																																																																																
	76	93	Hard gray basalt	X																																																																																																																																																																																																
	93	100	Cinders & brown clay	X																																																																																																																																																																																																
	100	118	Firm gray basalt	X																																																																																																																																																																																																
	118	121	Red Clay	X																																																																																																																																																																																																
	121	132	Firm brown basalt	X																																																																																																																																																																																																
	132	141	Tough brown clay	X																																																																																																																																																																																																
	141	179	Firm brown basalt	X																																																																																																																																																																																																
	179	201	Hard gray basalt	X																																																																																																																																																																																																
	201	224	Firm brown basalt	X																																																																																																																																																																																																
	224	235	Hard gray basalt	X																																																																																																																																																																																																
	235	240	Broken brown basalt	X																																																																																																																																																																																																
	240	245	Firm brown basalt	X																																																																																																																																																																																																
	245	260	Broken brown basalt	X																																																																																																																																																																																																
	260	280	Firm brown basalt	X																																																																																																																																																																																																
	280	330	Hard gray basalt	X																																																																																																																																																																																																
	330	335	Broken gray basalt	X																																																																																																																																																																																																
	335	343	Firm gray basalt	X																																																																																																																																																																																																
	343	352	Cinders	X																																																																																																																																																																																																
	352	371	Hard basalt	X																																																																																																																																																																																																
	371	380	Broken Basalt	X																																																																																																																																																																																																
	380	392	Firm Basalt	X																																																																																																																																																																																																
	392	395	Cinders	X																																																																																																																																																																																																
	395	406	Hard Basalt	X																																																																																																																																																																																																
	406	410	Broken basalt	X																																																																																																																																																																																																
	410	415	Cinders	X																																																																																																																																																																																																
	415	423	Broken basalt	X																																																																																																																																																																																																
	423	436	Hard Basalt	X																																																																																																																																																																																																
	436	444	Broken basalt	X																																																																																																																																																																																																
5. WELL CONSTRUCTION					10.																																																																																																																																																																																															
Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____ Thickness _____ Diameter _____ From _____ To _____ <u>250</u> inches <u>18</u> inches <u>1</u> feet <u>19</u> feet _____ inches _____ inches _____ feet _____ feet _____ inches _____ inches _____ feet _____ feet _____ inches _____ inches _____ feet _____ feet Was casing drive shoe used? ☐ Yes ☒ No Was a packer or seal used? ☐ Yes ☒ No Perforated? ☐ Yes ☒ No How perforated? ☐ Factory ☐ Knife ☐ Torch ☐ Gun Size of perforation _____ inches by _____ inches Number _____ From _____ To _____ _____ perforations _____ feet _____ feet _____ perforations _____ feet _____ feet _____ perforations _____ feet _____ feet Well screen installed? ☐ Yes ☒ No Manufacturer's name _____ Type _____ Model No. _____ Diameter _____ Slot size _____ Set from _____ feet to _____ feet Diameter _____ Slot size _____ Set from _____ feet to _____ feet Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____ Placed from _____ feet to _____ feet Surface seal depth <u>±20'</u> Material used in seal: ☐ Cement grout ☒ Bentonite ☐ Puddling clay ☐ _____ Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing ☒ Overbore to seal depth ☐ _____ Method of joining casings: ☐ Threaded ☒ Welded ☐ Solvent ☐ Cemented between strata ☐ Weld Describe access port <u>Well Cap</u>					Work started <u>7/8/91</u> finished <u>7/24/91</u>																																																																																																																																																																																															
6. LOCATION OF WELL					11. DRILLERS CERTIFICATION																																																																																																																																																																																															
Sketch map location <u>must</u> agree with written location. Subdivision Name _____ Lot No. _____ Block No. _____ County <u>Bonneville</u>					I/We certify that all minimum well construction standards were complied with at the time the rig was removed. Firm Name <u>Andrew Well Drilling Services</u> <u>5</u> Address <u>1268 East 17th Street</u> Date <u>7/30/91</u> Signed by (Firm Official) <u>[Signature]</u> and (Operator) <u>Dale Huber</u>																																																																																																																																																																																															

USE ADDITIONAL SHEETS IF NECESSARY - FORWARD THE WHITE COPY TO THE DEPARTMENT

APR 08 1947



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

August 16, 1991

JESTIN D. CROFT
9801 W. ARCO HWY
IDAHO FALLS, ID 83402

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 35-08942

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

As a permit owner you must commence the excavation or construction of the diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The date shown under condition no. 1 is the date when the project must be completed. You will receive a "Proof Due Notice" from this Department approximately 60 days prior to the completion date requiring you to file either a Proof of Beneficial Use form stating that the project has been completed or file a Request for an Extension of Time in which to file the proof statement.

Be sure to note the special condition requiring you to install a measuring device. Enclosed, for your reference, is a list of measuring device options.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

This permit authorizes the appropriation of trust water. Trust water is defined as that portion of a particular hydropower water right which exceeds certain minimum stream flows established by state action, and is held in trust by the State of Idaho for the use and benefit of the people within the state.

Conditions pertaining to a term review, annual use fee and jurisdiction of the permit are trust water conditions.

Sincerely,

PAMELA SKAGGS
Technical Records Specialist

PS:blm

Enclosures

MISSOURI
AUG 21 1991

APPLICATION FOR PERMIT REVIEW

Application #: 35-8942
Date: 8-7-91

Reviewer: Pam Skaggs *PS*

Existing:

☒ No

Complete in 1 year - 26A-P17
P16

Yes

Proof not submitted - P16

Proof submitted - N/A

Groundwater:

☒ GT. 0.2 cfs - 01G-P03, 01C-P03 (existing well)

☒ LT. 0.2 cfs - N/A

Drilling Permit:

☒ Approved w/permit - P99

☒ Not included - 046-P23 (All GW, even existing wells)

Location:

☒ Water Districts

WD No. 01

Surface water - 005, 005-01H-P01 (LT.2 w/pump)

005-01J-P08 (GT.2)

☒ Groundwater *existing* - P05

Irrigation Districts - 023

Canal Co. Areas - 023

Drainage Districts - 024

Boise Front (63) - 058 (Groundwater)

☒ Swan Falls Flag - 7 (1. Blank or Other)

☒ Trust - 051-052-053-P74 (Consumptive Uses)

Non Trust - 048-049

River Basins:

(Surface Water) Water District Control Condition &....

Boise (63) - 05A & 11E

Payette (65) - 047-P04, 059-P71

Snake (01, 02 & 03) - 11A-P04(01), 061-P07(02/03 No W.D.Cond.)

Use:

Fish Propagation - 06A, 09E-P10 & 010 (WQ/Choose One),
042(req.), 002-P06(MD), 07A(Spec.),
044(Policy 5G)

Power - Use Power Review

Mining - 06A or 010, 09E-P10 & 054(req.)

Storage - 18A-for multiple measuring devices(In WD),
18B-P09(Size)

Rec. & Aesthetic - 027(Non-Consumptive)

Domestic - 021(restricted areas)

Ownership:

Non land owner - 004

Protested:

Agreement - 020

☒ Beneficial Use Due Date: - 08-01-1994
Other Conditions Recommended

NOT FILMED
AUG 21 1991

MEMORANDUM

TO: FILE

FROM: TIM LUKE

RE: APP. NO. 35-8942/Trust Water Processing

DATE: 8-5-91

The above application is a new trust water filing which has been advertised by the region and forwarded to the state office for final review.

Review of a 1976 orthophoto and 1980 infrared aerial photo, and review of the department's 1986 remote sensing data and irrigation report show that the acreage under the application was not irrigated in any of the above years. With no evidence of development prior to October, 1984, the acreage shall count as trust acreage.

I recommend continued processing of the application and attaching trust conditions to any approval.

MAILED
AUG 21 1991

WATER RIGHT NUMBERS THAT BEGIN WITH AN '**' ARE ADJUDICATION CLAIMS

WR-NUMBER	NAME	STG	SOURCE	T	R	S	NE				NW				SW				SE				SUM
							NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
3508942	NO MATCHES FOR THIS POU IN AJ-POU																						
3508863	CROFT	P	GROUNDWATER	02N	36E	9	:					:				:	40			40	:	80	
3508942	CROFT	A	GROUNDWATER	02N	36E	9	:		10	35	:				:				17	6	:	68	
	1986 MAPPING DATA ---	-	COUNTY 19 QUAD X	91	02N	36E	9	:			:	23			:			7			:	30	

1980 NAAP photo
- No evidence of irrig.
TJL
8/5/91

MICROFILMED
AUG 21 1991

Trustwater
Hold File

Dist. for staffing: 30-Apr-1991
Submitted for advertising:

Form No. 202a
4/87

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATIONS FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY HWS
APPLICANT NAME: CROFT, JESTIN D.

DATE 5-1-91

APPLICATION NO. 35-8942

REQUIRED INFORMATION

- ☒ Name (If applicant is a corporation or partnership, names must be provided for the director, officers, & other partners.)
☒ Address
☒ Source (See USGS Quad for names of water sources)
☒ Point of Diversion (10 acres for spring, lot & block descriptions for subdivisions, local name, flow and/or volume)
☒ County
☒ Quantity (flow and/or volume)
☒ Period of Use
☒ Nature of proposed use (Include description of use.)
☒ Description of diverting works
☒ Time required for beneficial use of water
☒ Place of use or acres irrigated
☒ Map
☒ Signature (If applicant is corp. partnership, or municipality, title of signator is required)
☒ Fee
☒ Yes ☐ No* In form to receipt

ADDITIONAL INFORMATION

- ☐ Overlapping place of use (Describe source & relationship to present application on the back.)
☐ Overlapping point of diversion
☐ Yes ☒ No Field check required
Field check by _____
☐ Yes ☐ No Field report attached
☐ Yes ☐ No Critical groundwater area
☐ Yes ☐ No Groundwater management area
☐ Yes ☐ No Send dam safety information
☐ Yes ☐ No Send power requirement letter
☐ Yes ☐ No Send fish farm requirement letter
☐ Yes ☐ No Power residency affidavit
☐ Yes ☐ No Power efficiency form
☒ Yes ☐ No Within trustwater boundary (If yes, attach trust water supplementary analysis sheet.)
☐ Yes ☒ No Diversion greater than 5 cfs or 500 acre ft. (If yes, attach large diversion supplementary analysis sheet.)

See reverse side for additional information

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT _____

Date Requested _____

RECEIVED

JUL 29 1991

Department of Water Resources

PROCESSING ☒ Yes ☐ No In form for advertising
☐ Yes ☒ No Statewide advertising
☒ Yes ☐ No Fee amount, receipt date & No. recorded on application

SEND COPIES TO NONE ☐ Idaho Dept. of Health & Welfare ☐ U.S. BLM
☐ Idaho Dept. of Fish & Game ☐ U.S. Forest Service
☐ Idaho Dept. of Lands ☐ Water District
☐ Adjudication Bureau Unit ☐ Other _____

FINAL REGIONAL PROCESSING REVIEW

☒ Yes ☐ No Affidavit of publication received
☒ Yes ☐ No Application published correctly. If not, record action taken.

☒ Yes ☐ No Publication dates & paper, recorded on application
☐ Yes ☒ No Protests received
Final date for protest 7-8-91
☐ Yes ☐ No Protests, dates, resolution of protest, recorded on application
☐ Yes ☒ No Recommendations, attached
☐ Yes ☒ No Measuring device required
☒ Yes ☐ No Access port required
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what Dist. _____
☒ Yes ☐ No Special conditions of approval or cover letter below. _____

Date of priority recommended 4-17-91 See below for additional information
By HWT Date 7-26-91

STATE OFFICE REVIEW

By _____ See below for additional information
Date _____

ADDITIONAL INFORMATION

Condition: OIG

LOCAL PUBLIC INTEREST

Comments received from

<u>City</u>	<u>Idaho Fish & Game</u>	<u>Irrigation District</u>
<u>County</u>	<u>Idaho Health & Welfare</u>	<u>Canal Company</u>
<u>Reservations</u>	<u>Division of Environment</u>	<u>Other</u>

Project impacts/implications report

COMMENTS

35-08942

CROFT, JESTIN D.
9801 W. ARCO HWY
IDAHO FALLS, ID 83402

Source: GROUNDWATER

Diversion Pt: NESE Sec 9 T 02N R 36E

Use: IRRIGATION (1.360 CFS)
Total Diversion: (1.360 CFS)

Date Filed: 4/17/ 1991

In: T02N R36E S09 SWNE SENE NWSE SWSE

68.0 ACRES TOTAL

MICROFILMED

AUG 21 1991

The permit(s) will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code and/or the new public interest criteria of Sec. 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, 150 Shoup Ave., Suite 15, Idaho Falls, Idaho 83402 on or before JULY 8, 1991.

R. Keith Higginson, Director

Published 6/20/1991 & 6/27/1991

MICROFILMED

AUG 21 1991



State of Idaho

DEPARTMENT OF WATER RESOURCES

150 Shoup Ave., Suite 15, Idaho Falls, Idaho 83402 - (208) 525-7161

EASTERN REGION

CECIL D. ANDRUS
GOVERNOR
R. KEITH HIGGINSON
DIRECTOR

07-Jun-1991

JESTIN D CROFT
9801 W ARCO HWY
IDAHO FALLS ID 83402

RE: Application No. 35-8942

Dear Water Right Applicant:

The Department of Water Resources acknowledges receipt of your water right permit. This office is currently in the process of advertising the application in Post-Register on June 20 & 27, 1991. The advertisement will be published for two consecutive weeks, and a period of ten days following the second publication will be allowed for the submittal of protests.

If the application is protested, you will be sent a copy of the protest. The protest must be resolved before the application is approved or denied. If the protest is not resolved voluntarily, this Department will conduct a conference and/or hearing on the matter.

If the application is not protested, it will be forwarded to our state office in about five weeks. State office personnel will conduct a complete review prior to final processing of the application and will notify you of the outcome of this review. When a permit is issued, you will be sent a copy. A typical processing time for an unprotested application is about eight weeks.

Please feel free to contact this office if you have any questions regarding this procedure.

Sincerely,

Harold Jones
RB

HAROLD W. JONES
Water Rights Supervisor

HWJ/rb

MAILED

AUG 21 1991