


13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

(Applicant)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
1551 North Orchard Street, P.O. Box 83720
Boise, Idaho 83720-0098

35-8927

Shaula

RETURN SERVICE
REQUESTED

PRESORTED
FIRST CLASS



RECEIVED
NOV 02 1998
Department of Water Resources

*re sent
11/5*

NOV 04 1998

NOV 24 1998

WADA790 832213007 1398 05 10728798
RETURN TO SENDER
: WADA FARMS POTATOES
326 S 1400 W
PINGREE ID 83262-1137
RETURN TO SENDER

83221



T07S, R30E

PLACE OF USE →

← POINT OF DIVERSION

34

Filtration Plant

Water Tank

Industrial Waste Pond

Borah

Davis Springs


T7S
T8S

MICROFILMED

NOV 24 1988

35-08927

(NEELEY)
3469 III NW
SCALE 1:24 000




CONTOUR INTERVAL 10 FEET
DOTTED LINES REPRESENT 5-FOOT CONTOURS
DATUM IS MEAN SEA LEVEL

RC
Primary highway,
hard surface
Secondary highway,
hard surface
Interstate Route

T⁷S, R30E

WHITNAH RD

Larry Bethke



R30E

T
7
S

34

Whitnah Ranches Inc.

MICROFILMED
1992 4 1998

35-08927

LAMB
WESTON

ALBERT WADA

IRRIGATION

10/3



VIEW OF
POINT OF
DIVERSION



VIEW EAST
PLACE OF
USE

TWO TOWER
PIVOT LEFT
OF PICTURE
CTR.

HAND LINE
SETS IN
FOREGROUND

MICROFILMED
NOV 24 1998

PERMIT
NUMBER

35-08927

ALBERT WADA

IRRIGATION

2/3

VIEW OF
PLACE OF
USE
SOUTHEAST



VIEW
SOUTH
POD IN
CENTER
LARGE PIVOT
TOWER
IN REAR.



PERMIT
NUMBER

35-08927

MICROFILMED
NOV 24 1998

ALBERTA WADA

IRRIGATION

3/3

VIEW
SOUTHWEST
4 TOWER
WIPEL PILOT



VIEW WEST.
PLACE OF
USE



PERMIT
NUMBER

35-08927

MICROFILMED
NOV 24 1998

State of Idaho
Department of Water Resources
Water Right License
WATER RIGHT NO. 35-08927

Priority: December 5, 1990

Maximum Diversion Rate:

2.98 CFS

Maximum Diversion Volume:

596.0 AF

This is to certify, that ALBERT T WADA

790 NE MAIN ST

BLACKFOOT ID 83221

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated December 5, 1990; and has submitted Proof of Beneficial Use on February 18, 1992. An examination indicates that the works have a diversion capacity of 3.250 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/01 to 10/31	2.98 CFS	596.0 AF

LOCATION OF POINT(S) OF DIVERSION:

NENE , Sec. 34, Township 07S, Range 30E
POWER County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
07S	30E	34	NENE 39	NWNE 30	SWNE 40	149
			SENE 40			

Total number of acres irrigated: 149

CONDITIONS OF APPROVAL AND REMARKS

1. The use of water under this right shall not give rise to any claim against the holder of a senior water right based upon the theories of forfeiture, abandonment, adverse possession, waiver, equitable estoppel, estoppel by laches or customary preference.
2. The Director retains jurisdiction of the right to incorporate the use into a water district, require streamflow augmentation or other action needed to protect prior surface water and groundwater rights.
3. This right when combined with all other rights shall provide no more than 4.0 afa per acre at the field headgate for irrigation of the lands above.
4. Diversion and use of water under this right is subject to rules that may subsequently be promulgated for existing rights used for supplemental purposes.

MICROFILMED


NOV 24 1998

State of Idaho
Department of Water Resources

Water Right License

WATER RIGHT NO. 35-08927

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. The water right confirmed by this license is subject to all prior water rights and shall be administered in accordance with Idaho law and applicable rules of the Department of Water Resources. Signed and sealed this 13TH day of NOVEMBER, 1978.


Acting for KARL J. DREHER, Director



MICROFILMED

NOV 24 1998

RECEIVED

FEB 18 1992

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCESOFFICE USE ONLY
Amt. of Fee \$ 175.00
Date 2-19-92
Receipt No. C023269
Receipt by JH

Department of Water Resources

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 35-08927 Telephone No. 208-785-7243
2. Name(s) of Permit Holder(s): ALBERT T. WADA
3. Mailing Address: 131 N. OAK BLACKFOOT, ID. 83221
4. Source of Water: DEEP WELL

If GROUNDWATER, Well Driller's Name: VOLLMER, KEN Date Drilled: 4/91

OPTIONAL:

Pump horsepower: 150 Pressure (psi): 90 Dynamic pumping level (ft.): 165

5. Extent of Use (as authorized by the permit):

Domestic _____ (No. of households) Stockwater _____ (No. and type of stock)

Irrigation 150 (No. of acres) Other _____

6. Total rate and/or volume for which proof is submitted 3.0 cfs OR _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? _____ Yes ☒ No _____ Installed? _____ Yes ☒ No _____

OR

Flow Measurement Port: Required? _____ Yes _____ No Installed? _____ Yes _____ No

8. Fee Enclosed: \$ 175.00 (See License Fee Schedule on back of Instruction Sheet)

9. Person to contact to accompany the Department representative during field examination of the water system.

ALBERT T. WADA 785-7243/0670
Name Telephone No.

131 N. OAK BLACKFOOT, IDA. 83221
Address

10. The above information is my true statement of the extent to which the above number permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

MAR 05 1992

Date

Signature (and title, if on behalf of a company or organization)

State of Idaho
Department of Water Resources

NO. 35-08927

Proposed Priority: December 5, 1990 **Maximum Diversion Rate:** 3.00 CFS

This is to certify, that **ALBERT T. WADA**

131 N. OAK

BLACKFOOT, ID 83221

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

BENEFICIAL USE

PERIOD OF USE

RATE OF DIVERSION

IRRIGATION

04/01 to 11/01

3.00 CFS

LOCATION OF POINT(S) OF DIVERSION:

SWNENE

Sec. 34, Township 07S, Range 30E
POWER County

PLACE OF USE: IRRIGATION

TWN RGE SEC

ACRES

ACRES

ACRES

TOTAL

07S 30E 34

NENE 40
SENE 40

NWNE 30

SWNE 40

150

Total number of acres irrigated:

150

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before April 1, 1992.
2. Subject to all prior water rights.
3. Prior to the diversion of water under this permit a flow measurement port or other device as specified by the Department shall be installed to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.
4. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
5. The right to the use of water acquired under this permit shall not give rise to any right or claim against the holder of a senior right based upon the theories of forfeiture, abandonment, adverse possession, waiver, equitable estoppel, estoppel by laches or customary preference.
6. The Director retains jurisdiction of the permit and any license subsequently issued to incorporate the use into a water district, require streamflow augmentation or other action needed to protect prior surface water and groundwater rights.
7. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.

MICROFILMED

APR 12 1991

State of Idaho
Department of Water Resources

PAGE 2

Permit To Appropriate Water

NO. 35-08927

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

28th day of March, 1991


R. Keith Higginson, Director

for



MICROFILMED

APR 12 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant ALBERT T. WADA Phone 785-7243
Post office address 131 N. OAK BLACKFOOT, ID. 83221
2. Source of water supply GROUNDWATER* which is a tributary of N/A
3. Location of point of diversion is SW $\frac{1}{4}$ of NE $\frac{1}{4}$ of NE $\frac{1}{4}$, Govt. Lot _____
Sec. 34 Township 7S Range 30 E B.M. POWER County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
Amount 3.0* for IRRIGATION purposes from 4/1* to 11/1* (both dates inclusive)
(cfs or acre-feet per annum) Mar. 15 to Nov. 15
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 3.2 3.0* and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc. COLUMN, TUBE & SHART, 3 or 4
STAGE DEEP WELL TURBINE PUMP W/ APPROX. 125-150 H.P. ELECTRIC MOTOR.
DELIVERING WATER TO BURIED MAINLINE SERVICING PIVOT IRRIGATOR.
 - b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
 - c. Proposed well diameter is 16" inches; proposed depth of well is APPROX. 200 feet.
 - d. Is ground water with a temperature of greater than 90°F being sought? No
7. Time required for the completion of the works and application of the water to the proposed beneficial use is:
1 years (minimum 1 year).

* Changes as per telecon w/ Albert Wada 15 Jan 1991 - Kcw

8. Description of proposed uses (if irrigation only, go to item 9):

- Hydropower; show total feet of head and proposed capacity in KW. _____
- Stockwatering; list number and kind of livestock. _____
- Municipal; show name of municipality. _____
- Domestic; show number of households. _____
- Other; describe fully. _____

9. Description of place of use:

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- If water is used for other purposes, place a symbol of the use (example: *D* for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
7S	30E	34	40	30	40	40													150

Total number of acres to be irrigated 150

10. Describe any other water rights used for the same purposes as described above. _____

NONE


11. a. Who owns the property at the point of diversion? ALBERT T. WRDA

b. Who owns the land to be irrigated or place of use? " "

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: WELL DRILLER TO BE PROCURED AT TIME OF PERMIT ISSUANCE

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 8 inches equal 1 mile.

MICROFILMED
APR 12 1991

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

(Applicant)

Received by CW Date 12-5-90 Time 12 noon Preliminary check by KCW
Fee \$ 105⁰⁰ Received by HWS # E015508 Date 12-5-90
Publication prepared by RB Date 2-6-91 Published in Lower City Press
Publication approved CW Date 2-26-91

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other:

MICROFILMED

APR 12 1991

FROM KEITH C. WILSON - EASTERN

DATE 15 Jan 1991


TO Wada File for Application

SUBJECT Partial Refund App. for Permit Fee

I sent a mail message to Nancy Handzel requesting a refund of \$20⁰⁰ since the change in the amount on the application for permit.

RECEIVED

APR 12 1991


SIGNATURE

Affidavit of Publication

State of Idaho


County of Power

Erma Crompton being first duly sworn on oath, states:

That she is the publisher of The Power County Press, a newspaper of general circulation in Power County, Idaho, published weekly at American Falls in said county, that said newspaper has been published in said county uninterruptedly and continuously for over seventy-eight consecutive weeks, prior to the first publication of the annexed notice or advertisement:

That the annexed notice or advertisement was published as per clipping attached in the regular and entire edition of said newspaper and not in any supplement thereof for 2 successive weekly issues thereof, the date of the first publication being the 10TH day of FEBRUARY 1991 and the date of last publication being the 13TH day of FEBRUARY 1991.

(Signed)



State of Idaho

County of Power

On this 14TH day of FEBRUARY in the year of 1991, before me, a Notary Public, personally appeared Erma Crompton, known or identified to me to be the person whose name subscribed to the within instrument, and being by me first duly sworn, declared that the statements therein are true, and acknowledged to me that she executed the same.



Notary Public for Idaho

Residing at American Falls, Idaho

My commission expires: June 8, 1993

Application for water right

Published in The Power County Press,
Feb. 6, 13, 1991.

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

35-08927
WADA, Albert T.
131 N OAK
BLACKFOOT, ID 83221

Source: GROUNDWATER

Diversion Pt: SWNE Sec 34 T 07S
R 30E

Use: IRRIGATION (3.000 CFS)
Total Diversion: (3.000 CFS)

Date Filed: 12/5/1990

In: T07S R30E S34 NENE NWNE
SWNE SENE
150.0 ACRES TOTAL

The permit(s) will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code and/or the new public interest criteria of Sec. 42-203 C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, 150 Shoup Ave., Suite, 15, Idaho Falls, Idaho 83402 on or before FEBRUARY 25, 1990.

R. Keith Higginson, Director

APR 12 1991

RECEIVED

FEB 18 1991

Department of Water Resources
Eastern District Office



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

November 13, 1998

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

ALBERT T WADA
790 NE MAIN ST
BLACKFOOT ID 83221

RE: WATER RIGHT NO. 35-08927

Dear Water Right Holder(s):

The Department of Water Resources (the Department) has issued the enclosed license confirming that a water right has been established in accordance with the permit referenced above. The license is a preliminary order issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department unless a party petitions for reconsideration or files an exception and/or brief as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of this order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3), Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, this preliminary order will become a final order of the Department.

If any party appeals or takes exceptions to this preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

MICROFILMED

NOV 24 1998

ORAL ARGUMENT

If the Department grants a petition to review the preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Department in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

FINAL ORDER

The Department will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Department may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The Department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

MICROFILMED

NOV 24 1998

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

If you have any questions, please call me at 208-327-7946.

Sincerely,

A handwritten signature in cursive script, reading "Shelley W. Keen". The signature is written in dark ink and is positioned above the typed name.

Shelley W. Keen
Water Rights Supervisor

SK:klt

Enclosure

MICROFILMED


NOV 24 1998

CERTIFICATE OF MAILING

I hereby certify that on the 13th day of November, 1998, I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER (Approved License) to the person(s) listed below:

Water Right No. 35-08927

ALBERT T WADA
790 NE MAIN ST
BLACKFOOT ID 83221


Kari Lynn Townsend
Secretary

MICROFILMED
NOV 24 1998

MEMORANDUM

TO: File 35-08927

FROM: Sharla

DATE: November 10, 1998

RE: Telecon

On this date, Greg Murdock called me in response to my letter to Mr. Wada. Greg is the farm manager for Wada Farms and Mr. Wada asked Greg to call me and answer the questions I had asked.

Greg explained that groundwater is the only source of water used under these three pivots. They have some surface water shares but they discontinued years ago when the pivots went in (he wasn't sure exactly when that was). It's more economical for them to use groundwater. I told him that a condition would be placed on the license stating that resumption of use of surface water may be required in the future if deemed necessary. He was comfortable with that scenario.

MICROFILMED
NOV 24 1998

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

101 North Orchard Street, P.O. Box 83720

Boise, Idaho 83720-0098

RETURN SERVICE
REQUESTED

PRESORTED
FIRST CLASS



Shawla

RECEIVED
NOV 02 1998

Department of Water Resources

*resent
11/5*

OFILMED

24 1998

A3221



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

**PHILIP E. BATT
GOVERNOR**

**KARL J. DREHER
DIRECTOR**

October 22, 1998

Albert T Wada
790 NE Main St
Blackfoot ID 83221

Re Water Right 35-08927

Dear Water Right Holder:

On May 28, 1998, we sent correspondence to you regarding the above referenced water right. We have not heard from you as yet, and we need to have our questions answered before we can license your permit for you. Please respond to the following questions as soon as possible:

1. Is surface water used on your 149 acres?
2. Do you have surface water shares?
3. If so, how many shares do you have?
4. Is the well only a supplemental source of water?
5. If surface water is available but not used, why isn't it used?
6. When did you quit using surface water?

Your immediate attention to this would be appreciated. We will hold your file open until November 12, 1998 awaiting your answer to these questions. You may write or call me direct at (208)327-5452.

Sincerely,

Sharla Curtis

SC/rl

MICROFILMED

NOV 24 1998



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

May 28, 1998

Albert T. Wada
790 NE Main St.
Blackfoot, ID 83221

REF: Water Right 35-08927

Dear Water Right Holder(s):

We are in the process of reviewing your permit for the purpose of issuing a license. In order to complete this process I need some information concerning your use of surface water. Do you own surface water shares? If so, what is the current status of those shares? Is surface water used on this property with groundwater used as a supplemental source?

Thank you for your help in this matter. If you have any questions, please feel free to contact me at (208) 327-5452.

Sincerely;

Sharla Curtis

SC:cb

MICROFILMED
NOV 24 1998

(WATER RIGHT NUMBERS THAT BEGIN WITH AN '*' ARE ADJUDICATION CLAIMS)
(QUARTER-QUARTERS WITH A '?' HAVE DIFFERENT ACREAGE AMOUNTS--CHECK THE DATA BASE RECORDS)

WR-NUMBER	SOURCE	NE								NW								SW								SE								SUM
		NE		NW		SW		SE		NE		NW		SW		SE		NE		NW		SW		SE										
		Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac									
L3508927	T07S R30E S34 GROUNDWATER																																	
	:	39		30		40		40	:																149									
A0100023Z1	LARGE CLAI :			35		40			:										40	40	35	40	:		230									
0100297	SNAKE RIVE :								:																									
A0100297Z1	LARGE CLAI :			35		40			:										40	40	35	40	:		230									
A0102064G1	LARGE CLAI :			35		40			:										40	40	35	40	:		230									
A0102068G1	LARGE CLAI :			35		40			:										40	40	35	40	:		230									
A0102068H1	LARGE CLAI :			35		40			:										40	40	35	40	:		230									
A3502543Z1	LARGE CLAI :			35		40			:										40	40	35	40	:		230									
R3502543Z1	LARGE CLAI :			1		1			:										1	1	1	1	:											
A3504246Z1	LARGE CLAI :			35		40			:										40	40	35	40	:		230									
R3504246Z1	LARGE CLAI :			1		1			:			1		1				1	1	1	1	:												
~~L3508927~~	~~GROUNDWATER~~	~~40~~		~~30~~		~~40~~		~~40~~	~~:~~																~~150~~									
--86 MAP--	C77Q-AA 85 :	40		41		40		42	:	09		32		35				27	:	42	39	38	43	:	428									

LICENSE REVIEW CHECKLIST

PERMIT NO. 35-08927 DATE 1/23/98 REVIEWER: SHARLA

NAME Change/OK
 Address chg
 SOURCE OK Does change clarify orig. intended source? If no, Void permit
 POINT OF DIV OK Change (Para P39 - gov P40/P47) Add (P45/P42)

W32 (multiple in 1/4)
 W36 (overlap)
 W59 (subd. desc)

Overlaps: Right(s): _____
 File reviewed _____ Profile reports printed _____

PLACE OF USE OK Change (P41 - gov P43/P47) Add (P41/P42)

W60 (subd. desc)
 W27 (ppu acre limit)

Overlaps: Right(s): _____
 File reviewed _____ Profile reports printed _____

RATE OF DIV

Permitted Rate 3.0 cfs

Fee limit 4.0 cfs \$175⁰⁰

Measured 3.25 cfs

Theoretical 2.48 cfs

Recommended Total Div Rate 2.98 cfs

2000 gpm well log = 4.46

2.64
 2.48 (165' left and 90' right - blu)
 80 psi

WATER USES

OK
2.98 cfs 1219 x 4 = af
 _____ cfs _____ af
 _____ cfs _____ af
 _____ cfs _____ af
 _____ cfs _____ af
 _____ cfs _____ af
 TOTALS 2.98 cfs 596.0 af

Irrig -

overlap (R58-R61, R62-R65, R66-R69)

supp. gw. (WB7065/079) 903

overlap spec. combined rts (W35)

<1acre (W31)

Domestic (W01/WB5/070/071/075)

Power (W42 or W43/025/027/R22 or R23)

Fish (042) Fire (077) Wtr Quality (081/R07)

Flow rate 2.98 cfs X 214 days X 1.98 = 1262.7 af

REMARKS

ADD'L CONDITIONS _____ Watermaster Control WD# _____

_____ GW Measurement/Measuring Device

_____ Others Trust (052/R55 - remove 051)

Non-trust (048/049)

Advance Priority yes no

SRBA Claim NA

Adjust Memo

Amend letters

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

JAN 26 1998

Department of Water Resources

A. GENERAL INFORMATIONPermit No. 35-089271. Owner: ALBERT T. WADA Phone No. (208) 285-7243Current Address: 790 NE MAIN ST, BLACKFOOT, IDAHO 832212. Accompanied by: TOM TERNUK EXAM DATE: 7/7/96Address: P.O. BOX 5, AMERICAN FALLS, ID Phone No. (208) 220-2470Relationship to Permit Holder: FARM MANAGER 832113. Source: GROUNDWATER tributary to N/A**B. OVERLAP REVIEW**1. Other water rights with the same place of use: CANAL RIGHTS 01-002972. Other water rights with the same point of diversion: NONE**C. DIVERSION AND DELIVERY SYSTEM**1. Point(s) of Diversion: NO GOV LOTS

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		SW	NE	NE	34	07S	30E	POWER	U.S.G.S. TOPO MAP / NAAPP PHOTOS

2. Place(s) of Use: NO GOV LOTSIndicate Method of Determination ON SITE INSP.


TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
07S	30E	34	40	30	40	40													149
			39																150

MICROFILMED

NOV 24 1998

TOTAL 150
49

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe I.D. as applicable. *SEE ATTACHMENTS + PHOTO*



Scale: 1" = _____

____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

____ Aerial Photo Attached (required for irrigation of 10+ acres)

____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
LIFT PUMP	U.S. ELECT.	150	6502/T12T27-5R014R-15		8"

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
POLYSONIC METER	TYME-FLYTE	TF-P		0410263		1997
DEPT. PRESSURE GAGE	ASHCROFT				D-160	80 PSI

2. Measurements: 80 PSI AT PUMP

E. NARRATIVE/REMARKS/COMMENTS

THIS IRRIGATION SYSTEM UTILIZES A 150 HP PUMP TO LIFT WATER APPROX. 80' TO AN EIGHT INCH BURIED MAIN LINE. THREE PIVOTS ARE SUPPLIED BY THIS SYSTEM. ① A 7 TOWER 180° PIVOT SYSTEM WITH CORNER SYSTEM + END GUN, ② A 4 TOWER PIVOT 180° SYSTEM WITH END GUN, AND ③ A 2 TOWER 360° PIVOT WITH END GUN. 20 ACRES ARE COVERED WITH HAND LINES (200 BIRDS US106 5/32 NOZZLES).

OWNER STATES A CROPL RIGHT ALSO COVERS THIS PROPERTY.

Have conditions of permit approval been met? ☒ yes ☐ no

MICROFILMED
NOV 24 1998

F. FLOW CALCULATIONS

✓ Additional Computation Sheets Attached

Measured Method:

THEORETICAL PUMP DISCHARGE = 3,251 CFS

POLYSONIC FLOW METER READING = 3.253 CFS

PERMIT LIMITS CFS TO 3.0 CFS.

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \frac{149}{150} \text{ AC} \times 4.0 = \frac{596}{600} \text{ AFA}$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 3.0 \times 214 \times 1.9835 = 1,273.4 \text{ AFA}$$

$$V = \text{Smaller of } V_{IR} \text{ and } V_{D.R.} = 600 \text{ AFA}$$

2. Volume Calculations for Other Uses:

$$149 \text{ acres} \times 0.02 \text{ cfs/acre} = 2.98 \text{ cfs}$$

H. RECOMMENDATIONS ~~PERMIT LIMITS IRRIGATION TO 3.0 CFS.~~

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
IRRIGATION	4/1	10/31	2.98 ~~3.0 CFS~~	596 ~~600 AFA~~
Totals:			3.0 2.98	596 ~~600 AFA~~

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATIONField Examiner's Name SIMPSON Date 1/12/97

Reviewer _____ Date _____

SEAL

 MICROFILMED
 NOV 24 1998

THEORETICAL PUMP FLOW CALCULATIONS

Formula:

$$Q_{cfs} = [(Hp) (8.814) (Eff)] \div [Lift + (psi \times 2.308)]$$

$$\begin{aligned} Hp &= \text{Horsepower} = \underline{150} \\ Eff &= \text{Efficiency} = \underline{.7} \quad (\text{Usually } 70\%) \\ \text{Lift: } &(\text{Static Level} + \text{Assumed Draw down}) \\ \text{Static Water Level} &= \underline{80} \text{ ft.} \\ \text{Assumed Draw down} &= + \underline{20} \text{ ft.} \\ \text{Lift} &= \underline{100} \end{aligned}$$

OR

$$\text{Measured Dynamic Water Level} = \underline{\hspace{2cm}} \text{ ft.}$$

$$psi = \text{Operating Pressure} = \underline{80} \text{ psi}$$

$$Q_{cfs} = \left[\frac{150}{Hp} \times 8.814 \times \frac{.7}{Eff} \right] \div \left[\frac{100}{Lift} + \left(\frac{80}{psi} \times 2.308 \right) \right]$$

$$Q_{cfs} = \left[\underline{925.47} \right] \div \left[\underline{284.64} \right]$$

$$Q_{cfs} = \underline{3.251} \text{ cfs}$$

$$\text{ sonic Meter} = 1.460E \ 36PM = 1460/448.8 = 3.253 \text{ CFS}$$

MICROFILMED
NOV 24 1998

PERMIT NO. 35-08927

FIELD EXAM NOTES

EXAM # 35-08927

DATE OF EXAM 9/9/96

PERMITEE NAME ALBERT WADA

OTHER WATER RIGHTS SAME POD _____

OTHER WATER RIGHTS SAME POU _____

PUMP #1 HP 150 MAKE U.S. Elect. SERIAL # 6502/T12T275R014R-15
 COLOR AND DESCRIPTION _____
 OUTPUT DIAMETER 8" SYSTEM PRESSURE 80 PSI WELL DEPTH 200' + ?
 STATIC H2O _____ WELL DEPTH _____ DYNAMIC PUMP _____
 PSI GAGE TYPE Acroft 0-160 CHECK VALVE ☒ [Y] [N] GATE VALVE [Y] ☒ [N]
well drilled 1991 - Vollmer.

PUMP #2 HP _____ MAKE _____ SERIAL # _____
 COLOR AND DESCRIPTION _____
 OUTPUT DIAMETER _____ SYSTEM PRESSURE _____ PSI WELL DEPTH _____
 STATIC H2O _____ WELL DEPTH _____ DYNAMIC PUMP _____
 PSI GAGE TYPE _____ CHECK VALVE [Y] [N] GATE VALVE [Y] [N]

BOOSTER PUMP #1 HP _____ MAKE _____ SERIAL # _____
 COLOR AND DESCRIPTION _____

BOOSTER PUMP #2 HP _____ MAKE _____ SERIAL # _____
 COLOR AND DESCRIPTION _____

3 PIVOTS
 CIRCLE PIVOT ☒ [Y] [N] NUMBER OF TOWERS 7 PIVOT LENGTH 1300
 PRESSURE [H] ☒ [L] all 4 800
2 400

② 1/2 WIPES

① Full

Hand Ltr
ON 200 gage. Not used with small pivots
 HAND LINES ☒ [Y] [N] NUMBER OF LINES _____ LENGTH OF LINES _____

RAIN BIRDS PER LINE 200 NOZZEL DIAMETER 5/32

SURFACE WATER TYPE OF MEASUREING DEVICE _____

AA METER PIGMY METER WEIR OR FLUME BUCKET/WATCH _____/_____

Rem 10 acres + large pivot MICROFILMED
 NOV 24 1998


35-08927



USE BACK OF PAGE FOR SKETCH AND MEASUREMENTS OF SYSTEM

MICROFILMED
MAR 24 1998

35-08927

35-08927





CONTOUR INTERVAL 10 FEET
DOTTED LINES REPRESENT 5-FOOT CONTOURS
DATUM IS MEAN SEA LEVEL

35-09127

- Primary highway, hard surface
- Secondary highway, hard surface
- Interstate Route

MODE SELECT
INPUT

OUTER DIAMETER
10.0200 IN

PIPE MATERIAL
? CS,SS

WALL THICKNESS
0.1210 IN

INNER LINING
? NO LING.

KIND OF FLUID
? WATER

SENSOR MOUNTING
? U

TYPE OF SENSOR
? SMALL

DATA CHANGE
? NO

SPACING
7.558 IN U

ZERO MODE
CLEAR

ZERO MODE
AUT ZERO

09-09 15:5200 *H
+002.90 % AI2

MODE SELECT
T0 CHECK

0365.3 MMSEC
099.99 % T0

09-09 15:5700 *H
+ 1.460E 36PM

NOV 24 1984

35-08927
WADA

35-08927

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Water District No. 1
900 N. Skyline Dr., Suite A
Idaho Falls, ID 83402-1718

WADA
35-08927
Aonic Tape


UHB
WESTON

ALBERT WADA

IRRIGATION

10/3

VIEW OF
POINT OF
DIVERSION



VIEW EAST
PLACE OF
USE
TWO TOWER
PIVOT LEFT
OF PICTURE
CTR.

HAND LINE
SETS IN
FOREGROUND

MICROFILMED PERMIT
NUMBER
NOV 24 1998

35-08927


ALBERT WADA

IRRIGATION


2/3

VIEW OF
PLACE OF
USE

SOUTHEAST



VIEW
SOUTH
POD IN
CENTER
LARGE POD
TOWER
IN REAR.



PERMIT
NUMBER

35-08927

MICROFILMED


MAY 24 1998

ALBERTA WADA

IRRIGATION

3/3

VIEW
SOUTHWEST
4 TOWER
WIPEL P100T



VIEW WEST.
PLACE OF
USE



PERMIT
NUMBER

85-08927

MICROFILMED

NOV 24 1991

February 21, 1992

ALBERT T. WADA
131 N. OAK
BLACKFOOT ID 83221

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 35-08927

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

I note that the permit issued to you by the department requires the installation of a flow measurement port to allow the department to determine the rate of diversion. The proof which you submitted does not show that you have installed this equipment.

The installation of the flow measurement port must be complete by the time the department representative conducts the examination of your system unless the department has rescinded the requirement prior to the field examination. In some cases, the equipment requirement can be rescinded because the equipment cannot be physically installed, is not appropriate or can be accommodated with other measuring methods.

If you have questions concerning this matter, please feel free to contact the EASTERN Regional Office in Idaho Falls at (208)525-7161.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

c: IDWR - Region

MICROFILMED

MAR 05 1992

ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE

Permit No. 35-08927

Reviewed by Klg

Date 2/20/92

GENERAL CONSIDERATIONS

yes Name same as permit?
yes Address same as permit?
yes Proof timely received?
If not, complete calculation below.

TYPES OF USE

irrigate - 150
Correct Uses? yes

SOURCE OF WATER

✓ Surface water source
✓ Ground water source

yes Drilling permit required?
yes Copy in the file? Drilling Permit No. 35-91-E-023
200 Amount paid for permit yes Correct?
Well log in the file?

LICENSE EXAMINATION FEE

yes Required?
175 Amount Submitted
no Correct?

MEASURING DEVICE

yes Required?
no Installed?
NA Waiver requested?

PRIORITY CALCULATION

Date proof received NA
Date proof due / -
No. of days late / =
Priority Date / +
New Priority Date /

DEFICIENCIES OR ACTION ITEMS - driller 383

need to Refund \$25
needs a flow

proof acceptable

DATA ENTRY

New Address _____

Proof Made 2/18/92
2/21/92 Klg



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

February 20, 1992

Albert T. Wada
131 North Oak
Blackfoot, ID 83221

Re: Permit No. 35-08927

Dear Permit Holder:

During my review of the proof of beneficial use you submitted in connection with the above referenced permit, it has come to my attention that you submitted an excessive fee.

When the total rate of diversion is 3.0 cfs, the license exam fee is \$150. Since you submitted \$175, you are entitled to a \$25 refund. I have begun the process to refund the \$25. The refund process takes between two and four weeks.

If you have any questions or if I can be of any further assistance, please feel free to contact me.

Sincerely,

Karen L. Gustafson
Karen L. Gustafson
Secretary/Records Manager

Enclosure

MAR 05 1992

orm 178
RECEIVED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORT

USE TYPEWRITER OR
BALLPOINT PEN

JUL 26 1991

State law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.

Department of Water Resources

1. WELL OWNER
Name ALBERT WADA
BLACKFOOT ILL. 83221
Address 131 N OAK
35-91-E-023
Owner's Permit No. 35-8927

7. WATER LEVEL
Static water level 58' feet below land surface.
Flowing? ☐ Yes ☐ No G.P.M. flow _____
Artesian closed-in pressure _____ p.s.i.
Controlled by: ☐ Valve ☐ Cap ☐ Plug
Temperature 54° OF. Quality Good

2. NATURE OF WORK
☒ New well ☐ Deepened ☐ Replacement
☐ Abandoned (describe method of abandoning) _____

8. WELL TEST DATA
☒ Pump ☐ Bailor ☐ Air ☐ Other _____

Discharge G.P.M.	Pumping Level	Hours Pumped
<u>2,000</u>	<u>90'</u>	<u>2</u>

3. PROPOSED USE
☐ Domestic ☒ Irrigation ☐ Test ☐ Municipal
☐ Industrial ☐ Stock ☐ Waste Disposal or Injection
☐ Other _____ (specify type)

9. LITHOLOGIC LOG

Hole Diam.	Depth		Material	Water	
	From	To		Yes	No
20"	0	3'	SANDY SOIL		☒
20"	3'	18'	BROWN CLAY		☒
18"	18'	45'	CLAY & SAND		☒
18"	45'	55'	BLACK LAVA & CINDEES		☒
			BROKEN		
18"	55'	76'	BROWN CLAY		☒
	76'	94'	~~BROWN~~ SAND		☒
	94'	135'	BLUE CLAY		☒
	135'	146'	BROWN CLAY		☒
	146'	234'	BLUE CLAY		☒
	234'	255'	CLAY SAND		☒
	255'	263'	BLUE CLAY		☒
	263'	243'	CLAY & SAND		☒
	343'	358'	CLAY LAVA		☒
	355'	363'	RED CINDEES & GRAVEL		☒
	363'	400'	BLACK FRACTURED LAVA		☒
	400'	415'	GRAY SOLID LAVA		☒
100' OF 16" LINER WITH DRIVE SHOE ON TOP & BOTTOM FROM 243' TO 343' 20' PERFORATE 48' OF LINER WITH HANDMADE SET ON BOTTOM & TOP OF SHOE 315' 1" PACK BR ON AT 16" LINER					

4. METHOD DRILLED
☒ Rotary ☒ Air ☐ Hydraulic ☐ Reverse rotary
☐ Cable ☐ Dug ☐ Other _____

5. WELL CONSTRUCTION
Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____


Thickness	Diameter	From	To
<u>250</u> inches	<u>18"</u> inches	<u>1</u> feet	<u>263'</u> feet
<u>250</u> inches	<u>16"</u> inches	<u>243'</u> feet	<u>343'</u> feet
<u>250</u> inches	<u>14"</u> inches	<u>315'</u> feet	<u>363'</u> feet

Was casing drive shoe used? ☒ Yes ☐ No
Was a packer or seal used? ☒ Yes ☐ No
Perforated? ☒ Yes ☐ No
How perforated? ☐ Factory ☐ Knife ☒ Torch
Size of perforation 1/2 inches by 3 inches

Number	From	To
<u>320</u> perforations	<u>343</u> feet	<u>363</u> feet

Well screen installed? ☐ Yes ☒ No
Manufacturer's name N/A
Type N/A Model No. _____
Diameter N/A Slot size N/A Set from _____ feet to _____ feet
Diameter _____ Slot size _____ Set from _____ feet to _____ feet
Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____
Placed from _____ feet to _____ feet
Surface seal depth 18' Material used in seal: ☐ Cement grout
☒ Puddling clay ☐ Well cuttings
Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing
☒ Overbore to seal depth
Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent
Weld
☐ Cemented between strata
Describe access port 2" PIPE

10. Work started 05/08/91 finished 06/05/91

6. LOCATION OF WELL
Sketch map location must agree with written location.


Subdivision Name MIDCOTT
4512
MAR 05 1992
Lot No. _____ Block No. _____
County POWER
NE 1/4 NE 1/4 Sec. 34, T. 7, N.E. R. 30 E.M.

11. DRILLERS CERTIFICATION
We certify that all minimum well construction standards were
complied with at the time the rig was removed.
Firm Name WALLNER WELL DRILLING Firm No. 383
ABIDEN, IDAHO 83210
Address PO BOX 2 Date 06/05/91
407 REUSTEL
Signed by (Firm Official) Kenneth Wallner
and
(Operator) Kenneth Wallner

January 31, 1992

ALBERT T. WADA
131 N. OAK
BLACKFOOT ID 83221

PROOF DUE NOTICE

RE: PERMIT NO. 35-08927

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before April 1, 1992. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Karen L. Gustafson
Secretary/Records Manager

Enclosures

MICROFILMED

MAR 05 1992



State of Idaho
Department of Water Resources

APPLICATION FOR DRILLING PERMIT

1. Applicant (please print) ALBERT WADA2. Mailing Address 131 N OAKBLACKFOOT ID 83221 Telephone 785-0670☒ Well Owner ☐ Well Operator ☐ Other, specify _____3. Proposed well location NE 1/4 NE 1/4, or Gov't Lot No. _____Sec. 34, Twp. 7S, Rge. 30E, County POWER

Street Address of Well Site _____

Lot, block and subdivision _____

4. Proposed use of well:

- ☐ Domestic: The use of water for homes, organization camps, public campgrounds, livestock and for any other purpose in connection therewith, including irrigation of up to 1/2 acre of land, if the total use is not in excess of 13,000 gpd; or any other uses, if the total use does not exceed a diversion rate of 0.04 cfs and a diversion volume of 2500 gpd.

Domestic does not include water for multiple ownership subdivisions, mobile home parks, commercial or business establishments, unless the use does not exceed a diversion rate of 0.04 cfs and a diversion volume of 2500 gpd.

- ☒ Non-Domestic: Any beneficial use not included within the definition of domestic. IRRIGATION 150 acres

- ☐ Injection

- ☐ Monitoring - A well bore schematic and map is required for each well.

No. of proposed wells: _____

5. Well construction information:

- A. ☒ New well ☐ Deepen ☐ Replace - See Condition 9

B. Proposed Surface Diameter 16 Proposed Maximum Depth 200

- C. Anticipated bottom hole temperature:

- ☒ 85°F or less (Cold water well)
☐ 85°F to 212°F (Low temp. geothermal well)
☐ 212° or more (Geothermal well)

6. Construction Start Date 5-9-917. Anticipated Well Driller VOLLMER DRILLING

NOTE: The actual well driller must be identified prior to drilling.

Applicant's signature Christine Wada Date 4-5-91Title Owner

(Owner, Firm Representative, Other)

ACTION OF THE DEPARTMENT OF WATER RESOURCES

This Permit is Approved

Date 4-5-91

If approved, this permit authorizes the construction or modification of a well subject to the following conditions. READ CAREFULLY!

GENERAL CONDITIONS:

1. The well must be constructed in compliance with the applicable statutes, specific conditions of approval shown on the water right permit, injection well permit, transfer or amendment and the rules and regulations of the Department for water appropriation, injection wells and well construction standards.
2. This drilling permit is valid for two (2) months from the above approval date for the start of construction and is valid for one (1) year from the approval date for completion of the well unless an extension has been granted.
3. This permit does not constitute an approval of the District Health Department or the Idaho Department of Health and Welfare which may be required before construction of this well.
4. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
5. Approval of this drilling permit does not authorize trespass on the land of another party.
6. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.
7. This drilling permit does not represent a right to divert and use the water of the State of Idaho.
8. If a bottom hole temperature of 85° or greater is encountered, well construction shall cease and the well driller and the well owner shall contact the Department immediately.
9. If this permit is for a replacement well, the well being replaced must be abandoned in accordance with Department Rules and Regulations.

SPECIFIC CONDITIONS:

Richard D. Carbo

Signature of Authorized Department Representative

REGIONAL MANAGER

Title

Receipt No. E015907 Received by RB Fee \$200.00 Date 4-5-91

RECEIVED

EXTENSION OF DRILLING PERMIT

Extension approved by _____ Approval Date _____

MAR 05 1992

This extension is good for 60 days beyond the above extension approval date.



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

April 1, 1991

ALBERT T. WADA
131 N. OAK
BLACKFOOT, ID 83221

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 35-08927

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

Enclosed is a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed is a form entitled "Proof of Beneficial Use". If your project is already completed you should complete and submit this form immediately.

Be sure to note the special condition requiring you to install a measuring device. Enclosed, for your reference, is a list of measuring device options.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

You should be aware that you are located within a drainage basin where surface water diversions are regulated by a watermaster. It is possible that diversion of groundwater under your permit may cause a reduction of surface water flow. Siting your well as far as possible from surface water channels and casing your well

MICROFILMED

APR 12 1991

so that groundwater tributary to surface water flows are not diverted will reduce the potential for the watermaster to regulate your water use.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:blm

Enclosures

NOT RECORDED

APR 12 1991

APPLICATION FOR PERMIT REVIEW

Application #: 35-8927
Date: 3-22-91

Reviewer: Pam Skaggs *CS*

Existing:

☒ No - 26A-P17
☒ Complete in 1 year - P16

Yes

Proof not submitted - P16
Proof submitted - N/A

Groundwater:

☒ GT. 0.7 cfs - 01G-P03, 01C-P03(existing well)
☒ LT. 0.7 cfs - N/A

Drilling Permit:

☒ Approved w/permit - P99
☒ Not included - 046-P23(All GW, even existing wells)

Location:

☒ Water Districts - WD No. 01
Surface water - 005, 005-01H-P01(LT.7 w/pump)
005-01J-P08(GT.7)

☒ Groundwater - P05

Irrigation Districts - 023

Canal Co. Areas - 023

Drainage Districts - 024

Boise Front (63) - 058 (Groundwater)

☒ Swan Falls Flag - 1 (1, Blank or Other)

Trust - 051-052-053-P74(Cons.), 041(DCMI, w/Irr
or Irr & Dom)

☒ Non Trust - 048-049

River Basins:

(Surface Water) Water District Control Condition &....

Boise (63) - 11D-P72

Payette (65) - 047-P04, 059-P71

Snake (01, 02 & 03) - 11A-P04(01), 061-P07(02/03 No W.D.Cond.)

Use:

Fish Propagation - 002-P06, 06A, 007, 09E-P10, 010, 042, 044
Power - Use Power Review

Mining - 06A or 010, 09E-P10 & 054(req.)

Storage - 18A-for multiple measuring devices(In WD),
18B-P09(Size)

Rec. & Aesthetic - 027(Non-Consumptive)

Domestic - 021(restricted areas)

Ownership:

Non land owner - 004

Protested:

Agreement - 020

Minimum Stream Flow:

Overlapping uses - 029-P20

☒ Beneficial Use Due Date: - 04-01-1992

Other Conditions Recommended _____

REPROFILMED
APR 12 1991

Dist. for staffing: 12-28-90
Submitted for advertising:

Form No. 202a
4/87

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATIONS FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY Kaw DATE 15 Jan 91 APPLICATION NO. 35 8927
APPLICANT NAME: ALBERT T. WADA

REQUIRED INFORMATION

- ☒ Name (If applicant is a corporation or partnership, names must be provided for the director, officers, & other partners.)
☒ Address
☒ Source (See USGS Quad for names of water sources)
☒ Point of Diversion (10 acres for spring, lot & block descriptions for subdivisions, local name, flow and/or volume)
☒ County
☒ Quantity (flow and/or volume)
☒ Period of Use 4/1 - 11/1
☒ Nature of proposed use (Include description of use.)
☒ Description of diverting works
☒ Time required for beneficial use of water
☒ Place of use or acres irrigated
☒ Map
☒ Signature (If applicant is corp. partnership, or municipality, title of signator is required)
☒ Fee
Yes ☐ No ☒ In form to receipt

ADDITIONAL INFORMATION

- ☒ Overlapping place of use (Describe source & relationship to present application on the back.) NONE
☒ Overlapping point of diversion NONE
Yes ☒ No ☐ Field check required
Field check by _____
Yes ☒ No ☐ Field report attached
Yes ☒ No ☐ Critical groundwater area
Yes ☒ No ☐ Groundwater management area
Yes ☒ No ☐ Send dam safety information
Yes ☒ No ☐ Send power requirement letter
Yes ☒ No ☐ Send fish farm requirement letter
Yes ☒ No ☐ Power residency affidavit
Yes ☒ No ☐ Power efficiency form
Yes ☒ No ☐ Within trustwater boundary (If yes, attach trust water supplementary analysis sheet.)
Yes ☒ No ☐ Diversion greater than 5 cfs or 500 acre ft. (If yes, attach large diversion supplementary analysis sheet)

See reverse side for additional information

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT

Date Requested _____

RECEIVED
MAR 01 1991
Department of Water Resources

<u>SEND COPIES TO</u>	_____ Idaho Dept. of Health & Welfare	_____ U.S. BLM
	_____ Idaho Dept. of Fish & Game	_____ U.S. Forest Service
	_____ Idaho Dept. of Lands	_____ Water District
	_____ Adjudication Bureau Unit	_____ Other _____

☒ Yes ☐ No Affidavit of publication received
☒ Yes ☐ No Application published correctly. If not, record action taken.

☒ Yes	☐ No	Publication dates & paper, recorded on application
☐ Yes	☒ No	Protests received
		Final date for protest <u>2-25-91</u>
☐ Yes	☐ No	Protests, dates, resolution of protest, recorded on application
☐ Yes	☒ No	Recommendations, attached
☐ Yes	☒ No	Measuring device required
☒ Yes	☐ No	Access port required
☐ Yes	☒ No	Will water be delivered by watermaster? If yes, what Dist. <u> </u>
☒ Yes	☐ No	Special conditions of approval or cover letter below. <u> </u>

See below for additional information

Date of priority recommended 12-5-90

By HCJ Date 2-26-91

See below for additional information

By _____ Date _____

ADDITIONAL INFORMATION

LOCAL PUBLIC INTEREST

Comments received from

<u> </u> City	<u> </u> Idaho Fish & Game	<u> </u> Irrigation District
<u> </u> County	<u> </u> Idaho Health & Welfare	<u> </u> Canal Company
<u> </u> Reservations	<u> </u> Division of Environment	<u> </u> Other <u> </u>

Project impacts/implications report

COMMENTS

EXPENDITURE VOUCHER

AUDITOR USE

STATE OF IDAHO
Office of State Auditor

AGENCY USE

3979
Date 01/22/91
Code 193002

VENDOR: If you require additional information regarding this payment, please contact the State agency listed below.

AGENCY NAME: DEPT. OF WATER RESOURCES

RECEIVED

JAN 28 1991

Department of Water Resources
Eastern District Office

Document No.	
Pre-Audit	Date
Warrant No.	

CHECK ONE:

(1) MISCELLANEOUS EXPENDITURE

() STATE CONTRACT

() PURCHASE ORDER

() MISCELLANEOUS
ENCUMBRANCE REQUISITION

PAYMENT: () PARTIAL () FINAL

Encumbrance Reference No.

LINE No.	PROGRAM	FUND	ACCT.		DESCRIPTION	LINE AMOUNT	AGENCY USE
			Maj	Min			
1	05 30 199	1238	8831		REFUNDS PER KEITH WILSON RECEIPT #E015508 1/15/91 20.00	20.00	
TOTAL						20.00	

NOTE: Final payment must be accompanied by a receiving copy

TO STATE AUDITOR

Request is hereby made that a warrant be authorized and drawn in payment of the item or items described above. I hereby certify that the items described were ordered by proper authority; that they are necessary in the public service, that the items have been received and accounted for, and that the account as stated is correct and just.

AUDITOR'S CERTIFICATE

I hereby certify that the above account is in proper form; that totals carried hereon are correct; that receipts when required by law or regulation of the State Board of Examiners covering items for which reimbursement is asked are submitted herewith; and that there are funds in the state treasury and balances in appropriation accounts out of which the same may be lawfully paid.

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Eastern Region
150 Shoup Ave., Suite 15

Idaho Falls, Idaho 83402
(208) 525-7161

JANUARY 22, 1991

THE POWER COUNTY PRESS
P.O. BOX 547
AMERICAN FALLS, ID 83211

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before FEBRUARY 25, 1991.

Yours truly,

Rita Bodell
Secretary

Encl.

MICROFILMED

APR 12 1991

35-08927

WADA, ALBERT T
131 N OAK
BLACKFOOT, ID 83221

Source: GROUNDWATER

Diversion Pt: SWNE Sec 34 T 07S R 30E

Use: IRRIGATION (3.000 CFS)
Total Diversion: (3.000 CFS)

Date Filed: 12/ 5/ 1990

In: T07S R30E S34 NENE NWNE SWNE SENE
150.0 ACRES TOTAL

MICROFILMED

APR 12 1991

The permit(s) will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code and/or the new public interest criteria of Sec. 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, 150 Shoup Ave., Suite 15, Idaho Falls, Idaho 83402 on or before FEBRUARY 25, 1991.

R. Keith Higginson, Director

Published 2/ 6/1991 & 2/13/1991

APR 12 1991
