

T. 3 S.

3470 11 NE
(ROCKFORD)

35-08917

R 34E


T3S

P.D. +
Ro.u

540 000
FEET

4778

4777



3470 II NE
(ROCKFORD)

T035, R34E

NO Gov. Lots


16

POINT OF DIVERGENCE

PLACE OF USE



35-08917



Sold Houses

T1976
3276

T814
3276
NHEL

NHEL
4
24.5

T29814
2111

T035, R34E

T2136
3276

T1987
3276

T2134
3252
HEL
18.4

Smallin Ln.

16

T1978
HEL 3271


2505

T815
3752

T24824
3265

MAY 14 1958

POINT OF DIVERSION



PLACE OF USE →

Watson

T832
2018
LATEAL
14.2

6" HAND
LINE →

T2112
816

T2133
3265

HEL
101
97

35-08917

P. HAWKER

IRRIGATION

15/2

VIEW OF
POINT OF
DIVERSION



PLACE OF
USE
VIEW
SOUTH



MICROFILMED
MAY 14 1998

PERMIT
NUMBER

35-08917

P. HAWKER

IRRIGATION

25/2

PLACE OF
USE
VIEW
SOUTHEAST




PLACE OF
USE
VIEW
EAST



MICROFILMED
MAY 14 1998

PERMIT
NUMBER

35-08917



T035, A34E

35-08917

MICROFILMED
MAY 4 1998

State of Idaho
Department of Water Resources
Water Right License

WATER RIGHT NO. 35-08917

Priority: October 24, 1990

Maximum Diversion Rate:

0.49 CFS

Maximum Diversion Volume:

140.0 AF

This is to certify, that PRESTON HAWKER

1254 W 200 S

PINGREE ID 83262

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated October 16, 1990; and has submitted Proof of Beneficial Use on February 9, 1993. An examination indicates that the works have a diversion capacity of 0.580 cfs of water from a **GROUNDWATER** source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/01 to 10/31	0.49 CFS	140.0 AF

LOCATION OF POINT(S) OF DIVERSION:

SESW , Sec. 16, Township 03S, Range 34E
BINGHAM County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
03S	34E	16	SESW	35		35

Total number of acres irrigated: 35

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount that can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license shall be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. The use of water under this right shall not give rise to any claim against the holder of a senior water right based upon the theories of forfeiture, abandonment, adverse possession, waiver, equitable estoppel, estoppel by laches or customary preference.
6. The Director retains jurisdiction of the right to incorporate the use into a water district, require streamflow augmentation or other action needed to protect prior surface water and groundwater rights.

MICROFILMED

MAY 14 1990

State of Idaho
Department of Water Resources


Water Right License

WATER RIGHT NO. 35-08917

CONDITIONS OF APPROVAL AND REMARKS

7. This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor more than 4.0 afa per acre at the field headgate for irrigation of the lands above.
8. Diversion and use of water under this right is subject to rules that may subsequently be promulgated for existing rights used for supplemental purposes.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 27th day of April, 1998.


Acting for KARL J. DREHER, Director

WATER RIGHT

MAY 14 1998

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE STATE OF IDAHO

IN THE MATTER OF PERMIT NO. 35-08917)
IN THE NAME OF PRESTON HAWKER) ORDER OF
REINSTATEMENT)

WHEREAS, the Department issued the above-captioned permit with the condition that proof of construction of works and application of water to beneficial use (proof of beneficial use) be submitted on or before February 1, 1993; and,

WHEREAS, the Department notified the permit holder by certified mail that proof was due and instructed the permit holder of the steps to be taken to submit the proof of beneficial use; and,


WHEREAS, the Department notified the permit holder that the permit had lapsed for failure to submit the proof of beneficial use; and,

WHEREAS, Section 42-218a of the Idaho Code provides that a permit may be reinstated upon a showing of reasonable cause within sixty days of the date of the notice of lapsing; and,

WHEREAS, the permit holder has provided a reasonable showing why the permit should be reinstated by submitting proof of beneficial use on February 9, 1993;

IT IS, THEREFORE, HEREBY ORDERED that Permit No. 35-08917 be REINSTATED with an advance in priority to October 24, 1990.

Dated this 18th day of February, 1993.


L. GLEN SAXTON
Chief, Water Allocation Bureau

APR 08 1993

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF CHANGING THE)
FLOW MEASUREMENT PORT OR)
MEASURING DEVICE CONDITION) ORDER
OF APPROVAL FOR PERMIT NO.)
35-08917 IN THE NAME OF)
PRESTON HAWKER)


WHEREAS, the Department of Water Resources (department) has issued the above captioned water right permit with a condition of approval requiring the permit holder to install a flow measurement port or other device to facilitate the measurement and determination of the rate of diversion by the department; and

WHEREAS, the department has determined that the rate of diversion for certain ground water uses can be estimated by the department without the use of an installed flow measurement port; and,

WHEREAS, the department has determined that the rate of flow for the above captioned permit can be estimated without the use of a flow measurement port;

IT IS THEREFORE, hereby ordered that the condition of approval requiring the installation of a flow measurement port or other device for the above captioned permit is REMOVED.

Dated this 17th day of February, 1993.


L. GLEN SAXTON
Chief, Water Allocation Bureau

RECORDED

APR 08 1993

OFFICE USE ONLY
Amt. of Fee \$ 100.00
Date 2-9-93
Receipt No. E018257
Receipt by Hwj

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 35-08917 Telephone No. 684-4971
2. Name(s) of Permit Holder(s): Preston Hawker
3. Mailing Address: 1254 W. 200 S. Pinedale, ID 83262
4. Source of Water: Groundwater

If **GROUNDWATER**, Well Driller's Name: Independent Drilling Date Drilled: 5-1-91
(35-91-E-029)

OPTIONAL:

Pump horsepower: 10 Pressure (psi): _____ Dynamic pumping level (ft.): _____

5. Extent of Use (as authorized by the permit):

Domestic _____ (No. of households) Stockwater _____ (No. and type of stock)

Irrigation 40 (No. of acres) Other _____

6. Total rate and/or volume for which proof is submitted 0.80 cfs OR _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? _____ Yes ✓ No _____ Installed? _____ Yes _____ No _____

OR

Flow Measurement Port: Required? ✓ Yes X No _____ Installed? _____ Yes _____ No _____

Hwj

8. Fee Enclosed: \$ 100.00 (See License Fee Schedule on back of Instruction Sheet)

9. Person to contact to accompany the Department representative during field examination of the water system.

Name Tracy Hawker Telephone No. 684-4474

Address 1003 W. 300 S. Blackfoot, ID

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

Date 2-9-93 Signature (and title, if on behalf of a company or organization) Preston L. Hawker APR 08 1993

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 35-08917

Proposed Priority: October 16, 1990 Maximum Diversion Rate: 0.80 CFS

This is to certify, that **PRESTON HAWKER**

1254 W. 200 S.

PINGREE, ID 83262

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
-----------------------	----------------------	--------------------------

IRRIGATION	04/01 to 11/01	0.80 CFS
------------	----------------	----------

LOCATION OF POINT(S) OF DIVERSION: SESW Sec. 16, Township 03S, Range 34E
BINGHAM County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
03S	34E	16	SESW	40		40

Total number of acres irrigated: 40

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **February 1, 1993**.
2. Subject to all prior water rights.
3. Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which permit holder had no control.
4. Prior to the diversion of water under this permit a flow measurement port or other device as specified by the Department shall be installed to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.
5. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
6. The right to the use of water acquired under this permit shall not give rise to any right or claim against the holder of a senior right based upon the theories of forfeiture, abandonment, adverse possession, waiver, equitable estoppel, estoppel by laches or customary preference.
7. The Director retains jurisdiction of the permit and any license subsequently issued to incorporate the use into a water district, require streamflow augmentation or other action needed to protect prior surface water and groundwater rights.
8. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.82 cubic feet per second for each acre of land.

MAR 04 1991

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 35-08917

CONDITIONS/REMARKS:

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

20th day of February, 1991.

R. Keith Higginson
for _____
R. Keith Higginson, Director

RECEIVED

MAR 04 1991

Ident. No. 35-08917

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name: PRESTON HAWKER
Address: 1254 W. 200 S.
PINGREE, ID 83262

208-684-4971

2. Source: GROUNDWATER

Trib. to:

3. Location of Point of Diversion: SESW Sec. 16, Township 03S, Range 34E
BINGHAM County

4. Water will be used for the following purposes:

Purpose	From	To	CFS	(or)	AF
IRRIGATION	04/01	11/01	0.800		

5. Total quantity appropriated is:
0.800 CFS (and/or) AF

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc.

WELL AND PUMP TO SPRINKLERS

b. Height of storage dam feet; active reservoir capacity
acre-feet; total reservoir capacity acre-feet; period of
year when water will be diverted to storage: to inclusive.

c. Proposed well diameter is 8 inches; proposed depth of well is 50
feet.

d. Is groundwater with a temperature greater than 90F being sought? NO

7. Time required for the completion of the works and application of
the water to the proposed beneficial use is 2 years.

8. Description of proposed uses:
IRRIGATION

9. Place of Use: IRRIGATION

TWN	RGE	SEC	ACRES	ACRES	ACRES	TOTAL
03S	34E	16	SESW 40			40
Total number of acres irrigated:						40

10. Describe any other water rights used for the same purposes.
SHARES IN WATSON SLOUGH

11. a. Who owns the property at the point of diversion?
APPLIC.
b. Who owns the land to be irrigated or place of use?
APPLIC.
c. If the property is owned by a person other than the applicant,
describe the arrangement enabling the applicant to make this filing.

12. Remarks:

13. Map of proposed point of diversion and place of use attached? ☒

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Preston L. Hawker
Applicant

Received by HWS Date 10-16-90 Time 9:40 Preliminary check by _____
Fee \$ 45 ^{xx}/₁₀₀ Receipted by HWS # E015333 Date 10-16-90
Publication prepared by 12-20-90 Date RB Published in Morning News
Publication approved RB Date 1-9-91

RECEIVED

MAR 6 1991

T. 3 S.

3470 (LINE)
(ROCKFORD)

35-08917

WEARYRICK

DUNCAN

Slough

R 34E

T3S

P.D. &
R.O.U

Snake

RIVER

MAINTAINED

MARCH 4 1991

540 000
FEET

Mile
753

Mile
755

Well
4427

River

lockfoot

28

29

10

15

4

3

8

4782

4781

4780

4779

4778

4777

WEST
1000
DUNCAN

WEST
900

WEST
900

WEST
800
CRAWFORD

DITCH

DITCH

DITCH

DITCH

Borrow
Pit

Storage
Bin

Storage
Bin

4440

4442

4441

4445

4444

4440

4437

4435

4431

4440

4443

4429

4425

4427

4427

4433

4430

4425

4425

4420

4420

4435

4438

4446

4455

4450

4453

DEPARTMENT OF WATER RESOURCES
150 Shoup Ave., Suite 15
Idaho Falls, Idaho 83402
(208) 525-7161

35-08916

HALL, Lee
HALL, Ralph
1493 W. 800 S.
Pingree, Idaho 83262
Source: GROUNDWATER
Diversion Pt: SENW, Sec. 14, T. 04S, R.
32E.
Use: IRRIGATION (.440 CFS).
Total Diversion: (.440 CFS).
Date Filed: 9/28/1990.
In: T04S, R32E, S14, NENW, NWNW,
SWNW, SENW.
22.1 ACRES TOTAL.

35-08917

HAWKER, Preston
1254 W. 200 S.
Pingree, Idaho 83262
Source: GROUNDWATER
Diversion Pt: SESW, Sec. 16, T. 03S, R.
34E.
Use: IRRIGATION (.800 CFS).
Total Diversion: (.800 CFS).
Date Filed: 10/16/1990.
In: T03S, R34E, S16, SESW.
40.0 ACRES TOTAL.

35-08921

CLARK, MEREDITH M.
CLARK, FREDI MARIE
78 N., 950 W.
Blackfoot, Idaho 83221
Source: GROUNDWATER
Diversion Pt: SENENW, Sec. 33, T. 02S, R.
34E.
Use: IRRIGATION (.090 CFS).
STOCKWATER (.020 CFS).
DOMESTIC (.040 CFS).
Total Diversion: (.150 CFS).
Date Filed: 5/10/1989.
In: T02S, R34E, S33, NENW.
3.0 ACRES TOTAL.

35-08922

LEE, Merwin Nelson
LEE, Lynda
1053 W. 200 S.
Blackfoot, Idaho 83221
Source: GROUNDWATER
Diversion Pt: NENW, Sec. 17, T. 03S, R.
34E.
Use: IRRIGATION (.090 CFS).
DOMESTIC (.040 CFS).
Total Diversion: (.090 CFS).
Date Filed: 10/24/1990.
In: T03S, R34E, S17, NENW.
3.0 ACRES TOTAL.

The permit(s) will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code, and/or the new public interest criteria of Sec. 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, 150 Shoup Ave., Suite 15, Idaho Falls, Idaho, 83402, on or before JANUARY 7, 1991.

R. KEITH HIGGINSON
Director

(1019)
Pub.: 12/20, 28

RECEIVED

JAN 02 1991

Department of Water Resources
Eastern District Office

AFFIDAVIT of PUBLICATION

County of Bingham)

State of Idaho)

I, Jacqueline Graham do
solemnly

swear that I am the legal coordinator of
The Morning News which is a daily newspaper of
general circulation published each day except Sunday
at Blackfoot, Bingham County, Idaho, said newspaper
having been so published at Blackfoot, aforesaid for
more than one year past; that said newspaper
heretofore complied with all the provisions of Chapter
154 of the Sessions Laws of Idaho of 1933, approved
March 11, 1933, and duly designated, pursuant to law,
a particular day of the week as the day on which legal
notices required by law or by the order of any Court of
competent jurisdiction within the State of
Idaho shall be published to-wit: of each week; that the
notice attached hereto and which is a part of this af-
fidavit and part of the proof of publication was
published in said issue or said

newspaper two consecutive weeks

the first publication having been made on the

20th day of December, 1990;

and the last publication having been made on the

28th day of December, 1990;

that said notice was published in the regular and entire
issue of every number of the paper as aforesaid during
the period and time of publication, and that notice was
published in the newspaper and not in a supplement.

On this 28th day of December, in
the year 1990 before me a Notary Public of said State,
personally appeared

Jacqueline Graham
known or identified to me to be the person whose
name is subscribed to the within instrument, and being
by me first duly sworn, declared that the statements
therein are true, and acknowledged to me that he ex-
ecuted the same.

R. Keith Higginson
Notary Public for the State of Idaho,
Residing at Blackfoot, Idaho
My commission expires
November 10, 1994

Affidavit Processing Fee..... \$5.00



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

April 27, 1998

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

PRESTON HAWKER
1254 W 200 S
PINGREE ID 83262

RE: WATER RIGHT NO. 35-08917

Dear Water Right Holder(s):

The Department of Water Resources (the Department) has issued the enclosed license confirming that a water right has been established in accordance with the permit referenced above. The license is a preliminary order issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department unless a party petitions for reconsideration or files an exception and/or brief as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of this order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3), Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, this preliminary order will become a final order of the Department.

If any party appeals or takes exceptions to this preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

ORAL ARGUMENT

If the Department grants a petition to review the preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Department in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

FINAL ORDER

The Department will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Department may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The Department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

If you have any questions, please call me at 208-327-7946.

Sincerely,

A handwritten signature in cursive script that reads "Shelley W. Keen".

Shelley W. Keen
Water Rights Supervisor

SK:klt


Enclosure

CERTIFICATE OF MAILING

I hereby certify that on the 27th day of April, 1998, I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER (Approved License) to the person(s) listed below:

Water Right No. 35-08917

PRESTON HAWKER
1254 W 200 S
PINGREE ID 83262


Kari Lynn Townsend
Secretary

ENCLOSURE

MAY 14 1998

MEMORANDUM

TO: File 35-08917

FROM: Sharla

DATE: April 24, 1998

RE: Surface Water Use

On this date, I spoke with Mr. Hawker concerning his use of surface water. He told me that he stopped using his surface shares when the well was put in. It's more convenient to use the well. Condition 050 should be placed on the license.

ENCLOSURE

MAY 14 1998

LICENSE REVIEW CHECKLIST

PERMIT NO.

35-08917

DATE

4/22/98

REVIEWER: SHARLA

NAME

Change/OK

Address

SOURCE

Does change clarify orig. intended source? If no, Void permit

POINT OF DIV

Change (Para P39 - gov P40/P47) Add (P45/P42)

W32 (multiple in 1/4)

W36 (overlap)

W59 (subd. desc)

Overlaps:

Right(s):

File reviewed Profile reports printed

PLACE OF USE

Change (P41 - gov P43/P47)

Add (P41/P42)

W60 (subd. desc)

W27 (ppu acre limit)

Overlaps:

Right(s):

File reviewed Profile reports printed

RATE OF DIV

Permitted Rate .80 cfs

Fee limit

1.00 cfs \$100.00

Measured

.49 cfs

Theoretical

.57 cfs @ 15' lift and 40 psi

Recommended Total Div Rate .49 cfs

WATER USES

Irr.

.49 cfs

35x4 = af

Irrig -

overlap (R58-R61, R62-R65, R66-R69)

supp. gw (WB7/065/079)

overlap spec. combined rts (W35)

<1acre (W31)

Domestic (W01/WB5/070/071/075)

Power (W42 or W43/025/027/R22 or R23)

Fish (042) Fire (077) Wtr Quality (081/R07)

TOTALS

.49 cfs

140.0 af

Flow rate .49 cfs X 214 days X 1.98 = 207.6 af

REMARKS

Per telecon 4/24 - stopped using sw for irr. when well started being used.

ADD'L CONDITIONS

Watermaster Control WD#

GW Measurement/Measuring Device

Others Trust (052/R55 - remove 051)

Non-trust (048/049)

Advance Priority

yes no

SRBA Claim

Adjust Memo

Amend letters

stopped
slough irr
(only slough water)
when pump
installed

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

JAN 30 1998

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 35-08917

1. Owner: PRESTON HAWKER

Phone No. (208) 684-4971

Current Address: 1254 W. 200 S, PINCKNEY, IDAHO 83262

2. Accompanied by: CODY HAWKER

EXAM DATE: 8/20/96

Address: 951 W 250 S, BLACKFOOT, ID 83221

Phone No. (208) 684-3112

Relationship to Permit Holder: GRANDSON

3. Source: GROUNDWATER

tributary to N/A

B. OVERLAP REVIEW

1. Other water rights with the same place of use: 01-00192 Q SURFACE RIGHT

2. Other water rights with the same point of diversion: N/A

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion: NO GOW LOTS

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		NE	SE	SW	16	03S	34E	BINGHAM	U.S. G.S. TOPO MAP / NAAPP PHOTO

2. Place(s) of Use: NO GOW LOTS

Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
3S	34E	16												35					35

TOTAL 35

MICROFILMED
MAY 14 1998

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate well size/ditch size/pipe l.d. as applicable. *SEE PHOTO*

E. NARRATIVE/REMARKS/COMMENTS

THIS IRRIGATION PERMIT SUPPLIES WATER TO 35 ACRES
VIA A 10 HP SUBMERSIBLE PUMP. A 6" BURIED MAIN LINE
CARRIES WATER TO RISER POINTS WHERE LATERAL HAND
LINE SETS DISTRIBUTE WATER TO ACREAGE.

NORMAL SYSTEM IS COMPRISED OF 3 HAND LINE SETS
(AVERAGE 22 BIRDS) WITH 65 BIRDS HAVING $\frac{5}{32}$ NOZZLES.

41 PSI AT PUMP

20 PSI END

$60 \text{ PSI} / 2 = 30 \text{ PSI AVERAGE}$ (4.01 GPH WITH $\frac{5}{32}$ NOZZLES)

$4.01 \times 65 \text{ BIRDS} = 0.5807 \text{ CFS}$ ESTIMATED SYSTEM USE.

PERMIT REQUESTED 40 ACRES OF IRRIGATION.

ACREAGE REDUCED BY 1 ACRE COUNTY ROAD

2 ACRES HOUSE + ETC.

$40 \text{ AC} - 5 \text{ AC} = 35 \text{ ACRES}$ 2 ACRES SLOUGH

OF IRRIGATION 5 ACRES

Have conditions of permit approval been met? ☒ yes ☐ no

MICROFILMED
MAY 14 1998

Additional Computation Sheets Attached

F. FLOW CALCULATIONS

Measured Method:

$$\text{THEORETICAL PUMP} = 0.5786 \text{ CFS}$$
$$\text{POLYMERIC FLOW READING} = 0.4856$$

$$35 \text{ ACRES} \times 0.02 = 0.70 \text{ CFS PUMP AND SYSTEM DESIGN UNITS}$$

IRIGATION SYSTEM TO

0.49 CFS

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 35 \text{ AC} \times 4 = 140 \text{ AFA}$$
$$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 0.49 \text{ CFS} \times 214 \times 1.9835 = 207.98 \text{ AFA}$$
$$V = \text{Smaller of } V_{IR} \text{ and } V_{DR} = 140 \text{ AFA}$$

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use

18647120

Period of Use
From 4/1
To 10/31

Rate of Diversion
Q (cfs)
0.49

Annual Volume
V (afa)
140

2. Recommended Amendments

Change P.D. as reflected above

Add P.D. as reflected above

None

Change P.U. as reflected above

Add P.U. as reflected above

Other

I. AUTHENTICATION

Field Examiner's Name 514PK125 Date 1/14/98

Reviewer _____ Date _____

SEAL

MODE SELECT
INPUT

OUTER DIAMETER
6.0000 IN

PIPE MATERIAL
? AL DI

WALL THICKNESS
0.0550 IN

INNER LINING
? NO LING.

KIND OF FLUID
? ANOTHER

SOUND VELOCITY
1460 M/S-

SENSOR MOUNTING
? U

TYPE OF SENSOR
? SMALL

DATA CHANGE
? NO

SPACING
3.876 IN U

ZERO MODE
CLEAR

ZERO MODE
AUT ZERO

08-20 13:5000 *H
+003.00 % AI2

MODE SELECT
T0 CHECK

0222.4 MMSEC
099.93 % T0

08-20 14:1200 *R
+216.092E 0GPM

08-20 14:1300 *R
+217.941E 0GPM

35-08917

0.485 sec

35-08917

APR 1 1954

RECEIVED

PRESTON HENDER
35-08917
SONIC TAPE

THEORETICAL PUMP FLOW CALCULATIONS

Formula:

$$Q_{cfs} = [(Hp) (8.814) (Eff)] \div [Lift + (psi \times 2.308)]$$

Hp = Horsepower = 10
Eff = Efficiency = .7 (Usually 70%)

Lift: (Static Level + Assumed Draw down)

Static Water Level = 12 ft.

Assumed Draw down = + -8 ft. NONE

Lift = 12

OR

Measured Dynamic Water Level = _____ ft.

psi = Operating Pressure = 41 psi

$$Q_{cfs} = [\frac{10}{Hp} \times 8.814 \times \frac{.7}{Eff}] \div [\frac{12}{Lift} + (\frac{41}{psi} \times 2.308)]$$

$$Q_{cfs} = [\underline{61.698}] \div [\underline{106.628}]$$

$$Q_{cfs} = \underline{0.5786} \text{ cfs}$$

$$SONIC \text{ READING} = 217.941 \text{ GPM} / 448.8 = 0.4856$$

PERMIT NO. 35-08917

APPROVED

MAY 14 1978

3470 11 NE
(ROCKFORD)

4782

4781

4780

4779

540 000
FEET

4778

4777

T035, R34E

NO Gov. Lts

16

POINT OF DIVERSION

PLACE OF USE

Mile 753

RIVER

35-08917

Blackfoot

CANAL

T1976
3276

T814
3276
NHCL

NHCL

4
NHCL 24.5

1929814
2111

T2136
3276

7035, R34E

16

POINT OF DUE SW

PLACE OF USE →

6" MAIN
LINE

35-08917

FIELD EXAM NOTES

EXAM # 35-8917

DATE OF EXAM 8/20/96

PERMITEE NAME PRESTON HAWKES

OTHER WATER RIGHTS SAME POD _____

OTHER WATER RIGHTS SAME POU _____

PUMP #1 HP 10 MAKE Submersible SERIAL # _____
COLOR AND DESCRIPTION _____
OUTPUT DIAMETER 4" SYSTEM PRESSURE 41 PSI WELL DEPTH _____
STATIC H2O _____ WELL DEPTH _____ DYNAMIC PUMP _____
PSI GAGE TYPE Rain Bird 0-100 CHECK VALVE [Y] (N) GATE VALVE [Y] (N)

PUMP #2 HP _____ MAKE _____ SERIAL # _____
COLOR AND DESCRIPTION _____
OUTPUT DIAMETER _____ SYSTEM PRESSURE _____ PSI WELL DEPTH _____
STATIC H2O _____ WELL DEPTH _____ DYNAMIC PUMP _____
PSI GAGE TYPE _____ CHECK VALVE [Y] [N] GATE VALVE [Y] [N]

BOOSTER PUMP #1 HP _____ MAKE _____ SERIAL # _____
COLOR AND DESCRIPTION _____

BOOSTER PUMP #2 HP _____ MAKE _____ SERIAL # _____
COLOR AND DESCRIPTION _____

CIRCLE PIVOT [Y] [N] NUMBER OF TOWERS _____ PIVOT LENGTH _____
PRESSURE [H] [L]

HAND LINES (Y) [N] NUMBER OF LINES 3 LENGTH OF LINES Varies
RAIN BIRDS PER LINE 65 NOZZLE DIAMETER 5/32
TOTAL

SURFACE WATER TYPE OF MEASUREING DEVICE _____

AA METER PIGMY METER WEIR OR FLUME BUCKET/WATCH _____

All Pasture - All corners rls. except ditch/slopes.

MICROFILMED
FEB 14 1997


35-08917

P. HAWKER

IRRIGATION

15/2

VIEW OF
POINT OF
DIVERSION



PLACE OF
USE
VIEW
SOUTH



PERMIT
NUMBER

35-08917

RECORDED

MAY 14 1935

P. HAWKER

IRRIGATION

25/2

PLACE OF
USE
VIEW
SOUTHEAST




PLACE OF
USE
VIEW
EAST



COPIED
MAY 14 1968

PERMIT
NUMBER

35-08917



PRESTON HAWKER
1254 W. 200 S.
PINGREE ID 83262

February 19, 1993

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 35-08917

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. Enclosed is an order advancing the priority of the permit since the proof was received after the proof due date. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the EASTERN Regional Office in Idaho Falls at (208)525-7161.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

c: IDWR - Region

Enclosure

RECEIVED

FEB 08 1993

Permit No. 35-08917 Reviewed by Klg Date 2/17/93

needs an order
Proof Made 2/9/93
2/19/93 Klg

Drilling Permit No. 35-91-E-029
Water Right Permit No. 35-08-117
Injection Permit No. _____

State of Idaho
Department of Water Resources

RECEIVED
MAY 3 1991

APPLICATION FOR DRILLING PERMIT

Department of Water Resources

1. Applicant (please print) PRESTON HAWKER
2. Mailing Address 1254 W. 200 S. PINEHURST 83262
Telephone 684-4971

☒ Well Owner ☐ Well Operator ☐ Other, specify _____

3. Proposed well location SE 1/4 SW 1/4, or Gov't Lot No. _____
Sec. 16, Twp. 03S, Rge. 34E, County BINGHAM
Street Address of Well Site _____
Lot, block and subdivision _____

4. Proposed use of well:

☐ Domestic: The use of water for homes, organization camps, public campgrounds, livestock and for any other purpose in connection therewith, including irrigation of up to 1/2 acre of land, if the total use is not in excess of 13,000 gpd; or any other uses, if the total use does not exceed a diversion rate of 0.04 cfs and a diversion volume of 2500 gpd.

Domestic does not include water for multiple ownership subdivisions, mobile home parks, commercial or business establishments, unless the use does not exceed a diversion rate of 0.04 cfs and a diversion volume of 2500 gpd.

☒ Non-Domestic: Any beneficial use not included within the definition of domestic.

☐ Injection

☐ Monitoring - A well bore schematic and map is required for each well.
No. of proposed wells: _____

5. Well construction information:

A. ☒ New well ☐ Deepen ☐ Replace - See Condition 9

B. Proposed Surface Diameter 8" Proposed Maximum Depth 60'

C. Anticipated bottom hole temperature:

- ☒ 85°F or less (Cold water well)
☐ 85°F to 212°F (Low temp. geothermal well)
☐ 212° or more (Geothermal well)

6. Construction Start Date 5-1-91

7. Anticipated Well Driller Indicent
NOTE: The actual well driller must be identified prior to drilling.

RECORDED

8. Applicant's signature Preston L. Hawker Date APR 08 1993

ACTION OF THE DEPARTMENT OF WATER RESOURCES

This Permit is Approved

Date 5-1-91

If approved, this permit authorizes the construction or modification of a well subject to the following conditions. READ CAREFULLY!

GENERAL CONDITIONS:

1. The well must be constructed in compliance with the applicable statutes, specific conditions of approval shown on the water right permit, injection well permit, transfer or amendment and the rules and regulations of the Department for water appropriation, injection wells and well construction standards.
2. This drilling permit is valid for two (2) months from the above approval date for the start of construction and is valid for one (1) year from the approval date for completion of the well unless an extension has been granted.
3. This permit does not constitute an approval of the District Health Department or the Idaho Department of Health and Welfare which may be required before construction of this well.
4. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
5. Approval of this drilling permit does not authorize trespass on the land of another party.
6. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.
7. This drilling permit does not represent a right to divert and use the water of the State of Idaho.
8. If a bottom hole temperature of 85° or greater is encountered, well construction shall cease and the well driller and the well owner shall contact the Department immediately.
9. If this permit is for a replacement well, the well being replaced must be abandoned in accordance with Department Rules and Regulations.

SPECIFIC CONDITIONS:


Signature of Authorized Department Representative

Eastern Regional Mgr.
Title

Receipt No. E016023 Received by LK Fee 200.00 Date 5-1-91

RECEIVED

EXTENSION OF DRILLING PERMIT

Extension approved by _____ Approval Date APR 08 1993

This extension is good for 60 days beyond the above extension approval date.

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORTUSE TYPEWRITER OR
BALLPOINT PENState law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.

1. WELL OWNER

Name PRESTON HAWKER
Address 1254 W 200 S PINGREE ID 83262
✓ Drilling Permit No. 35-91-E-029
Water Right Permit No. _____

7. WATER LEVEL

Static water level 12 feet below land surface.
Flowing? ☐ Yes ☒ No G.P.M. flow _____
Artesian closed-in pressure _____ p.s.i.
Controlled by: ☐ Valve ☐ Cap ☐ Plug
Temperature _____ °F. Quality _____
Describe artesian or temperature zones below.

2. NATURE OF WORK

- ☒
- New well
- ☐
- Deepened
- ☐
- Replacement
-
- ☐
- Well diameter increase
-
- ☐
- Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)

8. WELL TEST DATA

☐ Pump ☐ Bailer ☒ Air ☐ Other _____

Discharge G.P.M.	Pumping Level	Hours Pumped
<u>400+</u>		

3. PROPOSED USE

- ☒
- Domestic
- ☐
- Irrigation
- ☐
- Test
- ☐
- Municipal
-
- ☐
- Industrial
- ☐
- Stock
- ☐
- Waste Disposal or Injection
-
- ☐
- Other _____ (specify type)

9. LITHOLOGIC LOG

Bore Diam.	Depth		Material	Water	
	From	To		Yes	No
8"	0	2	TOP-SOIL		
	2	60	SAND + GRAVEL		

4. METHOD DRILLED

- ☒
- Rotary
- ☐
- Air
- ☐
- Hydraulic
- ☐
- Reverse rotary
-
- ☐
- Cable
- ☐
- Dug
- ☐
- Other _____

5. WELL CONSTRUCTION

Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____
Thickness _____ inches Diameter _____ inches From _____ feet To _____ feet
_____ inches _____ inches _____ feet _____ feet
_____ inches _____ inches _____ feet _____ feet
_____ inches _____ inches _____ feet _____ feet
Was casing drive shoe used? ☐ Yes ☐ No
Was a packer or seal used? ☐ Yes ☒ No
Perforated? ☒ Yes ☐ No
How perforated? ☐ Factory ☐ Knife ☒ Torch ☐ Gun
Size of perforation 6 inches by 14 inches
Number _____ From _____ feet To _____ feet
60 perforations _____ feet _____ feet
_____ perforations _____ feet _____ feet
_____ perforations _____ feet _____ feet
Well screen installed? ☐ Yes ☒ No
Manufacturer's name _____
Type _____ Model No. _____
Diameter _____ Slot size _____ Set from _____ feet to _____ feet
Diameter _____ Slot size _____ Set from _____ feet to _____ feet
Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____
Placed from _____ feet to _____ feet
Surface seal depth 18" Material used in seal: ☐ Cement grout
☐ Bentonite ☒ Puddling clay ☐ _____
Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing
☒ Overbore to seal depth
Method of joining casing: ☒ Threaded ☐ Welded ☐ Solvent
Weld _____
☐ Cemented between strata
Describe access port _____


RECEIVED

MAY 28 1991

Department of Water Resources
Eastern District Office

6. LOCATION OF WELL

Sketch map location must agree with written location.



Subdivision Name _____

Lot No. 400 Block No. 1993County BINGHAMSE ¼ SW ¼ Sec. 16 T. 3 N ¼ S ¼ R. 34 E ¼ W ¼

11. DRILLERS CERTIFICATION

I/We certify that all minimum well construction standards were
complied with at the time the rig was removed.Firm Name INDEPENDENT DRILLING Firm No. 343Address 664 W 200 N Date 5-3-91Signed by (Firm Official) Brent Hendrick

and

(Operator) Brent Hendrick

February 4, 1993

PRESTON HAWKER
1254 W. 200 S.
PINGREE ID 83262

LAPSE NOTICE

RE: PERMIT NO. 35-08917

Dear Permit Holder:

You are hereby notified that under the provisions of Section 42-218A, Idaho Code, the above referenced permit has lapsed and is of no further force nor effect. The department provided the proper forms to you in our proof due notice dated November 30, 1992. No further construction or additional development is authorized under this permit unless it is reinstated.

The permit can only be reinstated if you submit an acceptable proof of beneficial use or an acceptable request for extension of time to the department within sixty (60) days of the mailing of this lapse notice. An acceptable proof of beneficial use submittal must include the examination fee or a completed field examination report. A request for extension of time must be accompanied by a fifteen dollar (\$15) fee.

Enclosed again for your use are a proof of beneficial use form and a request for extension of time form. Please note that only one extension of time can be granted unless the project has not been completed because of lack of a necessary approval by a government agency or by litigation which may bring title to the water in question.

L. GLEN SAXTON
Chief, Water Allocation Bureau

Enclosures

CERTIFICATION OF MAILING

I hereby certify that on 2/4/93
~~a copy~~ an original of this document was
deposited in the United States mail,
postage prepaid addressed to the
individual(s) named above.

Klg

RECEIVED

APR 08 1993

November 30, 1992

PRESTON HAWKER
1254 W. 200 S.
PINGREE ID 83262

PROOF DUE NOTICE

RE: PERMIT NO. 35-08917

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before February 1, 1993. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.


If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Karen L. Gustafson
Secretary/Records Manager

Enclosures



APR 08 1993



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 - (208) 327-7900

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

March 1, 1991

PRESTON HAWKER
1254 W. 200 S.
PINGREE, ID 83262

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 35-08917

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

As a permit owner you must commence the excavation or construction of the diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The date shown under condition no. 1 is the date when the project must be completed. You will receive a "Proof Due Notice" from this Department approximately 60 days prior to the completion date requiring you to file either a Proof of Beneficial Use form stating that the project has been completed or file a Request for an Extension of Time in which to file the proof statement.

Be sure to note the special condition requiring you to install a measuring device. Enclosed, for your reference, is a list of measuring device options.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

You should be aware that you are located within a drainage basin where surface water diversions are regulated by a watermaster. It is possible that diversion of groundwater under your permit may cause a reduction of surface water flow. Siting your well as far as possible from surface water channels and casing your well

RECEIVED

MAR 04 1991

so that groundwater tributary to surface water flows are not diverted will reduce the potential for the watermaster to regulate your water use.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:blm

Enclosures

ALL INFORMATION CONTAINED
HEREIN IS UNCLASSIFIED

MAR 14 1991

APPLICATION FOR PERMIT REVIEW

Application #: 35-8917
Date: 2-12-91

Reviewer:

Pam Skaggs *ES*

✓ Existing:

✓ No

Complete in 1 year

- 26A-P17
- P16

Yes

Proof not submitted

- P16

Proof submitted

- N/A

✓ Groundwater:

✓ GT. 0.7 cfs

- 01G-P03, 01C-P03(existing well)

LT. 0.7 cfs

- N/A

✓ Drilling Permit:

Approved w/permit

- P99

Not included

- 046-P23(All GW, even existing wells)

✓ Location:

Water Districts

- WD No. 01

Surface water

- 005, 005-01H-P01(LT.7 w/pump)
005-01J-P08(GT.7)

✓ Groundwater

- P05

Irrigation Districts

- 023

Canal Co. Areas

- 023

Drainage Districts

- 024

Boise Front (63)

- 058 (Groundwater)

✓ Swan Falls Flag
Trust

- 1 (1 or Blank)

- 051-052-053-P74(Cons.), 041(DCMI, w/Irr
or Irr & Dom)

✓ Non Trust

- 048-049

River Basins:

(Surface Water)

Water District Control Condition &....

Boise (63)

- 11D-P72

Payette (65)

- 047-P04, 059-P71

Snake (01, 02 & 03)

- 11A-P04(01), 061-P07(02/03 No W.D.Cond.)

Use:

Fish Propagation

- 002-P06, 06A, 007, 09E-P10, 010, 042, 044

Power

- Use Power Review

Mining

- 06A, 006, 09E-P10, 010, 054(req.)

Storage

- 18A-P for multiple measuring devices(In
W.D.), 18B-P09(Size)

Rec. & Aesthetic

- 027(Non-Consumptive)

Domestic

- 021(restricted areas)

Ownership:

Non land owner

- 004

Protested:

Agreement

- 020

Minimum Stream Flow:

Overlapping uses

- 029-P20

✓ Beneficial Use Due Date:

- 02-01-1993 MAR 04 1991

Other Conditions Recommended _____

RECEIVED
MAR 04 1991

Dist. for staffing: 11-2-90
Submitted for advertising: 11-21-90

Form No. 202a
4/87

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATIONS FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY HWS DATE 11-21-90 APPLICATION NO. 35-8917
APPLICANT NAME: PRESTON HAWKER

REQUIRED INFORMATION

- ☒ Name (If applicant is a corporation or partnership, names must be provided for the director, officers, & other partners.)
☒ Address
☒ Source (See USGS Quad for names of water sources)
☒ Point of Diversion (10 acres for spring, lot & block descriptions for subdivisions, local name, flow and/or volume)
☒ County
☒ Quantity (flow and/or volume)
☒ Period of Use
☒ Nature of proposed use (Include description of use.)
☒ Description of diverting works
☒ Time required for beneficial use of water
☒ Place of use or acres irrigated
☒ Map
☒ Signature (If applicant is corp. partnership, or municipality, title of signator is required)
☒ Fee
☒ Yes ☐ No* In form to receipt

ADDITIONAL INFORMATION

- ☒ Overlapping place of use (Describe source & relationship to present application on the back.)
Overlapping point of diversion
Yes ☐ No ☐ Field check required
Field check by _____
Yes ☐ No ☐ Field report attached
Yes ☐ No ☐ Critical groundwater area
Yes ☐ No ☐ Groundwater management area
Yes ☐ No ☐ Send dam safety information
Yes ☐ No ☐ Send power requirement letter
Yes ☐ No ☐ Send fish farm requirement letter
Yes ☐ No ☐ Power residency affidavit
Yes ☐ No ☐ Power efficiency form
Yes ☐ No ☐ Within trustwater boundary (If yes, attach trust water supplementary analysis sheet.)
Yes ☐ No ☐ Diversion greater than 5 cfs or 500 acres or more
large diversion supplementary analysis sheet

See reverse side for additional information

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT JAN 11 1991

Date Requested _____
Department of Water Resources

PROCESSING ☒ Yes ☒ No In form for advertising
☒ Yes ☒ No Statewide advertising
☒ Yes ☒ No Fee amount, receipt date & No. recorded on application

SEND COPIES TO _____ Idaho Dept. of Health & Welfare _____ U.S. BLM
_____ Idaho Dept. of Fish & Game _____ U.S. Forest Service
_____ Idaho Dept. of Lands _____ Water District
_____ Adjudication Bureau Unit _____ Other _____

FINAL REGIONAL PROCESSING REVIEW

☒ Yes ☐ No Affidavit of publication received
☒ Yes ☐ No Application published correctly. If not, record action taken.

☒ Yes ☐ No Publication dates & paper, recorded on application
☒ Yes ☒ No Protests received
Final date for protest 1-7-91
☒ Yes ☐ No Protests, dates, resolution of protest, recorded on application
☒ Yes ☐ No Recommendations, attached
☒ Yes ☐ No Measuring device required
☒ Yes ☐ No Access port required
☒ Yes ☒ No Will water be delivered by watermaster? If yes, what Dist. _____
☒ Yes ☐ No Special conditions of approval or cover letter below. _____

See below for additional information
Date of priority recommended 10-16-90
By HWT Date 1-10-91

STATE OFFICE REVIEW

See below for additional information
By _____ Date _____

ADDITIONAL INFORMATION

Watson Slough shows overlap
Condition - <0167

LOCAL PUBLIC INTEREST

Comments received from

_____ City	_____ Idaho Fish & Game	_____ Irrigation District
_____ County	_____ Idaho Health & Welfare	_____ Canal Company
_____ Reservations	_____ Division of Environment	_____ Other _____

Project impacts/implications report

COMMENTS

Source: GROUNDWATER

Diversion Pt: SESW Sec 16 T 03S R 34E

```

Use: IRRIGATION          ( .800 CFS)
      Total Diversion: ( .800 CFS)

```

Date Filed: 10/16/ 1990

In: T03S R34E S16 SESW

40.0 ACRES TOTAL

ALL INFORMATION CONTAINED
HEREIN IS UNCLASSIFIED
DATE 03-01-2001 BY 60322 UCBAW

MAR 14 1951

10-Dec-1990

PRESTON HAWKER
1254 W 200 S
PINGREE ID 83262

RE: Application No. 35-08917

Dear Water Right Applicant:

The Department of Water Resources acknowledges receipt of your water right permit. This office is currently in the process of advertising the application in MORNING NEWS on DECEMBER 20 & 27, 1990. The advertisement will be published for two consecutive weeks, and a period of ten days following the second publication will be allowed for the submittal of protests.

If the application is protested, you will be sent a copy of the protest. The protest must be resolved before the application is approved or denied. If the protest is not resolved voluntarily, this Department will conduct a conference and/or hearing on the matter.

If the application is not protested, it will be forwarded to our state office in about five weeks. State office personnel will conduct a complete review prior to final processing of the application and will notify you of the outcome of this review. When a permit is issued, you will be sent a copy. A typical processing time for an unprotested application is about eight weeks.

Please feel free to contact this office if you have any questions regarding this procedure.

Sincerely,

HAROLD W. JONES
Water Rights Supervisor

HWJ/rb

NOV 14 1990