


13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

MAR 04 1991


BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Corporation of the Presiding Bishop of the Church of Jesus Christ of Latter-day Saints, a Utah Corporation sole

AUTHORIZED AGENT (Applicant)

Frederic A. Bahr

JBR




UNRECORDED

JAN 26 1993

35-8902

WOODLAND
HEIGHTS

Each lot is
150' wide



RECEIVED
JAN 26 1993

35-8902

T-2-N

T-2-N

R37E

Sec. 27
24.9

Place of use
768
T1042

Point of Diversion

JAN 26 1993



Building & Parking

35-8902

①

③

②

681
T928

④ 8.6

Hel

① 12.4

Hel

② 2.0

767

③ 9.5

677
T924

①

⑤ 15



RECEIVED

JAN 26 1993

35-8902



MICROFILMED

JAN 26 1993

35-8902

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 35-08902

Priority: July 10, 1989

Maximum Diversion Rate:

0.19 CFS

Maximum Diversion Volume:

22.6 AF

This is to certify, that CHURCH OF JESUS CHRIST OF LATTER DAY SAINTS

REAL ESTATE DIVISION

12TH FLOOR

50 E N TEMPLE ST

SALT LAKE CITY UT 84150

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated July 10, 1989; and has submitted Proof of Beneficial Use on February 22, 1991. An examination indicates that the works have a diversion capacity of .210 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/01 to 10/31	0.11 CFS	22.0 AF
DOMESTIC	01/01 to 12/31	0.08 CFS	0.6 AF
	Totals	0.19 CFS	22.6 AF

LOCATION OF POINT(S) OF DIVERSION:

NENE , Sec. 27, Township 02N, Range 37E
BONNEVILLE County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
02N	37E	27	NENE 1.5	SENE 4		5.5
Total number of acres irrigated:						5.5

PLACE OF USE: DOMESTIC, same as IRRIGATION use

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right limited to the amount that can actually be beneficially use used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.

RECEIVED

JAN 26 1993

State of Idaho
Department of Water Resources**WATER RIGHT LICENSE**

WATER RIGHT NO. 35-08902

CONDITIONS/REMARKS:

5. The use of water under this right shall not give rise to any claim against the holder of a senior water right based upon the theories of forfeiture, abandonment, adverse possession, waiver, equitable estoppel, estoppel by laches or customary preference.
6. The Director retains jurisdiction of the right and any license subsequently issued to incorporate the use into a water district, require streamflow augmentation or other action needed to protect prior surface water and groundwater rights.
7. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.0 afa per acre for the lands above.
8. Domestic use is for a church building and restrooms at a recreational field.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 15th day of DECEMBER, 1992.


Acting for R. Keith Higginson, Director

JAN 26 1993

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 35-08902

Proposed Priority: July 10, 1989

Maximum Diversion Rate:

0.20 CFS

This is to certify, that **CHURCH OF JESUS CHRIST OF LATTER DAY SAINTS**
REAL ESTATE DIVISION
12TH FLOOR
50 E. N. TEMPLE ST.
SALT LAKE CITY, UT 84150

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	04/01 to 11/01	0.20 CFS
DOMESTIC	01/01 to 12/31	0.08 CFS
	Totals	0.20 CFS

LOCATION OF POINT(S) OF DIVERSION: SWNE NE Sec. 27, Township 02N, Range 37E
BONNEVILLE County

<u>PLACE OF USE:</u>	<u>IRRIGATION</u>				
<u>TWN RGE SEC</u>	<u>ACRES</u>		<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
02N 37E 27	NENE 5		SENE 5		10
				Total number of acres irrigated:	10

PLACE OF USE: DOMESTIC, same as IRRIGATION use

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before February 1, 1992.
2. Subject to all prior water rights.
3. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
4. The right to the use of water acquired under this permit shall not give rise to any right or claim against the holder of a senior right based upon the theories of forfeiture, abandonment, adverse possession, waiver, equitable estoppel, estoppel by laches or customary preference.
5. The Director retains jurisdiction of the permit and any license subsequently issued to incorporate the use into a water district, require streamflow augmentation or other action needed to protect prior surface water and groundwater rights.
6. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.
7. Domestic use is for a church building and restrooms at a recreational field.

MAILED

MAR 14 1991


State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 35-08902

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

5th day of February, 1991.

for 
R. Keith Higginson, Director

MICROFILMS

MAR 04 1991

Form 202
6/85

RECEIVED

JUN 10 1989

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

35-8902

Ident. No.

RECEIVED

JUL 10 1989

Department of Water Resources

To appropriate the public waters of the State of Idaho

Department of Water Resources

1. Name of applicant Church of Jesus Christ Latter Day Saints Phone (801) 240-2929
Real Estate Division, Twelfth Floor
Post office address 50 East North Temple Street Salt Lake City, UT
84150

2. Source of water supply Ground water which is a tributary of _____

3. Location of point of diversion is SW $\frac{1}{4}$ of NE $\frac{1}{4}$ of NE $\frac{1}{4}$, Govt. Lot _____
Sec. 27 Township 2N Range 37E B.M. Bonneville County; additional
points of diversion if any: _____

4. Water will be used for the following purposes:

Amount .20 for Irrigation purposes from 4-1 to 11-1 (both dates inclusive)
(cfs or acre-feet per annum)

Amount .08 for Domestic purposes from 1-1 to 12-31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated is (a) 0.20 and/or (b) _____
cubic feet per second acre feet per annum

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Existing well, pump

b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

d. Is ground water with a temperature of greater than 90°F being sought? No

7. Time required for the completion of the works and application of the water to the proposed beneficial use is
1 years (minimum 1 year).

RECEIVED

MAR 04 1991

a. Hydropower; show total feet of head and proposed capacity in kW.

c. Municipality; show name of municipality.

e. Other; describe fully. at recreational field

1 Church Building and Restrooms
at recreational field

a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.

b. If water is used for other purposes, place a symbol of the use (example: *D for Domestic*) in the corresponding column.

ponding place of use below. See instructions for standard symbols.

[illegible]

10

None

Applicant

Applicant

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the


applicant to make this filing.

12. Remarks:

Utake

wards 33, 37, and skyline and

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

MAR 04 1991

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Corporation of the Presiding Bishop of the Church of Jesus Christ of Latter-day Saints, a Utah Corporation sole

Paul A. Biles

AUTHORIZED AGENT (Applicant)

J-R

RECEIVED
MAR 14 1991

e. Other: _____

- d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

_____, 19____

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

1. Approval of said application is subject to the following limitations and conditions:

Idaho No. _____, and said application is hereby _____

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

Received by	CP	Date	7/10/89	Time	2:00	Preliminary check by	DM
Fee \$	30.00	Received by	R. Young	#	008141	Date	7/11/89
Publication prepared by	RB	Date	8-16-90	Published in	Post-Register		
Publication approved	00	Date	11-28-90				

RECEIVED
JUN 10 1989
Department of Water Resources

ADJUDICATION FILING FEES FOR IDAHO

PROPERTY IDENTIFICATION

Idaho State Water Right Permit # _____ *New Application*
LDS Church Property # 5159563 + 5159571

FEE CALCULATIONS

Domestic, stockwatering, fire protection, etc. \$ _____
Flat fee for irrigation. \$ _____

RECEIVED
JUL 10 1989
Department of Water Resources

VARIABLE FEE SCHEDULE

Irrigation (\$1.00 per acre). \$ _____
Power Generation (\$3.00 per kilowatt) \$ _____
Aquaculture (\$10.00 per cfs) \$ _____
All other uses (\$100.00 per cfs) \$ _____

Other charges. \$ 30.00 *New App.*

TOTAL

\$ 30.00

DATE 6-12-89

Carter Fritschle
Carter Fritschle
Idaho Dept. of Water Resources

Glen Nielson
Glen Nielson
Field Representative
Church of Jesus Christ
of Latter-day Saints

RECORDED

MAR 04 1991

NEAL ESTABLISHED
NATURAL RESOURCE SECTION

JUL 10 1989

Proof of Publication
The Post-Register

RECEIVED

NOV 20 1990

Department of Water Resources
Eastern District Office

State of Idaho, }
County of Bonneville } ss

I, ... Ted Delezene, first being duly sworn, depose and say: That I am the
..... Foreman of The Post Company, a corporation of Idaho Falls, Bonneville
County, Idaho, publishers of The Post-Register, a newspaper of general circulation, published daily, except
Saturday, at Idaho Falls, Idaho; said Post-Register being a consolidation of the Idaho Falls Times, established in
the year 1890, The Idaho Register, established in the year 1880 and the Idaho Falls Post, established in 1903,
such consolidation being made on the 1st day of November, 1931, and each of said newspapers have been
published continuously and uninterruptedly, prior to consolidation, for more than seventy-eight (78) weeks and
said Post-Register having been published continuously and uninterruptedly from the date of such consolidation,
up to and including the last publication of notice hereinafter referred to.


That the notice, of which a copy is hereto attached and made a part of this affidavit, was published in
said Post-Register for Two Issues consecutive weeks, first publication having been made
on the 16th day of August 1990, last publication
having been made on the 23rd day of August 1990, and that the
said notice was published in the regular and entire issue of said paper on the respective dates of publication, and
that such notice was published in the newspaper and not in a supplement.

Subscribed and sworn to before me, this 16th day of

Ted Delezene
.....
November 1990
Cathy VanBorstel
Notary Public

My commission expires *March 5* 1996

B10



**NOTICE OF APPLICATION
FOR WATER RIGHT**

The Following application(s) have been
filed to appropriate the public waters of the
State of Idaho:

25-07571

CHURCH OF JESUS CHRIST LATTER
DAY SAINTS
REAL ESTATE DIVISION
TWELFTH FLOOR
50 EAST NORTH TEMPLE STREET
SALT LAKE CITY, UT 84150
Source: GROUNDWATER
Diversion Pt: NWSE Sec 21 T 01N R 38E
Use: COMMERCIAL (.200 CFS)
Total Diversion: (.200 CFS)
Date Filed: 7/10/1990
In: T01N R38E S21 NWSE

25-07572

CHURCH OF JESUS CHRIST LATTER
DAY SAINTS
REAL ESTATE DIVISION
TWELFTH FLOOR
50 EAST NORTH TEMPLE STREET
SALT LAKE CITY, UT 84150
Source: GROUNDWATER
Diversion Pt: SWSWSW Sec 29 T 02N R
38E
Use: IRRIGATION (.150 CFS)
DOMESTIC (.040 CFS)
Total Diversion: (.190 CFS)
Date Filed: 7/11/1990
In: T02N R38E S29 SWSW
5.0 ACRES TOTAL

25-07573

CHURCH OF JESUS CHRIST LATTER
DAY SAINTS
REAL ESTATE DIVISION
TWELFTH FLOOR
50 EAST NORTH TEMPLE STREET
SALT LAKE CITY, UT 84150
Source: GROUNDWATER
Diversion Pt: SWSWSE Sec 3 T 02N R
38E
Use: DOMESTIC (.040 CFS)
Total Diversion: (.040 CFS)
Date Filed: 7/10/1990
In: T02N R38E S03 SWSE

25-07574

CHURCH OF JESUS CHRIST LATTER
DAY SAINTS
REAL ESTATE DIVISION
TWELFTH FLOOR
50 EAST NORTH TEMPLE STREET
SALT LAKE CITY, UT 84150
Source: GROUNDWATER
Diversion Pt: NESE Sec 29 T 03N R 38E
Use: IRRIGATION (.150 CFS)
DOMESTIC (.080 CFS)
Total Diversion: (.200 CFS)
Date Filed: 7/10/1990
In: T03N R38E S29 NESE
7.5 ACRES TOTAL

25-07575

CHURCH OF JESUS CHRIST LATTER
DAY SAINTS
REAL ESTATE DIVISION
TWELFTH FLOOR
50 EAST NORTH TEMPLE STREET
SALT LAKE CITY, UT 84150
Source: GROUNDWATER
Diversion Pt: NENENE Sec 10 T 02N R
38E
Use: DOMESTIC (.040 CFS)
Total Diversion: (.040 CFS)
Date Filed: 7/10/1990
In: T02N R38E S10 NENE

25-07576

MASON, STEPHEN E.
P.O. BOX 50130
IDAHO FALLS, ID 83405
Source: GROUNDWATER
Diversion Pt: NWNW Sec 15 T 02N R 39E
Use: IRRIGATION (.20.500 CFS)
Total Diversion: (.20.500 CFS)
Date Filed: 4/27/1990
In: T02N R39E S10 NESW NWSW SWSW
SESW NWSE SWSE
S15 NENE NWNE SWNE SENE NENW
NWNW SWNW SENW NESW NWSW
SESW NESE NWSE SWSE SESE
S16 NENE NWNE SWNE SENE NENW
NWNW SENW NESE
1025.0 ACRES TOTAL

35-08902

CHURCH OF JESUS CHRIST LATTER
DAY SAINTS
REAL ESTATE DIVISION
TWELFTH FLOOR
50 EAST NORTH TEMPLE STREET
SALT LAKE CITY, UT 84105
Source: GROUNDWATER
Diversion Pt: SWNENE Sec 27 T 02N R
37E
Use: IRRIGATION (.200 CFS)
DOMESTIC (.080 CFS)
Total Diversion: (.200 CFS)
Date Filed: 7/10/1990 -- 87
In: T02N R37E S27 NENE SENE
10.0 ACRES TOTAL

The permit(s) will be subject to all prior
water rights. Protests may be submitted
based on the criteria of Sec. 42-203A, Idaho
Code and/or the new public interest cri-
teria of Sec. 42-203C, Idaho Code. Protests
must be filed with the Director, Dept. of
Water Resources, 150 Shoup Ave., Suite
15, Idaho Falls, Idaho 83402 on or before
SEPTEMBER 3, 1990.

R. Keith Higginson, Director
Published: August 16, 23, 1990

RECEIVED

MAR 04 1991



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

December 16, 1992

CHURCH OF JESUS CHRIST LATTER DAY SAINTS
REAL ESTATE DIVISION
12TH FLOOR
50 E N TEMPLE ST
SALT LAKE CITY UT 84150

RE: WATER RIGHT NO. 35-08902

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

JAN 28 1993



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

November 20, 1992

CHURCH OF JESUS CHRIST LATTER DAY SAINTS
REAL ESTATE DIVISION
12TH FLOOR
50 E N TEMPLE ST
SALT LAKE CITY UT 84150

RE: WATER RIGHT NO. 35-08902

Dear Water Right Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

A handwritten signature in cursive script that reads 'Pamela Skaggs'.

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

JAN 26 1993

LICENSE REVIEW CHECKLIST

Permit # 35-08902

Date 11-19-92
CB

NAME	<u>Yes</u>	<u>No</u>	Address Change?
PRIORITY DATE	<u>Yes</u>	<u>No</u>	Advance?
	<u>Yes</u>	<u>No</u>	Memo to Advance
	<u>Yes</u>	<u>No</u>	Order to Reinstate Needed?
TOTAL CFS	<u>Yes</u>	<u>No</u>	Incorrect Fee for rate recommended?
	<u>Yes</u>	<u>No</u>	Disagree with Actual Measurement?
	<u>Yes</u>	<u>No</u>	<u>5.5 x .02 = .11 cfs (IRR) .08 cfs (DOM)</u>
	<u>Yes</u>	<u>No</u>	Disagree with Theoretical? <u>@ 20% eff = .21</u>
	<u>Yes</u>	<u>No</u>	Limited by Capacity? <u>.21 cfs</u>
TOTAL VOLUME	<u>Yes</u>	<u>No</u>	Rate/ac <u>4.0</u> AFA Irr. Season <u>C</u>
	<u>Yes</u>	<u>No</u>	<u>4-1 to 10-31</u> Standard Irr. Season
	<u>Yes</u>	<u>No</u>	<u>Same/Reduced 1 Day</u> Season Recommended
	<u>Yes</u>	<u>No</u>	Disagree with Examiner's Calculations?
	<u>Yes</u>	<u>No</u>	<u>5.5 x 4.0 = 22 afa (IRR) .60 afa (DOM)</u>
	<u>Yes</u>	<u>No</u>	Limited by Flow?
SOURCE	<u>Yes</u>	<u>No</u>	Changes? Clarification of Originally
	<u>Yes</u>	<u>No</u>	Intended source
	<u>Yes</u>	<u>No</u>	Notice of Intent to Void.
P/D	<u>Yes</u>	<u>No</u>	Verify with Map
	<u>Yes</u>	<u>No</u>	Amendment Needed?
	<u>Yes</u>	<u>No</u>	Is Overlap Analysis a Consideration?
P/U	<u>Yes</u>	<u>No</u>	Verify with Map
	<u>Yes</u>	<u>No</u>	Amendment Needed?
	<u>Yes</u>	<u>No</u>	Is Overlap Analysis a Consideration?
USES	<u>Yes</u>	<u>No</u>	Change(s) in Nature of Use?
	<u>Yes</u>	<u>No</u>	Amendment Needed?
REMARKS	<u>Yes</u>	<u>No</u>	Multiple P/Ds in 1/4 1/4?
	<u>Yes</u>	<u>No</u>	Non-Irr. Uses <u>DOM/Church Bldg.</u>
	<u>Yes</u>	<u>No</u>	Special Overlap Condition
	<u>Yes</u>	<u>No</u>	Other
CONDITIONS	<u>Yes</u>	<u>No</u>	Measuring Device
	<u>Yes</u>	<u>No</u>	W/Master Control
	<u>Yes</u>	<u>No</u>	Overlap
	<u>Yes</u>	<u>No</u>	Water Quality
	<u>Yes</u>	<u>No</u>	DATES/MISC
	<u>Yes</u>	<u>No</u>	Water Dist.
	<u>Yes</u>	<u>No</u>	App Rec'd
	<u>Yes</u>	<u>No</u>	Exam Made

COMMENTS/MEMOS NEEDED: Reduced Acres, rate

License 10-Day 15-Day Special Correspondence

Remarks: Domestic use is for a church building and restrooms at a recreational field.

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT
(REGIONAL)

=====

Dates:	App. Received: 07/10/1989	Priority Date: 07/10/1989
	Proof Due Date: 02/01/1992	Proof Made Date: 02/22/1991
	Exam Made Date: 06/18/1991	Exam Sent to S.O.: 10/23/1992
	Licensed Date:	
Misc:	Water District Number:	Field Exam Fee: R (Received)
Audit:	11/19/92 SKAGGS	

=====

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

35-8902
Permit No.

Staff Analysis Sheet
for
Beneficial Use Field Report

A. Prior to Conducting the Exam, the File Contains:

- ☒ Blank Field Report Form
- ☒ Copy of Permit
- ☒ Copies of any Amendments/Orders with conditions of approval
- ☐ Computer Data Proof Report
- ☐ Copy of U.S.G.S. Quad
- ☒ Check for Government Lots. If so, make a copy of Government Plat

Check of P/O index AWP 06/17/91 (Initial and date)

Overlap? ☐ yes ☒ no If yes: ☐ copy of exam(s) attached?

Type of Overlap? ☐ Add acres or uses to existing system

☐ Increase rate of flow or volume

☐ Other: _____

Check of P/U index AWP 06/17/91 (Initial and date)

Overlap? ☐ yes ☒ no If yes: ☐ copy of water right(s) attached?

Type of Overlap? ☐ Increase rate of flow or volume

☐ Add P/O's

☐ Increase number of acres within tracts

☐ Other: _____

Aerial Photo

Required? ☐ yes ☒ no If yes: ☐ copy attached?

Scheduling Letter sent? _____ (Initial and date)

☐ Appointment made and telephone conversation memo attached

B. After Conducting the Exam, the File Contains:

- ☐ Fully completed and signed Field Report Form
- ☐ Photographs of Point of Diversion and Place of Use
- ☐ Corrected Computer Data Proof Report with recommended license information, and date and signature of examiner.

C. Review and Processing:

Exam Completed AWP 6/18/91 (Signature of examiner and date)

Exam Reviewed by Senior Water Resource Agent KCW 10/22/92 (Initial and date)

Exam Reviewed by Manager of Regional Office _____ (Initial and date)

Exam Date Entered in Computer _____ (Initial and date)

Exam sent to State Office _____ (Initial and date)

Copy of Staff Analysis Sheet sent to Manager of Regional Office and Original
Refiled in White File _____ (Initial and date)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
OCT 26 1992
Department of Water Resources

A. GENERAL INFORMATION


1. Owner: Church of Christ of Latter Day Saints Permit No. 35-8902
Current Address: Real Estate Division 12th floor
50 E. N. TEMPLE ST. SALT LAKE CITY, UT. 84150 Phone No. _____
2. Accompanied by: William Taylor EXAM. DATE: 6/18/91
Address: _____ Phone No. 529-4924
Relationship to Permit Holder: _____
3. Source: ground water tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: NONE ☐ Copies Attached
2. Other water rights with same point of diversion: NONE ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



2. ☒ Copy of U.S.G.S. Quadrangle Attached ☐ Aerial Photo Attached
Showing location(s) of point(s) of diversion and place(s) of use (required) (required for irrigation of 10 acres or more)
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater.)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)
 well, pump, 4-100 gal storage tanks, church building, and nine sprinkler lines (see attached drawing)

☐ See Remarks on page 4 for continuation

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Red Jacket	7.5HP	NA	—	N/A

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
					SW NE NE	27	2A	Benneville	USGA GAUAD and on site inspection

6. Place(s) of Use:

Indicate Method of Determination

Twp.	Rge.	Sec.	NE 1/4	NE 1/4 SW 1/4	SE 1/4 NE 1/4	NE 1/4 SW 1/4	SE 1/4 NE 1/4	NE 1/4 SW 1/4	SE 1/4 NE 1/4	NE 1/4 SW 1/4	SE 1/4 NE 1/4	NE 1/4 SW 1/4	SE 1/4 NE 1/4	NE 1/4 SW 1/4	SE 1/4 NE 1/4	NE 1/4 SW 1/4	SE 1/4 NE 1/4	NE 1/4 SW 1/4	SE 1/4 NE 1/4	Totals
2N	37E	27	1.5	4																S.5

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Theoretical Calculations						

2. Measurements:

Static water level 135' (Well drillers Report - Jack Cashman)
operating pressure 20 psi with Toro 540 sprinklers 75 gpm
48 psi with Toro 600 sprinklers 55 gpm

E. FLOW CALCULATIONS

☒ Additional Computation Sheets Attached

1. Measured Method: 22 Toro 540 sprinklers @ 3.4 gpm/sprinkler = 74.8 gpm or 0.17 cfs
(System runs one line at a time)
2. Alternate Method for Checking Purposes: Theoretical $\frac{7.5 \text{ hp} \times 8.84 \times 0.8 (\text{eff})}{135' + (2.30 \text{ ft} \times 35 \text{ psi})} = \underline{0.24 \text{ cfs}}$
(1 ft)

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3); Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 5.5 \text{ acres} \times 4.0 \text{ cfs} = 22 \text{ cfs}$

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 0.11 \text{ cfs} \times 214 \text{ days} \times 1.9835 = 46.7$

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 22 \text{ cfs}$

2. Volume Calculations for Other Uses:

JAN 24 1993

H. REMARKS AND OVERLAP REVIEW ANALYSIS

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
----------------	---------------	-------------------	---------------

22-01	01-01	10-01	1-1	1-1
-------	-------	-------	-----	-----

Dermatologic	1-1	12-31	0.08 \$	0.06 \$
--------------	-----	-------	---------	---------

Period of Use From To	Rate of Diversion Q (cfs)	Annual Volume V (ata)
--------------------------	------------------------------	--------------------------

1-1	12-21	0.085	0.00
-----	-------	-------	------

Rate of Diversion Q (cfs)	Annual Volume V (af)
------------------------------	-------------------------

50° 30' E 50° 30' E

Annual Volume V (a7a)

0.05

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None

☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

J. AUTHENTICATION

Field Examiner's Name _____

Signature _____

Certification Date _____

Field Report Preparation Date _____

ALFRED W. ADAMS

CONSULTANT SEAL

Totals: 0.14 2.22

22.6 59.61.0

22

22 TORO 540 sprinklers


3.4 gpm each sprinkler @ 20psi

$$Q = (22 \text{ sprinklers})(3.4 \text{ gpm/sprinkler}) = 74.8 \text{ gpm}$$

$$Q = \frac{74.8 \text{ gpm}}{\frac{448.8 \text{ gpm}}{\text{cfs}}} = 0.1666 = 0.17 \text{ cfs}$$

JAN 26 1993

35-8902



RECEIVED
JAN 6 1993

35-8902

T-2-N

ZN-1

22

STE

Sec. 27 24.9

Place 768 71042

Powder

JAN 26 1993

③

①

681 8.6

677 7924

767

35-8902

Department of Water Resources

WELL INSPECTION FORM

If well is associated with water right, provide WR# 35-8902


Otherwise provide legal description and a sketch map and/or address so that the well can be located easily.

1. Legal Description: TWP 2N, Rge 3E, Sec. 27, NE_{1/4} NE_{1/4} or Lot _____.
2. Owner: Church of Christ of Latter Day Saints
Real Estate Division 12th floor
Address 50 E. N. TEMPLE ST., city Salt Lake City st UT. 84150
3. Casing $\geq$ 12 inches above ground: Yes ☒ No _____
4. Access Port: Yes ☒ No _____ Static Water Level: 135'
Pressure Gauge: Yes ☒ No _____ Casing Diameter: 8"
Flowing: Yes _____ No ☒ Temperature: _____
5. Are there any obvious construction problems that may be a source for contamination or waste of water: Yes _____ No ☒

If answer to Item 5 is Yes, describe in remarks and attach photo.


Remarks: _____

JAN 26 1993



RECEIVED
JAN 26 1993

35-8902



JAN 26 1993

35-8902

April 5, 1991

CHURCH OF JESUS CHRIST LATTER DAY SAINTS
REAL ESTATE DIVISION
12TH FLOOR
50 E. N. TEMPLE ST.
SALT LAKE CITY, UT 84150

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 35-08902

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the EASTERN Regional Office in Idaho Falls at (208)525-7161.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

MICROFILMED

APR 19 1991

ANALYSIS SHEET
for
PROOF OF BENEFICIAL USE

Permit No. 35-8902

Date 4-2-91

GENERAL CONSIDERATIONS

- ☒ Name same as permit?
☒ Address same as permit? If no, prepare data entry form.
☒ Proof timely received? If no, complete priority advancement below.

SOURCE OF WATER

- ☐ Surface water source
☒ Ground water source
NA Drill permit req'd?
☐ Copy in file? Drill permit no. _____
☐ Well log in file?
☐ Amt paid for drilling permit? _____ Correct?

LICENSE EXAMINATION FEE

- ☒ Required?
20.00 Amount submitted?
☒ Correct amount?

MEASURING DEVICE

- NA Measuring device or access port required?
☐ Installed?
☐ Waiver requested or needed?

DEFICIENCIES OR ACTION ITEMS

Proof acceptable

PRIORITY CALCULATION

Date proof received	<u>NA</u>	
Date proof due		-
No. of days late		=
Priority date		+
NEW PRIORITY DATE		=

LB

RECEIVED
FEB 22 1991

STATE OF IDAHO

For Office Use Only

Amt. of Fee \$ 50.00Date 2/22/91Receipt No. 6019724Received by J. Garrison

Department of Water Resources

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

515-9563 515-9571

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

- Permit No. 35-08902 Telephone No 801-240-4074
- Name(s) of Permit Holder(s): The Church of Jesus Christ of Latter-day Saints
- Post Office Address: Real Estate Div., Natural Resource Sec., 12th Fl., 50 E. North Temple
Street, Salt Lake City, Utah 84150
- Source of Water: Groundwater
 - If ground water, well driller's name: NA Date drilled: _____
 - Pump horsepower: _____ Pressure (psi): _____ Dynamic pumping level (ft.): _____
- Extent of Use:

Domestic <u>Church house</u> (No. of households)	Irrigation <u>10</u> (No. of acres)
Stockwater _____ (No. and type of stock)	Other <u>Recreation Area near Church building</u>
- Total rate and/or volume for which proof is submitted 0.20 cfs _____ acre/feet
- Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? Yes ☒ No ☒ Installed? Yes ☒ No ☒

OR

Flow Measurement Port: Required? Yes ☒ No ☒ Installed? Yes ☒ No ☒
- Fee Enclosed: \$ 50.00 (See License Examination Fee Schedule)
- Person to contact to accompany the Department representative during the field examination:

<u>Wendell Mecken, 2288 Pivet, Idaho Falls ID 83402</u>	<u>208-523-6141</u>
Name	Telephone No.
<u>William Dean Taylor, 3424 West April Dr., Idaho Falls, ID 83402</u>	<u>208-529-4924</u>
Address	
- The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

Corporation of the Presiding Bishop of the Church of
Jesus Christ of Latter-day Saints, a Utah Corporation sole

Date

Signature (and title if on behalf of a company or organization)

AUTHORIZED AGENT

APR 19 1991

THE CHURCH OF
JESUS CHRIST
OF LATTER-DAY
SAINTS

REAL ESTATE DIVISION
NATURAL RESOURCE SECTION, 12th Floor
50 East North Temple Street
Salt Lake City, Utah 84150
Phone (801) 240-4074
FAX (801) 240-2913

Reference reply to:
#515-9563 & 515-9571

February 14, 1991

Mr. Jim Johnson
Water Rights Supervisor
State of Idaho Department of Water Resources
1301 North Orchard Street
Statehouse Mail
Boise ID 83720

RECEIVED
FEB 22 1991
Department of Water Resources

Dear Mr. Johnson:

Attached is the signed Proof of Beneficial Use papers plus a \$50.00 check for the license fee examination for permit #35-08902. Note that there are two people listed as possible contact when the examination is given and either should be able to give any help that is needed.

This water permit is used for our properties #515-9563 and #515-9571 which are the Idaho Falls 33,37, Skyline and stake center and the Idaho Falls Eagle Rock Recreation property.

If you need additional information or assistance, please let me know. Thank you for your help.

Sincerely,



Ronald C. Johnson
Water Analyst

RCJ:ja
enc.

cc: Terry F. Roylance
M. Glade Pincock

RECEIVED
APR 19 1991

Limited Purchase Order Draft—Not to Exceed \$300.00. Utah Sales Tax Exemption No. 516

Order No. 5340C04801

NOTE: Payments to noncorporations which are required to be reported on Internal Revenue Service Form 1099, must have the taxpayer's identification number such as Social Security number or Federal Identification number.

Ship to:
Church of Jesus Christ of Latter-day Saints
Real Estate Division
12th Floor Tower
60 North Main Street
Salt Lake City, Utah 84150

Questions concerning order contact:
Real Estate Division
50 East North Temple Street
Salt Lake City, Utah 84150
(801) 240-2915

Enter the number here N/A

Order Information Attach additional work order information as needed
Description of goods or services

Quantity

Unit
of issue

Unit price

Extended price

PROOF OF BENEFICIAL USE OF WATER PERMITS ON
TWO PROPERTIES

0230-2-1800-515-9563-50
IDAHO FALLS 33, 37, SKYLINE _____ \$25.00

0230-2-1800-515-9571-50
IDAHO FALLS ID EGLE RK STK REC PROP CHARL _____ \$25.00

APR 19 1991

Total purchase / Check amount \$ 50.00

Authorized signature





State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 -(208) 327-7900

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

February 7, 1991

CHURCH OF JESUS CHRIST LATTER DAY SAINTS
REAL ESTATE DIVISION
12TH FLOOR
50 E. N. TEMPLE ST.
SALT LAKE CITY, UT 84150

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 35-08902

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

Enclosed is a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed is a form entitled "Proof of Beneficial Use". If your project is already completed you should complete and submit this form immediately.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:blm

Enclosures

RECEIVED
MAR 04 1991

APPLICATION FOR PERMIT REVIEW

Application #: 35-8902

Reviewer:

Pam Skaggs *es*

Date: 1-30-91

Existing:

No - 26A-P17

Complete in 1 year - P16

Yes

Proof not submitted - P16

Proof submitted - N/A

Groundwater:

GT. 0.7 cfs - 01G-P03, 01C-P03(existing well)

LT. 0.7 cfs - N/A

Drilling Permit:

Approved w/permit - P99

Not included - 046-P23(All GW, even existing wells)

Location:

Water Districts - WD No. 01

Surface water - 005, 005-01H-P01(LT.7 w/pump)

005-01J-P08(GT.7)

Groundwater *existing* - P05

Irrigation Districts - 023

Canal Co. Areas - 023

Drainage Districts - 024

Boise Front (63) - 058 (Groundwater)

Swan Falls Flag - 1 (1 or Blank)

Trust - 051-052-053-P74(Cons.), 041(DCMI, w/Irr

Non Trust - 048-049 or Irr & Dom)

River Basins:

(Surface Water) Water District Control Condition &....

Boise (63) - 11D-P72

Payette (65) - 047-P04, 059-P71

Snake (01, 02 & 03) - 11A-P04(01), 061-P07(02/03 No W.D.Cond.)

Use:

Fish Propagation - 002-P06, 06A, 007, 09E-P10, 010, 042, 044

Power - Use Power Review

Mining - 06A, 006, 09E-P10, 010, 54

Storage - 18A-P09(In W.D.), 18B-P09(Size)

Rec. & Aesthetic - 027(Non-Consumptive)

Domestic - 021(restricted areas)

Ownership:

Non land owner - 004

Protested:

Agreement - 020

Minimum Stream Flow:

Overlapping uses - 029-P20

Beneficial Use Due Date: - 02-01-1992

Other Conditions Recommended _____

RECEIVED
MAR 04 1991

Form No. 202a
4/87

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY Devin Dunn DATE 24 July 90 APPLICATION NUMBER 35-8902
LOS Church

REQUIRED INFORMATION

- ☒ Name (If applicant is a corporation or partnership, names must be provided for the director, officers, & other partners.)
- ☒ Address
- ☒ Source (See USGS Quad for names of water sources)
- ☒ Point of Diversion (10 acres for spring, lot & block descriptions for subdivisions, local name, flow and/or volume)
- ☒ County
- ☒ Quantity (flow and/or volume)
- ☒ Period of Use
- ☒ Nature of proposed use (Include description of use.)
- ☒ Description of diverting works
- ☒ Time required for beneficial use of water
- ☒ Place of use or acres irrigated
- ☒ Map
- ☒ Signature (If applicant is corp. partnership, or municipality, title of signator is required)
- ☒ Fee
- ☒ Yes ☐ No* In form to receipt

ADDITIONAL INFORMATION

- ☐ Overlapping place of use (Describe source & relationship to present application on the back.)
- ☐ Overlapping point of diversion
- ☐ Yes ☒ No Field check required
- ☐ Yes ☒ No Field check by _____
- ☐ Yes ☒ No Field report attached
- ☐ Yes ☒ No Critical groundwater area
- ☐ Yes ☒ No Groundwater management area
- ☐ Yes ☒ No Send dam safety information
- ☐ Yes ☒ No Send power requirement letter
- ☐ Yes ☒ No Send fish farm requirement letter
- ☐ Yes ☒ No Power residency affidavit
- ☐ Yes ☒ No Power efficiency form
- ☐ Yes ☒ No Within trustwater boundary (If yes, attach trust water supplementary analysis sheet.)
- ☐ Yes ☒ No Diversion greater than 5 cfs or 500 acre ft. (If yes, attach large diversion supplementary analysis sheet.)
- ☐ See reverse side for additional information

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT

Date Requested DEC 03 1990

Department of Water Resources

ADDITIONAL INFORMATION

LOCAL PUBLIC INTEREST

Comments received from:

☐ City	☐ Idaho Fish & Game	☐ Irrigation District
☐ County	☐ Idaho Health & Welfare	☐ Canal Company
☐ Reservations	☐ Division of Environment	☐ Other _____

Project impacts/implications report

COMMENTS

29-Oct-1990

Post-Register
P.O. Box 1800
Idaho Falls, ID 83403

RE: APPLICATION FOR PERMIT NO. 35-8902

Would you please submit an affidavit of publication and certified bill in connection with the above referenced application. The legal notice was to have been published in your paper on AUGUST 16 & 23, 1990.

Your cooperation in this matter is greatly appreciated.

Very truly yours,

RITA BODELL
Secretary/Office Coordinator

RECEIVED
MAR 04 1991



CHURCH OF JESUS CHRIST LATTER DAY SAINTS
REAL ESTATE DIVISION
TWELFTH FLOOR
50 EAST NORTH TEMPLE STREET
SALT LAKE CITY, UT 84150

Source: GROUNDWATER

Diversion Pt: SWNESE Sec 27 T 02N R 37E

```

Use:  IRRIGATION      ( .200 CFS)
      DOMESTIC         ( .080 CFS)
      Total Diversion: ( .200 CFS)

```

Date Filed: 7/10/ 1990

In: T02N R37E S27 NENE SENE

10.0 ACRES TOTAL

100

1944年12月25日

The permit(s) will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code and/or the new public interest criteria of Sec. 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, 150 Shoup Ave., Suite 15, Idaho Falls, Idaho 83402 on or before SEPTEMBER 3, 1990.

R. Keith Higginson, Director

Published 8/16/1990 & 8/23/1990

RECEIVED

MAR 04 1991

09-Aug-1990

CHURCH OF JESUS CHRIST OF
LATTER DAY SAINTS
REAL ESTATE DIVISION, TWELFTH FLOOR
50 EAST NORTH TEMPLE STREET
SALT LAKE CITY, UT 84150

RE: Application for Permit No. 25-7571,-7572,-7573,-7574,-7575,
& 35-8902

Dear Water Right Applicant:

The Department of Water Resources acknowledges receipt of your water right permit. This office is currently in the process of advertising the application in the Post-Register on AUGUST 16 & 23, 1990. The advertisement will be published for two consecutive weeks, and a period of ten days following the second publication will be allowed for the submittal of protests.

If the application is protested, you will be sent a copy of the protest. The protest must be resolved before the application is approved or denied. If the protest is not resolved voluntarily, this Department will conduct a conference and/or hearing on the matter.

If the application is not protested, it will be forwarded to our state office in about five weeks. State office personnel will conduct a complete review prior to final processing of the application and will notify you of the outcome of this review. When a permit is issued, you will be sent a copy. A typical processing time for an unprotested application is about eight weeks.

Please feel free to contact this office if you have any questions regarding this procedure.

Sincerely,

HAROLD W. JONES

RECEIVED

MAR 04 1991