




AREC
120 A

Vanderford
30 A.

Youngstrom
86 A.

AREC
240 A

T
SS

R31E

MICROFILMED
SEP 04 1990

Place of use

Aberdeen

Rodeo Grounds

Flowing Well

Grain Elevator

High Sch

Park


Industrial Waste Pond

Sewage Disposal

Cem

Little H

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____

____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

____ Aerial Photo Attached (required for irrigation of 10+ acres)

____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	US motor	50	R2107269	Berkley	8" discharge

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Pressure gage	Fluid	ashcraft			100psi	
Flow meter	Sonic	Poly				

2. Measurements: operating pressure 165 psi
dynamic pumping depth 54' (according to well log)
Sonic Reading 499.813 gpm (1.11 cfs)

7" / acres

MICROFILMED

MAR 25 1997


E. NARRATIVE/REMARKS/COMMENTS

50 Hp pump to 8" underground main line
supplying water to 1/8 mile handlines
with (1/8") nozzles.



Have conditions of permit approval been met? ☒ yes ☐ no

MICROFILMED
MAR 25 1997



35-08880

R31E

Point of Div.

T
5
S

35-08880

FILED
MAR 25 1997

2.
78.0

HEL
4
85

649

27

T 2189
2921

T 24518
3492

HEL

2

28.6

77.5

4.0
5.38.2

T 24928
2921

PLACE OF USE

POINT OF
DIVERSION

35-8880

2600 W

27

T
S
S

2700 W

27

27

34

R31E

35-08880

35-08880

MICROFILMED

MAR 25 1997

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 35-08880

Priority: April 20, 1990

Maximum Diversion Rate: 1.11 CFS

Maximum Diversion Volume: 310.0 AF

This is to certify, that UNIVERSITY OF IDAHO
RESEARCH & EXTENSION
PO BOX AA
ABERDEEN ID 83210

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated April 20, 1990; and has submitted Proof of Beneficial Use on August 31, 1992. An examination indicates that the works have a diversion capacity of 1.110 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/01 to 10/31	1.11 CFS	310.0 AF

LOCATION OF POINT(S) OF DIVERSION:

NENW , Sec. 27, Township 05S, Range 31E
BINGHAM County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
05S	31E	27	NWNE 32	NENW 35	NWNW 10.5	77.5

Total number of acres irrigated: 77.5

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount that can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. The use of water under this right shall not give rise to any claim against the holder of a senior water right based upon the theories of forfeiture, abandonment, adverse possession, waiver, equitable estoppel, estoppel by laches or customary preference.
6. The Director retains jurisdiction of the right to incorporate the use into a water district, require streamflow augmentation or other action needed to protect prior surface water and groundwater rights.

State of Idaho
Department of Water Resources**WATER RIGHT LICENSE**


WATER RIGHT NO. 35-08880

CONDITIONS OF APPROVAL AND REMARKS

7. Diversion and use of water under this right is subject to rules that may subsequently be promulgated for the use of existing rights used for supplemental purposes.
8. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.0 afa per acre for the lands above.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 17TH day of MARCH, 1977.


Acting **KARL J. DREHER**, Director



ENCLOSURE

MAR 25 1977

RECEIVED

AUG 31 1992

OFFICE USE ONLY

Amt. of Fee \$ 125.00

Date 8-31-92

Receipt No. 2025365

Receipt by g

RECEIVED

AUG 24 1992

Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Department of Water Resources

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 35-08880 Telephone No. (208) 397-4181
2. Name(s) of Permit Holder(s): University of Idaho
3. Mailing Address: POBoxAA, Research and Extension Center, Aberdeen, ID 83210
4. Source of Water: ground water

If **GROUNDWATER**, Well Driller's Name: Jach Cushman Drilling, Inc. Date Drilled: 2/21/91

OPTIONAL:

Pump horsepower: 50 Pressure (psi): 60 Dynamic pumping level (ft.): 70

5. Extent of Use (as authorized by the permit):
Domestic _____ (No. of households) Stockwater _____ (No. and type of stock)
Irrigation 86 (No. of acres) Other _____

6. Total rate and/or volume for which proof is submitted 1.72 cfs OR _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? _____ Yes ☒ No _____ Installed? _____ Yes ☒ No _____

OR

Flow Measurement Port: Required? _____ Yes ☒ No _____ Installed? ☒ Yes _____ No _____

8. Fee Enclosed: \$ 125 (See License Fee Schedule on back of Instruction Sheet)
9. Person to contact to accompany the Department representative during field examination of the water system.

Robert Buffi, Larry Sandvol 397-4181
Name Telephone No.

Research and Extension Center, Aberdeen, ID 83210
Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

SEP 10 1992

8-21-92 Larry Sandvol
Date Signature (and title, if on behalf of a company or organization)

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 35-08880

Proposed Priority: April 20, 1990 Maximum Diversion Rate: 1.72 CFS

This is to certify, that **UNIVERSITY OF IDAHO**
RESEARCH & EXTENSION
ABERDEEN, ID 83210

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
-----------------------	----------------------	--------------------------

IRRIGATION	04/01 to 11/01	1.72 CFS
------------	----------------	----------

<u>LOCATION OF POINT(S) OF DIVERSION:</u>	NENW Sec. 27, Township 05S, Range 31E BINGHAM County
---	--

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
05S	31E	27	NWNE 34	NENW 40	NWNW 12	86

Total number of acres irrigated: 86

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **September 1, 1992.**
2. Subject to all prior water rights.
3. The right to the use of water acquired under this permit shall not give rise to any right or claim against the holder of a senior right based upon the theories of forfeiture, abandonment, adverse possession, waiver, equitable estoppel, estoppel by laches or customary preference.
4. The Director retains jurisdiction of the permit and any license subsequently issued to incorporate the use into a water district, require streamflow augmentation or other action needed to protect prior surface water and groundwater rights.
5. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
6. Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.
7. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.

MICROFILMED

SEP 04 1990

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 35-08880

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

13th day of August, 1990.

for


R. Keith Higginson, Director

MICROFILMED

SEP 04 1990

Ident. No. 35-08880

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name: UNIVERSITY OF IDAHO 208-397-4181
Address: RESEARCH AND EXTENTION
ABERDEEN, ID 83210
2. Source: GROUNDWATER Trib. to:
3. Location of Point of Diversion: NENW Sec. 27, Township 05S, Range 31E
BINGHAM County
4. Water will be used for the following purposes:
- | Purpose | From | To | CFS | (or) | AF |
|------------|-------|-------|-------|------|----|
| IRRIGATION | 04/01 | 11/01 | 1.720 | | |
5. Total quantity appropriated is:
1.720 CFS (and/or) AF
6. Proposed diverting works:
- Description of ditches, flumes, pumps, headgates, etc.
WELL AND PUMP TO SPRINKLERS
 - Height of storage dam feet; active reservoir capacity
acre-feet; total reservoir capacity acre-feet; period of
year when water will be diverted to storage: to inclusive.
 - Proposed well diameter is 10 inches; proposed depth of well is 200
feet.
 - Is groundwater with a temperature greater than 90F being sought? NO
7. Time required for the completion of the works and application of
the water to the proposed beneficial use is 2 years.
8. Description of proposed uses:
IRRIGATION
9. Place of Use: IRRIGATION
- | TWN | RGE | SEC | ACRES | ACRES | ACRES | TOTAL |
|----------------------------------|-----|-----|---------|---------|--------|-------|
| 05S | 31E | 27 | NWNE 34 | NENW 40 | NNW 12 | 86 |
| Total number of acres irrigated: | | | | | | 86 |
10. Describe any other water rights used for the same purposes.
SHARES IN ABERDEEN-SPRINGFIELD CANAL

SEP 04 1990

11. a. Who owns the property at the point of diversion?
APPLICANT
b. Who owns the land to be irrigated or place of use?
APPLICANT
c. If the property is owned by a person other than the applicant,
describe the arrangement enabling the applicant to make this filing.

12. Remarks:

13. Map of proposed point of diversion and place of use attached? ☒

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Larry Sandoval Superintendent
Applicant

Received by OW Date 4-20-90 Time 11:50 Preliminary check by _____


Fee \$ 65⁰⁰ Receipted by HWS # E013454 Date 4-20-90

Publication prepared by AB Date 6-7-90 Published in Morning News

Publication approved AB Date 6-26-90

RECEIVED

SEP 26 1990



AREC
120 A

Vanderford
30 A.

Youngstrom
86 A.

AREC
240 A

Place of Use

SS

R31E

MICROFILMED

SEP 04 1990

DEPT. OF WATER RESOURCES
150 Shoup Ave., Suite 15
Idaho Falls, Idaho 83402
(208) 525-7161

**NOTICE OF APPLICATION
FOR WATER RIGHT**

The following application(s) have been filed
to appropriate the public waters of the State of
Idaho:

27-07512

HORROCKS, Charles R.
9659 Philbin
Pocatello, Id. 83201
Source: GROUNDWATER
Diversion Pt: SWNW, Sec. 4, T. 03S, R.
35E.
Use: INDUSTRIAL (.550 CFS).
Total Diversion: (.550 CFS).
Date Filed: 4/5/1990.
In: T03S, R35E, S04, SWNW.

27-07513

HORROCKS, Charles R.
9659 N. Philbin
Pocatello, Idaho 83201
Source: GROUNDWATER
Diversion Pt: SWNW, Sec. 4, T. 03S, R.
35E.
Use: INDUSTRIAL (.200 CFS).
DOMESTIC (.020 CFS).
Total Diversion: (.200 CFS).
Date Filed: 4/5/1990.
In: T03S, R35E, S04, SWNW.

35-08880

UNIVERSITY OF IDAHO
RESEARCH & EXTENSION
ABERDEEN, Idaho 83210
Source: GROUNDWATER
Diversion Pt: NENW, Sec. 27, T. 05S, R.
31E.
Use: IRRIGATION (1.720 CFS).
Total Diversion: (1.720 CFS).
Date Filed: 4/19/1990.
In: T05S, R31E, S27, NWNE, NENW,
NWNW.
86.0 ACRES TOTAL.

35-08895

FIELDING, Gary
134 W. 600 N.
Blackfoot, Idaho 83221
Source: GROUNDWATER
Diversion Pt: NWNW, Sec. 26, T., 01S, R.,
36E.
Use: IRRIGATION (2.000 CFS).
Total Diversion: (2.000 CFS).
Date Filed: 4/3/1990.
In: T01S, R36E, S22, SESE; S23, SWSW;
S26, NWNW, S27, NENE.
100.0 ACRES TOTAL.

The permit(s) will be subject to all prior
water rights. Protests may be submitted bas-
ed on the criteria of Sec. 42-203A, Idaho
Code, and/or the new public interest criteria
of Sec. 42-203C, Idaho Code. Protests must
be filed with the Director, Dept. of Water
Resources, 150 Shoup Ave., Suite 15, Idaho
Falls, Idaho, 83402, on or before JUNE 25,
1990.

R. KEITH HIGGINSON
Director

(811)

Pub: 6/7, 14

RECEIVED

JUN 27 1990

Department of Water Resources
Eastern District Office

AFFIDAVIT of PUBLICATION

County of Bingham)

State of Idaho)

I, Ted Townsend do
solemnly

swear that I am the Publisher of
The Morning News which is a daily newspaper of
general circulation published each day except Sunday
at Blackfoot, Bingham County, Idaho, said newspaper
having been so published at Blackfoot, aforesaid for
more than one year past; that said newspaper
heretofore complied with all the provisions of Chapter
154 of the Sessions Laws of Idaho of 1933, approved
March 11, 1933, and duly designated, pursuant to law,
a particular day of the week as the day on which legal
notices required by law or by the order of any Court of
competent jurisdiction within the State of
Idaho shall be published to-wit: of each week; that the
notice attached hereto and which is a part of this af-
fidavit and part of the proof of publication was
published in said issue or said

newspaper two consecutive weeks,

the first publication having been made on the

7th day of June, 1990;

and the last publication having been made on the
14th day of June, 1990;

that said notice was published in the regular and entire
issue of every number of the paper as aforesaid during
the period and time of publication, and that notice was
published in the newspaper and not in a supplement.

On this 18th day of June, in
the year 1990 before me a Notary Public of said State,
personally appeared

Ted Townsend
known or identified to me to be the person whose
name is subscribed to the within instrument, and being
by me first duly sworn, declared that the statements
therein are true, and acknowledged to me that he ex-
ecuted the same.

Kaye Rayton
Notary Public for the State of Idaho,
Residing at Blackfoot, Idaho.
My commission expires
November 10, 1994

Affidavit Processing Fee..... \$5.00

MICROFILMED

SEP 04 1990

FOR THE RIDE
OF A.

RECEIVED

811-ust,ust

Legals for leslie —

DEPT. OF WATER RESOURCES
150 Shoup Ave., Suite 15
Idaho Falls, Idaho 83402
(208) 525-7161

**NOTICE OF APPLICATION
FOR WATER RIGHT**

The following application(s) have been filed
to appropriate the public waters of the State of
Idaho:

27-07512

HORROCKS, Charles R.
9659 Philbin
Pocatello, Id. 83201
Source: GROUNDWATER
Diversion Pt: SWNW, Sec. 4, T. 03S, R.
35E.
Use: INDUSTRIAL (.550 CFS).
Total Diversion: (.550 CFS).
Date Filed: 4/5/1990.
In: T03S, R35E, S04, SWNW.

27-07513

HORROCKS, Charles R.
9659 N. Philbin
Pocatello, Idaho 83201
Source: GROUNDWATER
Diversion Pt: SWNW, Sec. 4, T. 03S, R.
35E.
Use: INDUSTRIAL (.200 CFS).
DOMESTIC (.020 CFS).
Total Diversion: (.200 CFS).
Date Filed: 4/5/1990.
In: T03S, R35E, S04, SWNW.

35-08880

UNIVERSITY OF IDAHO
RESEARCH & EXTENSION
ABERDEEN, Idaho 83210
Source: GROUNDWATER
Diversion Pt: NENW, Sec. 27, T. 05S, R.
31E.
Use: IRRIGATION (1.720 CFS).
Total Diversion: (1.720 CFS).
Date Filed: 4/19/1990. - 4-20-90
In: T05S, R31E, S27, NWNE, NENW,
NWNW.
86.0 ACRES TOTAL.

35-08895

FIELDING, Gary
134 W. 600 N.
Blackfoot, Idaho 83221
Source: GROUNDWATER
Diversion Pt: NWNW, Sec. 26, T., 01S, R.,
36E.
Use: IRRIGATION (2.000 CFS).
Total Diversion: (2.000 CFS).
Date Filed: 4/3/1990.
In: T01S, R36E, S22, SESE; S23, SWSW;
S26, NWNW, S27, NENE.
100.0 ACRES TOTAL.

The permit(s) will be subject to all prior
water rights. Protests may be submitted bas-
ed on the criteria of Sec. 42-203A, Idaho
Code, and/or the new public interest criteria
of Sec. 42-203C, Idaho Code. Protests must
be filed with the Director, Dept. of Water
Resources, 150 Shoup Ave., Suite 15, Idaho
Falls, Idaho, 83402, on or before JUNE 25,
1990.

R. KEITH HIGGINSON
Director

(811)
Pub.: 6/7, 14

MICROFILMED

SEP 04 1990

Blackfoot, Idaho 83221



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

March 18, 1997

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

UNIVERSITY OF IDAHO
RESEARCH & EXTENSION
PO BOX AA
ABERDEEN ID 83210

RE: WATER RIGHT NO. 35-08880

Dear Water Right Holder(s):

The Department of Water Resources (the Department) has issued the enclosed license confirming that a water right has been established in accordance with the permit referenced above. The license is a preliminary order issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department unless a party petitions for reconsideration or files an exception and/or brief as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of this order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3), Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, this preliminary order will become a final order of the Department.

If any party appeals or takes exceptions to this preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

MAR 18 1997

ORAL ARGUMENT

If the Department grants a petition to review the preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Department in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

FINAL ORDER

The Department will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Department may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The Department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.


APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

Sincerely,

A handwritten signature in cursive script that reads "Shelley W. Keen". The signature is written in dark ink and is positioned above the typed name and title.

Shelley W. Keen
Water Rights Supervisor

SK:ph

Enclosure


RECEIVED
MAY 25 1987

CERTIFICATE OF MAILING

I hereby certify that on the 18th day of March, 1997, I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER (Approved License) to the person(s) listed below:

Water Right No. 35-08880


UNIVERSITY OF IDAHO
RESEARCH & EXTENSION
PO BOX AA
ABERDEEN ID 83210



Vanessa Roby
Secretary

RECEIVED
MAR 25 1997

CLAIM NO. _____



SCALE: 8" = 1 MILE

T. 55 R. 315 SEC. 27DATE 8/10/93 AGENT APMOQ MAP REF. AA-36NAPP REF. AA-36 New

RECORDED
INDEXED

LICENSE REVIEW CHECKLIST

PERMIT NO. 35-08880

DATE 2/28/97

REVIEWER: SHARLA

NAME	Change <u>—</u>	OK <u>✓</u>	Address Change <u>NO</u>
SOURCE	<u>—</u>	<u>✓</u>	Is change clarification of originally intended source? <u>—</u>
POINT OF DIV	<u>—</u>	<u>✓</u>	If not, prepare Notice of Intent to Void <u>—</u>
PLACE OF USE	<u>—</u>	<u>✓</u>	Amendment required <u>NO</u>

Does map agree with written description? ✓ yes — no

OVERLAPS — P/D — P/U

RATE OF DIV

Permitted Rate	<u>1.72</u> cfs
Fee limit	<u>2.0</u> cfs \$ <u>125.00</u>
Measured	<u>1.11</u> cfs
Theoretical	<u>1.48</u> cfs @ 60 psi and 70' lift (b/u)
Recommended Total Div Rate <u>1.11</u> cfs	

ANNUAL VOLUME/
NATURE OF USES —

Use ✓

Volume Calculation
<u>77.5</u> X <u>4.0</u> = <u>310.0</u> af
<u>310.0</u> af
<u>—</u> af
<u>—</u> af
SUBTOTAL <u>310.0</u> af

Flow rate 1.11 cfs X 214 days X 1.9835 = 470.3 af
 Total volume recommended 310.0 af
 (SUBTOTAL or Flow Rate, whichever is less)

REMARKS

CONDITIONS — Watermaster Control WD# —

R31 GW Measurement/Measuring Device

Overlap

— Use-specific conditions

048.049,050

Advancement of Priority Date Required — yes ✓ no

SRBA Claim Filed N/A
 Adjustment Memo —

1st Amend Letter N/A
 2nd Amend Letter —

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
FEB 21 1995

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 35-8880

1. Owner: University of Idaho Phone No. 397-4181

Current Address: P.O. Box 44 Aberdeen, Id. 83210

2. Accompanied by: Robert Buffi EXAM DATE: 8-19-93

Address: Same Phone No. _____

Relationship to Permit Holder: operator

3. Source: Ground water tributary to _____

B. OVERLAP REVIEW

1. Other water rights with the same place of use: N.A.

2. Other water rights with the same point of diversion: N.A.

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			NE	NW	27	5S	31E	Bingham	USGS Quad map


2. Place(s) of Use:

Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
5S	31E	27		32			35	105											77.5

RECEIVED
MAR 25 1997

3. Delivery System Diagram: Indicate all major components and distances between components. Indicate well size/ditch size/pipe l.d. as applicable.



Scale: 1" = _____
 _____ Copy of USGS Quadrangle Attached (Showing location(s) of point(s) of diversion and place(s) of use (required).
 _____ Aerial Photo Attached (required for irrigation of 10+ acres)
 _____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	HP	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	US motor	50	R2107269	Berkley	8" discharge

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Pressure gage	Fluid	Ortcraft			100psi	
Flow meter	Sonic	Poly				

2. Measurements: operating pressure 105 psi

dynamic pumping depth 54' (according to well log)
 Sonic Reading 499.813 gpm (1.11 cfs)

E. NARRATIVE/REMARKS/COMMENTS

50 Hp pump to 8" underground main line
supplying water to $\frac{1}{2}$ mile Handlines
with ($\frac{1}{8}$ ") nozzles.



Have conditions of permit approval been met? ☒ yes ☐ no

UNRECORDED
MAR 25 1987

F. FLOW CALCULATIONS

Measured Method:

Additional Computation Sheets Attached

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 77.5 \text{ ac} \times 4.9 \text{ ft} = 310.0$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 1.11 \text{ cfs} \times 214 \text{ d.} \times 1.9835 = 471.2$$

$$V = \text{Smaller of } V_{IR} \text{ and } V_{D.R.} = 310.0$$

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use

Irrigation

Period of Use
From To

4-1

10-31

Rate of Diversion

Q (cfs)

1.11 cfs

Annual Volume

V (ata)

310.0

2. Recommended Amendments

Change P.D. as reflected above
Change P.U. as reflected above

Add P.D. as reflected above
Add P.U. as reflected above

None
Other

I. AUTHENTICATION

Field Examiner's Name

Gerry Busch

Date

8-19-93

Reviewer

J. C. Jones

Date

8-15-93

SEAL

MODE SELECT
INPUT

OUTER DIAMETER
8.6417 IN

PIPE MATERIAL
? CS,SS

WALL THICKNESS
0.1740 IN

INNER LINING
? NO LING.

KIND OF FLUID
? ANOTHER

SOUND VELOCITY
1450 M/S-

SENSOR MOUNTING
? U

TYPE OF SENSOR
? SMALL

DATA CHANGE
? NO

SPACING
6.285 IN U

MODE SELECT
T0 CHECK

0317.2 MMSEC
100.65 % T0

08-19 13:2100 *H
+002.50 % A12

ZERO MODE
AUT ZERO

08-19 13:2000 *R
+499.813E 0GPM

08-19 13:2800 *R
+499.285E 0GPM

08-19 13:2800 *R
+498.756E 0GPM

08-19 13:2800 *R
+498.756E 0GPM

08-19 13:2800 *R
+498.228E 0GPM

08-19 13:2900 *R
+498.228E 0GPM


35-08880

35-08880

10-10-1
X00 10 100

Polysonic
Measurement
Tape

35-8880



2.
78.0

27

T20928
921

PLACE OF USE

POINT OF
DIVERSION

27

T
S
S

27

27

R31E

35-08880

35-08880

MAR 25 1967

September 4, 1992

UNIVERSITY OF IDAHO
RESEARCH & EXTENSION
PO BOX AA
ABERDEEN ID 83210

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 35-08880

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the EASTERN Regional Office in Idaho Falls at (208)525-7161.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

c: IDWR - Region

RECEIVED
SEP 10 1992

SEP 10 1992

ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE

Permit No. 35-08880

Reviewed by Keg

Date 8/25/92

GENERAL CONSIDERATIONS

TYPES OF USE

yes Name same as permit?
no Address same as permit?
yes Proof timely received?
If not, complete calculation below.

irrigate - 86
yes Correct Uses?

SOURCE OF WATER

 Surface water source
✓ Ground water source

yes Drilling permit required?
yes Copy in the file? Drilling Permit No. 35-90-E-103
200 Amount paid for permit yes Correct?
yes Well log in the file?

LICENSE EXAMINATION FEE

MEASURING DEVICE

yes Required?
25 Amount Submitted
yes Correct?

NA Required?
✓ Installed?
✓ Waiver requested?

PRIORITY CALCULATION

Date proof received NA
Date proof due -
No. of days late =
Priority Date +
New Priority Date

DEFICIENCIES OR ACTION ITEMS

no check Needs after
needs @ well log

DATA ENTRY

New Address PO Box AA 8/25/92 Keg

Proof Made 8/31/92
9/4/92 Keg

COPY

Discharge Pipe Size _____ Orifice Size _____

[illegible]

Page #2

Well Depth After Test ~~Feb 22, 1991~~

Line Size and Length

60

Orifice Size

534

APR 10 1992

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

1. WELL OWNER

Name University of IdahoAddress Aberdeen Research & Extension CenterOwner's Permit No. 35-90-8-E-103

2. NATURE OF WORK

WR # 35-8880

- ☒ New well ☐ Deepened ☐ Replacement
☐ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)

3. PROPOSED USE

- ☐ Domestic ☐ Irrigation ☐ Test ☐ Municipal
☐ Industrial ☐ Stock ☐ Waste Disposal or Injection
☐ Other _____ (specify type)

4. METHOD DRILLED

- ☐ Rotary ☐ Air ☐ Hydraulic ☐ Reverse rotary
☐ Cable ☐ Dug ☐ Other _____

5. WELL CONSTRUCTION

Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____

Thickness	Diameter	From	To
8 inches	20 inches	0 feet	18 feet
8 inches	16 inches	0 feet	33 feet
8 inches	12 inches	2 feet	169 feet
4 inches	10 inches	160 feet	315 feet

Winding drive shoe used? ☒ Yes ☐ NoWas a packer or seal used? ☐ Yes ☒ NoPerforated? ☐ Yes ☒ NoHow perforated? ☐ Factory ☐ Knife ☐ Torch

Size of perforation _____ inches by _____ inches

Number	From	To
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet

Well screen installed? ☐ Yes ☒ No

Manufacturer's name _____

Type _____ Model No. _____

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____

Packed from _____ feet to _____ feet

Surface seal depth 30 Material used in seal: ☒ Cement grout☐ Bentonite ☐ Pudding clay ☐ _____Sealing procedure used: ☐ Slurry pit ☒ Temp. surface casing☐ Overbore to seal depthMethod of joining casing: ☐ Threaded ☒ Welded ☐ Solvent

7. WATER LEVEL

Static water level 12' feet below land surface.Flowing? ☐ Yes ☒ No G.P.M. flow _____

Artesian closed-in pressure _____ p.s.i.

Controlled by: ☐ Valve ☐ Cap ☐ Plug

Temperature _____ °F, Quality _____

Describe artesian or temperature zones below.

8. WELL TEST DATA

☒ Pump ☐ Baller ☐ Air ☐ Other _____

Discharge G.P.M.	Pumping Level	Hours Pumped
1000	54	8 Hrs.

9. LITHOLOGIC LOG


Bore Diam.	Depth		Material	Water		
	From	To		Yes	No	
20"	0	4	Clay		X	
	4	12	Sand		X	
	12	18	Clay		X	
	18	30	Basalt	X		
16"	30	60	Basalt		X	
	60	82	Clay & Sandstone		X	
	82	84	Soft Basalt		X	
	84	100	Clay & Sandstone		X	
12"	100	105	Clay & Sandstone	X		
	105	140	Gray Clay		X	
	140	150	Brown Clay & Little Sandstone		X	
	150	162	Brown Sandstone	X		
	162	169	Brown Clay		X	
	169	220	Basalt		X	
	220	227	Clay		X	
	227	231	Basalt		X	
	231	233	Clay		X	
	233	238	Firm Basalt		X	
	238	247	Cemented Gravel & Clay		X	
	247	249	Soft Basalt		X	
	249	251	Hard Gravel & Clay	X		
	10"	251	257	Hard Gravel & Clay		X
		257	283	Gravel (Hard Cemented)	X	
		283	287	Sand	X	
287		295	Gravel	X		
295		297	Clay		X	
297		302	Sandy Gravel	X		
302		315	Sticky Clay		X	
315		317	Basalt		X	
317		318	Sand	X		
318		324	Basalt		X	
	324	327	Cinders	X		
	327	330	Basalt		X	

Weld

☐ Cemented between strataDescribe access port 2" pipe welded to 12" Pipe

10. LOCATION OF WELL

Sketch map location must agree with written location



Subdivision Name _____

SEP 10 1992

Lot No. _____ Block No. _____

County NEWBingham 27N 35E

10.

Work started 12/7/90 finished 2/21/91

11. DRILLERS CERTIFICATION

We certify that all minimum well construction standards were complied with at the time the rig was removed.

Firm Name Jack Cushman Drilling Firm No. #941405 South BroadwayAddress Blackfoot, Idaho Date 2/27/91Signed by (Firm Official) Bob Cushman

and

(Operator) Mike Bailey



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

August 25, 1992

University of Idaho
Research and Extension Center
P.O. Box AA
Aberdeen, ID 83210

Re: Permit No. 35-08880

Dear Permit Holder:

Returned is the Proof of Beneficial Use form submitted to this office. It indicates the total rate of water to be 1.72 cfs.

When the total maximum rate of diversion is greater than 0.04 cfs, a license examination fee is required to be submitted with the proof. A license examination fee based on a rate of flow of 7.72 cfs is \$125. Note the back of the enclosed instruction sheet/fee schedule. You have indicated your knowledge of the fee, however, no check was enclosed with the proof of beneficial use.

Since your permit will lapse on September 1, 1992, it is imperative that you return the original proof and \$125 fee as soon as possible. Upon receipt of the proof form and fee, we will continue processing your proof by notifying the region that a field exam is needed.

Also, please note that the copy of the letter to your driller, Jack Cushman. We have been unable to locate the well log that should have been submitted 30 days after the completion of your well. You may want to notify your driller as well, so that he will be sure to forward a copy as soon as possible. The well log is also needed before the Department can proceed with the processing of your water right.

If you have any questions or if I can be of any further assistance, please feel free to contact me.

Sincerely,

Karen L. Gustafson
Karen L. Gustafson
Secretary/Records Manager

RECORDED

SEP 10 1992

Enclosures



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

August 25, 1992

Mr. Jack Cushman
Jack Cushman Drilling Inc.
1405 South Broadway
Blackfoot, ID 83221

Re: Permit No. 35-08880 - University of Idaho -
Research and Extension Center
Drilling Permit No. 35-90-E-103
Drilling Date: February 21, 1991
Proposed Location: 05S, 31E, Section 27, NE $\frac{1}{4}$ NW $\frac{1}{4}$

In the department's review of the proof of beneficial use submitted in connection with the above referenced permit, the department was not able to locate a well log which should have been submitted 30 days after completion of the construction of this well.

While it is possible that you have submitted the log, we have been unable to locate it. Please supply me with another copy. Please address any correspondence directly to me. Your response should be received within 20 days of the date of this mailing.

This information is needed before the department can proceed further with the examination of the permit holders system and the eventual issuance of a license of water right.

If you have any questions or if I can be of any further assistance, please feel free to contact me.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

C: Permit Holder

RECEIVED

SEP 10 1992

\$ 200 Fee

Drilling Permit No. SS-90-12-103
Water Right Permit No. SS-08880
Injection Permit No. _____

State of Idaho
Department of Water Resources

APPLICATION FOR DRILLING PERMIT

RECEIVED
DEC 13 1990

Department of Water Resources

Applicant (please print) University of Idaho Research Extension
Mailing Address Abertown, ID 83210 Attn: Larry Sandvol
Telephone 397-4181

☒ Well Owner () Well Operator () Other, specify _____

Proposed well location NE 1/4 NW 1/4, or Gov't Lot No. _____

Sec. 27, Twp. SS, Rge. 31E, County Dingham

Street Address of Well Site _____

Lot, block and subdivision _____

Proposed use of well:

() Domestic: The use of water for homes, organization camps, public campgrounds, livestock and for any other purposes in connection therewith, including irrigation of up to 1/2 acre of land, if the total use is not in excess of 13,000 gpd; or any other uses, if the total use does not exceed a diversion rate of 0.04 cfs and a diversion volume of 2500 gpd.

Domestic does not include water for multiple ownership subdivisions, mobile home parks, commercial or business establishments, unless the use does not exceed a diversion rate of 0.04 cfs and a diversion volume of 2500 gpd.

☒ Non-Domestic: Any beneficial use not included within the definition of domestic.

() Injection

() Monitoring - A well bore schematic and map is required for each well.
No. of proposed wells: _____

5. Well construction information:

A. ☒ New well () Deepen () Replace - See Condition 9

B. Proposed Surface Diameter 12" Proposed Maximum Depth 160'

C. Anticipated bottom hole temperature:

- ☒ 85°F or less (Cold water well)
() 85°F to 212°F (Low temp. geothermal well)
() 212° or more (Geothermal well)

MICROFILMED

SEP 10 1992

3. Construction Start Date 12-10-90

7. Anticipated Well Driller Barry Sandvol
NOTE: The actual well driller must be identified prior to drilling.

3. Applicant's signature Larry Sandvol Date 12-6-90

Title Superintendent
(Owner, Firm Representative, Other)

ACTION OF THE DEPARTMENT OF WATER RESOURCES

This Permit is Approved

Date 12-6-90

If approved, this permit authorizes the construction or modification of a well subject to the following conditions. READ CAREFULLY!

GENERAL CONDITIONS:

1. The well must be constructed in compliance with the applicable statutes, specific conditions of approval shown on the water right permit, injection well permit, transfer or amendment and the rules and regulations of the Department for water appropriation, injection wells and well construction standards.
2. This drilling permit is valid for two (2) months from the above approval date for the start of construction and is valid for one (1) year from the approval date for completion of the well unless an extension has been granted.
3. This permit does not constitute an approval of the District Health Department or the Idaho Department of Health and Welfare which may be required before construction of this well.
4. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
5. Approval of this drilling permit does not authorize trespass on the land of another party.
6. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.
7. This drilling permit does not represent a right to divert and use the water of the State of Idaho.
8. If a bottom hole temperature of 85° or greater is encountered, well construction shall cease and the well driller and the well owner shall contact the Department immediately.
9. If this permit is for a replacement well, the well being replaced must be abandoned in accordance with Department Rules and Regulations.

SPECIFIC CONDITIONS:

MICROFILMED

SEP 10 1992

Richard For Ren Carlson
Signature of Authorized Department Representative

Eastern Reg. Mgr.
Title

Receipt No. EOISS13 Received by HCT Fee 200.00 Date 12-6-90

EXTENSION OF DRILLING PERMIT

Extension approved by _____ Approval Date _____

This extension is good for 60 days beyond the above extension approval date.

June 30, 1992

UNIVERSITY OF IDAHO
RESEARCH & EXTENSION
ABERDEEN ID 83210

PROOF DUE NOTICE

RE: PERMIT NO. 35-08880

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before September 1, 1992. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.


If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Karen L. Gustafson
Secretary/Records Manager

Enclosures



RECEIVED

SEP 10 1992

S T A T E O F I D A H O
DEPARTMENT OF WATER RESOURCES

Statehouse
Boise, Idaho 83720
(208) 327-7900
August 13, 1990

UNIVERSITY OF IDAHO
RESEARCH & EXTENSION
ABERDEEN, ID 83210

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 35-08880

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

You should be aware that the groundwater you propose to divert is located within a drainage basin where surface waters are regulated during the months of low flow. It is possible that diversion of groundwater may have an adverse impact on these surface water flows. Information available to us at this time does not warrant refusing to issue permits in your area, but we do caution that diversions of groundwater are not allowed to deplete flows available for surface water users with earlier priority dates. Siting your well as far from surface sources as possible and casing out upper water producing zones may reduce the potential of interference.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

Please note the requirement that as a permit holder you must commence the excavation or construction of diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The enclosed blue card must be completed and returned to this office as soon as you commence construction, no later than one year from the date the

MICROFILMED

SEP 04 1990

permit was approved.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit into a license.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

MICROFILMED

SEP 14 1990

Form No. 202a
87STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY JD DATE 5-4-90 APPLICATION NUMBER 35-8880 ^{PM}REQUIRED INFORMATION

- ☐ Name (If applicant is a corporation or partnership, names must be provided for the director, officers, & other partners.)
- ☒ Address
- ☒ Source (See USGS Quad for names of water sources)
- ☒ Point of Diversion (10 acres for spring, lot & block descriptions for subdivisions, local name, flow and/or volume)
- ☒ County
- ☒ Quantity (flow and/or volume)
- ☒ Period of Use
- ☒ Nature of proposed use (Include description of use.)
- ☒ Description of diverting works
- ☒ Time required for beneficial use of water
- ☒ Place of use or acres irrigated
- ☒ Map
- ☒ Signature (If applicant is corp. partnership, or municipality, title of signator is required)
- ☒ Fee
- ☒ Yes ☐ No* In form to receipt

ADDITIONAL INFORMATION

- ☐ Overlapping place of use (Describe source & relationship to present application on the back.)
- ☐ Overlapping point of diversion
- ☐ Yes ☒ No Field check required
- ☐ Field check by _____
- ☐ Yes ☒ No Field report attached
- ☐ Yes ☒ No Critical groundwater area
- ☐ Yes ☒ No Groundwater management area
- ☐ Yes ☒ No Send dam safety information
- ☐ Yes ☒ No Send power requirement letter
- ☐ Yes ☒ No Send fish farm requirement letter
- ☐ Yes ☒ No Power residency affidavit
- ☐ Yes ☒ No Power efficiency form
- ☐ Yes ☒ No Within trustwater boundary (If yes, attach trust water supplementary analysis sheet.)
- ☐ Yes ☒ No Diversion greater than 5 cfs or 500 acre ft. (If yes, attach large diversion supplementary analysis sheet.)
- ☐ See reverse side for additional information

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT

Date Requested _____

RECEIVED
JUL 12 1990

Department of Water Resources

PROCESSING ☒ Yes ☐ No Inform for advertising
☒ Yes ☐ No Statewide advertising
☒ Yes ☐ No Fee amount, receipt date & No. recorded on application

SEND COPIES TO ☐ Idaho Dept. of Health & Welfare ☐ U.S. BLM
☐ Idaho Dept. of Fish & Game ☐ U.S. Forest Service
☐ Idaho Dept. of Lands ☐ Water District
☐ Adjudication Bureau Unit ☐ Other _____

FINAL REGIONAL PROCESSING REVIEW

☒ Yes ☐ No Affidavit of publication received
☒ Yes ☐ No Application published correctly. If not, record action taken.

☒ Yes ☐ No Publication dates & paper, recorded on application
☐ Yes ☒ No Protests received
Final date for protest 6-25-90
☐ Yes ☐ No Protests, dates, resolution of protest, recorded on application
☐ Yes ☒ No Recommendations attached
☐ Yes ☒ No Measuring device required
☒ Yes ☒ No Access port required Flow Task Force Memo
☒ Yes ☒ No Will water be delivered by watermaster? If yes, what Dist. 01
☒ Yes ☐ No Special conditions of approval or cover letter below. _____

See below for additional information
Date of priority recommended 4-20-90
By HWT Date 7-6-90

STATE OFFICE REVIEW P05, P23 P17 48 49 46 26
By KW See below for additional information
Date 8-1-90

ADDITIONAL INFORMATION

Conditions: < 0167
App. in NON-TRUST area-
OK to allow 2 yrs. to develop

23-May-1990

University of Idaho
Research & Extension
Aberdeen, ID 83210

RE: Application for Permit No. 35-8880

Dear Water Right Applicant:

The Department of Water Resources acknowledges receipt of your water right permit. This office is currently in the process of advertising the application in the Morning News on June 7 & 14, 1990. The advertisement will be published for two consecutive weeks, and a period of ten days following the second publication will be allowed for the submittal of protests.

If the application is protested, you will be sent a copy of the protest. The protest must be resolved before the application is approved or denied. If the protest is not resolved voluntarily, this Department will conduct a conference and/or hearing on the matter.

If the application is not protested, it will be forwarded to our state office in about five weeks. State office personnel will conduct a complete review prior to final processing of the application and will notify you of the outcome of this review. When a permit is issued, you will be sent a copy. A typical processing time for an unprotested application is about eight weeks.

Please feel free to contact this office if you have any questions regarding this procedure.

Sincerely,

HAROLD W. JONES
Water Rights Supervisor

HWJ/rb

MICROFILMED

SEP 14 1990

35-08880

UNIVERSITY OF IDAHO
RESEARCH & EXTENSION
ABERDEEN, ID 83210

Source: GROUNDWATER

Diversion Pt: NENW Sec 27 T 05S R 31E

Use: IRRIGATION (1.720 CFS)
 Total Diversion: (1.720 CFS)

Date Filed: 4/19/ 1990

In: T05S R31E S27 NENE NENW NWNW

86.0 ACRES TOTAL

MICROFILMED

SEP 14 1990