







POINT OF DIVERSION
AND PLACE OF USE

T3S
R33E

35-8875

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 35-08875

Priority: February 27, 1990

Maximum Diversion Rate:

0.06 CFS

Maximum Diversion Volume:

2.6 AF

This is to certify, that MICHAEL A DRISCOLL

270 S 1300 W

PINGREE ID 83262

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated February 27, 1990; and has submitted Proof of Beneficial Use on May 13, 1991. An examination indicates that the works have a diversion capacity of 0.060 cfs of water from a **GROUNDWATER** source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
COMMERCIAL	01/01 to 12/31	0.01 CFS	0.2 AF
DOMESTIC	01/01 to 12/31	0.06 CFS	2.4 AF
	Totals	0.06 CFS	2.6 AF

LOCATION OF POINT(S) OF DIVERSION:

NENW , Sec. 24, Township 03S, Range 33E
BINGHAM County

PLACE OF USE: COMMERCIAL

TWN RGE SEC

03S 33E 24

NENW

PLACE OF USE:

DOMESTIC, same as COMMERCIAL use

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. The Director retains jurisdiction of the right to incorporate the use into a water district, require streamflow augmentation or other action needed to protect prior surface water and groundwater rights.
6. Commercial use is for a potato cellar.
7. Domestic use is for 2 homes.


State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 35-08875

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 14TH
day of JUNE, 1975.


Acting for KARL J. DREHER, Director



RECEIVED

MAY 13 1991

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

For Office Use Only

Amt. of Fee \$ 50.00Date 5/13/91Receipt No. 6020961Received by J. Garrison**PROOF OF BENEFICIAL USE**

Department of Water Resources

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 35-08875 Telephone No. 208-684-41252. Name(s) of Permit Holder(s): Michael A. Driscoll3. Post Office Address: 270 S. 1300 W. Pangua, Idaho 832624. Source of Water: grounda. If ground water, well driller's name: Gary Valmer Date drilled: 8/1975b. Pump horsepower: 1 Pressure (psi): 50 Dynamic pumping level (ft.): 50'

5. Extent of Use:

Domestic 2 (No. of households) @ .03 Irrigation _____ (No. of acres)Stockwater _____ (No. and type of stock) Other (1) commercial @ .016. Total rate and/or volume for which proof is submitted .07 cfs _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? Yes ☒ No Installed? Yes ☒ No

OR

Flow Measurement Port: Required? Yes ☒ No Installed? Yes ☒ No

8. Fee Enclosed: \$ _____ (See License Examination Fee Schedule)

9. Person to contact to accompany the Department representative during the field examination:

Michael A. Driscoll
Name208-684-4125
Telephone No.270 S. 1300 W. Pangua, Idaho 83262
Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

5/9/91
DateMichael A. Driscoll
Signature (and title if on behalf of a company or organization)

MAY 31 1991

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 35-08875

Proposed Priority: February 27, 1990 Maximum Diversion Rate: 0.07 CFS
This is to certify, that **MICHAEL A. DRISCOLL**

272 S. 1300 W.

PINGREE, ID 83262

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
COMMERCIAL	01/01 to 12/31	0.01 CFS
DOMESTIC	01/01 to 12/31	0.06 CFS
	Totals	0.07 CFS

LOCATION OF POINT(S) OF DIVERSION: NENW Sec. 24, Township 03S, Range 33E
BINGHAM County

PLACE OF USE: COMMERCIAL

TWN RGE SEC

03S 33E 24 NENW

PLACE OF USE: DOMESTIC, same as COMMERCIAL use

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before June 1, 1991.
2. Subject to all prior water rights.
3. The right to the use of water acquired under this permit shall not give rise to any right or claim against the holder of a senior right based upon the theories of forfeiture, abandonment, adverse possession, waiver, equitable estoppel, estoppel by laches or customary preference.
4. The Director retains jurisdiction of the permit and any license subsequently issued to incorporate the use into a water district, require streamflow augmentation or other action needed to protect prior surface water and groundwater rights.
5. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
6. Commercial use is for a potato cellar; domestic use is for 2 homes.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

4th day of June, 1990

MICROFILMED

JUN 19 1990

R. Keith Higginson
for R. Keith Higginson, Director

Ident. No. 35-08875

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name: MICHAEL A. DRISCOLL
Address: 272 S. 1300 W.
PINGREE, ID 83262

208-785-2274

2. Source: GROUNDWATER

Trib. to:

3. Location of Point of Diversion:

NENW Sec. 24, Township 03S, Range 33E
BINGHAM County

4. Water will be used for the following purposes:

Purpose	From	To	CFS	(or)	AF
DOMESTIC	01/01	12/31	0.060		
COMMERCIAL	01/01	12/31	0.010		

5. Total quantity appropriated is:
0.070 CFS (and/or)

AF

6. Proposed diverting works:

- Description of ditches, flumes, pumps, headgates, etc.
WELL AND PUMP TO CELLAR AND TWO HOMES
- Height of storage dam feet; active reservoir capacity
acre-feet; total reservoir capacity acre-feet; period of
year when water will be diverted to storage: to inclusive.
- Proposed well diameter is 8 inches; proposed depth of well is 120
feet.
- Is groundwater with a temperature greater than 90F being sought? NO

7. Time required for the completion of the works and application of
the water to the proposed beneficial use is 1 years.

8. Description of proposed uses:

DOMESTIC AND COMMERCIAL. WELL DRILLED IN 1975

9. Place of Use: COMMERCIAL

TWN RGE SEC
03S 33E 24

NENW

MICROFILMED

JUN 19 1990

Ident. No. 35-08875
Page 2

Place of Use: DOMESTIC

TWN RGE SEC
03S 33E 24 NENW

10. Describe any other water rights used for the same purposes.
NONE

11. a. Who owns the property at the point of diversion?
APPLICANT
b. Who owns the land to be irrigated or place of use?
APPLICANT
c. If the property is owned by a person other than the applicant,
describe the arrangement enabling the applicant to make this filing.

12. Remarks:

13. Map of proposed point of diversion and place of use attached? ☒

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Michael G. Driscoll
Applicant

Received by HWS Date 2-27-90 Time 2:55 Preliminary check by _____


Fee \$ 30.00 Receipted by HWS # 2012180 Date 2-27-90

Publication prepared by RB Date 4-19-90 Published in Morning News

Publication approved aw Date 5-10-90

MICROFILMED

JUN 19 1990



DEPT. OF WATER RESOURCES
150 Shoup Ave., Suite 15
Idaho Falls, Id. 83402
(208) 525-7161

**NOTICE OF APPLICATION
FOR WATER RIGHT**

The following application(s) have been filed
to appropriate the public waters of the State of
Idaho:

27-07491

ECHEVARRIA, Frank
Rt. 1 Box 94
Blackfoot, Id. 83221
Source: GROUNDWATER
Diversion Pt: SESE, Sec. 8, T. 02S, R. 36E.
Use: IRRIGATION (3.980 CFS).
Total Diversion: (3.980 CFS).
Date Filed: 1/25/1990.
In: T02S, R36E, S08, SWNE, SENE, NESE,
SWSE, SESE, S09 SWNW NWSW SWSW.
199.0 ACRES TOTAL.

27-07492

JONES, Kleal H.
425 Horrocks Drive
Blackfoot, Idaho 83221
Source: GROUNDWATER
Diversion Pt: NWNE, Sec. 17, T. 02S, R.
36E.
Use: IRRIGATION (1.540 CFS).
Total Diversion: (1.540 CFS).
Date Filed: 1/31/1990.
In: T02S, R36E, S17, NWNE, NENW.
77.0 ACRES TOTAL.

35-08211

MATSUURA BROTHERS CO., Inc.
1132 E. Walker
Blackfoot, Id. 83221
Source: GROUNDWATER
Diversion Pt: NENW, Sec. 33, T. 01N, R.
35E; SENW, Sec. 33, T. 01N, R 35E.
Use: IRRIGATION (4.920 CFS).
Total Diversion: (4.920 CFS).
Date Filed: 6/15/1983.
In: T01N, R35E, S33, NWNE, SWNE,
NENW, SWNW, SENW, NESW, NWSE.
268.0 ACRES TOTAL.

35-08871

CHRISTENSEN, Brent
CHRISTENSEN, Susan
326 N. 400 W.
Blackfoot, Id. 83221
Source: GROUNDWATER
Diversion Pt: SESE, Sec. 17, T. 02S, R.
35E.
Use: IRRIGATION (.200 CFS).

STOCKWATER (.020 CFS).
Total Diversion: (.220 CFS).
Date Filed: 1/2/1990.
In: T02S, R35E, S17, SESE.
10.0 ACRES TOTAL.

35-08875

DRISCOLL, Michael A.
272 S-1300 W.
Pingree, Id. 83262
Source: GROUNDWATER
Diversion Pt: NENW, Sec. 24, T. 03S, R.
33E.
Use: DOMESTIC (.060 CFS).
COMMERCIAL (.010 CFS).
Total Diversion: (.070 CFS).
Date Filed: 2/27/1990.
In: T03S, R33E, S24, NENW.

35-08876

WINBERG, Richard
1027 S. 2600 W.
Aberdeen, Idaho 83210
Source: GROUNDWATER

RECEIVED

MAY - 2 1990

Department of Water Resources
Eastern District Office

AFFIDAVIT of PUBLICATION

County of Bingham)

State of Idaho Ted Townsend)

I, do
solemnly

swear that I am the Publisher of
The Morning News which is a daily newspaper of
general circulation published each day except Sunday
at Blackfoot, Bingham County, Idaho, said newspaper
having been so published at Blackfoot, aforesaid for
more than one year past; that said newspaper
heretofore complied with all the provisions of Chapter
154 of the Sessions Laws of Idaho of 1933, approved
March 11, 1933, and duly designated, pursuant to law,
a particular day of the week as the day on which legal
notices required by law or by the order of any Court of
competent jurisdiction within the State of
Idaho shall be published to-wit: of each week; that the
notice attached hereto and which is a part of this af-
fidavit and part of the proof of publication was
published in said issue or said

newspaper two consecutive weeks,

the first publication having been made on the

19th day of April, 19 90;

and the last publication having been made on the
26th day of April, 19 90;
that said notice was published in the regular and entire
issue of every number of the paper as aforesaid during
the period and time of publication, and that notice was
published in the newspaper and not in a supplement.

On this 30th day of April, in
the year 1990, before me a Notary Public of said State,
personally appeared

Ted Townsend
known or identified to me to be the person whose
name is subscribed to the within instrument, and being
by me first duly sworn, declared that the statements
therein are true and acknowledged to me that he ex-
ecuted the same.

Raye Rayen
Notary Public for the State of Idaho,
Residing at Blackfoot, Idaho
My commission expires
November 10, 1994

Affidavit Processing Fee..... \$5.00

MICROFILMED

JUN 19 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
322 East Front Street, P.O. Box 83720
Boise, Idaho 83720-0098

Return Service Requested

1260-W 300 SO



☐ MOVED, LEFT NO ADDRESS
☒ NOT DELIVERABLE AS ADDRESSED
☐ UNCLAIMED - NOT KNOWN
☐ NO SUCH STREET - REFUSED
☐ INSUFFICIENT ADDRESS
☐ NO MAIL RECEIVED
☐ NO MAIL RECEIVED
☐ RETURN TO SENDER

Resort w/
5/2/05
address change

Department of Water Resources

RECEIVED
APR 26 2005

35-8875

SCANNED
MAY 02 2005

MEMORANDUM

DATE JUNE 21, 1995
TO: File No. 35-08875
FROM: Roberta Loveall
SUBJECT: Address Change

=====

On June 20, 1995, correspondence to Mr. Driscoll was returned to the Department by the US postal service stating forward time had expired for new address for Mr. Driscoll.

On June 21, 1995, the correspondence was forwarded by the Dept. to Mr. Driscoll at his new address:

1260 W 300 S
Pingree, ID 83262-1122



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

June 15, 1995

DRISCOLL
1240 W 300 S
PINGREE ID 83262-1122

RE: WATER RIGHT NO. 35-08875

Dear Water Right Holder(s):

Enclosed is a copy of the Water Right License issued on the above referenced permit. If you have any questions, please contact me within 10 days of receipt of this license.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:rl

Enclosure

LICENSE REVIEW
Cindy Zimmerman

Permit #: 35-2875 Name: Deisell Date: 6/7/95
App Rcd 2/27/90 Priority 2/27/90 Examined 1/27/94 ✓ Lots ✓

NAME Chng OK ✓ Or Address Change?

SOURCE — ✓ Clarify source —
— Prelim. Order to Void - Source change.

P/D — ✓ Amendment Needed? — -P39, P38
Overlap(s) NONE

P/U — ✓ Amendment Needed? — -P41, P38
Overlap(s) NONE
*P/D & P/U Amend? P37, P38
(See paragraph list for governmental agencies)

RATE — ✓ Permit/fee limits: 0.07 / 0.07
— ✓ Measured Q= — cfs Theoretical Q= 0.06 cfs
(dom) $0.06 + (\text{comm}) 0.01 = 0.07$
(HP) $\frac{8.8 \times 0.60 \times 1}{45 + (2.31 \times 30)} = \frac{7.04}{114.3} = 0.06 \text{ cfs}$
Recommended rate 0.06 cfs

VOLUME — ✓ Season of Use: (—) 1/1-12/31 = 365 days
Calculations: dom / 2 hrs = 2 x 1.2 = 2.4 AF
plus commercial (potato cellar) = 0.2
Flow limit: 0.06 x 365 x 1.9835 = 43.4 AF
Recommended volume 26 AF

USES — ✓ Same Nature of Use? — -P46
— Amendment Needed? —

REMARKS — ✓ Multiple p/d's in 1 1/4?
— Irrigation water overlap (WB3) (If gw use sw)
✓ ① W0.1/2 ② comm/potato cellar

CONDITIONS — — Measuring (R01)/Locking (R02) Devices
— Watermaster Control (R04) - WD # —
— Irrigation rate/volume overlap
— Water Quality/Other


PRIORITY 2/27/90 Correct fee? Yes/No Receipt # 020461 5/13/91
Order to Reinstate Needed? Yes/No Done? —
Advance(d)? Yes/No Advance(d) to: —

COMMENTS: limited rate by capacity.

RECOMMENDED	CFS	DIV VOL	Adjustment Memo
<u>Dom / 2</u>	<u>0.06</u>	<u>2.4</u>	LICENSE <u>P49</u> #1 AMEND LTR: P46 or P39/P41/P37 & P38 #2 AMEND LTR: P42/P47
<u>Comm</u>	<u>0.01</u>	<u>0.2</u>	
<u>—</u>	<u>—</u>	<u>—</u>	
TOTAL	<u>0.06</u>	<u>2.6</u>	

[illegible]

3. Delivery System Diagram: Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____
 _____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).
 _____ Aerial Photo Attached (required for irrigation of 10+ acres)
 _____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No. *	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
_____	_____	1 hp	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____

* Code to correspond with No. on map and aerial photo
 * Flow Root of Beneficial Use

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____

2. Measurements: Flow Attached Well Log: 4.0 or 4.5

ESTIMATE 30 PSI OPERATING PRESSURE

10.0 or 10.1

10.0 or 10.1

E. NARRATIVE/REMARKS/COMMENTS

WELL, SUB. PUMP AND PIPELINES TO TWO DE MINIMUS SINGLE FAMILY
TRAILER HOMES WITH $\frac{1}{2}$ AC. LAWN EACH. WATER IS ALSO USED FOR
POTATO CELLAR HUMIDIFIERS.

Have conditions of permit approval been met? ☒ yes ☐ no

F. FLOW CALCULATIONS

Measured Method:

$$Q_{meas} = 140 (8.211) 0.255 = 29.7 \text{ cfs}$$

$$45' \text{ dia} \times (2.308 \times 3.1416) = 29.7 \text{ cfs}$$

IDEAL FLOW FOR 2 DOMESTIC W/ 1/2 AC LOTS = 0.06 CFS
 DE MINIMUS COMMERCIAL USE FOR SPREADSHEET = 0.01 CFS

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$$

$$V = \text{Smaller of } V_{IR} \text{ and } V_{D.R.} =$$

2. Volume Calculations for Other Uses:

$$2 \text{ DE MINIMUS HOMES W/ 1/2 AC LOTS} = 2 \times 1.2 \text{ AFA} = 2.4 \text{ AFA}$$

$$DE MINIMUS COMMERCIAL FOR CELEST = 0.2 \text{ AFA}$$

$$2.6 \text{ AFA}$$

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use

From	To	Period of Use	Rate of Diversion	Annual Volume
1-1	12-31	12-31	0.06	2.4
1-1	12-31	12-31	0.01	0.2
Totals:				2.6

2. Recommended Amendments

Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None ☐
 Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other ☐

I. AUTHENTICATION

Field Examiner's Name John

Date 11-30-94

Reviewer Keith C. Wilson

Date 12/5/94


SEAL

Additional Computation Sheets Attached

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

Department of Water Resources

[illegible]



May 17, 1991

MICHAEL A. DRISCOLL
270 S. 1300 W.
PINGREE, ID 83262

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 35-08875

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the EASTERN Regional Office in Idaho Falls at (208)525-7161.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

RECEIVED

MAY 31 1991

1991/07
March 31, 1991

MICHAEL A. DRISCOLL
272 S. 1300 W.
PINGREE, ID 83262

PROOF DUE NOTICE

RE: PERMIT NO. 35-08875

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before June 1, 1991. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

APR 31 1991

S T A T E O F I D A H O
DEPARTMENT OF WATER RESOURCES

Statehouse
Boise, Idaho 83720
(208) 327-7900
June 4, 1990

MICHAEL A. DRISCOLL
272 S. 1300 W.
PINGREE, ID 83262

PERMIT APPROVAL NOTICE

RE: PERMIT NO. P35-08875

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

You should be aware that the groundwater you propose to divert is located within a drainage basin where surface waters are regulated during the months of low flow. It is possible that diversion of groundwater may have an adverse impact on these surface water flows. Information available to us at this time does not warrant refusing to issue permits in your area, but we do caution that diversions of groundwater are not allowed to deplete flows available for surface water users with earlier priority dates. Siting your well as far from surface sources as possible and casing out upper water producing zones may reduce the potential of interference.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Proof of

INDEXED

JUN 19 1990

Beneficial Use" that must be submitted to the Department when your project is completed. If development is complete, you may submit proof of beneficial use immediately.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

MICROFILMED

JU 1980

19-Apr-1990

Michael A. Driscoll
272 S. 1300 W.
Pingree, ID 83262

RE: Application for Permit No. 35-8875

Dear Water Right Applicant:

The Department of Water Resources acknowledges receipt of your water right permit. This office is currently in the process of advertising the application in the Morning News on April 19 & 26, 1990. The advertisement will be published for two consecutive weeks, and a period of ten days following the second publication will be allowed for the submittal of protests.

If the application is protested, you will be sent a copy of the protest. The protest must be resolved before the application is approved or denied. If the protest is not resolved voluntarily, this Department will conduct a conference and/or hearing on the matter.

If the application is not protested, it will be forwarded to our state office in about five weeks. State office personnel will conduct a complete review prior to final processing of the application and will notify you of the outcome of this review. When a permit is issued, you will be sent a copy. A typical processing time for an unprotested application is about eight weeks.

Please feel free to contact this office if you have any questions regarding this procedure.

Sincerely,

HAROLD W. JONES
Water Rights Supervisor

HWJ/rb

MicroFILMED

JUN 19 1990

35-08875

DRISCOLL, MICHAEL A.
272 S. 1300 W.
PINGREE, ID 83262

Source: GROUNDWATER

Diversion Pt: NENW Sec 24 T 03S R 33E

Use: DOMESTIC (.060 CFS)
COMMERCIAL (.010 CFS)
Total Diversion: (.070 CFS)

Date Filed: 2/27/ 1990

In: T03S R33E S24 NENW

RECEIVED

JUN 19 1990