

**T.15.
R.36E.**

3937
All fields HEL

2 Spring wht
6.9

NHEL
5
290

Spring wht
1a
10.1

Spring wht

25 30 18.8

36 31 T 19
3937

4
14.7

Spring wht

3
84.2

5
8.1

Potatoes

6
13.0

Potatoes
51.6

Spring wht
51.6

9
103.2

MICROFILMED
MAR 10 1999

8
11.4

Potatoes

14
6.6


36

31

T 1807
3903

North Lane

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Paul Searle
(Applicant)


MICROFILMED

MAR 22 1990

negative useful

Office at Beaver City Idaho January August-23


17008	20	40	80.36	100.33	90.2
34.46					
34.00	19		20	21	22
33.85	16.55.70		16.40	16.40	16.40
33.69			16.27	16.19	16.21
33.57	20	40	80.27	100.19	90.21
33.61	30		29	28	27
33.64	16.44.30		16.40	16.40	16.40
33.68			16.27	16.19	16.21
33.56	34		32	33	34
33.44	16.44.00		16.40	16.40	16.40
33.32			16.27	16.19	16.21
16.60	20	40	80.32	100.1	90.1



RECEIVED

SEP 1 1 1996

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe I.d. as applicable.



Scale: 1" = _____

____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

____ Aerial Photo Attached (required for irrigation of 10+ acres)

____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	US motor	200	T013271R013R-5	Falckbanks	8" discharge

*Code to correspond with No. on map and aerial photo


D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Well Probe	double wire	olympic	500		500'	

2. Measurements: operating pressure 68 psi (according to owner)
dynamics pumping depth 96' ()

SEP 11 1996





6/11/19

6/11/19

700

25	30		
36	31	T 19	3322

25	30
36	31

Self

32 (X)

14EL

17.1



HEL 5

566.0

53.0

73H

12.4

734

13.3

734

13

744

21
JAH

734

11734

120.0


120.0

T180

286

73 H 011

69911



DELOG-AR 3/5/98
RECEIVED

STATE OF IDAHO

MAR 05 1998

IDAHO DEPARTMENT OF WATER RESOURCES

Department of Water Resources
Eastern Region

NOTICE OF CHANGE OF WATER RIGHT OWNERSHIP

Please print or type. Attach pages with additional information. Instructions are on the back of this page.

Incomplete forms will be returned.

RECEIVED

MAY 12 1998

1. Water Right Number(s) 35-088581M35-08985Adjudication Claim Number(s) A35-02309

Department of Water Resources

2. The following REQUIRED information must be submitted with this form.

A. A copy of the most recent DEED, TITLE POLICY, CONTRACT OF SALE, or other legal document indicating your ownership of the property and water rights or claims in question, WITH ATTACHED LEGAL DESCRIPTION.

AND

B. PLAT OF PROPERTY or SURVEY MAP for parcel of ten acres or less. (These are usually on file with the county.)

OR

C. For water rights or adjudication claims involving ten or more irrigated acres, a USDA Farm Service Agency (formerly ASCS) AERIAL PHOTO with irrigated acres outlined and point(s) of diversion clearly marked.

3. Name and Address of Former Owner/Claimant(s)

Paul Searle465 E 1200 N, Shelley, Id 83274

4. New Owner/Claimant(s)

Gary Fielding(Name connector (check one): ☐ AND, ☐ OR, ☐ AND/OR

New Mailing Address

134 West 600 North Blackfoot Idaho 83221

City, State and ZIP Code

New Telephone Number

(208) 785-18995. Date you acquired the property 1996

6. If you have acquired only a portion of the former owner's property, IDWR may need to split the water right(s) or adjudication claim(s). If this applies, describe in detail your portion of each water right or adjudication claim in the spaces below. If necessary, attach additional pages.

Number of acres actually irrigated _____ Number and type of stock _____

Diversion rate in CFS _____ Number of homes _____ Other uses _____
cubic feet per second

If a water right or adjudication claim is being split and you are not sure how to identify your portion of the original right or claim, please contact the nearest IDWR office for assistance.

7. Signature of New Owner/Claimant(s)

Gary Fielding

MICROFILMED

Date 3/3/98

Date _____

MAR 10 1999

(Corporations or other organizations must submit a list of directors/officers demonstrating authority to sign form.)

8. For Snake River Basin Adjudication Claims: If you are represented by an attorney and you want IDWR to correspond directly with your attorney for all matters related to your claims, please attach a Notice of Appearance completed by your attorney.

COPY

WARRANTY DEED

THIS INDENTURE made this 27th day of March, 1996, between PAUL K. SEARLE and KAREN A. SEARLE, husband and wife, of 465 East 1200 North, Shelley, Bingham County, Idaho, 83274, the Parties of the First Part, and GARY R. FIELDING and KATHY FIELDING, husband and wife, of 134 W. 600 North, Blackfoot, Bingham County, Idaho, 83221, the Parties of the Second Part.

WITNESSETH:

That said Parties of the First Part, for and in consideration of the sum of Ten Dollars (\$10.00) lawful money of the United States of America and other valuable consideration to Parties of the First Part in hand paid by the Parties of the Second Part, the receipt whereof is hereby acknowledged, has granted, bargained, sold, and by these presents does grant, bargain, sell and convey and confirm unto the said Parties of the Second Part, and to Parties of the Second Part's successors and assigns, forever, all of the following described real estate situate in Bingham County, State of Idaho, to-wit:

See Exhibit "A."

TOGETHER with all and singular the tenements, hereditaments and appurtenances thereunto belonging or in anywise appertaining, and the reversions, remainder and remainders, and rents, issues and profits thereof; and all estate, right, title and interest in and to the said property, as well in law as in equity, of the said Parties of the First Part.

TO HAVE AND TO HOLD, all and singular the above mentioned and described premises, together with the appurtenances unto the Parties of the Second Part, and to Parties of the Second Part's successors and assigns forever. And the said Parties of the First Part, and the said Parties of the First Part's heirs and successors shall and will warrant and by these presents forever defend the said premises in the quiet and peaceable possession of the said Parties of the Second Part, and Parties of the Second Part's successors and assigns, against the said Parties of the First Part, and Parties of the First Part's heirs and successors, and against all and every person and persons whomsoever lawfully claiming or to claim the same. In construing this deed and where the context so requires, the singular includes the plural.

IN WITNESS WHEREOF, the said Parties of the First Part have hereunto set their hands and seals the day and year first above written.

Paul K Searle
Paul K. Searle


Karen Z Searle
Karen Z. Searle

STATE OF IDAHO)

County of Bingham) : ss.

ON THIS 27th day of March, 1996, before me, Cathy G. Peterson, a Notary Public in and for said State, personally appeared PAUL K. SEARLE and KAREN Z. SEARLE, husband and wife, known to me to be the persons whose names are subscribed to the within and foregoing instrument, and acknowledged to me that they executed the same.

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my official seal the day and year in this certificate first above written.



Cathy G. Peterson
Notary Public for Idaho
Residing at: Blackfoot
My commission expires: 03-02-2000

EXHIBIT A

TRACT I

Lot 4, and the Southeast 1/4 of the Southwest 1/4; and the Southwest 1/4 of the Southeast 1/4, EXCEPTING beginning at the Northwest corner of the Southwest Quarter of the Southeast Quarter of Section 30 of Township 1 South, Range 36 E.B.M.; thence East 80 rods, more or less, to the Northeast corner of said Southwest Quarter of the Southeast Quarter; thence South 595.0 feet; thence Northwesterly in a direct line 1,448.0 feet, more or less, to the point of beginning, and

Lots 1 and 2 and the East 1/2 of the Northwest Quarter of Section 31, Township 1 South, Range 36 E.B.M.,

TOGETHER WITH 110 shares of the new Lava Side Ditch Company, and all other water and water rights, ditches and ditch rights appertaining thereto, and SUBJECT to all easements and rights of way apparent thereon or of record.

TRACT II

→ Lots 3 and 4 and the East 1/2 of the Southwest 1/4 of Section 31, Township 1 South, Range 36 E.B.M., in Bingham County, Idaho. EXCEPTING THEREFROM beginning 33 feet North and 856 feet West of the South 1/4 corner of said Section 31 and running thence North 26° East 121 feet; thence North 51° West 58 feet to the east bank of a ditch; thence North 26°50' East along the east bank of said ditch 133.0 feet; thence North 85° West 507.0 feet, more or less, to the West line of the Southeast 1/4 of the Southwest 1/4 of said Section 31; thence South 87.0 feet to the County Road; thence South 47°31' East 323 feet along said road; thence East 200.0 feet to the point of beginning; ALSO EXCEPTING therefrom beginning at a point 248.0 feet East of the Southwest corner of said Section 31; thence following the center line of the County Road North 42°15' East 380.0 feet; thence North 65°57' East 390.0 feet; thence South 47°15' East 340.0 feet to the East line of said Lot 4, thence South 220.0 feet to the Southeast corner of said Lot 4, thence West 865.0 feet to the point of beginning. ALSO LESS AND EXCEPTING the highway and right of way for Interstate Highway No. 15, and also that portion of said Section 31 lying South and East of U. S. Interstate 15.

MICROFILMED

MAR 10 1999

T.15.
R.36E.

3937
All fields HEL

2 Spring
69 wht

NHEL
5
290

Spring
wht
10.1

Spring
wht

25 30 18.8

31 T 19
3937

Spring
Wht

3
84.2

14.7

5
8.1
Potatoes

Potatoes

6
13.0
Potatoes

Potatoes
51.6

Spring wht
51.6

9
103.2

MICROFILMED

MAR 10 1999

TO
3.1

00W
North Center Rd

8
11.4
Potatoes

31
1.6

T1807
3963

North Ave

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 35-08858

Priority: December 19, 1989

Maximum Diversion Rate:

1.62 CFS

This is to certify, that PAUL SEARLE
465 E 1200 N

SHELLEY ID 83274

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated December 19, 1989; and has submitted Proof of Beneficial Use on February 8, 1991. An examination indicates that the works have a diversion capacity of 4.870 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
-----------------------	----------------------	--------------------------	----------------------

IRRIGATION	04/01 to 10/31	1.62 CFS	
------------	----------------	----------	--

LOCATION OF POINT(S) OF DIVERSION: Lot 1 (NWNW), Sec. 31, Township 01S, Range 36E
BINGHAM County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
01S	36E	30	Lot 4 (SWSW) 28	SESW 40	SWSE 26	94
		31	NENW 40	Lot 1 (NWNW) 29	Lot 2 (SWNW) 33	
			SESW 40			142

Total number of acres irrigated: 236

CONDITIONS OF APPROVAL AND REMARKS

1. This water right is appurtenant to the described place of use.
2. This right is subject to all prior water rights and may be forfeited by five years of non-use.
3. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
4. The use of water under this right shall not give rise to any claim against the holder of a senior water right based upon the theories of forfeiture, abandonment, adverse possession, waiver, equitable estoppel, estoppel by laches or customary preference.
5. The Director retains jurisdiction of the right to incorporate the use into a water district, require streamflow augmentation or other action needed to protect prior surface water and groundwater rights.
6. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.0 afa per acre for the lands above.

SEP 11 1996

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 35-08858


CONDITIONS OF APPROVAL AND REMARKS

7. Right 35-02309 is also diverted at the point of diversion described above.
8. Use of this right with Right 35-02309 is limited to a total combined annual diversion volume of 944.0 af.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 30th day of August, 1996.

Acting for


KARL J. DREHER, Director



SEP 11 1996

RECEIVED

FEB 08 1991

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

For Office Use Only

Amt. of Fee \$ 125.00Date 2/8/91Receipt No. CO19612Received by J. M. Newson

Department of Water Resources

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 35-08858 Telephone No. 357-39492. Name(s) of Permit Holder(s): Paul Searle3. Post Office Address: 465 E 1200 N, Shelley Id 832744. Source of Water: Groundwatera. If ground water, well driller's name: ?? Date drilled: 3/16/53b. Pump horsepower: 190 Pressure (psi): 68 psi Dynamic pumping level (ft.): 96 ft.

5. Extent of Use:

Domestic _____ (No. of households)

Irrigation 240 (No. of acres)

Stockwater _____ (No. and type of stock)

Other _____

6. Total rate and/or volume for which proof is submitted 1.7 cfs _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? Yes No Installed? Yes No

OR

Flow Measurement Port: Required? X Yes No Installed? X Yes No8. Fee Enclosed: \$ 125 (See License Examination Fee Schedule)

9. Person to contact to accompany the Department representative during the field examination:

Paul Searle
Name357 3949
Telephone No.465 E 1200 N Shelley Id 83274
Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

Date

2/5/91

Signature (and title if on behalf of a company or organization)

Paul SearleMAILED
FEB 8 1991

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 35-08858

Proposed Priority: December 19, 1989 Maximum Diversion Rate: 1.70 CFS

This is to certify, that **PAUL SEARLE**
465 E. 1200 N.
SHELLEY, ID 83274

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	04/01 to 11/01	1.70 CFS

LOCATION OF POINT(S) OF DIVERSION: NWNW Sec. 31, Township 01S, Range 36E
BINGHAM County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
01S	36E	30	SWSW 34	SESW 40	SWSE 20	94
		31	NENW 40	NWNW 33	SWNW 33	146
			SENW 40			

Total number of acres irrigated: 240

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before April 1, 1991.
2. Subject to all prior water rights.
3. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
4. The right to the use of water acquired under this permit shall not give rise to any right or claim against the holder of a senior right based upon the theories of forfeiture, abandonment, adverse possession, waiver, equitable estoppel, estoppel by laches or customary preference.
5. The Director retains jurisdiction of the permit and any license subsequently issued to incorporate the use into a water district, require streamflow augmentation or other action needed to protect prior surface water and groundwater rights.
6. Prior to the diversion of water under this permit a flow measurement port or other device as specified by the Department shall be installed to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.
7. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.

MICROFILMED

MAR 22 1990

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 35-08858

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

19th day of March, 1990

R. Keith Higginson
R. Keith Higginson, Director

for

MICROFILMED

MAR 22 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant Paul Searle Phone 357-3949
Post office address 465 E 1200 N. Shelley, ID 83274
2. Source of water supply Groundwater which is a tributary of _____
3. Location of point of diversion is _____ $\frac{1}{4}$ of NW $\frac{1}{4}$ of NW $\frac{1}{4}$, Govt. Lot _____
Sec. 31 Township 1S Range 36E B.M. Bingham County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
Amount 1.70 for Irrigation purposes from 4/1 to 11/1 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 1.70 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. Replacing pump in
existing well (35-2309) New pump is 150 H.P.

b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
c. Proposed well diameter is 10" inches; proposed depth of well is 80' feet.
d. Is ground water with a temperature of greater than 90°F being sought? NO
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
1 years (minimum 1 year).

MICROFILMED

MAR 22 1990

Q. What is the name of the company?

Increase pressure on pivot & hand lines from existing well.

applicant to make this filing.

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the

b. Who owns the land to be irrigated or place of use?

11. a. Who owns the property at the point of diversion?

10. Describe any other water rights used for the same purposes as described above.

A35-02309

Total number of acres to be irrigated -

[illegible]

ponding place of use below. See instructions for standard symbols.

b. If water is used for other purposes, place a symbol of the use (example: *D for Domestic*) in the corresponding column.

a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.

9. Description of place of use:

e. Other, describe fully, _____

d. Domestic; show number of households.


c. Municipal; show name of municipality.

b. Stockwatering; list number and kind of livestock.

a. Hydropower; show total feet of head and proposed capacity in kW.

8. Description of proposed uses (if irrigation only, go to item 9):

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.




Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Paul Searle
(Applicant)

MDH 27-1-90



e. Other:

permit.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

_____, 19____.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

1. Approval of said application is subject to the following limitations and conditions:

Idaho No. _____, and said application is hereby _____.

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

Publication approved by _____ Date 5-12-90

Publication prepared by RB Date 1-4-11-90

Fee \$ 65#

Received by HUS # E011350

Date 12-19-89

Received by HUS Date 12-19-87 Time 9:15 am Preliminary check by _____

Published in Morning News

RECEIVED

JAN 22 1990

Department of Water Resources
Eastern District Office

DEPARTMENT OF WATER RESOURCES
150 Shoup Ave., Suite 15
Idaho Falls, Id. 83402
(208) 525-7161

**NOTICE OF APPLICATION
FOR WATER RIGHT**

The following application(s) have been filed
to appropriate the public waters of the State of
Idaho:

35-08857

AGRICULTURAL SERVICES, Inc.
P.O. Box 627
Blackfoot, Idaho 83221
Source: GROUNDWATER
Diversion Pt: NESE, Sec. 32, T. 02S, R.
35E.
SESE, Sec. 32, T. 02S, R. 35E.
Use: COMMERCIAL (.040 CFS); Total
Diversion: (.040 CFS).
Date Filed: 9/6/1989.
In: T02S, R35E, S32, NESE, SESE.

35-08858

SEARLE, Paul
465 E. 1200 N.
Shelley, Id. 83274
Source: GROUNDWATER
Diversion Pt: NWNW, Sec. 31, T. 01S, R.
36E.
Use: IRRIGATION (1.700 CFS); Total Diver-
sion: (1.700 CFS).
Date Filed: 12/19/1989.
In: T01S, R36E, S30, SWSW, SESW,
SWSE, S31, NENW, NWNW, SWNW, SENW.
240.0 ACRES TOTAL.

The permit(s) will be subject to all prior
water rights. Protests may be submitted bas-
ed on the criteria of Sec. 42-203A, Idaho
Code, and/or the new public interest criteria
of Sec. 42-203C, Idaho Code. Protests must
be filed with the Director, Dept. of Water
Resources, 150 Shoup Ave., Suite 15, Idaho
Falls, Idaho, 83402, on or before JANUARY
22, 1990.

R. KEITH HIGGINSON
Director

(627)
Pub.: 1/4, 11

MICROFILMED

MAR 22 1990

AFFIDAVIT of PUBLICATION

County of Bingham)

State of Idaho)ss

I, Ted Townsend do

solemnly

swear that I am the Publisher of
The Morning News which is a daily newspaper of
general circulation published each day except Sunday
at Blackfoot, Bingham County, Idaho, said newspaper
having been so published at Blackfoot, aforesaid for
more than one year past; that said newspaper
heretofore complied with all the provisions of Chapter
154 of the Sessions Laws of Idaho of 1933, approved
March 11, 1933, and duly designated, pursuant to law,
a particular day of the week as the day on which legal
notices required by law or by the order of any Court of
competent jurisdiction within the State of
Idaho shall be published to-wit: of each week; that the
notice attached hereto and which is a part of this af-
fidavit and part of the proof of publication was
published in said issue or said

newspaper two consecutive weeks,

the first publication having been made on the

4th day of January, 1990;

and the last publication having been made on the
11th day of January, 1990
that said notice was published in the regular and entire
issue of every number of the paper as aforesaid during
the period and time of publication, and that notice was
published in the newspaper and not in a supplement.

On this 16th day of January, in
the year 1990 before me a Notary Public of said State,
personally appeared

Ted Townsend
known or identified to me to be the person whose
name is subscribed to the within instrument, and being
by me first duly sworn, declared that the statements
therein are true, and acknowledged to me that he ex-
ecuted the same.

Lane Dayton
Notary Public for the State of Idaho,
Residing at Blackfoot, Idaho
My commission expires
November 10, 1994

Affidavit Processing Fee: \$5.00

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
322 East Front Street, P.O. Box 83720
Boise, Idaho 83720-0098

Return Service Requested

RECEIVED

APR 28 2005

Department of Water Resources

PRESORTED
FIRST CLASS




UNITED STATES POSTAGE
02 1A
0004389390 APR 22 2005
MAILED FROM ZIP CODE 83702
\$00.278
PRIMEY BOWES

*Resent 5/2/05 w/ addr.
chg form. CJD*

35-8744 35-8858
35-8780 35-8895

FIELD 134 TO 832212001 1904 05 04/27/05
RETURN TO SENDER
FIELDING ST
IDAHO FALLS ID 83404-7029

CAACTMS #172874055



SCANNED

MAY 02 2005



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

March 5, 1999

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

GARY FIELDING
134 W 600 N
BLACKFOOT ID 83221

RE: Water Right 35-08858


Dear Mr. Fielding:

The Department is in receipt of the correspondence changing ownership of the above referenced water right to you. We have modified our records to reflect this change in ownership and a computer generated report is enclosed.

Just a reminder, because of a law that went into effect July 1, 1996, all water right owners are required to report change of address or ownership to the department within 120 days of the change. Failure to report these changes could result in a \$100 late filing fee to the water right owner. If you have other water rights that haven't had the ownership updated please contact the department as soon as possible.

If you have any questions regarding this matter, please feel free to contact me at (208) 327-7947.

Sincerely,



JIM JOHNSON, Manager
Water Right Permits Section

JJ:klt

Enclosures

MICROFILMED

MAR 10 1999



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

September 3, 1996

PAUL SEARLE
465 E 1200 N
SHELLEY ID 83274

RE: WATER RIGHT NO. 35-08858

Dear Water Right Holder(s):

Enclosed is a copy of the Water Right License issued on the above referenced permit. If you have any questions, please contact me within 10 days of receipt of this license.

Also, please note that as of July 1, 1996, water right owners are required to report any change of water right ownership and any change of mailing address to the department. If you have acquired a water right or have changed your mailing address PRIOR TO July 1, 1996, you have until July 30, 1998, to notify the department. If you acquire a water right or change your mailing address AFTER July 1, 1996, you must notify the department within 120 days of the change.

Failure to report these changes could result in a \$100 late filing fee. Contact any office of the department to obtain the proper reporting form.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:ph

Enclosure

RECEIVED

SEP 11 1996

MEMORANDUM

TO: File 35-08858

FROM: Sharla

DATE: August 27, 1996

RE: Recommendation Adjustment(s)

The final license recommendations for Right 35-08858 are based on the following.

C. DIVERSION AND DELIVERY SYSTEM

2. Place of Use:

236 acres in S½SW, SWSE, S30; NW¼, S31; T1S, R36E

H. RECOMMENDATIONS

Beneficial Use	Period of Use	Rate of Div	Annual Vol
Irrigation	4/1 - 10/31	1.7 cfs	

A previous right, No. 35-02309 diverts from the same point of diversion for irrigation of the same lands. That right is for 3.1 cfs; the capacity of the system is 4.87, so the two rights combined will not exceed the capacity. A remark limiting the combined annual volume to 944.0 af will be added to the license.

The season of use has been changed to the standard for that area.

Although the examiner made no recommendations on the back page of the exam report, sufficient information was gathered to proceed with licensing. The place of use was also sufficiently mapped out and the field exam for the SRBA claim on the previous license was conducted in 1992; the acres for each ¼¼ from the claim recommendations were used on the license.

Examiner: Gary Beus
Exam Date: July 28, 1993

SEP 11 1996

14:45:22
10/10/91

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
AD JUDICATION CLAIM VERIFICATION REPORT

CLAIM NUMBER: A93-02109

PAGES: 13
ONE LOOK INFORMATION

H121 P13

MR ELEMENT	FIELD EXAM Y/N	CORRESPONDENCE SENT/RECEIVED BY MON/DATE	FIELD EXAM BY MON/DATE	CHANGE CLASS Y/N	VERIFIED BY CODE	COMPLETED REVIEW MON/DATE	COMPLETED DATA ENTRY MON/DATE	VERIFIED DATE MON/DATE
PRIORITY DATE						8/11-9-92	8/11-9-92	8/11-9-92
POINT OF DIV	Y		8/11-2-92	N	92			
SOURCE								
PLACE OF USE	Y			Y 045	5,2			
DTU, AMOUNT CFS/VOLUME				Y	6			
CONSUMPTIVE USE								
PURPOSES				Y	6			
PERIOD OF USE	Y							
BASES OF CLAIM								
REMARKS								

VERIFIED BY CODES

TOPO MAP/PORTIO-PQ = 1
USGS MAP = 2
AERIAL/MASTER RECORDS = 3
AAPP PHOTOS = 4
FIELD EXAM = 5
OTHER (SEE REMARKS) = 6

THESE CODES ARE USED TO INDICATE HOW THE FIELD EXAMINER VERIFIED THE INFORMATION
USED FOR THIS FIELD EXAMINATION. INDICATED ARE ALL CODES WHICH APPLY.

SEP 11 1996

L. ROOT WATER RIGHT NUMBERS: A35-02309

B. POW LISTING

TRP	RNG	SEC	1/4	LOT	NAME	AJ #/ACRES	AR #/ACRES	LANDSAT DATA	FIELD EXAM.	RECORD ACRES
DIS 36E	11	NE	SW		SEARLE, PAUL	A35-02309 / 40.0	35-02309 / 40.0	30.0	40	40
		NE	SW		SEARLE, PAUL		35-08858 / 40.0			
DIS 36E	11	NW	SW	1	SEARLE, PAUL	A35-02309 / 33.0	35-02309 / 33.0	34.0	29	29
		NW	SW		SEARLE, PAUL		35-08858 / 33.0			
DIS 36E	11	SE	SW	2	SEARLE, PAUL	A35-02309 / 33.0	35-02309 / 33.0	34.0	33	33
		SE	SW		SEARLE, PAUL		35-08858 / 33.0			
DIS 36E	11	SE	SW		SEARLE, PAUL	A35-02309 / 40.0	35-02309 / 40.0	34.0	40	40
		SE	SW		SEARLE, PAUL		35-08858 / 40.0			
DIS 36E	10	SE	SW	4	SEARLE, PAUL	A35-02309 / 34.0	35-02309 / 34.0	34.0	28	28
		SE	SW		SEARLE, PAUL		35-08858 / 34.0			
DIS 36E	10	SE	SW		SEARLE, PAUL	A35-02309 / 40.0	35-02309 / 40.0	34.0	40	40
		SE	SW		SEARLE, PAUL		35-08858 / 40.0			
DIS 36E	10	SE	SW		SEARLE, PAUL	A35-02309 / 20.0	35-02309 / 20.0	18.0	20	20
		SE	SW		CHRISTENSEN, TERRILL	A35-11152 / 9.0	35-021778 / 9.0			
		SE	SW		CHRISTENSEN, TERRILL		35-08858 / 20.0			
		SE	SW		SEARLE, PAUL					
TOTAL ACRES						240.00	240.00	128.00	236	236

ARE IRRIGATED ACRES FOUND IN TRACTS OTHER THAN INDICATED ABOVE, YES () NO (X)

IF YES SEE ATTACHED SHEET:

C. FIELD EXAM REQUIRED?

DUE TO PDJ DISCREPANCY? (Y/N)

FIELD EXAMINER
 DATABASE Y

SEP 11 1986

PRESUMPTION PLACE:

REMARKS:

VERIFIED IS NOT CARRYING AN EXPANSION OF CHARGE OF USE. HOWEVER, SINCE SEVERAL
DISTRIBUTION OF ~~THE~~ LICENSED FOR IS DIFFERENT THAN AS LICENSED. APPEARS TO BE AN
OTHER ID LICENSED DUE TO QUALITY OF MAPS USED. RECOMMENDED FOR AS ABOVE W/ CDD. CO'S

RECOMMENDATIONS:

TOTAL ACRES:

236

REVIEWED BY:

BBV

DATE:

11-9-92

SEP 11 1996

LICENSE REVIEW CHECKLIST

PERMIT NO. 35-08858

DATE 8/27/96

REVIEWER: S H A R L A

NAME Change OK Address Change NO
 SOURCE Change OK Is change clarification of originally intended source? NO
 If not, prepare Notice of Intent to Void NO

POINT OF DIV Change OK Amendment required NO

PLACE OF USE Change OK NESW, S31 - NA Amendment required NO

Does map agree with written description? yes no

OVERLAPS Change OK P/D P/U

35-02309 3.1 cfs 236 ac.

RATE OF DIV

Permitted Rate 1.7 cfs

Fee limit 2.0 cfs \$12500

Measured Change OK NO MEAS. MADE

Theoretical 4.87 cfs 200 x 8.8 x .7 / 96 + (2.31 x 68) = 4.87

Recommended Total Div Rate 1.7 cfs

ANNUAL VOLUME/ NATURE OF USES

Change OK Use Volume Calculation
SW 236 x 4 = 944.0 af
af
af
af
 SUBTOTAL 944.0 af

4/1-10/31

Flow rate 1.7 cfs X 213 days X 1.9835 = 717.0 af

Total volume recommended 717.0 af

(SUBTOTAL or Flow Rate, whichever is less)

REMARKS

WB35 (35-2309)
36

CONDITIONS Watermaster Control WD#

R31 GW Measurement/Measuring Device

Overlap

Use-specific conditions 048,049

Advancement of Priority Date Required yes no

SRBA Claim Filed N/A

Adjustment Memo thanks


1st Amend Letter N/A

2nd Amend Letter N/A

negative result

Office of State Policy Study January-August-2011

17008	20	100	0036	0033	002
34.46					
34.00	19		20	20	22
33.85	1645.70		1640.00	1640.00	1640.00
33.69					
33.57	20	40	0027	0015	0021
33.61	30		29	28	27
33.64	1642.50		1640.00	1640.00	1640.00
33.68					
33.52	20	40	0002	79.08	33.60
33.48					33.40
33.56	34		32	33	34
33.44	1644.00		1640.00	1640.00	1640.00
33.32					
16.60	20	40	0032	0011	0011



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

SEP 30 1996

Department of Water Resources

Permit No. 35-8858

A. GENERAL INFORMATION

1. Owner: Paul Searle Phone No. 357-3949

Current Address: 465 E. 1200 N. Shelley, Id. 83274

2. Accompanied by: Paul Searle EXAM DATE: 7-28-93

Address: Same Phone No. Same

Relationship to Permit Holder: Owner

3. Source: ground water tributary to _____

B. OVERLAP REVIEW

1. Other water rights with the same place of use: _____

2. Other water rights with the same point of diversion: _____

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			NW	NW	31	1 S	36 E	Bingham	USGS Quad Map


2. Place(s) of Use:

Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	

SEP 11 1996

3. Delivery System Diagram: Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____
 _____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).
 _____ Aerial Photo Attached of (required for irrigation of 10+ acres)
 _____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	HP	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	US Motor	200	701527180138-5	Falken	8" discharge

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Well Probe	double wire	olympic	500		500'	

2. Measurements: operating pressure 68 psi (according to owner) dynamics pumping depth 96' (according to owner)

E. NARRATIVE/REMARKS/COMMENTS

200 Hp pump to 10" underground
mainline supplying water to one
ten tower center pivot and assorted
Handlines.

* 6" & 8" portable mainline used to
irrigated corners of pivot and areas
underground mainline doesn't cover.

Have conditions of permit approval been met? ☒ yes ☐ no

SEP 11 1996

SEAL

Reviewer

Date _____

Field Examiner's Name

Date _____

_____ Date 7-28-75 Gary Buss

I. AUTHENTICATION

Change P.D. as reflected above

Change P.U. as reflected above

Add P.D. as reflected above _____
 Add P.U. as reflected above _____
 None _____
 Other _____

2. Recommended Amendments

Beneficial Use

Period of Use
From _____ **To** _____

Rate of Diversion
Q (cts)

Annual Volume V (a)(a)

Totals:

1. Recommended Amounts

H. RECOMMENDATIONS

2. Volume Calculations for Other Uses:

$V = \text{Smaller of } V_{L.R.} \text{ and } V_{D.R.} =$

$$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$$
$$V_{LR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$$

1. Volume Calculations for Irrigation:

G. VOLUME CALCULATIONS


Measured Method:

F. FLOW CALCULATIONS

Additional Computation Sheets Attached

Theory

$$(\text{wd } 6812) \text{ s } 5088 \text{ h} = \frac{(808'2)(89) + (.96)}{(4')(418'8)(.002)} = \text{C}$$



NAPP 16011-368

PAGE 2

781

30
31 T 19
3323

See W9

HEL

71

HEL

5
66.0

HEL

7
12.4

5
63.0

HEL
6
13.3

HEL

HEL

HEL
11
120.0

31
33

T

10/14/2

February 26, 1991

PAUL SEARLE
465 E. 1200 N.
SHELLEY, ID 83274

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 35-08858

Dear Permit Holder:


The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the EASTERN Regional Office in Idaho Falls at (208)525-7161.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region



ANALYSIS SHEET
for
PROOF OF BENEFICIAL USE

Permit No. 35-8858

Date 2-21-91

GENERAL CONSIDERATIONS

- ☒ Name same as permit?
☒ Address same as permit? If no, prepare data entry form.
☒ Proof timely received? If no, complete priority advancement below.

SOURCE OF WATER

- ☐ Surface water source
☒ Ground water source
1953 ☒ Drill permit req'd?
☐ Copy in file? Drill permit no. _____
☐ Well log in file?
☐ Amt paid for drilling permit? _____ Correct?

LICENSE EXAMINATION FEE

- ☒ Required?
165.00 ☐ Amount submitted?
☒ Correct amount?

MEASURING DEVICE

- Y/la ☐ Measuring device or access port required?
Y/la ☐ Installed?
☐ Waiver requested or needed?

DEFICIENCIES OR ACTION ITEMS

Proof acceptable

PRIORITY CALCULATION

Date proof received	<u>NA</u>	
Date proof due		-
No. of days late		=
Priority date		+
NEW PRIORITY DATE		=

LB

138991
January 31, 1991

PAUL SEARLE
465 E. 1200 N.
SHELLEY, ID 83274

PROOF DUE NOTICE

RE: PERMIT NO. 35-08858

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before April 1, 1991. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

RECEIVED

MAR 1 1991

S T A T E O F I D A H O

DEPARTMENT OF WATER RESOURCES

Statehouse
Boise, Idaho 83720
(208) 327-7900
March 19, 1990

PAUL SEARLE
465 E. 1200 N.
SHELLEY, ID 83274

PERMIT APPROVAL NOTICE

RE: PERMIT NO. P35-08858

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

You should be aware that the groundwater you propose to divert is located within a drainage basin where surface waters are regulated during the months of low flow. It is possible that diversion of groundwater may have an adverse impact on these surface water flows. Information available to us at this time does not warrant refusing to issue permits in your area, but we do caution that diversions of groundwater are not allowed to deplete flows available for surface water users with earlier priority dates. Siting your well as far from surface sources as possible and casing out upper water producing zones may reduce the potential of interference.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

Be sure to note the special condition requiring you to install a measuring device, or a flow measurement port to provide for the installation of measuring equipment by the Department. Enclosed please find a list of measuring device options, and specifications for the installation of the flow measurement port.

MICROFILMED

MAR 22 1990

[]

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Proof of Beneficial Use" that must be submitted to the Department when your project is completed. If development is complete, you may submit proof of beneficial use immediately.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

RECORDED

MAR 22 1990

Form No. 202a
4/87

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

*Adventure out of
Sequence.*

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY Poul Searle DATE _____ APPLICATION NUMBER 35 8858

REQUIRED INFORMATION

- ✓ Name (If applicant is a corporation or partnership, names must be provided for the director, officers, & other partners.)
- ✓ Address
- ✓ Source (See USGS Quad for names of water sources)
- ✓ Point of Diversion (10 acres for spring, lot & block descriptions for subdivisions, local name, flow and/or volume)
- ✓ County
- ✓ Quantity (flow and/or volume)
- ✓ Period of Use
- ✓ Nature of proposed use (Include description of use.)
- ✓ Description of diverting works
- ✓ Time required for beneficial use of water
- ✓ Place of use or acres irrigated
- ✓ Map
- ✓ Signature (If applicant is corp. partnership, or municipality, title of signator is required)
- ✓ Fee
- ✓ Yes _____ No* In form to receipt

ADDITIONAL INFORMATION

- ✗ Overlapping place of use (Describe source & relationship to present application on the back.)
- ✗ Overlapping point of diversion
- Yes ✗ No Field check required
- Field check by _____
- Yes ✗ No Field report attached
- Yes _____ No Critical groundwater area
- Yes _____ No Groundwater management area
- Yes _____ No Send dam safety information
- Yes _____ No Send power requirement letter
- Yes _____ No Send fish farm requirement letter
- Yes _____ No Power residency affidavit
- Yes _____ No Power efficiency form
- Yes _____ No Within trustwater boundary (If yes, attach trust water supplementary analysis sheet.)
- Yes (No Diversion greater than 5 cfs or 500 acre ft. (If yes, attach large diversion supplementary analysis sheet.)
- See reverse side for additional information

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT _____

Request Rule 4,5,3

Date Requested _____

FEB 29 1990
Department of Water Resources

MEMORANDUM

TO: File No. 35-8858
FROM: Gary Spackman *Gary*
DATE: March 2, 1990

RE: Sufficiency of Information Submitted to Satisfy Rule 4,5,3.

I have reviewed the information submitted by the applicant attempting to comply with requirements of Rule 4,5,3. of the Water Appropriation Rules and Regulations. I find that the information submitted satisfies the criteria, and this application should be prepared for approval.

MICROFILMED

MAR 22 1990

Feb. 17, 1990

Harold W. Jones
Water Resource Supervisor
150 Shoup Ave.
Suite 15
Idaho Falls, Id 83401

RECEIVED
FEB 23 1990

Dear Mr. Jones:

Department of Water Resources

Concerning Application 35-08858 is enclosed the additional information requested for processing the application to upgrade my existing well.

4,5,3,1,2 - Please find attached plat.

4,5,3,1,3 - The existing well will not be changed so far as depth or size of hole. We do plan to increase the size of pump and motor from 100 h.p. to 150 h.p.
We are presently licensed for 1391 gpm or 3.1 cfs.
We are applying to increase 1.7 cfs to 4.8 cfs or 2154 gpm.
No additional irrigation lines will be added. The additional water will more adequately facilitate the present system.

4,5,3,2,1 - 1.7 cfs or 763 gpm increase over present pumping capacity.
Water is used from 4/1 to 11/1 (both dates inclusive)

4,5,3,2,2 - The well was drilled in 1953 by another owner. We are on the edge of the lava beds so I'm assuming much of the drilling was through solid lava rock. There is no history on file otherwise.

4/5/3/6/2 - This land is under an existing well, priority 3/16/53. It is not newly developed land and has had crop rotation of alfalfa, potatoes, grain since 1953. The acreage in each crop varies, but is approximately 1/3 for each crop.

In the past years I have not used the amount of water entitled to me for this acreage and the crops have suffered as to yield and stress. The well is an existing well. I am only asking for permission to upgrade it to the capacity of water I am entitled to - still using the same well and irrigation system. I would appreciate the expediting of this form as quickly as possible (by March 30, 1990) so the power company can upgrade their electrical system also. Thank you.

MICROFILMED

MAR 22 1990

Sincerely,

Paul Searle

Paul Searle

NAME OF APPLICANT Paul Seale

Form No. 1

License # 35-2309


Amount 3.1 c/s.

RD NW 1/4 NW 1/4 Sec 31

Priority 3/16/1953

* No existing well within 1/2 mi. radius
of existing well.

Well



MICROFILMED

MAR 22 1990

State of Idaho

License and Certificate of Water Right

Water License No. G-23903

Amount 3.1 second feet

Water District No.

Priority March 16, 1953

THIS IS TO CERTIFY that O. E. HIATT

of Blackfoot, Idaho, made application for a permit to appropriate the public waters of the State of Idaho, dated March 16, 1953; that Permit No. G-23903 was issued under said application; that Certificate of Completion of works, with a carrying capacity of 3.1 second feet, was issued thereunder on November 21, 1956, showing that said works were completed on the 2nd day of March, 1956; and that on the 2nd day of March, 1956, O. E. HIATT

of Blackfoot, State of Idaho, made proof to the satisfaction of the State Reclamation Engineer of Idaho, of the right to use the waters of a well

~~tributary of~~ (subterranean flow) for the purpose of irrigation

, under Use Permit No. G-23903 of the Department of Reclamation and that said right to the use of said waters has been perfected in accordance with the laws of Idaho, and is hereby confirmed by the State Reclamation Engineer of Idaho and entered of record in Volume

9 of Licenses at page 5866, on the 21st day of November, 1956;

The right hereby confirmed dates from March 16, 1953;

The Point of Diversion is located

same pld → in the NW ¼ NW ¼, Sec. 31, Tp. 1 S., R. 36 E., B. M. County Bingham

That the amount of water to which such right is entitled and hereby confirmed, for the purposes aforesaid, is limited to an amount actually needed and beneficially used for said purposes, and shall not exceed 3.1 cubic feet per second.

Description and location of use:

Twp.	Range	Sec.	Forty-acre Tract	No. Acres Described in Permit	No. Acres Actually Irrigated
1 S.	36 E.	30	NE ¼ 31 st	40	--
			SW ¼ 31 st	34	34
			SE ¼ 31 st	40	40
			SW ¼ 32 nd	--	20
			NE ¼ 32 nd	40	40
		31	NE ¼ 31 st	34	33
			SW ¼ 31 st	34	33
			SE ¼ 31 st	40	40
			NE ¼ 32 nd	33	--
			Total Number of Acres Actually Irrigated	--	240

same pld

NOT FILMED

MAR 22 1990

The right to the use of the water aforesaid hereby confirmed is restricted to the lands or place of use herein described, as provided by the laws of Idaho.

WITNESS the seal and signature of the State Reclamation Engineer, affixed at Boise, Idaho, this 21st day of November, 1956.

(SEAL)

MARK R. KULP

State Reclamation Engineer.

35 2309

FEB. 13, 1990

PAUL SEARLE
465 E. 1200 N.
SHELLEY, ID 83274

DEAR MR. SEARLE:

WE ARE CURRENTLY PROCESSING YOUR APPLICATIONS 35-08858
FOR A WATER RIGHT. FOR ANY APPLICATION OR PERMIT WHICH EXCEEDS
200 ACRES OR 5.00 CFS THE INFORMATION ON THE ATTACHED SHEETS
ARE REQUIRED BEFORE ANY FURTHER PROCESSING CAN TAKE PLACE.
PLEASE TRY TO ANSWER THE HIGHLIGHTED QUESTIONS TO THE BEST OF
YOUR ABILITY. IF YOU NEED ADDITIONAL CLARIFICATION PLEASE GIVE
ME A CALL AT 525-7161.

SINCERELY,

HAROLD W. JONES
WATER RESOURCE SUPERVISOR

RECORDED

MAR 22 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Eastern Region
150 Shoup Ave., Suite 15

Idaho Falls, Idaho 83402
(208) 525-7161

DECEMBER 22, 1989

THE MORNING NEWS
P.O. BOX 70
BLACKFOOT, ID 83221

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before JANUARY 22, 1990.

Yours truly,

Rita Bodell
Secretary

Encl.

MICROFILMED

MAR 22 1990

35-08858

SEARLE, PAUL
465 E. 1200 N.
SHELLEY, ID 83274

Source: GROUNDWATER

Diversion Pt: NWNW Sec 31 T 01S R 36E

Use: IRRIGATION (1.700 CFS)
 Total Diversion: (1.700 CFS)

Date Filed: 12/19/1989

In:	T01S R36E S30	SWSW	SESW	SWSE	
	S31	NENW	NWNW	SWNW	SENW

240.0 ACRES TOTAL

MICROFILMED

MAR 22 1990

The permit(s) will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203C, Idaho Code and/or the new public interest criteria of Sec. 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, 150 Shoup Ave., Suite 15, Idaho Falls, Idaho 83402 on or before JANUARY 22, 1990.

R. Keith Higginson, Director

Published 1/04/1990 & 1/11/1990

MICROFILMED

MAR 22 1990

RECEIVED

DEC 21 1989

December 20, 1989 Department of Water Resources
Eastern District Office

Department of Water Resources
Eastern District Office
150 Shoup Ave.
Idaho Falls, Id 83402

Attention: To whom it may concern:

Regarding: application to increase gallonage capacity of an existing well - priority of March 3, 1953, Depth - about 65 ft.
License No. 35-2309, Location: S. 31 T. 15 R. 36E, Bingham County.

Present estimated pumping capacity due to age and condition of pump: 1200 gpm.

Presently licensed for 1391 gpm or 3.1 cfs. Entitled to 4.8 cfs or 2154 gpm.

I purchased the above described farm in 1982. Since that time I have placed about 80 acres each year in the government ASCS diversion program. In so doing, I have been able to irrigate the balance barely. I have never had potatoes on this farm during that time.

Two developments have occurred this year that necessitate the increased gallonage and pressure from this well.

1. I am not participating in the ASCS program any longer, therefore out of necessity additional water for the previously diverted land is needed.
2. I am anticipating planting 100 acres of this land into potatoes to keep my rotation crop process in order and this will require more water and an assured constant supply.

For the above reasons and to insure the placement of the pump by April 15, 1990, I respectfully request that my application for the permit be given immediate priority for processing as there is much work that has to be done prior to turning the pump on. Time is of the essence. Thank you.

Sincerely,

Paul Searle

MICROFILMED

MAR 22 1990

December 14, 1989

Paul Searle
465 East 1200 North
Shelley, Idaho 83274

Dear Paul:

As requested I have made a system design review of the deep well irrigation pump on the Knutson farm. I find a definite need to increase the horsepower of this unit.

The existing pump is designed to pump approximately 1300 GPM at a discharge pressure of less than 60 PSI. After line & elevation head losses the remaining pressure is as seen at the pivot considerably less than the design pressure requirement of 60 PSI. The currently inadequate operating pressure on the hand lines is also explainable.

The pump is currently powered by a 100 H.P. electric motor. Calculations also show that your water system needs to be upgraded to approximately 2200 GPM to meet normal irrigation needs. A 150 H.P. Motor is recommended to meet your current pressure requirements and to minimize pumping system changes to obtain more volume.

Sincerely,



Mark J. Barnard
Electrical & Pump Sales
729 East Goshen Road
Firth, Idaho 83236

MICROFILMED

MAR 22 1990