




Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

SEP 15 1990

Kristie L Wagner
(Applicant)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
OCT 26 1992

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 35-8856

1. Owner: Kristie L. Wagner and Edward L. Wagner Phone No. _____
Current Address: 331 N 55th W IDAHO FALLS, ID 83402
2. Accompanied by: Kristie L. Wagner EXAM. DATE: 06/19/91
Address: Same Phone No. Same
Relationship to Permit Holder: holder
3. Source: groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: NONE ☐ Copies Attached
2. Other water rights with same point of diversion: NONE ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached




Scale: 1" = N/A

2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).
☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).
☐ Aerial Photo Attached (required for irrigation of 10 acres or more).

RECEIVED
JAN 26 1993

SCOTSVILLE
SUBDIVISION

R37E
T2N
Sec 18




561
CARIVISTA

ESTATES

55th WEST

JAN 26 1993

35-8856



JAN 26 1993

35-8856

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 35-08856

Priority: August 11, 1989

Maximum Diversion Rate:

0.10 CFS

Maximum Diversion Volume:

4.9 AF

This is to certify, that KRISTIE L WAGNER
EDWARD P WAGNER JR

331 N 55TH W

IDAHO FALLS ID 83402

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated August 8, 1989; and has submitted Proof of Beneficial Use on February 4, 1991. An examination indicates that the works have a diversion capacity of .100 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
STOCKWATER	01/01 to 12/31	0.02 CFS	0.1 AF
DOMESTIC	01/01 to 12/31	0.10 CFS	4.8 AF
	Totals	0.10 CFS	4.9 AF

LOCATION OF POINT(S) OF DIVERSION:

SESE , Sec. 18, Township 02N, Range 37E
BONNEVILLE County

PLACE OF USE: STOCKWATER
TWN RGE SEC

02N 37E 18 SESE

PLACE OF USE: DOMESTIC, same as STOCKWATER use

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. The issuance of this right in no way grants any right-of-way or easement across the land of another.
6. Domestic use is for 4 homes.

RECORDED

JAN 26 1993

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE


WATER RIGHT NO. 35-08856

CONDITIONS/REMARKS:

7. Stockwater use is for 6 sheep, 5 horses and 3 range cattle.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 15TH
day of DECEMBER, 1972.

Acting for R. Keith Higginson, Director



DEC 26 1972

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE STATE OF IDAHO

IN THE MATTER OF PERMIT NO. 35-8856 IN THE)
NAME OF KRISTIE L. AND EDWARD P. WAGNER, JR.) ORDER OF REINSTATEMENT
_____)

WHEREAS, the Department issued the above-captioned permit with the condition that proof of construction of works and application of water to beneficial use (proof of beneficial use) be submitted on or before February 1, 1991; and,

WHEREAS, the Department has notified the permit holders by certified mail that proof was due and instructed the permit holders as to the steps to be taken to make said proof; and,

WHEREAS, on February 1, 1991 the permit lapsed for failure of the permit holders to submit proof of beneficial use; and,

WHEREAS, Section 42-218a of the Idaho Code provides that a permit may be reinstated upon a showing of reasonable cause within sixty days of the date of lapsing; and,


WHEREAS, the permit holders have provided a reasonable showing as to why said permit should be reinstated by submitting proof of beneficial use on February 4, 1991;

IT IS, THEREFORE, HEREBY ORDERED that Permit No. 35-8856 be REINSTATED and the priority advanced to August 11, 1989.

Dated this 27th day of February, 1991.

RECEIVED

MAR 18 1991


L. GLEN SAXTON, Chief
Water Allocation Bureau

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 35-08856

Proposed Priority: August 8, 1989

Maximum Diversion Rate:

0.13 CFS

This is to certify, that **KRISTIE L. WAGNER**
EDWARD P. WAGNER, JR.
331 N. 55TH W.
IDAHO FALLS, ID 83402

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
STOCKWATER	01/01 to 12/31	0.02 CFS
DOMESTIC	01/01 to 12/31	0.11 CFS
	Totals	0.13 CFS

LOCATION OF POINT(S) OF DIVERSION:

SESE

Sec. 18, Township 02N, Range 37E
BONNEVILLE County

PLACE OF USE: STOCKWATER

TWN RGE SEC

02N 37E 18

SESE

PLACE OF USE: DOMESTIC, same as STOCKWATER use

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before February 1, 1991.
2. Subject to all prior water rights.
3. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
4. The issuance of this permit in no way grants any right-of-way or easement across the land of another.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

23 day of January, 1990.

for *[Signature]*
R. Keith Higginson, Director

FILED
FEB 15 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

Ident. No. _____

To appropriate the public waters of the State of Idaho

1. Name of applicant Kristie Lor Edward P. Wagner, Jr. Phone (208) 522-2939
Post office address 331 North 55th West, Idaho Falls, ID 83402
2. Source of water supply groundwater which is a tributary of _____
3. Location of point of diversion is _____ 1/4 of SE 1/4 of SE 1/4, Govt. Lot _____
Sec. 18 Township 2N Range 37E B.M. Bonneville County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
Amount .11 for domestic purposes from 1 Jan. to 31 Dec. (both dates inclusive)
(cfs or acre-feet per annum)
Amount .02 for stockwater purposes from 1 Jan. to 31 Dec. (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 11.13 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc. well and pump to distribution system for ^{5 (five)} ~~2 (two)~~ homes.
 - b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
 - c. Existing Proposed well diameter is 8" inches; Existing proposed depth of well is 225 feet.
 - d. Is ground water with a temperature of greater than 90°F being sought? NO
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
2 years years (minimum 1 year).

RECEIVED

FEB 13 1990

Remarks: Kristie and Edward
Marilyn and Aaron Bruce
Till and Kevin Davis
Susan and John R. Cox

12. Remarks:

10. Describe any other water rights used for the same purposes as described above. none

11. a. Who owns the property at the point of diversion? Well Association
b. Who owns the land to be irrigated or place of use? members of association
c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. association manager

Total number of acres to be irrigated -

[illegible]

9. Description of place of use:
a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
b. If water is used for other purposes, place a symbol of the use (example: *D for Domestic*) in the corresponding place of use below. See instructions for standard symbols.

8. Description of proposed uses (if irrigation only, go to item 9):


a. Hydropower; show total feet of head and proposed capacity in KW. _____

b. Stockwatering; list number and kind of livestock. 5 horses & 5 cows

c. Municipal; show name of municipality. _____

d. Domestic; show number of households. 5 households

e. Other; describe fully. _____



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned ~~_____~~ makes application for permit to appropriate the public waters of the State of Idaho as hereinafter set forth.

Feb 15 1990

Kristie L Wagner
(Applicant)

prepared by Dennis Dunn

Received by _____

Date 8-8-89

Time _____

Preliminary check by *DM*

Fee \$ 30.00

Received by *RB*

E 00 9772

Date 8-8-89

Published in *Post-Register*

Date 12-7-14-89

Publication prepared by *RB*

RB

Publication approved

Date 12-26-89

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of

Idaho No. _____, and said application is hereby _____

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before

_____, 19____.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other: _____

RECEIVED
FEB 15 1990

25-07526

SKAAR, KEITH
SKAAR, CHERIE
1826 E. 49TH N.
IDAHO FALLS, ID 83401
Source: GROUNDWATER
Diversion Pt: NENW Sec 4 T 02N R 38E
Use: STOCKWATER (.900 CFS)
Date Filed: 9/27/1989
In: T02N R38E S04 NENW
25-07549

LATTA, FRANCIS A.
177 E. 49 S., TOWNSHIP RD.
IDAHO FALLS, ID 83404
Source: GROUNDWATER
Diversion Pt: SESWSE Sec 31 T 02N R 38E
Use: IRRIGATION (.040 CFS)
STOCKWATER (.020 CFS)
DOMESTIC (.040 CFS)
Date Filed: 9/27/1989
In: T02N R38E S31 SWSE
2.0 ACRES TOTAL

25-07552
ARNOLD FEED LOT, INC.
3488 LINCOLN RD.
IDAHO FALLS, ID 83401
Source: GROUNDWATER
Diversion Pt: NWNW Sec 15 T 02N R 38E
Use: STOCKWATER (.150 CFS)
COMMERCIAL (.020 CFS)
DOMESTIC (.080 CFS)
Date Filed: 8/15/1989
In: T02N R38E S15 NWNW
25-07553

SUNNYSIDE ESTATES WATER USERS
C/O MARGARET CONANT
1882 E. SUNNYSIDE
IDAHO FALLS, ID 83404
Source: GROUNDWATER
Diversion Pt: NENENW Sec 33 T 02N R 38E
Use: DOMESTIC (.110 CFS)
Date Filed: 9/27/1989
In: T02N R38E S33 NENW
25-07554

CRM CO.
3004 WESTMORELAND CIRCLE
IDAHO FALLS, ID 83401
Source: GROUNDWATER
Diversion Pt: SWNWNW Sec 9 T 02N R 38E
Use: COMMERCIAL (.040 CFS)
Date Filed: 9/08/1989
In: T02N R38E S09 NWNW
25-07555

B & F DISTRIBUTING CO.
1095 IONA RD.
IDAHO FALLS, ID 83401
Source: GROUNDWATER
Diversion Pt: SWSWSE Sec 5 T 02N R 38E
Use: COMMERCIAL (.080 CFS)
Date Filed: 9/28/1989
In: T02N R38E S05 SWSE
25-07556

DUFFEY, ROMNEY B.
DUFFEY, VICTORIA G.
6990 RIMROCK DR.
IDAHO FALLS, ID 83401
Source: GROUNDWATER
Diversion Pt: NENW Sec 29 T 02N R 39E
Use: IRRIGATION (.060 CFS)
STOCKWATER (.020 CFS)
DOMESTIC (.040 CFS)
Date Filed: 9/18/1989
In: T02N R39E S29 NENW
3.0 ACRES TOTAL
35-08831

JOHNSON, J. WARD
JOHNSON, MARY V.
246 HARTERT DR.
IDAHO FALLS, ID 83404
Source: GROUNDWATER
Diversion Pt: NENENW Sec 26 T 02N R 36E
Use: STOCKWATER (.220 CFS)
DOMESTIC (.040 CFS)
Date Filed: 8/15/1989
In: T02N R36E S26 NENW
35-08849

STEEL, J. C.

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been
filed to appropriate the public waters of the
State of Idaho:

23-07134
DEMITROPOULOS, ALEX
DEMITROPOULOS, ILA
431 3 RD ST.
IDAHO FALLS, ID 83401
Source: PALISADES CREEK; Tributary:
SNAKE RIVER
Diversion Pt: SWSE Sec 26 T 01N R 44E
Use: IRRIGATION (.030 CFS)
Date Filed: 11/08/1989
In: T01N R44E S26 SWSE
1.0 ACRES TOTAL

23-07141
RUUD, DOUG
P.O. BOX 564
PALISADES, ID 83437
Source: GROUNDWATER
Diversion Pt: SENW Sec 25 T 01S R 45E
Use: DOMESTIC (.200 CFS)
Date Filed: 9/29/1989
In: T01S R45E S23 NESE
S24 NESW NWSW SWSW SESW
S25 NENW NWNW SENW NESW
23-07142

QUAKER HAVEN WELL ASSOCIA-
TION
1285 CORINNE
IDAHO FALLS, ID 83402
Source: GROUNDWATER
Diversion Pt: SENW Sec 25 T 01S R 45E
Use: DOMESTIC (.180 CFS)
Date Filed: 9/07/1989
In: T01S R45E S25 SENW
24-07173

BUDGE, JR., THOMAS A.
P.O. BOX 488
NEW CANAAN, CT 06840
Source: UNNAMED SPRINGS; Tributary:
NEWSWANDER CREEK
Diversion Pt: NWNWNW Sec 16 T 04S R 46E
SESENE Sec 17 T 04S R 46E
Use: DOMESTIC (.040 CFS)
Date Filed: 9/28/1989
In: T04S R46E S16 NWNW

1615 W. 49TH N.
IDAHO FALLS, ID 83402
Source: GROUNDWATER
Diversion Pt: SWSWSE Sec 4 T 03N R 36E
Use: IRRIGATION (3.900 CFS)
Date Filed: 8/25/1989
In: T03N R36E S03 NWNW SWNE NENW
NWNW SWNW SENW NESW NWSW
SWSW SESW NWSE SWSE
S04 NENE NWNE SWNE SENE NESE
NWSE SWSE SESE
780.0 ACRES TOTAL
This is a supplemental water right applica-
tion. Lands under this application are irriga-
ted with existing rights from groundwa-
ter.

35-08853
CUTLER, BEVERLY
CUTLER, MARION L.
1723 S. GRIZZLY AVE.
IDAHO FALLS, ID 83402
Source: GROUNDWATER
Diversion Pt: NWNWNE Sec 26 T 02N R 37E
Use: IRRIGATION (.030 CFS)
DOMESTIC (.140 CFS)
Date Filed: 8/28/1989
In: T02N R37E S26 NWNE
1.0 ACRES TOTAL

35-08854
AHLSTROM, FARRELL
ANDRUS, JR., DOUG
CHUMLEY, ORVILLE
HARRIELL, LADON
MATHERN, GRETCHEN
MATHERN, RUTH
2361 N. 35TH W.
IDAHO FALLS, ID 83401
Source: GROUNDWATER

Diversion Pt: NESE Sec 9 T 02N R 37E
Use: IRRIGATION (.080 CFS)
DOMESTIC (.080 CFS)
Date Filed: 8/14/1989
In: T02N R37E S09 NESE
4.0 ACRES TOTAL

35-08855
SHURLIFF, MERLENE
SHURLIFF, RODNEY
3425 W. APRIL DR.
IDAHO FALLS, ID 83402
Source: GROUNDWATER
Diversion Pt: NWNW Sec 34 T 02N R 37E
Use: STOCKWATER (.020 CFS)
DOMESTIC (.060 CFS)
Date Filed: 9/07/1989
In: T02N R37E S34 NWNW
35-08856

WAGNER, JR., KRISTIE L.
WAGNER, JR., EDWARD P.
331 N. 55TH W.
IDAHO FALLS, ID 83402
Source: GROUNDWATER
Diversion Pt: SESE Sec 18 T 02N R 37E
Use: STOCKWATER (.020 CFS)
DOMESTIC (.110 CFS)
Date Filed: 8/08/1989
In: T02N R37E S18 SESE

The permit(s) will be subject to all prior
water rights. Protests may be submitted
based on the criteria of Sec. 42-203A, Idaho
Code and/or the new public interest cri-
teria of Sec. 42-203C, Idaho Code. Protests
must be filed with the Director, Dept. of
Water Resources, 150 Shoup Ave., Suite
15, Idaho Falls, Idaho 83402 on or before
DECEMBER 26, 1989.

R. Keith Higginson, Director
Published: December 7, 14, 1989

24-07174
CLAUSEN, CHARLES P.
9814 S. CHYLENE DR.
SANDY, UT 84092
Source: UNNAMED SPRING; Tributary:
NEWSWANDER CREEK
Diversion Pt: SESENE Sec 17 T 04S R 46E
Use: DOMESTIC (.040 CFS)
Date Filed: 10/27/1989
In: T04S R46E S16 NWNW
24-07175

SINARSKI, JAMES J.
BOX 183
ALPINE, WY 83128
Source: SPRING; Tributary: NEWS-
WANDER CREEK
Diversion Pt: NWNWSE Sec 16 T 04S R 46E
Use: STOCKWATER (.020 CFS)
DOMESTIC (.060 CFS)
Date Filed: 8/04/1989
In: T04S R46E S16 NWSE
25-07509

GRAYSON SUBDIVISION WATER CO.
C/O ED GRAYSON
P.O. BOX 2511
IDAHO FALLS, ID 83403
Source: GROUNDWATER
Diversion Pt: NENWNE Sec 10 T 03N R 38E
Use: DOMESTIC (.170 CFS)
IRRIGATION (.060 CFS)
Date Filed: 8/10/1989
In: T03N R38E S10 NENE NWNE
2.0 ACRES TOTAL

25-07513
VERN CLARK & SONS CONSTRUC-
TION CO.
P.O. BOX 1529
IDAHO FALLS, ID 83403
Source: GROUNDWATER
Diversion Pt: NWNW Sec 8 T 02N R 38E
Use: COMMERCIAL (.040 CFS)
Date Filed: 8/21/1989
In: T02N R38E S08 NWNW

MICROFILMED

FEB 15 1990



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

December 16, 1992

KRISTIE L WAGNER
EDWARD P WAGNER JR
331 N 55TH W
IDAHO FALLS ID 83402

RE: WATER RIGHT NO. 35-08856

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

A handwritten signature in cursive script that reads 'Pamela Skaggs'.

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

JAN 26 1993



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

November 20, 1992

KRISTIE L WAGNER
EDWARD P WAGNER JR
331 N 55TH W
IDAHO FALLS ID 83402

RE: WATER RIGHT NO. 35-08856

Dear Water Right Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

RECEIVED

JAN 26 1993

LICENSE REVIEW CHECKLIST

Permit # 35-8856

Date 11-19-92
98

	Yes	No	
NAME	☐	☒	Address Change?
PRIORITY DATE	☐	☒	Advance?
	☐	☒	Memo to Advance
	☐	☒	Order to Reinstate Needed? <u>Done</u>
TOTAL CFS	☐	☒	Incorrect Fee for rate recommended?
	☐	☐	Disagree with Actual Measurement?
	☐	☐	<u>.10 cfs (DOM) .02 cfs (STOCK)</u>
	☐	☒	Disagree with Theoretical?
	☒	☐	Limited by Capacity? <u>.10 cfs</u>
TOTAL VOLUME			Rate/ac <u> </u> AFA Irr. Season <u> </u>
			<u> </u> Standard Irr. Season
			<u> </u> Season Recommended
	☒	☐	Disagree with Examiner's Calculations?
	☐	☒	<u>4 x 1.2 = 4.8 afa (DOM) 9 x .0134 = .12 afa (stock)</u>
	☐	☒	Limited by Flow?
SOURCE	☐	☒	Changes? Clarification of <u>Originally</u>
	☐	☒	<u>Intended</u> source
	☐	☒	Notice of Intent to Void.
P/D	☐	☒	Verify with Map
	☐	☒	Amendment Needed?
	☐	☒	Is Overlap Analysis a Consideration?
P/U	☐	☒	Verify with Map
	☐	☒	Amendment Needed?
	☐	☒	Is Overlap Analysis a Consideration?
USES	☐	☒	Change(s) in Nature of Use?
	☐	☒	Amendment Needed?
REMARKS	☐	☒	Multiple P/Ds in 1/4 1/4?
	☒	☐	Non-Irr. Uses <u>DOM/4 Homes</u> <u>STOCK/6 Sheep, 5 horses</u>
	☐	☒	Special Overlap Condition <u>+ 3 range cattle</u>
	☐	☒	Other <u> </u>
CONDITIONS	☐	☒	Measuring Device
	☐	☒	W/Master Control
	☐	☒	Overlap
	☐	☒	Water Quality
	☐	☒	DATES/MISC
	☐	☒	Water Dist.
	☐	☒	App Rec'd
	☐	☒	Exam Made
COMMENTS/MEMOS NEEDED:	<u>Reduced rate</u>		
	<u> </u>		
	<u> </u>		
License	<u> </u>	10-Day ☒	15-Day <u> </u> Special Correspondence <u> </u>

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

35-8856
Permit No.

Staff Analysis Sheet
for
Beneficial Use Field Report

A. Prior to Conducting the Exam, the File Contains:

- ☒ Blank Field Report Form
- ☒ Copy of Permit
- ☒ Copies of any Amendments/Orders with conditions of approval
- ☐ Computer Data Proof Report
- ☒ Copy of U.S.G.S. Quad
- ☒ Check for Government Lots. If so, make a copy of Government Plat

Check of P/O index AWP 06/17/91 (Initial and date)

Overlap? ☐ yes ☒ no If yes: ☐ copy of exam(s) attached?

Type of Overlap? ☐ Add acres or uses to existing system

☐ Increase rate of flow or volume

☐ Other: _____

Check of P/U index AWP 06/17/91 (Initial and date)

Overlap? ☐ yes ☒ no If yes: ☐ copy of water right(s) attached?

Type of Overlap? ☐ Increase rate of flow or volume

☐ Add P/O's

☐ Increase number of acres within tracts

☐ Other: _____

Aerial Photo

Required? ☐ yes ☒ no If yes: ☐ copy attached?

Scheduling Letter sent? _____ (Initial and date)

☐ Appointment made and telephone conversation memo attached

B. After Conducting the Exam, the File Contains:

- ☐ Fully completed and signed Field Report Form
- ☐ Photographs of Point of Diversion and Place of Use
- ☐ Corrected Computer Data Proof Report with recommended license information, and date and signature of examiner.

C. Review and Processing:

Exam Completed 6-19-91 Alvin Ponce (Signature of examiner and date)

Exam Reviewed by Senior Water Resource Agent [Signature] (Initial and date)

Exam Reviewed by Manager of Regional Office _____ (Initial and date)

Exam Date Entered in Computer _____ (Initial and date)

Exam sent to State Office _____ (Initial and date)

Copy of Staff Analysis Sheet sent to Manager of Regional Office and Original
Refiled in White File _____ (Initial and date)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
OCT 26 1992

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 35-8856


1. Owner: Kristie L. Wagner and Edward L. Wagner Phone No. _____
Current Address: 331 N 55th W IDAHO FALLS, ID 83402
2. Accompanied by: Kristie L. Wagner EXAM. DATE: 06/19/91
Address: Same Phone No. Same
Relationship to Permit Holder: holder
3. Source: groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: NONE ☐ Copies Attached
2. Other water rights with same point of diversion: NONE ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = N/A

2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required). ☐ Aerial Photo Attached (required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

Well, pump 2 pressure tanks, 4 houses and stock water 5 horses, 3 cows, 6 sheep

houses - 331 N SStW
255N SStW
357N SStW
287N SStW
water level - 225 ft based on well log (attached) on neighboring well for Collin Hightower ☐ See Remarks on page 4 for continuation

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Jacuzzi	5HP	—	—	—

4. Points(s) of Diversion:

Ident. No.	Gov't. Lot	%	%	%	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
					SE 18	2N	37E	Bonaville	USGA Quad and on site inspection

6. Place(s) of Use:

Indicate Method of Determination

Twp.	Rge.	Sec.	NE%	NW%	SW%	SE%	NE%	NW%	SW%	SE%	NE%	NW%	SW%	SE%	NE%	NW%	SW%	SE%	Totals
2N	37E	18																	40
																			5

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Well Probe	Olympic	Actat	500		500'	

2. Measurements:

operating pressure - 40 psi - 52 psi (installed gage)
 water level - 200' (according to permit holder)
 unable to obtain water level with well probe - see #3-narrative

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) : Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

4 homes @ 1.2 af/home = 4.8 af for Domestic

2 head of Stock (large Annual requirements) = 0.2 af

H. REMARKS AND OVERLAP REVIEW ANALYSIS

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (af)
	From	To		
Dams (4 units)	1-1	12-31	0.09	4.8
Stock	1-1	12-31	0.02	0.2
			0.10 cfs	

Totals:

0.09 cfs
(New additive)

2. Recommended Amendments

- ☐ Change P.D. as reflected above
☐ Change P.U. as reflected above
☐ Add P.D. as reflected above
☒ None
☐ Other

J. AUTHENTICATION

Field Examiner's Name Alan W. Paris
Signature Alan W. Paris
Certification Date _____
Field Report Preparation Date _____

CONSULTANT SEAL

K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

FLOW CALCULATIONS


$$Q = \frac{hp (8.814) \text{ eff}}{\text{Lift} + (PSI \times 2.308)}$$
$$= \frac{5(8.814)(0.7)}{225 + (40 \times 2.308)} = 0.097 \text{ cfs} = \underline{\underline{0.10 \text{ cfs}}}$$

35-8856 JAN 26 1993

R 37E

Page 18

22-4



35- 8856

LOT 3
Scot Sullivan

Form 238-I
05/90

Department of Water Resources

WELL INSPECTION FORM

If well is associated with water right, provide WR# 35-8856

Otherwise provide legal description and a sketch map and/or address so that the well can be located easily.

1. Legal Description: TWP 2N, Rge 37E, Sec. 18, SE 1/4 SE 1/4 or Lot _____.
2. Owner: Kristie L. Wagner and Edward P. Wagner
Address 331 N 55th W, City Idaho Falls, St Id.
3. Casing $\geq$ 12 inches above ground: Yes ☒ No ☐
4. Access Port: Yes ☒ No ☐ Static Water Level: _____
Pressure Gauge: Yes ☒ No ☐ Casing Diameter: 8 1/2
Flowing: Yes ☐ No ☐ Temperature: _____
5. Are there any obvious construction problems that may be a source for contamination or waste of water: Yes ☐ No ☒

If answer to Item 5 is Yes, describe in remarks and attach photo.

Remarks: _____

JAN 26 1993

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources **AUG 31 1977**
date of the completion or abandonment of the well

1. WELL OWNER

Name Callin Hightower
Address Rt 5 Box 63 Ida Falls
Owner's Permit No. _____

7. WATER LEVEL

Department of Water Resources
Eastern District OfficeStatic water level 225 feet below land surface
Flowing? ☐ Yes ☒ No G.P.M. flow _____
Temperature _____ ° F. Quality _____
Artesian closed-in pressure _____ p.s.i.
Controlled by ☐ Valve ☐ Cap ☐ Plug

2. NATURE OF WORK

☒ New well ☐ Deepened ☐ Replacement
☐ Abandoned (describe method of abandoning)

8. WELL TEST DATA

☐ Pump ☐ Bailer ☐ Other

Discharge G.P.M.	Draw Down	Hours Pumped

3. PROPOSED USE

☒ Domestic ☐ Irrigation ☐ Test ☐ Other (specify type)
☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection

4. METHOD DRILLED

☐ Cable ☒ Rotary ☐ Dug ☐ Other

5. WELL CONSTRUCTION

Diameter of hole 6 inches Total depth 260 feet
Casing schedule: ☐ Steel ☐ Concrete

Thickness	Diameter	From	To
<u>.250</u> inches	<u>6</u> inches	<u>1</u> feet	<u>15</u> feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet


Was casing drive shoe used? ☐ Yes ☒ No
Was a packer or seal used? ☐ Yes ☒ No
Perforated? ☐ Yes ☒ No
How perforated? ☐ Factory ☐ Knife ☐ Torch
Size of perforation _____ inches by _____ inches

Number	From	To
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet

Well screen installed? ☐ Yes ☒ NoManufacturer's name _____
Type _____ Model No. _____
Diameter _____ Slot size _____ Set from _____ feet to _____ feet
Diameter _____ Slot size _____ Set from _____ feet to _____ feetGravel packed? ☐ Yes ☒ No Size of gravel _____
Placed from _____ feet to _____ feetSurface seal depth 18 Material used in seal ☐ Cement grout
☐ Pudding clay ☒ Well cuttings
Sealing procedure used ☐ Shurry pit ☐ Temporary surface casing
☒ Overbore to seal depth

6. LOCATION OF WELL

Sketch map location must agree with written location.



Subdivision Name _____

Lot No. _____ Block No. _____

County BonnevilleSE $\frac{1}{4}$ SE $\frac{1}{4}$ Sec. 18, T. 2 N. S. R. 37 E. W.

10.

Work started June 28, 77 finished June 29, 77

11. DRILLERS CERTIFICATION

Firm Name Danning Well Drilling Firm No. 10Address Box 64 Udon Idaho IdahoSigned by (Firm Official) Araceli Danning
and
(Operator) Scott Danning

March 12, 1991

KRISTIE L. WAGNER
EDWARD P. WAGNER, JR.
331 N. 55TH W.
IDAHO FALLS, ID 83402

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 35-08856

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. Enclosed is an order advancing the priority of the permit since the proof was received after the proof due date. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the EASTERN Regional Office in Idaho Falls at (208)525-7161.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

Enclosure

MICROFILMED

MAR 18 1991

ANALYSIS SHEET
for
PROOF OF BENEFICIAL USE

Permit No. 35-8856

Date 2-21-91

GENERAL CONSIDERATIONS

☒ Name same as permit?
☒ Address same as permit? If no, prepare data entry form.
☒ Proof timely received? If no, complete priority advancement below.

SOURCE OF WATER

☐ Surface water source
☒ Ground water source
NO Drill permit req'd?
Copy in file? Drill permit no. _____
1976 / Well log in file?
/ Amt paid for drilling permit? _____ Correct?

LICENSE EXAMINATION FEE

☒ Required?
50.00 Amount submitted?
☒ Correct amount?

MEASURING DEVICE

NO Measuring device or access port required?
/ Installed?
/ Waiver requested or needed?

DEFICIENCIES OR ACTION ITEMS

Proof acceptable when reinstated

PRIORITY CALCULATION

Date proof received Feb 4, 1991 35
Date proof due Feb 1, 1991 - 32
No. of days late = 3
Priority date Aug 8, 1989 + 220
NEW PRIORITY DATE Aug 11, 1989 = 223

LB

RECEIVED
FEB 04 1991

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

Department of Water Resources

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

- Permit No. 35-08856 Telephone No. 522-2939
- Name(s) of Permit Holder(s): KRISTIE L. WAGNER, EDWARD P. WAGNER, JR
- Post Office Address: 331 N. 55th WEST, IDAHO FALLS, ID. 83402
- Source of Water: SCOTSVILLE WELL #2
 - If ground water, well driller's name: ANDRUS WELL DRILLING Date drilled: MARCH 1976
 - Pump horsepower: 5 H.P. Pressure (psi): 45 Dynamic pumping level (ft.): 230 ft
- Extent of Use:

Domestic 4 (No. of households) Irrigation 0 (No. of acres)
6-5466P
 Stockwater 5-COWS (No. and type of stock) Other _____
4-HORSES

6. Total rate and/or volume for which proof is submitted 0.13 cfs _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? Yes ☒ No ☒ Installed? Yes ☒ No ☒
 OR
 Flow Measurement Port: Required? Yes ☒ No ☒ Installed? Yes ☒ No ☒

8. Fee Enclosed: \$ 50.00 (See License Examination Fee Schedule)

9. Person to contact to accompany the Department representative during the field examination:

EDWARD OR KRISTIE WAGNER
 Name

522-2939
 Telephone No.

331 N 55th WEST, IDAHO FALLS, ID. 83402
 Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

Date

11/30/91

Signature (and title if on behalf of a company or organization)

Edward P. Wagner

138809

November 30, 1990

KRISTIE L. WAGNER
EDWARD P. WAGNER, JR.
331 N. 55TH W.
IDAHO FALLS, ID 83402

PROOF DUE NOTICE

RE: PERMIT NO. 35-08856

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before February 1, 1991. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

RECORDED

NOV 1 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Statehouse
Boise, Idaho 83720
(208) 327-7900
January 24, 1990

KRISTIE L. WAGNER
EDWARD P. WAGNER, JR.
331 N. 55TH W.
IDAHO FALLS, ID 83402

PERMIT APPROVAL NOTICE

RE: PERMIT NO.. P35-08856

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

You should be aware that the groundwater you propose to divert is located within a drainage basin where surface waters are regulated during the months of low flow. It is possible that diversion of groundwater may have an adverse impact on these surface water flows. Information available to us at this time does not warrant refusing to issue permits in your area, but we do caution that diversions of groundwater are not allowed to deplete flows available for surface water users with earlier priority dates. Siting your well as far from surface sources as possible and casing out upper water producing zones may reduce the potential of interference.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Proof of

RECEIVED

FEB 15 1990

Beneficial Use" that must be submitted to the Department when your project is completed. If development is complete, you may submit proof of beneficial use immediately.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

MICROFILMED

FEB 15 1979

Form No. 202a
4/87

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT ANALYSIS SHEET

35-8856

INITIAL REVIEW BY Senn's M. Dunn DATE 19 Oct 89 APPLICATION NUMBER _____

REQUIRED INFORMATION

Kristi or Edward Wagner


- ☒ Name (If applicant is a corporation or partnership, names must be provided for the director, officers, & other partners.)
- ☒ Address
- ☒ Source (See USGS Quad for names of water sources)
- ☒ Point of Diversion (10 acres for spring, lot & block descriptions for subdivisions, local name, flow and/or volume)
- ☒ County
- ☒ Quantity (flow and/or volume)
- ☒ Period of Use
- ☒ Nature of proposed use (Include description of use.)
- ☒ Description of diverting works
- ☒ Time required for beneficial use of water
- ☒ Place of use or acres irrigated
- ☒ Map
- ☒ Signature (If applicant is corp. partnership, or municipality, title of signator is required)
- ☒ Fee
- ☒ Yes _____ No* In form to receipt

ADDITIONAL INFORMATION

- _____ Overlapping place of use (Describe source & relationship to present application on the back.)
- _____ Overlapping point of diversion
- _____ Yes ☒ No Field check required
- _____ Yes ☒ No Field check by _____
- _____ Yes ☒ No Field report attached
- _____ Yes ☒ No Critical groundwater area
- _____ Yes ☒ No Groundwater management area
- _____ Yes ☒ No Send dam safety information
- _____ Yes ☒ No Send power requirement letter
- _____ Yes ☒ No Send fish farm requirement letter
- _____ Yes ☒ No Power residency affidavit
- _____ Yes ☒ No Power efficiency form
- _____ Yes ☒ No Within trustwater boundary (If yes, attach trust water supplementary analysis sheet.)
- _____ Yes ☒ No Diversion greater than 5 cfs or 500 acre ft. (If yes, attach large diversion supplementary analysis sheet.)
- _____ See reverse side for additional information

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT

_____ Date Requested _____



Department of Water Resources

PROCESSING ☒ Yes ☐ No In form for advertising
☐ Yes ☒ No Statewide advertising
☒ Yes ☐ No Fee amount, receipt date & No. recorded on application

SEND COPIES TO ☐ Idaho Dept. of Health & Welfare ☐ U.S. BLM
☐ Idaho Dept. of Fish & Game ☐ U.S. Forest Service
☐ Idaho Dept. of Lands ☐ Water District
☐ Adjudication Bureau Unit ☐ Other _____

FINAL REGIONAL PROCESSING REVIEW

☒ Yes ☐ No Affidavit of publication received
☒ Yes ☐ No Application published correctly. If not, record action taken.

☒ Yes ☐ No Publication dates & paper, recorded on application
☐ Yes ☒ No Protests received
Final date for protest 12-26-89
☐ Yes ☐ No Protests, dates, resolution of protest, recorded on application
☐ Yes ☒ No Recommendations attached
☐ Yes ☒ No Measuring device required
☐ Yes ☒ No Access port required
☒ Yes ☐ No Will water be delivered by watermaster? If yes, what Dist. 01-P05
☐ Yes ☐ No Special conditions of approval or cover letter below. _____

See below for additional information

Date of priority recommended 8-8-89
By HWS Date 12-27-89

STATE OFFICE REVIEW P05, P23 P/K 46 04

See below for additional information

By EW Date 1-4-90

ADDITIONAL INFORMATION

App. in TRUST area - DCMI
allow 1 yr. to develop B/U -

29-Nov-1989

Edward Wagner, Jr.
331 N. 55th W.
Idaho Falls, ID 83402

RE: Application for Permit No. 35-8856

Dear Water Right Applicant:

The Department of Water Resources acknowledges receipt of your water right permit. This office is currently in the process of advertising the application in the Post-Register. The advertisement will be published for two consecutive weeks, and a period of ten days following the second publication will be allowed for the submittal of protests.

If the application is protested, you will be sent a copy of the protest. The protest must be resolved before the application is approved or denied. If the protest is not resolved voluntarily, this Department will conduct a conference and/or hearing on the matter.

If the application is not protested, it will be forwarded to our state office in about five weeks. State office personnel will conduct a complete review prior to final processing of the application and will notify you of the outcome of this review. When a permit is issued, you will be sent a copy. A typical processing time for an unprotested application is about eight weeks.

Please feel free to contact this office if you have any questions regarding this procedure.

Sincerely,

HAROLD W. JONES
Water Rights Supervisor

HWJ/rb

RECEIVED

FEB 15 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Eastern Region
150 Shoup Ave., Suite 15

Idaho Falls, Idaho 83402
(208) 525-7161

NOVEMBER 28, 1989

THE POST-REGISTER
P.O. BOX 1800
IDAHO FALLS, ID 83403

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before DECEMBER 26, 1989.

Yours truly,

Rita Bodell
Secretary

Encl.

RECEIVED

FEB 15 1990

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed appropriate the public waters of the State of Idaho:

RECEIVED

FEB 15 1990

35-08856

WAGNER, JR., KRISTIE L.
WAGNER, JR., EDWARD P.
331 N. 55TH W.
IDAHO FALLS, ID 83402

Source: GROUNDWATER

Diversion Pt: SESE Sec 18 T 02N R 37E

Use: STOCKWATER (.020 CFS)
DOMESTIC (.110 CFS)

Date Filed: 8/08/1989

In: T02N R37E S18 SESE

MICROFILMED

FEB 13 1990

The permit(s) will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code and/or the new public interest criteria of Sec. 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, 150 Shoup Ave., Suite 15, Idaho Falls, Idaho 83402 on or before DECEMBER 26, 1989.

R. Keith Higginson, Director

Published 12/07/1989 & 12/14/1989

MICROFILMED

FEB 15 1990