


13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Steve B. Goodwin
(Applicant)

MICROFILMED

MAY 23 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
JUL 26 1993

Department of Water Resources

A. GENERAL INFORMATION


1. Owner: Steve Goodwin Permit No. 35-08847
Current Address: 183 S. 1000 W. Blackfoot, ID Phone No. 684-2077
2. Accompanied by: Applicant EXAM. DATE: 6-10-92
Address: _____ Phone No. _____
Relationship to Permit Holder: _____
3. Source: Groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: Watson Slough Ditch water ☐ Copies Attached
2. Other water rights with same point of diversion: 35-08090 ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = _____

2. ☐ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required). ☒ Aerial Photo Attached (required for irrigation of 10 acres or more).
☐ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).

APPROVED
AUG 26 1993

This aerial map shows a wetland area with several annotations and labels. The map is divided into sections by dashed lines. Key features include:

- Top Left:** A green hatched area labeled "T1925 2552". Below it is a light green area labeled "Pivot".
- Top Right:** A green hatched area labeled "MHEL 2 14.7". A blue arrow points to a "Place of Use" (highlighted in yellow).
- Middle Left:** A light green area labeled "MHEL 1 55.5". Below it is a dashed line labeled "T24841 2552 NHEL 1 10.0".
- Middle Right:** A light green area labeled "T1924 2". A blue arrow points to a "Point of Diversion" (highlighted in yellow).
- Bottom Left:** A light green area labeled "T1976 2552". Below it is a light green area labeled "NHEL 4 24.5".
- Bottom Center:** A light green area labeled "NHEL 3 6.4". Below it is a light green area labeled "HEL 3 6.4".
- Bottom Right:** A light green area labeled "T2136 2659". Below it is a light green area labeled "HEL 1 37.1".
- Far Right:** A light green area labeled "T24923 2395". Below it is a light green area labeled "3 10.7".
- Far Bottom Right:** A light green area labeled "T1987 431". Below it is a light green area labeled "HEL 2 17.8".
- Other Labels:** "R34E" (highlighted in yellow), "35-8847" (highlighted in yellow), "35-08090" (highlighted in yellow), "MICROT" (highlighted in red), "8.9", "17.16", "14", "13.9", "8.1", "17.3", "16.0", "17.2", "10.7", "4.8", "4.3", "11.1", "11.3", "18.4", "17.8", "1.1", "1.2", "1.3", "1.4", "1.5", "1.6", "1.7", "1.8", "1.9", "2.0", "2.1", "2.2", "2.3", "2.4", "2.5", "2.6", "2.7", "2.8", "2.9", "3.0", "3.1", "3.2", "3.3", "3.4", "3.5", "3.6", "3.7", "3.8", "3.9", "4.0", "4.1", "4.2", "4.3", "4.4", "4.5", "4.6", "4.7", "4.8", "4.9", "5.0", "5.1", "5.2", "5.3", "5.4", "5.5", "5.6", "5.7", "5.8", "5.9", "6.0", "6.1", "6.2", "6.3", "6.4", "6.5", "6.6", "6.7", "6.8", "6.9", "7.0", "7.1", "7.2", "7.3", "7.4", "7.5", "7.6", "7.7", "7.8", "7.9", "8.0", "8.1", "8.2", "8.3", "8.4", "8.5", "8.6", "8.7", "8.8", "8.9", "9.0", "9.1", "9.2", "9.3", "9.4", "9.5", "9.6", "9.7", "9.8", "9.9", "10.0", "10.1", "10.2", "10.3", "10.4", "10.5", "10.6", "10.7", "10.8", "10.9", "11.0", "11.1", "11.2", "11.3", "11.4", "11.5", "11.6", "11.7", "11.8", "11.9", "12.0", "12.1", "12.2", "12.3", "12.4", "12.5", "12.6", "12.7", "12.8", "12.9", "13.0", "13.1", "13.2", "13.3", "13.4", "13.5", "13.6", "13.7", "13.8", "13.9", "14.0", "14.1", "14.2", "14.3", "14.4", "14.5", "14.6", "14.7", "14.8", "14.9", "15.0", "15.1", "15.2", "15.3", "15.4", "15.5", "15.6", "15.7", "15.8", "15.9", "16.0", "16.1", "16.2", "16.3", "16.4", "16.5", "16.6", "16.7", "16.8", "16.9", "17.0", "17.1", "17.2", "17.3", "17.4", "17.5", "17.6", "17.7", "17.8", "17.9", "18.0", "18.1", "18.2", "18.3", "18.4", "18.5", "18.6", "18.7", "18.8", "18.9", "19.0", "19.1", "19.2", "19.3", "19.4", "19.5", "19.6", "19.7", "19.8", "19.9", "20.0", "20.1", "20.2", "20.3", "20.4", "20.5", "20.6", "20.7", "20.8", "20.9", "21.0", "21.1", "21.2", "21.3", "21.4", "21.5", "21.6", "21.7", "21.8", "21.9", "22.0", "22.1", "22.2", "22.3", "22.4", "22.5", "22.6", "22.7", "22.8", "22.9", "23.0", "23.1", "23.2", "23.3", "23.4", "23.5", "23.6", "23.7", "23.8", "23.9", "24.0", "24.1", "24.2", "24.3", "24.4", "24.5", "24.6", "24.7", "24.8", "24.9", "25.0", "25.1", "25.2", "25.3", "25.4", "25.5", "25.6", "25.7", "25.8", "25.9", "26.0", "26.1", "26.2", "26.3", "26.4", "26.5", "26.6", "26.7", "26.8", "26.9", "27.0", "27.1", "27.2", "27.3", "27.4", "27.5", "27.6", "27.7", "27.8", "27.9", "28.0", "28.1", "28.2", "28.3", "28.4", "28.5", "28.6", "28.7", "28.8", "28.9", "29.0", "29.1", "29.2", "29.3", "29.4", "29.5", "29.6", "29.7", "29.8", "29.9", "30.0", "30.1", "30.2", "30.3", "30.4", "30.5", "30.6", "30.7", "30.8", "30.9", "31.0", "31.1", "31.2", "31.3", "31.4", "31.5", "31.6", "31.7", "31.8", "31.9", "32.0", "32.1", "32.2", "32.3", "32.4", "32.5", "32.6", "32.7", "32.8", "32.9", "33.0", "33.1", "33.2", "33.3", "33.4", "33.5", "33.6", "33.7", "33.8", "33.9", "34.0", "34.1", "34.2", "34.3", "34.4", "34.5", "34.6", "34.7", "34.8", "34.9", "35.0", "35.1", "35.2", "35.3", "35.4", "35.5", "35.6", "35.7", "35.8", "35.9", "36.0", "36.1", "36.2", "36.3", "36.4", "36.5", "36.6", "36.7", "36.8", "36.9", "37.0", "37.1", "37.2", "37.3", "37.4", "37.5", "37.6", "37.7", "37.8", "37.9", "38.0", "38.1", "38.2", "38.3", "38.4", "38.5", "38.6", "38.7", "38.8", "38.9", "39.0", "39.1", "39.2", "39.3", "39.4", "39.5", "39.6", "39.7", "39.8", "39.9", "40.0", "40.1", "40.2", "40.3", "40.4", "40.5", "40.6", "40.7", "40.8", "40.9", "41.0", "41.1", "41.2", "41.3", "41.4", "41.5", "41.6", "41.7", "41.8", "41.9", "42.0", "42.1", "42.2", "42.3", "42.4", "42.5", "42.6", "42.7", "42.8", "42.9", "43.0", "43.1", "43.2", "43.3", "43.4", "43.5", "43.6", "43.7", "43.8", "43.9", "44.0", "44.1", "44.2", "44.3", "44.4", "44.5", "44.6", "44.7", "44.8", "44.9", "45.0", "45.1", "45.2", "45.3", "45.4", "45.5", "45.6", "45.7", "45.8", "45.9", "46.0", "46.1", "46.2", "46.3", "46.4", "46.5", "46.6", "46.7", "46.8", "46.9", "47.0", "47.1", "47.2", "47.3", "47.4", "47.5", "47.6", "47.7", "47.8", "47.9", "48.0", "48.1", "48.2", "48.3", "48.4", "48.5", "48.6", "48.7", "48.8", "48.9", "49.0", "49.1", "49.2", "49.3", "49.4", "49.5", "49.6", "49.7", "49.8", "49.9", "50.0", "50.1", "50.2", "50.3", "50.4", "50.5", "50.6", "50.7", "50.8", "50.9", "51.0", "51.1", "51.2", "51.3", "51.4", "51.5", "51.6", "51.7", "51.8", "51.9", "52.0", "52.1", "52.2", "52.3", "52.4", "52.5", "52.6", "52.7", "52.8", "52.9", "53.0", "53.1", "53.2", "53.3", "53.4", "53.5", "53.6", "53.7", "53.8", "53.9", "54.0", "54.1", "54.2", "54.3", "54.4", "54.5", "54.6", "54.7", "54.8", "54.9", "55.0", "55.1", "55.2", "55.3", "55.4", "55.5", "55.6", "55.7", "55.8", "55.9", "56.0", "56.1", "56.2", "56.3", "56.4", "56.5", "56.6", "56.7", "56.8", "56.9", "57.0", "57.1", "57.2", "57.3", "57.4", "57.5", "57.6", "57.7", "57.8", "57.9", "58.0", "58.1", "58.2", "58.3", "58.4", "58.5", "58.6", "58.7", "58.8", "58.9", "59.0", "59.1", "59.2", "59.3", "59.4", "59.5", "59.6", "59.7", "59.8", "59.9", "60.0", "60.1", "60.2", "60.

T
3
5

8	9
17	16

R34E

35-8847
35-08090

Place of Use

Point of Diversion

AUG 26 1993

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 35-08847

Priority: October 20, 1989

Maximum Diversion Rate: 0.80 CFS
Maximum Diversion Volume: 160.0 AF

This is to certify, that STEVE B GOODWIN
VIRGINIA A GOODWIN

183 S 1000 W

BLACKFOOT ID 83221

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated October 20, 1989; and has submitted Proof of Beneficial Use on May 24, 1990. An examination indicates that the works have a diversion capacity of 1.660 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/01 to 10/31	0.80 CFS	160.0 AF

LOCATION OF POINT(S) OF DIVERSION: SESW , Sec. 9, Township 03S, Range 34E
BINGHAM County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
03S	34E	9	NESW 24	NWSW 36	SWSW 12.5	73.5
			SESW 1			

Total number of acres irrigated: 73.5

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right limited to the amount that can actually be beneficially use used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. The use of water under this right shall not give rise to any claim against the holder of a senior water right based upon the theories of forfeiture, abandonment, adverse possession, waiver, equitable estoppel, estoppel by laches or customary preference.

RECORDED

AUG 26 1993

State of Idaho
Department of Water Resources**WATER RIGHT LICENSE**

WATER RIGHT NO. 35-08847

CONDITIONS/REMARKS:

6. The Director retains jurisdiction of the right to incorporate the use into a water district, require streamflow augmentation or other action needed to protect prior surface water and groundwater rights.
7. Use of this right with Right No. 35-08090 is limited to a total combined diversion rate of 1.47 cfs, a total combined annual diversion volume of 294.0 af, a total combined annual consumptive use volume of 220.5 af, and to the irrigation of a combined total of 73.5 acres in a single irrigation season.
8. Right No. 35-08090 is also diverted through the point of diversion described above.
9. This right is limited to the irrigation of 40 acres within the place of use described above in a single irrigation season.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 23rd day of AUGUST, 1993.

Acting for

R. Keith Higginson, Director

AUG 26 1993

RECEIVED

AUG 16 1993

Department of Water Resources

State of Idaho
Department of Water Resources

APPROVED

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 35-08847

Date of Priority: October 20, 1989

Maximum Diversion Rate:

0.80 CFS

Maximum Diversion Volume:

160.0 AF

Comes now

STEVE B GOODWIN

VIRGINIA A GOODWIN

183 S 1000 W

BLACKFOOT ID 83221

and represents to the Director of the

Idaho Department of Water Resources:

That he is the owner and holder of Permit to appropriate the Public Waters of the State of Idaho No. 35-08847, and requests that the permit be changed as follows:

Source: GROUNDWATER

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/01 to 10/31	0.80 CFS	160.0 AF

LOCATION OF POINT(S) OF DIVERSION:SESW, Sec. 9, Township 03S, Range 34E
BINGHAM CountyPLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
03S	34E	9	NESW 24	NWSW 36	SWSW 12.5	73.5
			SESW 1			

Total number of acres irrigated: 73.5

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed at Blackfoot Idaho, this 14 day of August, 1993.

Virginia Goodwin
(Signature)

Steve B Goodwin

RECEIVED

AUG 26 1993

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 35-08847

FOR DEPARTMENT USE ONLY

Preliminary check by BE Fee = 20⁰⁰ Received by ST # C028380 Date 8-16-93 ✓

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, R. Keith Higginson, of the Department of Water Resources hereby approve the above Application for Amendment for Permit No. 35-08847 with the following;

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right limited to the amount that can actually be beneficially use used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. The use of water under this right shall not give rise to any claim against the holder of a senior water right based upon the theories of forfeiture, abandonment, adverse possession, waiver, equitable estoppel, estoppel by laches or customary preference.
6. The Director retains jurisdiction of the right to incorporate the use into a water district, require streamflow augmentation or other action needed to protect prior surface water and groundwater rights.

RECEIVED

AUG 26 1993

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 35-08847

CONDITIONS/REMARKS:

7. Use of this right with Right No. 35-08090 is limited to a total combined diversion rate of 1.47 cfs, a total combined annual diversion volume of 294.0 af, a total combined annual consumptive use volume of 220.5 af, and to the irrigation of a combined total of 73.5 acres in a single irrigation season.
8. Right No. 35-08090 is also diverted through the point of diversion described above.
9. This right is limited to the irrigation of 40 acres within the place of use described above in a single irrigation season.

Witness my hand this 23RD day of August, 1993.

Acting for R. Keith Higginson, Director

AUG 26 1993

RECEIVED
MAY 24 1990

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

For Office Use Only

Amt. of Fee \$ 100

Date May 21, 1990

Receipt No. ED/4649

Received by MLC

Department of Water Resources **PROOF OF BENEFICIAL USE**

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 35-08890, 35-08847 Telephone No. 684-3070

Name(s) of Permit Holder(s): Gene B. Gendron

Post Office Address: 183 S. 1000 W. Blackfoot ID. 83221

Source of Water: Groundwater

If ground water, well driller's name: Intermountain Drilling Date drilled: Jan. 20, 90

Extent of Use:

Domestic _____ (No. of households) Irrigation 40 (No. of acres)

Stockwater _____ (No. and type of stock) Other _____

Total rate and/or volume for which proof is submitted 0.80 cfs _____ acre/feet

Show date water was first diverted and beneficially used under this permit: May 1, 1990

One of the following may be a condition of approval of your permit:

Measuring device: Required? Yes ☒ No Installed? Yes ☒ No

OR

Flow Measurement Port: Required? ☒ Yes No Installed? ☒ Yes No

Fee Enclosed: \$ 100 (See License Examination Fee Schedule)

Person to contact to accompany the Department representative during the field examination:

Same as above Name Telephone No.

Address

The above information is my true statement of the extent to which the above numbered permit has been developed and I hereby relinquish any undeveloped portion of the permit to the state of Idaho.

RECORDED

JAN 04 1991

Date 5/23/90 Signature Gene B. Gendron (and title if on behalf of a company or organization)

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 35-08847

Proposed Priority: October 20, 1989 Maximum Diversion Rate: 0.80 CFS

This is to certify, that **STEVE B. GOODWIN**
VIRGINIA A. GOODWIN
183 S. 1000 W.
BLACKFOOT, ID 83221

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	04/01 to 11/01	0.80 CFS

<u>LOCATION OF POINT(S) OF DIVERSION:</u>	
SESW	Sec. 9, Township 03S, Range 34E
NESW	Sec. 9, Township 03S, Range 34E
	BINGHAM County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
03S	34E	9	NESW 24	NWSW 16		40

Total number of acres irrigated: 40

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **May 1, 1992**.
2. Subject to all prior water rights.
3. The right to the use of water acquired under this permit shall not give rise to any right or claim against the holder of a senior right based upon the theories of forfeiture, abandonment, adverse possession, waiver, equitable estoppel, estoppel by laches or customary preference.
4. The Director retains jurisdiction of the permit and any license subsequently issued to incorporate the use into a water district, require streamflow augmentation or other action needed to protect prior surface water and groundwater rights.
5. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
6. Prior to the diversion of water under this permit a flow measurement port or other device as specified by the Department shall be installed to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.
7. Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.
8. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.

RECORDED
MAY 23 1990

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 35-08847

CONDITIONS/REMARKS:

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

23rd day of April, 1990.

R. Keith Higginson
for R. Keith Higginson, Director

MAY 23 1990

RECEIVED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant Sten B. Goodwin or Virginia A. Goodwin Phone 684-3077
Post office address 183 So 1000 W. Blackfoot ID 83221
2. Source of water supply GROUNDWATER ^{SG 2112190} which is a tributary of _____
3. Location of point of diversion is ~~NE~~ ^{SE} $\frac{1}{4}$ of ~~SW~~ ^{SE} $\frac{1}{4}$ of SW $\frac{1}{4}$, Govt. Lot _____
Sec. 9 Township 3 S. Range 34 E B.M. Bingham County; additional
points of diversion if any: NE SW Sec. 9 Twp. 3 S. Rge. 34 E.
4. Water will be used for the following purposes:
Amount 0.80 for Irrigation purposes from April 1 to Nov. 1 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 0.80 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. Wells, pump, and sprinkler system.
b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
c. Proposed well diameter is 14 inches; proposed depth of well is 80 feet.
d. Is ground water with a temperature of greater than 90°F being sought? _____
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
2 years (minimum 1 year).

MICROFILMED

MAY 23 1990

GENERAL

applicant to make this filing.

b. Who owns the land to be irrigated or place of use?

11. a. Who owns the property at the point of diversion?

10. Describe any other water rights used for the same purposes as described above.

Total number of acres to be irrigated.

[illegible]

b. If water is used for other purposes, place a symbol of the use (example: *D for Domestic*) in the corresponding column.

a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.

9. Description of place of use:

e. Other; describe fully.

d. Domestic; show number of households.


c. Municipal; show name of municipality.

b. Stockwatering; list number and kind of livestock.

a. Hydropower; show total feet of head and proposed capacity in kW.

8. Description of proposed uses (if irrigation only, go to item 9):

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Steve B. Goodwin
(Applicant)

RECEIVED

MAY 23 1990

e. Other:

- d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

19

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

1. Approval of said application is subject to the following limitations and conditions:

Idaho No. _____, and said application is hereby _____

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

Received by ENC Date Oct 20 89 Preliminary check by Kau

Fee \$ 45.00 Received by ENC # 2011043 Date 2011043

Publication prepared by KB Date 3-18-90 Published in Morning News

Publication approved by (u) Date 3-30-89



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

August 23, 1993

STEVE B GOODWIN
VIRGINIA A GOODWIN
183 S 1000 W
BLACKFOOT ID 83221

RE: WATER RIGHT NO. 35-08847

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit along with a copy of your approved application for amendment.

Should you have any questions regarding these documents, please feel free to contact this office.

Sincerely,

A handwritten signature in dark ink, appearing to be 'Jim Johnson', with a long horizontal line extending to the right.

JIM JOHNSON
Water Rights Supervisor

JJ:dc

Enclosure

RECEIVED
AUG 26 1993

WR0749NP
No. L35-08847

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT
(REGIONAL)

DATE: 07/27/93
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	STEVE B GOODWIN	10/20/1989	IRRIGATION	04-01 10-31	0.80 CFS	160.0 AFA
C	VIRGINIA A GOODWIN 183 S 1000 W BLACKFOOT ID 83221 (208) 684-3077			TOTAL DIVERSION:	0.80 CFS	160.0 AFA

Water Source: GROUNDWATER

Tributary to:

Stage: LICENSE

Point(s) of Diversion Capacity: 1.66 CFS

Point(s) of Diversion: T03S R34E S09 SE SW

Place of use Legal Description for: IRRIGATION

				NE				NW				SW				SE					
T	R	S	:	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	:	SUM
---	---	---	:	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	:	---
03S	34E	9	:											24	36	12	01			:	73.5
																				TOTAL ACRES	73.5

Pou County: BINGHAM

Other Rights: SHARES IN WATSON SLOUGH

Other Water Rights with Same Point(s) of Diversion and Source:
35-08847

Other Water Rights Listing Overlapping Place(s) of use:
01-00193A 35-08090 35-08091 35-08633 35-08847

Conditions of Approval:

- 048 - The use of water under this right shall not give rise to any
- claim against the holder of a senior water right based upon the
- theories of forfeiture, abandonment, adverse possession, waiver,
- equitable estoppel, estoppel by laches or customary preference.
- 049 - The Director retains jurisdiction of the right to incorporate
- the use into a water district, require streamflow augmentation
- or other action needed to protect prior surface water and
- groundwater rights.

Remarks: Use of this right with Right No. 35-08090 is limited to a
total combined diversion rate of 1.47 cfs, a total combined
annual diversion volume of 294.0 af, a total combined annual
consumptive use volume of 220.5 af, and to the irrigation of
a combined total of 73.5 acres in a single irrigation season.
Right No. 35-08090 is also diverted through the point of
diversion described above.
This right is limited to the irrigation of 40 acres within the
place of use described above in a single irrigation season.

WR0749NP
No. L35-08847

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT
(REGIONAL)

DATE: 07/27/93
PAGE: 2

=====

Dates:	App. Received: 10/20/1989	Priority Date: 10/20/1989
	Proof Due Date: 05/01/1992	Proof Made Date: 05/24/1990
	Exam Made Date: 06/10/1992	Exam Sent to S.O.: 07/22/1993
	Licensed Date:	
Misc:	Water District Number:	Field Exam Fee: R (Received)
Audit:	07/27/93 CHAPMAN	

IDAHO DEPARTMENT OF WATER RESOURCES
PLACE OF USE 1/4 1/4 COMPARISON REPORT
(REGIONAL)

(WATER RIGHT NUMBERS THAT BEGIN WITH AN '**' ARE ADJUDICATION CLAIMS)

WR-NUMBER	SOURCE	NE				NW				SW				SE				SUM
		Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	
L3508847	T03S R34E S 9 GROUNDWATER																	73
										24	36	12	01					
0100116AH	SNAKE RIVE :																	
0100117AR	SNAKE RIVE :																	
0100118AK	SNAKE RIVE :																	
A0100141	SNAKE RIVE :	33	38	38	31					32	35	35	35			35	39	424
A0100146B	SNAKE RIVE :	33	38	38	31					32	35	35	35			35	39	424
0100191N	SNAKE RIVE :	1	1	1	1											1	1	
A0100191N	SNAKE RIVE :	33	38	38	31					32	35	35	35			35	39	424
0100192Q	SNAKE RIVE :																	
A0100192Q	SNAKE RIVE :	33	38	38	31					32	35	35	35			35	39	424
A0100193	SNAKE RIVE :					40	40	40	40									160
0100193A	SNAKE RIVE :					1	1	1	1	1	1	1	1					
0100247	SNAKE RIVE :					1	1	1	1									
A0100247	SNAKE RIVE :					40	40	40	40									160
0100260	SNAKE RIVE :	1	1	1	1											1	1	
A0100260	SNAKE RIVE :	33	38	38	31					32	35	35	35			35	39	424
A0110046	SNAKE RIVE :					40	40	40	40									160
A0110047	SNAKE RIVE :					40	40	40	40									160
A0110048	SNAKE RIVE :					40	40	40	40									160
A0110049	SNAKE RIVE :					40	40	40	40									160
A0110050	SNAKE RIVE :					40	40	40	40									160
3507298	GROUNDWATE :		28	40		35	36	39	40									218
A3507298	GROUNDWATE :		30	20		35	37	39	40									201
R3507298	GROUNDWATE :		32	18		34	38	39	40									201
3508090	GROUNDWATE :									04	20	10	01					35
A3508090	GROUNDWATE :									04	20	10	01					35
R3508090	GROUNDWATE :									24	36	12	01					73
3508091	GROUNDWATE :																	7
A3508091	GROUNDWATE :																	7
R3508091	GROUNDWATE :																	7
3508633	GROUNDWATE :													38			17	55
A3508633	GROUNDWATE :													38			17	55
R3508633	GROUNDWATE :													26			16	42
3508847	GROUNDWATE :									24	36	12	01					40
A3508847	GROUNDWATE :									24	36	12	01					40
R3508847	GROUNDWATE :									24	36	12	01					73

* Other right in the
permissible place of
use

LICENSE REVIEW CHECKLIST

Permit # 35-8847 Date 7-27-93 Brenda Chapman

NAME	Yes	No	Or Address Change?
	☐	☒	
PRIORITY DATE	☐	☒	Advance? <u> </u> Memo to Advance <u> </u>
	☐	☒	Order to Reinstate Needed?
SOURCE	☐	☒	Changes? Clarification of Originally Intended source <u> </u>
	☐	☒	Notice of Intent to Void - Source change.
P/D	☒	☐	Amendment Needed? <u>DELETE NESW P/D</u>
	☒	☐	Is Overlap Analysis a Consideration?
P/U	☐	☒	Amendment Needed? <u> </u>
	☒	☐	Is Overlap Analysis a Consideration?
TOTAL CFS	☐	☒	Incorrect Fee for rate recommended?
	☐	☒	Disagree/Measurement <u>Sonic Meter @ 1.66 CFS</u>
	<u>-NA-</u>	☐	Pumping Theoretical $(8.8) \times (.70) \times ()$
		☐	$() + [2.31 \times ()]$
	☐	☒	System Capacity <u>1.66</u>
		☐	Allowable Amount: <u>40 acres @ .02 = .80 CFS</u>
TOTAL VOLUME			Rate/ac <u>4.0</u> AFA Irr. Season <u>C</u>
			<u>4-1 to 10-31</u> Standard Irr. Season
			<u>Standard</u> Season Recommended
	☐	☒	Disagree with Examiner's Calculations?
	☐	☒	<u>40 acres X 4 = 160 AF</u> <u>cons use = 40 X 3 = 120 AFA</u>
		☒	Flow limit: <u>.8</u> X <u>214</u> X <u>1.9835</u> = <u>339.5</u>
USES	☐	☒	Change(s) in Nature of Use? <u> </u>
	☐	☒	Amendment Needed? <u> </u>
REMARKS	☐	☒	Multiple P/Ds in 1/4 1/4? <u> </u>
	☐	☒	Non-Irr. Uses <u> </u>
	<u>W28</u>	☐	Special Overlap Condition <u>ADJUDICATION CONDITION</u>
	<u>W29</u>	☐	Other <u>ADJUDICATION CONDITION</u>
CONDITIONS	☐	☒	Measuring Devices <u> </u> Dates/Misc <u> </u>
	☐	☒	W/Master Control <u> </u> ☒ Water Dist
<u>Adjudication condition</u>	<u>W27</u>	☐	Irrigation Overlap <u>10-20-89</u> App Rec'd
	☐	☒	Water Quality <u>6-10-92</u> Exam Made

COMMENTS: Total acres 35-8847 & 35-8090 = 73.5 acres AMEND P/D
Total COMBINED CFS = 1.47 TOTAL VOL = 294 AFA

RECOMMENDED	CFS	VOL	CONSUMPTIVE VOLUME at 3 AF = 220.5 AFA
Irrigation	<u>.80</u>	<u>160</u>	LICENSE <u> </u>
Domestic	<u> </u>	<u> </u>	AMEND ☒
Stockwater	<u> </u>	<u> </u>	
Consump Use	<u> </u>	<u>120</u>	

* Used permissible place of use concept in this situation.

AJ5809NP
No. R35-08847

IDAHO DEPARTMENT OF WATER RESOURCES
ADJUDICATION CLAIM PROFILE REPORT

DATE: 07/27/93
PAGE: 4

=====

Dates:	Exam Made Date:	Verified Date:	06/03/1993
Misc:	Water District Number:	Field Inspection Flag:	
		Presumption Flag:	
Audit:	01/29/93 TAYLOR	06/03/93 THOMPSON	

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
JUL 26 1993

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 35-08847

1. Owner: Steve Goodwin Phone No. 684-2077

Current Address: 183 S. 1000 W. Blackfoot, ID

2. Accompanied by: Applicant EXAM. DATE: 6-10-92

Address: _____ Phone No. _____

Relationship to Permit Holder: _____

3. Source: Groundwater tributary to _____


B. OVERLAP REVIEW

1. Other water rights with same place of use: Watson Slough Ditch water
_____ ☐ Copies Attached

2. Other water rights with same point of diversion: 35-08090
_____ ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = _____

2. ☐ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required). ☒ Aerial Photo Attached
(required for irrigation of 10 acres or more).
- ☐ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)
well pump to pivot (5 feet with (cornucopia) and a whirl line with 24 nozzles (1/4" 60's)

☐ See Remarks on page 4 for continuation

Well or Diversion Identification No.*	UCM#006	60	T015277R0468-U	1/2" x 1 1/2"	
Motor Make					
Hp					
Motor Serial No.					
Pump Make					
Pump Serial No. or Discharge Size					

**Code to correspond with No. on map and aerial photo*

5. Point(s) of Diversion:

[illegible]

Indicate Method of Determination.

6. Place(s) of Use:

[illegible]

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Sonic Meter						

2. Measurements:

68 psi at mainline. 745 gpm = 1.66 cfs
Use 570 gpm on pivot line. 448.8 gpm/cfs = capacity
Use 175 gpm on wheel line.
745 gpm
Common system for Permit 35-08090

E. FLOW CALCULATIONS

☒ Additional Computation Sheets Attached

1. Measured Method:

73.5 acres
13.2 acres under system @ 1.66 cfs capacity
yields 0.022 cfs/acre. Allow 1.47 cfs total
which is 0.02 cfs/acre. 40 acres under this
it will set 0.80 cfs

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = (40)(4) = 160 \text{ afa}$
 $V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = (0.80)(214)(1.9835) = 339.5$
 $V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 160 + 20 \text{ afa}$

2. Volume Calculations for Other Uses:

MICROFILMED

AUG 26 1993

CONSULTANT SEAL

Field Examiner's Name

HAROLD A JONES

2. Recommended Amendments

080

09/08/

I. RECOMMENDATIONS

10/31

Irigation

08b

Annual Volume V (a5a)

~~09/08/10~~

H. REMARKS AND OVERLAP REVIEW ANALYSIS

MM-DD HH:MM
06-10 14:31

MODE SELECT
INPUT

OUTER DIAMETER
8.0398 IN

PIPE MATERIAL
? CS,SS

WALL THICKNESS
0.1480 IN

INNER LINING
? NO LING.

KIND OF FLUID
? ANOTHER

SOUND VELOCITY
1440 M/S-

SENSOR MOUNTING
? U

TYPE OF SENSOR
? SMALL

DATA CHANGE
? NO

SPACING
5.684 IN U

MODE SELECT
TO CHECK

0296.4 MMSEC
100.17 % T0

ZERO MODE
AUT ZERO

06-10 15:1700 *R
+597.028E 06PM

06-10 15:1800 *H
+597.028E 06PM

06-10 15:1800
+571.932E 06PM

06-10 15:1800 *R
+570.875E 06PM

06-10 15:1800 *R
+570.875E 06PM

06-10 15:1800 *R
+570.883E 06PM

SENSOR MOUNTING
? U

TYPE OF SENSOR
? SMALL

DATA CHANGE
? NO

SPACING
5.952 IN U

MODE SELECT
TO CHECK

0292.9 MMSEC
099.02 % T0

ZERO MODE
AUT ZERO

MODE SELECT
INPUT

OUTER DIAMETER
4.0185 IN

PIPE MATERIAL
? CS,SS

WALL THICKNESS
0.1201 IN

INNER LINING
? NO LING.

KIND OF FLUID
? WATER

SENSOR MOUNTING
? U

TYPE OF SENSOR
? SMALL

DATA CHANGE
? NO

SPACING
2.390 IN U

MODE SELECT
DATA SET

DATA SET MODE
? PRINTER

0145.0 MMSEC
102.74 % T0


00-00 00:1400 *R
+ 1.759E 26PM

RECEIVED

AUG 26 1993

COPY
35-8847/8090

35-8090 + 35-8847



AUG 26 1993

35-8847

35-8847

35-8847

35-8847

35-8847

35-8090

ORIG.

MEASUREMENT

TAPE

December 17, 1990

STEVE B. GOODWIN
VIRGINIA A. GOODWIN
183 S. 1000 W.
BLACKFOOT, ID 83221

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 35-08847

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the EASTERN Regional Office in Idaho Falls at (208)525-7161.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

MICROFILMED

JAN 04 1991

9/89

Drilling Permit No. 35-89-F-080Water Right Permit No. 5-8090 135-002 OK

Injection Permit No. _____

State of Idaho
Department of Water Resources

DRILLING PERMIT

RECEIVED
DEC 19 1989

Department of Water Resources

1. Applicant Stene B. Goodwin2. Mailing Address 183 South 1000 West Bluffport Idaho 83221Telephone 684-3077☒ Well Owner ☐ Well Operator ☐ Other, specify _____3. Proposed well location NE 1/4 SW 1/4, or Gov't lot No. _____Sec. 9, Twp. 3S, Rge. 34E, County PineStreet Address of Well Site 183 South 1000 West Bluffport Idaho 83221

Lot, block and subdivision _____

4. Proposed use of well:

☐ Single family or stockwater use (less than 13,000 gallons per day)☒ Irrigation (more than 1/2 acre)☐ Monitoring - A well bore schematic and map is required for each well.
No. of proposed wells: _____☐ Other (describe fully) _____

5. Well construction information:

A. ☒ New well ☐ Deepen ☐ Replace - See Condition 9.B. Proposed surface diameter 16" Maximum depth 150'

C. Anticipated bottom hole temperature:

- ☒ 85°F or less (Cold water well)
☐ 85°F to 212°F (Low temp. geothermal well)
☐ 212°F or more (Geothermal well)

MICROFILMED

JAN 04 1991

6. Construction Start Date 12-13-897. Anticipated Well Driller Antarctic Drilling
NOTE: The actual well driller must be identified prior to drilling.8. Applicant's signature Stene Goodwin Date 12/11/89Title owner

(Owner, Firm Representative, Other)

S T A T E O F I D A H O

DEPARTMENT OF WATER RESOURCES

Statehouse
Boise, Idaho 83720
(208) 327-7900
April 24, 1990

STEVE B. GOODWIN
VIRGINIA A. GOODWIN
183 S. 1000 W.
BLACKFOOT, ID 83221

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 35-08847

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

You should be aware that the groundwater you propose to divert is located within a drainage basin where surface waters are regulated during the months of low flow. It is possible that diversion of groundwater may have an adverse impact on these surface water flows. Information available to us at this time does not warrant refusing to issue permits in your area, but we do caution that diversions of groundwater are not allowed to deplete flows available for surface water users with earlier priority dates. Siting your well as far from surface sources as possible and casing out upper water producing zones may reduce the potential of interference.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

Be sure to note the special condition requiring you to install a measuring device, or a flow measurement port to provide for the installation of measuring equipment by the Department. Enclosed please find a list of measuring device options, and specifications for the installation of the flow measurement port.

MICROFILMED

MAY 23 1990

Please note the requirement that as a permit holder you must commence the excavation or construction of diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The enclosed blue card must be completed and returned to this office as soon as you commence construction, no later than one year from the date the permit was approved.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit into a license.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

MICROFILMED

MAY 23 1990

13-Feb-1990

Steve B. or Virginia A. Goodwin
183 S. 1000 W.
Blackfoot, ID 83221

RE: Application for Permit No. 35-8847

Dear Water Right Applicant:

The Department of Water Resources acknowledges receipt of your water right permit. This office is currently in the process of advertising the application in the Morning News on March 1 & 8, 1990. The advertisement will be published for two consecutive weeks, and a period of ten days following the second publication will be allowed for the submittal of protests.

If the application is protested, you will be sent a copy of the protest. The protest must be resolved before the application is approved or denied. If the protest is not resolved voluntarily, this Department will conduct a conference and/or hearing on the matter.

If the application is not protested, it will be forwarded to our state office in about five weeks. State office personnel will conduct a complete review prior to final processing of the application and will notify you of the outcome of this review. When a permit is issued, you will be sent a copy. A typical processing time for an unprotested application is about eight weeks.

Please feel free to contact this office if you have any questions regarding this procedure.

Sincerely,

HAROLD W. JONES
Water Rights Supervisor

HWJ/rb

MICROFILMED

MAY 23 1990

35-
JACKSON, R. David
P.O. Box 518
Fort Hall, Id. 83203
Source: GROUNDWATER
Diversion Pt: SESWNW, Sec. 20, T. 03S, R.
34E.
Use: IRRIGATION (.200 CFS).
Total Diversion: (.200 CFS).
Date Filed: 5/31/1989.
In: T03S, R34E, S20, NWNW, SWNW,
NESW.
10.0 ACRES TOTAL.

35-08780
FIELDING, Gary R.
134 W. 600 N.
Blackfoot, Id. 83221
Source: GROUNDWATER
Diversion Pt: SWSW, Sec. 32, T. 01S, R.
36E.
Use: IRRIGATION (.840 CFS).
Total Diversion: (.840 CFS).
Date Filed: 5/25/1989.
In: T01S, R36E, S31, SWSE, S32, NESW,
SESW
42.0 ACRES TOTAL.

35-08781
RAY, Jesse W.
RAY, Rosemary
1044 W. 300 S.
Pinegrove, Id. 83262
Source: GROUNDWATER
Diversion Pt: SWSWSE, Sec. 17, T. 03S, R.
34E.
Use: IRRIGATION (.100 CFS).
Total Diversion: (.100 CFS).
Date Filed: 5/18/1989.
In: T03S, R34E, S17, SWSE.
5.0 ACRES TOTAL.

35-08782
GOLDEN EAGLE RANCH
P.O. Box 579
Rexburg, Id. 83440
Source: GROUNDWATER
Diversion Pt: SWNW, Sec. 30, T. 04S, R.
33E.
Use: FISH PROPAGATION (4.640 CFS).
Total Diversion: (4.640 CFS).
Date Filed: 5/23/1989.
In: T04S, R33E, S30, SWNW, NWSW.

35-08847
GOODWIN, Steve B.
GOODWIN, Virginia A.
183 S. 1000 W.
Blackfoot, Id. 83221
Source: GROUNDWATER
Diversion Pt: NESW, Sec. 9, T. 03S, R.
34E (SWSW) Sec. 9, T. 03S, R. 34E.
Use: IRRIGATION (.800 CFS).
Total Diversion: (.800 CFS).
Date Filed: 10/20/1989.
In: T03S, R34E, S09, NESW, NWSW.
40.0 ACRES TOTAL.

The permit(s) will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code, and/or the new public interest criteria of Sec. 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, 150 Shoup Ave., Suite 15, Idaho Falls, Idaho, 83402, on or before MARCH 19, 1990.

R. KEITH HIGGINSON
Director

(707)
Pub.: 3/1,8

Department of Water Resources
Eastern District Office

AFFIDAVIT of PUBLICATION

County of Bingham)

State of Idaho)

I, Ted Townsend do

solemnly

swear that I am the Publisher of
The Morning News which is a daily newspaper of
general circulation published each day except Sunday
at Blackfoot, Bingham County, Idaho, said newspaper
having been so published at Blackfoot, aforesaid for
more than one year past; that said newspaper
heretofore complied with all the provisions of Chapter
154 of the Sessions Laws of Idaho of 1933, approved
March 11, 1933, and duly designated, pursuant to law,
a particular day of the week as the day on which legal
notices required by law or by the order of any Court of
competent jurisdiction within the State of
Idaho shall be published to-wit: of each week; that the
notice attached hereto and which is a part of this af-
fidavit and part of the proof of publication was
published in said issue or said

newspaper two consecutive weeks

the first publication having been made on the

1st day of March, 19 90;

and the last publication having been made on the
8th day of March, 19 90;
that said notice was published in the regular and entire
issue of every number of the paper as aforesaid during
the period and time of publication, and that notice was
published in the newspaper and not in a supplement.

On this 19th day of March,
in the year 1990 before me a Notary Public of said State,
personally appeared

Ted Townsend
known or identified to me to be the person whose
name is subscribed to the within instrument, and being
by me first duly sworn, declared that the statements
therein are true, and acknowledged to me that he ex-
ecuted the same.

Raye Dayton
Notary Public for the State of Idaho,
Residing at Blackfoot, Idaho
My commission expires
November 10, 1994

Affidavit Processing Fee \$5.00

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Eastern Region
150 Shoup Ave., Suite 15

Idaho Falls, Idaho 83402
(208) 525-7161

FEBRUARY 13, 1990

THE MORNING NEWS
P.O. BOX 70
BLACKFOOT, ID 83221

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before MARCH 19, 1990.

Yours truly,

Rita Bodell
Secretary

Encl.

MICROFILMED

MAY 23 1990

35-08847

GOODWIN, STEVE B.
GOODWIN, VIRGINIA A.
183 S. 1000 W.
BLACKFOOT, ID 83221

Source: GROUNDWATER

Diversion Pt:	NESW	Sec 9 T 03S R 34E
	SWSW	Sec 9 T 03S R 34E

Use: IRRIGATION (.800 CFS)
Total Diversion: (.800 CFS)

Date Filed: 10/20/1989

In: T03S R34E S09 NESW NWSW

40.0 ACRES TOTAL

MICROFILMED

MAY 23 1990

The permit(s) will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code and/or the new public interest criteria of Sec. 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, 150 Shoup Ave., Suite 15, Idaho Falls, Idaho 83402 on or before MARCH 19, 1990.

R. Keith Higginson, Director

Published 3/01/1990 & 3/08/1990

MICROFILMED

MAY 23 1990