

T.S. 5.
R. 31 E.
1/4 of S.E. 1/4
Sec. 23

F-408
~~3-40-F~~
T2322


TS 55
R 31 E
Sec. 23
W 1/2 of S

MAR 09 1990

F-2
6-F
T2151

$\Delta = \text{GW used}$
 $\square \Delta = \text{GW} + \text{SW used}$

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____.

____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

____ Aerial Photo Attached (required for irrigation of 10+ acres)

____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	US MOTORS	50	1243550	WORTHINGTON	8" UD 4871

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS


1.


Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
POLYSONIC						

2. Measurements: $Q_{WEAS} = 755.8 \text{ GPM} = 1.68 \text{ CFS}$
 OPERATING DISCHARGE = 75

MICROFILMED

APR 10 1997





35-08836



Plate 1 - Point of diversion looking south.



Plate 2 - Point of diversion 3/4 view looking southwest.

MICROFILMED
APR 10 1997

35-08836

DEPT. OF WATER RESOURCES
900 N. Skyline Dr.
Idaho Falls, Idaho 83402-1718
(208) 525-7161

**NOTICE OF PROPOSED
AMENDING OF WATER
RIGHT PERMIT**

Notice is hereby given that Permit No. 35-08836 in the name of Jackman Guy Poulson, Bountiful, Utah, was issued for the diversion of 1.63 cfs of water from a groundwater source with the point of diversion within the SWSE, Sec. 23, T05S, R31E, BINGHAM COUNTY to be used for the irrigation of 81.5 acres April 1 to November 1, within the NWSE, SWSE, SESE, Sec. 23, T05S, R31E, B.M.

The permit holder now proposes to amend Permit No. 35-08836, changing the point of diversion to within the NWNE, Sec. 11, T05S, R31E, BINGHAM COUNTY, and place of use to irrigate 80 acres within the N1/2 NE, Sec. 11, T05S, R31E, B.M.

Any protest to the proposed amending of the permit must be filed with the Idaho Department of Water Resources, 900 N. Skyline Dr., Idaho Falls, Idaho, 83402, on or before June 7, 1993.

R. KEITH HIGGINSON
Director

(1799)
Pub.: 5/20, 27

RECORDED
JUL 07 1993

Legals

**AFFIDAVIT OF
PUBLICATION**

County of Bingham)
State of Idaho) ss
I, Jacqueline Graham do
solemnly Legal

swear that I am the Coordinator of The Morning News, which is a daily newspaper of general circulation, published each day except Sunday at Blackfoot, Bingham County, Idaho, said newspaper having been so published at Blackfoot, aforesaid for more than one year past; that said newspaper heretofore complied with all the provisions of Chapter 154 of the Sessions Laws of Idaho of 1911, approved March 11, 1911, and duly designated, pursuant to law, a particular day of the week as the day on which legal notices required by law or by the order of any Court of competent jurisdiction within the State of Idaho shall be published to-wit: of each week; that the notice attached hereto and which is a part of this affidavit and part of the proof of publication was published in said issue of said newspaper 2 consecutive weeks the first publication having been made on the 20th day of May, 1993 and the last publication having been made on the 27th day of May, 1993; that said notice was published in the regular and entire issue of every number of the paper as aforesaid during the period and time of publication, and that notice was published in the newspaper and not in a supplement.

Jacqueline Graham
On this 29th day of May, in the year 1993, before me a Notary Public of said State, personally appeared Jacqueline Graham

known or identified to me to be the person whose name is subscribed to the within instrument, and being by me first duly sworn, declared that the statements therein are true, and acknowledged to me that he executed the same.

Notary A Johnson

Notary Public for the State of Idaho
Residing at Blackfoot, Idaho
My Commission Expires:
October 10, 1994

Affidavit Processing Fee.....\$5.00

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 35-08836

Priority: November 13, 1989

Maximum Diversion Rate:

1.52 CFS

This is to certify, that JACKMAN G POULSON
JACKMAN GUY POULSON

1628 S 2700 W

ABERDEEN ID 83210

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated November 13, 1989; and has submitted Proof of Beneficial Use on January 19, 1995. An examination indicates that the works have a diversion capacity of 1.680 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
-----------------------	----------------------	--------------------------	----------------------

IRRIGATION	04/01 to 10/31	1.52 CFS	
------------	----------------	----------	--

LOCATION OF POINT(S) OF DIVERSION:

NWNE , Sec. 11, Township 05S, Range 31E
BINGHAM County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
05S	31E	11	NENE 39	NWNE 37		76

Total number of acres irrigated: 76

CONDITIONS OF APPROVAL AND REMARKS

1. This water right is appurtenant to the described place of use.
2. This right is subject to all prior water rights and may be forfeited by five years of non-use.
3. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
4. The use of water under this right shall not give rise to any claim against the holder of a senior water right based upon the theories of forfeiture, abandonment, adverse possession, waiver, equitable estoppel, estoppel by laches or customary preference.
5. The Director retains jurisdiction of the right to incorporate the use into a water district, require streamflow augmentation or other action needed to protect prior surface water and groundwater rights.
6. This right when combined with all other rights shall provide no more than 4.0 afa per acre for the lands above.
7. The right holder shall use the full allotment of appurtenant surface water rights in conjunction with groundwater diverted under this right and shall only divert groundwater under this right when water from the appurtenant surface water rights cannot be delivered to the right holder.

FILED
APR 10 1987

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 35-08836


CONDITIONS OF APPROVAL AND REMARKS

8. This right shall not be used if the surface water right(s) appurtenant to the place of use is sold, transferred, leased or used on any other place of use.
9. This right when combined with all other rights shall provide no more than .02 cfs per acre nor exceed a combined annual diversion volume of 304.0 af for the lands above.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 25th day of March, 1997.



KARL J. DREHER, Director



MICROFILMED

APR 10 1997

RECEIVED

JAN 19 1995

Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 35-08836 Telephone No. 208-397-4520
2. Name(s) of Permit Holder(s): Jackman Guy Poulson
3. Mailing Address: 1688 S 2700 W. Aberdeen Id. 83210
4. Source of Water: Groundwater If **GROUNDWATER** (well), Date Drilled: mo. July / yr. 1994
 - a. Well Driller: Jack Cushman Drilling Permit Number: 35-E-93-062
 - b. **OPTIONAL:**
Pump Horsepower: _____ Pressure (psi): 75/65 Dynamic pumping level (ft): _____
5. Use(s) (as authorized by the water right permit):
Domestic (No. of households): _____ Stockwater (No. and type of stock): _____
Irrigation (No. of acres): 80 Other: _____
6. Total rate of diversion and/or volume for which proof is submitted: 1.60 cfs OR _____ acre feet
7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)
(This question is **not optional**. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)

Measuring Device:	Is a measuring device required?	Yes <u>X</u>	or	No _____
	Has the measuring device been installed?	Yes <u>X</u>	or	No _____
Flow Measurement Port:	Is a flow measurement port required?	Yes <u>X</u>	or	No _____
	Has the measurement port been installed?	Yes <u>X</u>	or	No _____
8. Fee Enclosed: \$ 125.00 (See Fee Schedule on back of the instructions for filing proof of beneficial use)
9. Person to contact to accompany the Department representative during field examination of the water system.
Name: Jack Poulson Telephone Number: 208-397-4520
Address: 1688 S 2700 W. Aberdeen Idaho 83210
10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the State of Idaho.

Signature of permit holder: Jackman Guy Poulson Date: 12-20-94
(include your title, if on behalf of company or organization)

FEB 13 1995

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE STATE OF IDAHO

IN THE MATTER OF APPROVED PERMITS)
FOR THE APPROPRIATION OF GROUND)
WATER FROM THE EASTERN SNAKE RIVER)
PLAIN AQUIFER FOR WHICH PROOF OF)
BENEFICIAL USE HAS NOT BEEN)
SUBMITTED AND IS NOT PAST DUE)

**ORDER FOR TEMPORARY
STAY OF DEVELOPMENT AND
NOTICE OF FORMAL PROCEEDINGS**

The Director of the Idaho Department of Water Resources (Director), having responsibility for the administration of the appropriation of the water of the state of Idaho, the protection of rights to the use of water within the state, the protection of the public interest in the waters of the state and the conservation of the water resources of the state enters the following Findings of Fact, Conclusions of Law and Order for temporary stay; and provides the following notice of formal proceedings:

FINDING OF FACTS

1. On May 15, 1992, the Director issued an order establishing a moratorium on the processing and approval of applications for permit to appropriate water from all surface and ground water sources upstream from the USGS Gauge on the Snake River near Weiser, Idaho. On April 30, 1993, the Director issued an Amended Moratorium Order covering the Eastern Snake River Plain Aquifer. The 1994 session of the Idaho Legislature enacted section 42-1806, Idaho Code, requiring that the moratorium relating to the the Eastern Snake River Plain area shall continue in effect until December 31, 1997.

2. The state of Idaho has experienced seven (7) recent years of drought conditions resulting in lowered ground water levels and decreased discharge from surface water sources. The Idaho Legislature has authorized a study to examine the implications of these changes and the relationships between surface and ground water resources. The study is expected to be completed in approximately two (2) years.

3. Delivery calls have been made by the holders of senior-priority surface and ground water rights against the holders of junior-priority ground water rights from the Eastern Snake Plain Aquifer which could result in the curtailment of diversion and use of water under junior-priority ground water rights including rights which might otherwise be developed under permits which are the subject of this order and notice.

RECORDED
FEB 13 1995

CONCLUSIONS OF LAW

1. Section 42-1805, Idaho Code, provides in part as follows:

In addition to other duties prescribed by law, the director of the department of water resources shall have the following powers and duties:

...

(7) After notice, to suspend the issuance or further action on permits or applications as necessary to protect existing vested water rights or to ensure compliance with the provisions of chapter 2, title 42, Idaho Code, or to prevent violation of minimum flow provisions of the state water plan.

2. Water Appropriation Rule 55.02. of the Department of Water Resources (IDAPA 37.03.08055.02) provides as follows:

02. PERMITS

a. To the extent a permit has not been developed, the director may cancel, or modify permits for which proof of beneficial use has not been submitted in a designated geographical area as an extension of Rule 55.01.

b. Notice of the director's action to cancel or modify permits shall be by:

i. Summary Order served by certified mail upon the affected permit holders in the designated area.

ii. Publication of the order for three (3) consecutive weeks in a newspaper or newspapers of general circulation in the area.

c. Objections to the director's action shall be considered under the department's adopted rules of procedure and applicable law.

3. Rule of Procedure 104 of the Department of Water Resources (IDAPA 37.01.01104) provides in part as follows:

Formal proceedings may be initiated by a document from the agency informing the party(ies) that the agency has reached an informal determination that will become final in the absence of further action by the person to whom the correspondence is addressed, provided that the document complies with the requirements of Rules 210 through 280.

4. Protection of prior rights to the diversion and use of surface and ground water of the Eastern Snake River Plain Aquifer

RECEIVED

FEB 13 1995

and the Snake River may require that the further development of water under existing undeveloped permits be suspended indefinitely to assure that the effects and conditions caused by drought, changes in irrigation practices and resulting aquifer recharge, and diversion and use of ground water from the aquifer under prior established water rights are properly evaluated.

5. Section 42-204, Idaho Code, provides in part as follows:

Every holder of a permit which shall be issued under the terms and conditions of an application filed hereafter appropriating twenty-five (25) cubic feet or less per second must, within one (1) year from the date upon which said permit issues from the office of the department of water resources, commence the excavation or construction of the works by which he intends to divert the water, and must prosecute the work diligently and uninterruptedly to completion, unless temporarily interrupted through no fault of the holder of such permit by circumstances, over which he has no control.

ORDER

IT IS THEREFORE, HEREBY ORDERED as follows:

1. The owners of all permits to appropriate ground water within the boundaries of the Eastern Snake Plain Aquifer, as that area is defined by Rule 50 of the rules for Conjunctive Management of Surface and Ground Water Resources (IDAPA 37.03.11), shall, effective immediately upon receipt of this order, temporarily stop further development under the permit until the Director authorizes further development.

2. The owners of all permits for appropriation of ground water within the boundaries of the Eastern Snake River Plain Aquifer shall on or before February 1, 1995, either:

A. File proof of beneficial use to cover the extent of diversion and beneficial use of water that has been accomplished prior to receipt of this order; or

B. File a response with the Director in this proceeding to satisfy the requirements of either subparagraph 1) or 2) below:

1) Document with supporting information that a "substantial investment" has been made, prior to receipt of this order, in facilities to divert and beneficially use water under the permit that merits the granting of additional time to complete all or part of the project. Substantial investment means an actual expenditure or written commitment for development of the project which meets the following requirements:

RECEIVED
FEB 13 1995

- a) The actual expenditure or written commitment for the diversion and related equipment must equal or exceed the amount of fifteen thousand dollars (\$15,000) or exceed twenty five (25) percent of the estimated cost of the system for diverting and beneficially using the water, whichever is less; and
- b) The actual expenditure or written commitment must have been made before receipt of this order.

2) Request an indefinite stay in the development period for the project, or any part of the project for which a substantial investment has not been made, until the conditions that resulted in this order have been alleviated if such should ever occur. Upon approval of any such stay, no further development is to occur until such time as the department has issued an extension of time setting a date for completion of the project.

3. Failure to submit either proof of beneficial use or a satisfactory response shall result in cancellation of the permit without further notice.


4. Before receiving approval for either additional time to complete a project under subparagraph 2.B.1) or a stay under subparagraph 2.B.2) above, the owner of the permit shall provide information to demonstrate compliance with the provisions of Sections 42-204, Idaho Code, with respect to commencing and diligently proceeding to develop the project authorized under the permit.

5. This order does not prevent the Director from reviewing continued development of a permit on a case-by-case basis if,

a. The Director determines that protection and furtherance of the public interest justifies continued development of a permit; or

b. The Director determines that continued development and use of water will have no effect on prior water rights because of its location, insignificant consumption of water or mitigation provided by the permit holder to offset injury to other rights.

Dated this 9TH day of NOVEMBER, 1994.


R. KEITH HAGGENSON
Director

RECEIVED
FEB 13 1995

APPROVED

STATE OF IDAHO

RECEIVED

JUN 16 1993

APPLICATION FOR AMENDMENT OF A PERMIT

Department of Water Resources

To change the point of diversion and/or the place of use.

Comes now Jackman Guy Poulson Phone 397-4520
of (address) 1688 S. 2700 W. Aberdeen, ID, and represents to the
Director of the Idaho Department of Water Resources:

That he is the owner and holder of Permit to appropriate the Public Waters of the State of Idaho
No. 35-08836, and requests that the permit and permit map be changed as follows:

1. Point of diversion: NW ¼ NE ¼, Section 11, Township 5S, Range 31E, B.M.,
County of Bingham. Other points of diversion: _____

2. Period and nature of use: (irrigation, domestic, stockwatering, industrial, etc.)

Amount 1.60^{cfs} for Irrigation purposes from 4-01 to 10-31 (both dates inclusive)
(cfs or acre feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre feet per annum)

3. Place of use or land to be irrigated:

TWP	RGE	SEC	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
5S	31E	11	40	40															80


Total number of acres to be irrigated = 80

4. a. Who owns the property at the point of diversion? Lorin Warner
b. Who owns the land to be irrigated or the place of use? Lorin Warner
c. If the property is owned by a person other than the applicant, describe the arrangement enabling the
applicant to make this filing: Long term lease with option to buy.

RECEIVED

JUL 07 1993

Complete the following map by showing land and point of diversion as proposed by this amendment.
Show 40-acre subdivisions, townships, ranges and ditches.



That no one will be injured by such change, and that such change will be made at permit holder's own risk.

Signed at Idaho Falls

, this 29 day of April

19

(Signature)

FOR DEPARTMENT USE ONLY

Preliminary check by

Fee = \$20.00

#E018527

Publication prepared by RB

Date

Publication dates May 20, 27-93

Published in

Morning News

Received by HUS

Date

4-29-93

ACTION OF THE DEPARTMENT OF WATER RESOURCES

L. GLEN SAXTON

, of the Department of Water Resources hereby

approve the above referenced application for amendment. See the

attached sheet for the conditions of approval.

Witness my hand this

day of

July

19 93

RECEIVED


JUL 27 1993

CONDITIONS OF APPROVAL

Amendment of Permit No. 35-08836

1. The previous conditions as set forth in Permit No. 35-08836 must be met.
2. Construction of the well must comply with Idaho well construction standards.
3. The issuance of this permit in no way grants any right-of-way or easement across the land of another.

Dated this 2nd day of July, 1993.



L. GLEN SAXTON
Chief, Water Allocation Bureau

RECEIVED
JUL 07 1993

Form 20
11-81
RECEIVED
MAR 30 1992

For Office Use Only
\$15 Fee Received by 1.12
Date 3-30-92
Receipt No. 1072,651

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Department of Water Resources

REQUEST FOR EXTENSION OF TIME
TO PROVIDE ADDITIONAL TIME IN WHICH TO SUBMIT PROOF OF
BENEFICIAL USE FOR A WATER RIGHT PERMIT

The Idaho Department of Water Resources will consider this form as a request that the permit holder(s) be granted an additional period of time in which to complete development of water right under the provisions of Section 42-204, Idaho Code.

Permit No. 35-08836
Name(s) of Permit Holder: Jackman Guy Poulson - Jackman G. Poulson
Mailing Address: 1688 S. 2700 W. Aberdeen, Idaho 83210
Date Proof is Due 4-1-92 Telephone No. 208-397-4520

Describe what work has been completed toward the development of this water right:
(This must be filled out! If no work has been completed, show "none".)

We have received a bid from Cushman Well Drilling
of \$77.00 per foot (includes pipe + Drilling) to drill 16" well.
We've order some of the casing for the well from Funk Irrig.
at \$26.40 per foot for 20" x 1/4 wall pipe. Costing \$528.00 per
30' section

The permit holder(s) has been unable to complete the remainder of the work for the following reasons:

Financially unable to complete until now.

Permit holder(s) request an extension to 4-1, 19 92.

FEE: \$15.00

(Signature)*

*If other than permit holder, Power of Attorney must be supplied.

ACTION OF THE DEPARTMENT OF WATER RESOURCES

RECEIVED

IT IS HEREBY ORDERED that the above request for extension of time be APPROVED
and the time within which to submit proof of beneficial use is extended to
April 1, 1995.

APR 08 1992

Signed this 31st day March, 19 92

J. Glen Saylor
Chief, Water Allocation Bureau

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 35-08836

Proposed Priority: November 13, 1989 Maximum Diversion Rate: 1.63 CFS

This is to certify, that **JACKMAN G. POULSON**
JACKMAN GUY POULSON
45 E. N. CANYON RD.
BOUNTIFUL, UT 84010

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	04/01 to 11/01	1.63 CFS

LOCATION OF POINT(S) OF DIVERSION: SWSE Sec. 23, Township 05S, Range 31E
BINGHAM County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
05S	31E	23	NWSE 40	SWSE 33	SESE 8.5	81.5
Total number of acres irrigated:						81.5

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **April 1, 1992**.
2. Subject to all prior water rights.
3. The right to the use of water acquired under this permit shall not give rise to any right or claim against the holder of a senior right based upon the theories of forfeiture, abandonment, adverse possession, waiver, equitable estoppel, estoppel by laches or customary preference.
4. The Director retains jurisdiction of the permit and any license subsequently issued to incorporate the use into a water district, require streamflow augmentation or other action needed to protect prior surface water and groundwater rights.
5. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
6. Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.
7. Prior to the diversion of water under this permit a flow measurement port or other device as specified by the Department shall be installed to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.
8. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.

MICROFILMED

MAR 09 1990

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 35-08836

CONDITIONS/REMARKS:

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

6th day of March, 1990

R. Keith Higginson
for R. Keith Higginson, Director

MICROFILMED

MAR 99 1990

Ident. No. 35-08836

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name: JACKMAN G. POULSON 801-298-8548
Address: 45 E. N. CANYON RD.
BOUNTIFUL, UT 84010
OR
Name: JACKMAN GUY POULSON 208-397-4520
Address: 1688 S. 2700 W.
ABERDEEN, ID 83210

2. Source: GROUNDWATER Trib. to:
3. Location of Point of Diversion: SWSE Sec. 23, Township 05S, Range 31E
BINGHAM County

4. Water will be used for the following purposes:

Purpose	From	To	CFS	(or)	AF
IRRIGATION	04/01	11/01	1.630		

5. Total quantity appropriated is:
1.630 CFS (and/or) AF

6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc.
WELL AND PUMP TO SPRINKLERS
b. Height of storage dam feet; active reservoir capacity
acre-feet; total reservoir capacity acre-feet; period of
year when water will be diverted to storage: to inclusive.
c. Proposed well diameter is 16 inches; proposed depth of well is 200
feet.
d. Is groundwater with a temperature greater than 90F being sought? NO

7. Time required for the completion of the works and application of
the water to the proposed beneficial use is 2 years.

8. Description of proposed uses:
IRRIGATION

MICROFILMED

9. Place of Use: IRRIGATION

MAR 09 1980

TWN	RGE	SEC	ACRES	ACRES	ACRES	TOTAL
05S	31E	23	NWSE 40	SWSE 33	SESE 8.5	81.5
Total number of acres irrigated:						81.5

10. Describe any other water rights used for the same purposes.
ABERDEEN-SPRINGFIELD CANAL SHARES

11. a. Who owns the property at the point of diversion?

APPLICANT

b. Who owns the land to be irrigated or place of use?


APPLICANT

c. If the property is owned by a person other than the applicant,
describe the arrangement enabling the applicant to make this filing.

12. Remarks:

13. Map of proposed point of diversion and place of use attached? []

BE IT KNOWN that the undersigned hereby makes application for permit to
appropriate the public waters of the State of Idaho as herein set forth.


Applicant

Received by HWT Date 11-13-89 Time 5:00 pm Preliminary check by Kaw

Fee \$ 65.00 Received by HWT # B2011146 Date 11-13-89


Publication prepared by LB Date 1/18/25-90 Published in Morning News

Publication approved CW Date 2-12-90

RECORDED

MAR 09 1990

35-08836



674
FUELL, Frank J.
FUELL, Linda Lee
802 N. 450 E.
Firth, Id. 83236
Source: GROUNDWATER
Diversion Pt: SESESW, Sec. 23, T. 01S, R.
36E.
Use: IRRIGATION (.100 CFS).
Total Diversion: (.100 CFS).
Date Filed: 8/30/1988.
In: T01S, R36E, S23, SESW.
5.0 ACRES TOTAL.

35-08835

POULSON, Weldon
POULSON, Jackman Guy
Aberdeen, Id. 83210
Source: GROUNDWATER
Diversion Pt: NENE, Sec. 26, T. 05S, R.
31E.
Use: IRRIGATION (3.100 CFS).
Total Diversion: (3.100 CFS).
Date Filed: 11/13/1989.
In: T05S, R31E, S26, NENE, NWNE,
SWNE, SENE.
155.0 ACRES TOTAL.

35-08836

POULSON, Jackman G.
POULSON, Jackman Guy
45 E. N. Canyon Rd.
Bountiful, Utah 84010
Source: GROUNDWATER
Diversion Pt: SWSE, Sec. 23, T. 05S, R.
31E.
Use: IRRIGATION (1.630 CFS).
Total Diversion: (1.630 CFS).
Date Filed: 11/13/1989.
In: T05S, R31E, S23, NWSE, SWSE, SESE.
81.5 ACRES TOTAL.

35-08843

BYINGTON, Danny
BYINGTON, Shirlen
776 S. 1500 W.
Pingree, Id. 83262
Source: GROUNDWATER
Diversion Pt: NESE, Sec. 9, T. 04S, R. 33E.
Use: IRRIGATION (.400 CFS).
Total Diversion: (.400 CFS).
Date Filed: 8/16/1989.
In: T04S, R33E, S09, NESE.
20.0 ACRES TOTAL.

The permit(s) will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code, and/or the new public interest criteria of Sec. 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, 150 Shoup Ave., Suite 15, Idaho Falls, Idaho, 83402, on or before FEBRUARY 5, 1990.

R. KEITH HIGGINSON
Director

(639)
Pub.: 1/18, 25

AFFIDAVIT of PUBLICATION

County of Bingham)

State of Idaho) ss

I, Ted Townsend do

solemnly

swear that I am the Publisher of The Morning News which is a daily newspaper of general circulation published each day except Sunday at Blackfoot, Bingham County, Idaho, said newspaper having been so published at Blackfoot, aforesaid for more than one year past; that said newspaper heretofore complied with all the provisions of Chapter 154 of the Sessions Laws of Idaho of 1933, approved March 11, 1933, and duly designated, pursuant to law, a particular day of the week as the day on which legal notices required by law or by the order of any Court of competent jurisdiction within the State of Idaho shall be published to-wit: of each week; that the notice attached hereto and which is a part of this affidavit and part of the proof of publication was published in said issue or said

newspaper two consecutive weeks,

the first publication having been made on the

18th day of January, 1990;

and the last publication having been made on the 25th day of January, 1990;

that said notice was published in the regular and entire issue of every number of the paper as aforesaid during the period and time of publication, and that notice was published in the newspaper and not in a supplement.

On this 31st day of January, in the year 1990, before me a Notary Public of said State, personally appeared

Ted Townsend
known or identified to me to be the person whose name is subscribed to the within instrument, and being by me first duly sworn, declared that the statements therein are true, and acknowledged to me that he executed the same.

Raye Dayton
Notary Public for the State of Idaho,
Residing at Blackfoot, Idaho.
My commission expires
November 10, 1994

Affidavit Processing Fee..... \$5.00

MICROFILMED

MAR 09 1990



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

March 27, 1997

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

JACKMAN G POULSON
JACKMAN GUY POULSON
1688 S 2700 W
ABERDEEN ID 83210

RE: WATER RIGHT NO. 35-08836

Dear Water Right Holder(s):

The Department of Water Resources (the Department) has issued the enclosed license confirming that a water right has been established in accordance with the permit referenced above. The license is a preliminary order issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department unless a party petitions for reconsideration or files an exception and/or brief as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of this order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3), Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, this preliminary order will become a final order of the Department.

If any party appeals or takes exceptions to this preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

MICROFILMED

APR 10 1997

ORAL ARGUMENT

If the Department grants a petition to review the preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Department in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

FINAL ORDER

The Department will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Department may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The Department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

MICROFILMED

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

Sincerely,

A handwritten signature in cursive script that reads "Shelley W. Keen".

Shelley W. Keen
Water Rights Supervisor

SK:ph

Enclosure


MICROFILMED
APR 10 1997

CERTIFICATE OF MAILING

I hereby certify that on the 27th day of March, 1997, I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER (Approved License) to the person(s) listed below:

Water Right No. 35-08836

JACKMAN G POULSON
JACKMAN GUY POULSON
1688 S 2700 W
ABERDEEN ID 83210



Vanessa Roby
Secretary

MICROFILMED

APR 10 1997

Carmen San Ro.



LICENSE REVIEW CHECKLIST

PERMIT NO. 35-08836

DATE 3/18/97

REVIEWER: SHARLA

NAME	Change <u>—</u>	OK <u>✓</u>	Address Change <u>NO</u>
SOURCE	<u>—</u>	<u>✓</u>	Is change clarification of originally intended source? <u>—</u>
POINT OF DIV	<u>—</u>	<u>✓</u>	If not, prepare Notice of Intent to Void <u>—</u>
PLACE OF USE	<u>—</u>	<u>✓</u>	Amendment required <u>NO</u>

Does map agree with written description? ✓ yes — no

OVERLAPS — P/D — P/U

RATE OF DIV

Permitted Rate	<u>1.6</u> cfs	- as amended orig 1.63 for 81.5 ac.
Fee limit	<u>2.0</u> cfs	\$125 ⁰⁰
Measured	<u>1.68</u> cfs	
Theoretical	<u>1.63</u> cfs	

Recommended Total Div Rate 1.52 cfs

ANNUAL VOLUME/
NATURE OF USES —

Use ✓

Volume Calculation

<u>hrs.</u>	<u>76 X 4.0 =</u> af
<u>—</u>	<u>304.0</u> af
<u>—</u>	<u>—</u> af
<u>—</u>	<u>—</u> af
<u>—</u>	<u>—</u> af
SUBTOTAL	<u>304.0</u> af

Flow rate 1.52 cfs X 214 days X 1.983 = 644.1 af
 Total volume recommended 304.0 af
 (SUBTOTAL or Flow Rate, whichever is less)

REMARKS

WB7 (0.02 cfs/ac, 304.0 af)

CONDITIONS — Watermaster Control WD# —

— GW Measurement/Measuring Device

26 Overlap

— Use-specific conditions 048, 049, 065, 079

Advancement of Priority Date Required — yes ✓ no

SRBA Claim Filed N/A
 Adjustment Memo —

1st Amend Letter N/A
 2nd Amend Letter N/A

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

OCT 11 1996

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 35-08836

1. Owner: JACKMAN GUY POULSON

Phone No. (208) 397-4520

Current Address: 1688 S 2700 W, ABERDEEN ID 83210

2. Accompanied by: JACKMAN GUY POULSON

EXAM DATE: 07-03-1995

Address: 1688 S 2700 W, ABERDEEN ID 83210

Phone No. (208) 397-4520

Relationship to Permit Holder: _____

3. Source: GROUNDWATER

tributary to _____

B. OVERLAP REVIEW

1. Other water rights with the same place of use: ABERDEEN SPRINGFIELD 20475

2. Other water rights with the same point of diversion: _____

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		NW	NW	NE	11	5S	31E	BINGHAM	USGS, Onsite

2. Place(s) of Use:


Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
5S	31E	11	39	37															76

MICROFILMED

APR 10 1997

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe l.d. as applicable.



Scale: 1" = _____
 _____ Copy of USGS Quadrangle Attached Showing location(s) of _____
 _____ point(s) of diversion and place(s) of use (required).
 _____ Aerial Photo Attached of _____
 _____ (required for irrigation of 10+ acres)
 _____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No. *	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	OS Motors	50	1243550	WESTINGHOUSE	8" UB 4871

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Flow Service						

2. Measurements:

Q_{meas} = 755.8 GPM = 1.68 CFS
 CS1 = 75
 DEPARTING

4-9 1 2 1881

PHOTOGRAPHED

E. NARRATIVE/REMARKS/COMMENTS

WELL, PUMP AND PIPELINES TO SPRINKLER SYSTEM FOR IRRIGATION OF CROPLAND. WHEEL LINES IN PLACE AT TIME OF EXAM

SEVERAL AERIAL SPRINGFIELD RIGHTS OVERLAP.

* FOR Q THEORETICAL: $HA = 50$
 $PSI = 75$
 $H_2O @ 16'$ (SEE ATTACHED LOG)
 $EFF = 70\%$

Have conditions of permit approval been met? ☐ yes ☐ no

RECORDED
APR 10 1997

Measured Method:

Additional Computation Sheets Attached

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

2. Volume Calculations for Other Uses:

$$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 76 \times 4.0 = 304 \text{ AFD}$$

$$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 1.52(214)1.9835 = 645.2 \text{ AFD}$$

$$V = \text{Smaller of } V_{IR} \text{ and } V_{DR} = 304 \text{ AFD}$$

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use From To	Rate of Diversion Q (cfs)	Annual Volume V (ata)
Levee Removal	4-1 10-31	1.52	304
Totals:		1.52	304

2. Recommended Amendments

<u>Change P.D. as reflected above</u>	<u>Add P.D. as reflected above</u>	<u>Change P.U. as reflected above</u>	<u>Add P.U. as reflected above</u>
<u>X None</u>	<u>Other</u>		

I. AUTHENTICATION


Field Examiner's Name:

Reviewer _____
Date _____

Date 9-12-96

SEAL

12-11-40
MICROFILMED





35-08836

MICROFILMED

APR 10 1987

00-00 00:2100 *R
+002.70 % AI2

OUTER DIAMETER
8.6500 IN

PIPE MATERIAL
? CS,SS

WALL THICKNESS
0.1882 IN

SOUND VELOCITY
1440 M/S-

SPACING
6.259 IN U

0315.0 MMSEC
099.65 % T0

00-00 00:2300 *R
+755.796E 0GPM

00-00 00:2300 *R
+751.305E 0GPM

00-00 00:2400 *R
+750.777E 0GPM

35-08836

7-3-95

00-00 00:2100 *R
+002.70 % AI2

OUTER DIAMETER
8.6500 IN

PIPE MATERIAL
? CS,SS

WALL THICKNESS
0.1882 IN

SOUND VELOCITY
1440 M/S-

SPACING
6.259 IN U

0315.0 MMSEC
099.65 % T0

00-00 00:2300 *R
+755.796E 0GPM

00-00 00:2300 *R
+751.305E 0GPM

00-00 00:2400 *R
+750.777E 0GPM

35-08836

7-3-95

MICROFILMED

APR 10 1997

35-08836



Plate 1 - Point of diversion looking south.



Plate 2 - Point of diversion 3/4 view looking southwest.

MICROFILMED
APR 10 1967

35-08836

**ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE**

Permit No. 35-08836 Reviewed by [Signature] Date 1/23/95

GENERAL CONSIDERATIONS

TYPES OF USE

yes Name same as permit?

Irr.

~~no~~ yes Address same as permit?

yes Proof timely received?

Correct Uses? yes

If not, complete calculation below.

SOURCE OF WATER

 Surface water source

✓ Ground water source

yes Drilling permit required?

no Copy in the file? Drilling Permit No. 35-93-E-00062-000

200.00 Amount paid for permit

yes Correct?

yes Well log in the file?

LICENSE EXAMINATION FEE

MEASURING DEVICE

yes Required?

yes Required?

125.00 Amount Submitted

no Installed?

yes Correct?

 Waiver requested?

PRIORITY CALCULATION

Date proof received	<u> </u>	<u> </u>
Date proof due	<u> </u>	<u> </u>
No. of days late	<u> </u>	<u> </u>
Priority Date	<u> </u>	<u> </u>
New Priority Date	<u> </u>	<u> </u>

DEFICIENCIES OR ACTION ITEMS

*advise of flow port condition.
Proof acceptable*

DATA ENTRY

New Address 1688 X Proof Made 1/19/95



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

January 24, 1995

JACKMAN GUY POULSON
1688 S 2700 W
ABERDEEN ID 83210

PROOF ACKNOWLEDGEMENT LETTER

RE: PERMIT NO. 35-08836

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

Please be advised that one of the conditions of your water right permit requires that the permit holder install a flow measurement port (refer to condition # 4 of your permit). This condition must be complied with before the license exam, or you can request in writing, a waiver of the condition.

If you have questions concerning this matter, please feel free to contact the EASTERN Regional Office in Idaho Falls, at (208)525-7161.

Sincerely,

A handwritten signature in cursive script that reads "Julie L. Yarbrough".

JULIE L. YARBROUGH
Senior Secretary

c: IDWR - Region

RECEIVED
FEB 13 1995



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

November 9, 1994

JACKMAN GUY POULSON
JACKMAN G POULSON
1688 S 2700 W
ABERDEEN ID 83210

RE: Water Right No. 35-08836

Certified Mail No. 141749

Dear Water Right Holder(s):

Enclosed is a copy of an Order for Temporary Stay of Development and Notice of Formal Proceedings in connection with the above referenced water right permit. Also enclosed is a form and instructions for filing proof of beneficial use of water.

If you have questions related to the order and its effect upon your permit, please feel free to contact the department.

Sincerely,

L. GLEN SAXTON
Chief, Water Allocation Bureau


Enclosures

RECEIVED
FEB 13 1995

**USE TYPEWRITER OR
BALLPOINT PEN**

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

1. WELL OWNER Name <u>Jack Poulsen</u> Address <u>168 S. 2700 W. Aberdeen, Idaho</u> Drilling Permit No. <u>35-E-93--062 - 000</u> Water Right Permit No. <u>35-08836</u>	7. WATER LEVEL Static water level <u>16</u> feet below land surface. Flowing? ☐ Yes ☒ No G.P.M. flow _____ Artesian closed-in pressure _____ p.s.i. Controlled by: ☐ Valve ☐ Cap ☐ Plug Temperature _____ °F. Quality _____ Describe artesian or temperature zones below.																																																																																																		
2. NATURE OF WORK ☒ New well ☐ Deepened ☐ Replacement ☐ Well diameter increase ☐ Modification ☐ Abandoned (describe abandonment or modification procedures such as liners, screen, materials, plug depths, etc. in lithologic log, section 9.)	8. WELL TEST DATA ☐ Pump ☐ Bailor ☐ Air ☐ Other _____ <table border="1"><thead><tr><th>Discharge G.P.M.</th><th>Pumping Level</th><th>Hours Pumped</th></tr></thead><tbody><tr><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td></tr></tbody></table>	Discharge G.P.M.	Pumping Level	Hours Pumped																																																																																															
Discharge G.P.M.	Pumping Level	Hours Pumped																																																																																																	
3. PROPOSED USE ☐ Domestic ☒ Irrigation ☐ Monitor ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection ☐ Other _____ (specify type)	9. LITHOLOGIC LOG <table border="1"><thead><tr><th rowspan="2">Bore Diam.</th><th colspan="2">Depth</th><th rowspan="2">Material</th><th colspan="2">Water</th></tr><tr><th>From</th><th>To</th><th>Yes</th><th>No</th></tr></thead><tbody><tr><td rowspan="4">20"</td><td>0</td><td>2</td><td>Clay</td><td></td><td>X</td></tr><tr><td>2</td><td>5</td><td>Sand</td><td>X</td><td></td></tr><tr><td>5</td><td>13</td><td>Sandy Clay</td><td></td><td>X</td></tr><tr><td>13</td><td>35</td><td>Basalt</td><td></td><td>X</td></tr><tr><td rowspan="4">16"</td><td>35</td><td>50</td><td>Basalt (Crevice)</td><td>X</td><td></td></tr><tr><td>50</td><td>55</td><td>Clay & Chalk</td><td></td><td>X</td></tr><tr><td>55</td><td>84</td><td>Basalt</td><td></td><td>X</td></tr><tr><td>84</td><td>91</td><td>Soft Basalt & Clay</td><td></td><td>X</td></tr><tr><td rowspan="8">12"</td><td>91</td><td>105</td><td>Brown Clay</td><td></td><td>X</td></tr><tr><td>105</td><td>121</td><td>Sand</td><td>X</td><td></td></tr><tr><td>121</td><td>129</td><td>Brown Clay</td><td></td><td>X</td></tr><tr><td>129</td><td>182</td><td>Blue Clay</td><td></td><td>X</td></tr><tr><td>182</td><td>205</td><td>Sandstone</td><td>X</td><td></td></tr><tr><td>205</td><td>236</td><td>Sticky Clay</td><td></td><td>X</td></tr><tr><td>236</td><td>248</td><td>Brown Sandstone</td><td>X</td><td></td></tr><tr><td>248</td><td>263</td><td>Sandy Gravel</td><td>X</td><td></td></tr><tr><td>263</td><td>286</td><td>Hard Gravel - Sandy</td><td>X</td><td></td></tr></tbody></table>	Bore Diam.	Depth		Material	Water		From	To	Yes	No	20"	0	2	Clay		X	2	5	Sand	X		5	13	Sandy Clay		X	13	35	Basalt		X	16"	35	50	Basalt (Crevice)	X		50	55	Clay & Chalk		X	55	84	Basalt		X	84	91	Soft Basalt & Clay		X	12"	91	105	Brown Clay		X	105	121	Sand	X		121	129	Brown Clay		X	129	182	Blue Clay		X	182	205	Sandstone	X		205	236	Sticky Clay		X	236	248	Brown Sandstone	X		248	263	Sandy Gravel	X		263	286	Hard Gravel - Sandy	X	
Bore Diam.	Depth		Material	Water																																																																																															
	From	To		Yes	No																																																																																														
20"	0	2	Clay		X																																																																																														
	2	5	Sand	X																																																																																															
	5	13	Sandy Clay		X																																																																																														
	13	35	Basalt		X																																																																																														
16"	35	50	Basalt (Crevice)	X																																																																																															
	50	55	Clay & Chalk		X																																																																																														
	55	84	Basalt		X																																																																																														
	84	91	Soft Basalt & Clay		X																																																																																														
12"	91	105	Brown Clay		X																																																																																														
	105	121	Sand	X																																																																																															
	121	129	Brown Clay		X																																																																																														
	129	182	Blue Clay		X																																																																																														
	182	205	Sandstone	X																																																																																															
	205	236	Sticky Clay		X																																																																																														
	236	248	Brown Sandstone	X																																																																																															
	248	263	Sandy Gravel	X																																																																																															
263	286	Hard Gravel - Sandy	X																																																																																																
4. METHOD DRILLED ☐ Rotary ☐ Air ☐ Auger ☐ Reverse rotary ☒ Cable ☐ Mud ☐ Other _____ (backhoe, hydraulic, etc.)																																																																																																			
5. WELL CONSTRUCTION Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____ <table border="1"><thead><tr><th>Thickness</th><th>Diameter</th><th>From</th><th>To</th></tr></thead><tbody><tr><td><u>1/4</u> inches</td><td><u>16</u> inches</td><td><u>1</u> feet</td><td><u>35</u> feet</td></tr><tr><td><u>3/8</u> inches</td><td><u>12</u> inches</td><td><u>1</u> feet</td><td><u>285</u> feet</td></tr><tr><td>_____ inches</td><td>_____ inches</td><td>_____ feet</td><td>_____ feet</td></tr></tbody></table> Was casing drive shoe used? ☒ Yes ☐ No Was a packer or seal used? ☐ Yes ☒ No Perforated? ☒ Yes ☐ No How perforated? ☐ Factory ☒ Knife ☐ Torch ☐ Gun Size of perforation? <u>1/4</u> inches by <u>3</u> inches <table border="1"><thead><tr><th>Number</th><th>From</th><th>To</th></tr></thead><tbody><tr><td><u>100</u> perforations</td><td><u>268</u> feet</td><td><u>283</u> feet</td></tr><tr><td>_____ perforations</td><td>_____ feet</td><td>_____ feet</td></tr><tr><td>_____ perforations</td><td>_____ feet</td><td>_____ feet</td></tr></tbody></table> Well screen installed? ☐ Yes ☒ No Manufacturer _____ Type _____ Top Packer or Headpipe _____ Bottom of Tailpipe _____ Diameter _____ Slot size _____ Set from _____ feet to _____ feet Diameter _____ Slot size _____ Set from _____ feet to _____ feet Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____ Placed from _____ feet to _____ feet Surface seal depth <u>35</u> Material used in seal: ☒ Cement grout ☐ Bentonite ☐ Puddling clay ☐ _____ Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing ☒ Overbore to seal depth Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent Weld ☐ Cemented between strata Describe access port <u>2" Pipe welded on 12" Casing</u>	Thickness	Diameter	From	To	<u>1/4</u> inches	<u>16</u> inches	<u>1</u> feet	<u>35</u> feet	<u>3/8</u> inches	<u>12</u> inches	<u>1</u> feet	<u>285</u> feet	_____ inches	_____ inches	_____ feet	_____ feet	Number	From	To	<u>100</u> perforations	<u>268</u> feet	<u>283</u> feet	_____ perforations	_____ feet	_____ feet	_____ perforations	_____ feet	_____ feet	10. Work started <u>7/16/93</u> finished <u>8/19/93</u>																																																																						
Thickness	Diameter	From	To																																																																																																
<u>1/4</u> inches	<u>16</u> inches	<u>1</u> feet	<u>35</u> feet																																																																																																
<u>3/8</u> inches	<u>12</u> inches	<u>1</u> feet	<u>285</u> feet																																																																																																
_____ inches	_____ inches	_____ feet	_____ feet																																																																																																
Number	From	To																																																																																																	
<u>100</u> perforations	<u>268</u> feet	<u>283</u> feet																																																																																																	
_____ perforations	_____ feet	_____ feet																																																																																																	
_____ perforations	_____ feet	_____ feet																																																																																																	
6. LOCATION OF WELL Sketch map location must agree with written location  Subdivision Name _____ Lot No. _____ Block No. _____ County <u>Bingham</u> Address of Well Site _____ (give at least name of road) NW <u>1/4</u> NE <u>1/4</u> Sec. <u>11</u> T. <u>5</u> N ☐ or S ☒ R. <u>31</u> E ☒ or W ☐	11. DRILLER'S CERTIFICATION I/We certify that all minimum well construction standards were complied with at the time the rig was removed. Firm Name <u>Cushman Drilling Firm No. #94</u> <u>1405 South Broadway</u> Address <u>Blackfoot, Idaho</u> Date <u>8/25/93</u> Signed by Drilling Supervisor <u>Bob Cushman</u> and (Operator) <u>Nyle Bailey</u> (If different than the Drilling Supervisor)																																																																																																		



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

July 6, 1993

JACKMAN G. POULSON
JACKMAN GUY POULSON
1688 S 2700 W
ABERDEEN ID 83210

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 35-08836

Dear Permit Holder:

Enclosed is a copy of your approved application for permit.
Please be sure to thoroughly review the "CONDITIONS/REMARKS:"
listing on the permit.

Sincerely,

A handwritten signature in black ink, appearing to read 'Jim Johnson', followed by a horizontal line.

JIM JOHNSON
Water Rights Supervisor

JJ:dc

Enclosures

RECEIVED
JUL 07 1993

AMENDMENT OF PERMIT NO. 35-8836 REVIEW

TYPE OF CHANGE: P/D P/U ADD P/D NATURE OF USE

AREA OF CONCERN: E.S. R. P. Mor.

PROOF OF BENEFICIAL DUE DATE 4/1/95 Under 6 months? No

GROUNDWATER:

GT. 0.2 cfs - 01G
 LT. 0.2 cfs - NMR <flow chart>
 Drilling Permit No. -
 Not included - 046, 46B new P/D

SURFACE WATER: not in w/d - 01C (=GT.2 w/pump), NMR <flow chart>

LOCATION:

Water Districts - WD No. 01
 Surface water - 005, R04-01H (LT.2 w/pump)
 R04-01J (GT.2)
 Swan Falls Flag - 1 (1, Blank or Other)
 Trust - 051-052-053 (Consumptive Uses)
 Non Trust <1> - 048-049

RIVER BASINS (Surface Water)

Boise (63) - 05A & 11E
 Payette (65) - 047, 059
 Snake (01, 02 & 03) - 11A (01), 061 (02/03 No W.D.Cond.)

USE:

Fish Propagation - 06A, 09E, or 010 (WQ/Choose One),
 042 (req.), 002 (MD), 07A (Spec.),
 044 (Policy 5G)
 Power - Use Power Review
 Mining - 06A, 010, or 09E & 054(req.)
 Storage - 18A-for multiple m/devices(In WD),
 18B (Size)
 Rec/Wildlf/Aes - 027 (Non-Consumptive)
 Domestic - 021 (restricted areas & Boise River
 upstream from Lucky Peak)
 27A (Payette River & main tributaries)

NON LAND OWNER - 004
 PROTEST AGREEMENT - 020

Recommended conditions same as on the permit or subsequent
 amendment(s) to the permit? Yes ✓ No

Conditions of Approval Standard, 46B, 004

WR0749NP
No. B35-08836

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT
(REGIONAL)

DATE: 06/25/93
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD		DIVERSION RATE	DIVERSION VOLUME
				FROM	TO		
C	JACKMAN G POULSON	11/13/1989	IRRIGATION	04-01	11-01	1.60 CFS	
C	JACKMAN GUY POULSON						
	1688 S 2700 W						
	ABERDEEN ID 83210						
	(208) 397-4520						
TOTAL DIVERSION:						1.60 CFS	

Water Source: GROUNDWATER

Tributary to:

Stage: PERMIT

Point(s) of Diversion: T05S R31E S11 NW NE

Place of use Legal Description for: IRRIGATION

				NE				NW				SW				SE								
T	R	S	:	NENE	NWNE	SWNE	SENE	:	NENW	NWNW	SWNW	SENW	:	NESW	NWSW	SWSW	SESW	:	NESE	NWSE	SWSE	SESE	:	SUM
			:	Lt	Ac	Lt	Ac	:	Lt	Ac	Lt	Ac	:	Lt	Ac	Lt	Ac	:	Lt	Ac	Lt	Ac	:	
05S	31E	11	:	40	40			:					:					:					:	80.0
TOTAL ACRES																								80.0

Pou County: BINGHAM

Other Rights: ABERDEEN-SPRINGFIELD CANAL SHARES

Conditions of Approval:

- 048 - The use of water under this right shall not give rise to any claim against the holder of a senior water right based upon the theories of forfeiture, abandonment, adverse possession, waiver, equitable estoppel, estoppel by laches or customary preference.
- 049 - The Director retains jurisdiction of the right to incorporate the use into a water district, require streamflow augmentation or other action needed to protect prior surface water and groundwater rights.
- 046 - Right holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
- 026 - Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.
- 01G - Prior to the diversion of water under this right a flow measurement port or other device as specified by the Department shall be installed to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.
- 03A - The rate of diversion of water for irrigation under this right and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- 004 - The issuance of this right in no way grants any right-of-way or easement across the land of another.
- 46B - Construction of the well must comply with Idaho well construction standards.

WR0749NP
No. B35-08836

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT
(REGIONAL)

DATE: 06/25/93
PAGE: 2

=====
Dates: App. Received: 11/13/1989 Priority Date: 11/13/1989
Proof Due Date: 04/01/1995 Proof Made Date:
Exam Made Date: Exam Sent to S.O.:
Licensed Date:

Misc: Water District Number: 01 Field Exam Fee:

Comments: Date: 03/30/1992 User-ID: VAULT Subject: Extension of Time Received
Extension of Time Received

Date: 06/25/1993 User-ID: ZIMMERMA Subject: AMENDED PERMIT
This permit has been amended to change the point of diversion and
place of use. The amendment resulted in a reduction of acres.

Audit: 06/25/93 ZIMMERMA

4-29-93
4-29-93

State of Idaho
Department of Water Resources

RECEIVED
JUN 16 1993

AMENDMENT ANALYSIS SHEET

INITIAL REVIEW BY: HUT HUT

Department of Water Resources

Right Number: 35-8836 Applicant: Tackman Guy Paulson

Purpose of Amendment: ☒ Change point of diversion. ☐ Add diversion point(s).

☐ Increase amount. ☒ Change place of use. ☐ Other _____

CHECK:

- ☒ Description of amended point(s) of diversion.
- ☒ Amount, nature and period of use. If increased, delay date of priority.
- ☒ Description of amended places of use. If expanded, delay date of priority.
- ☒ Ownership of point of diversion and place of use.
- ☒ Map.
- ☒ Signature (must be permit holder).
- ☒ Fee.
- ☒ Existing water rights from the same source, amended place of use.
- ☒ Right number(s) X/A.
- ☒ Yes ☐ No Should amendment be advertised?
- ☐ Yes ☒ No Should date of priority be delayed? If yes, to what date? _____

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received.
- ☒ Amendment published correctly.
- ☐ Protests processed.
- ☒ Approve.
- ☐ Deny.

Conditions OIG

By HUT Date 6-14-93

STATE OFFICE PROCESSING:

- ☒ Amendment correct and complete. By CZ. Date 6/25/93
- ☒ Approved copy sent to applicant and to Region. By [Signature] Date 7/6/93

DEPT. OF WATER RESOURCES
900 N. Skyway Dr.
Idaho Falls, Idaho 83402-1718
(208) 525-7161

**NOTICE OF PROPOSED
AMENDING OF WATER
RIGHT PERMIT**

Notice is hereby given that Permit No. 35-08836, in the name of Jackman Guy Poulson, Bountiful, Utah, was issued for the diversion of 1.63 cfs of water from a groundwater source with the point of diversion within the SWSE, Sec. 23, T05S, R31E, BINGHAM COUNTY to be used for the irrigation of 80.5 acres April 1 to November 1, within the NWSE, SWSE, SESE, Sec. 23, T05S, R31E, B.M.

The permit holder now proposes to amend Permit No. 35-08836, changing the point of diversion to within the NWNE, Sec. 11, T05S, R31E, BINGHAM COUNTY, and place of use to irrigate 80 acres within the N1/2 NE, Sec. 11, T05S, R31E, B.M.

Any protest to the proposed amending of the permit must be filed with the Idaho Department of Water Resources, 900 N. Skyway Dr., Idaho Falls, Idaho, 83402, on or before June 7, 1993.

R. KEITH HIGGINSON
Director

11784
27012 94T

UNRECORDED

JUL 07 1993

Legals

**AFFIDAVIT OF
PUBLICATION**

County of Bingham)

ss

State of Idaho)

I, Jacqueline Graham do
solemnly

Legal

swear that I am the Coordinator of
The Morning News, which is a daily news-
paper of general circulation, published
each day except Sunday at Blackfoot,
Bingham County, Idaho, said newspaper
having been so published at Blackfoot,
aforesaid for more than one year past;
that said newspaper heretofore complied
with all the provisions of Chapter 154 of
the Sessions Laws of Idaho of 1911, ap-
proved March 11, 1911, and duly desig-
nated, pursuant to law, a particular day
of the week as the day on which legal no-
tices required by law or by the order of
any Court of competent jurisdiction within
the State of Idaho shall be published to-
wit: of each week; that the notice at-
tached hereto and which is a part of this
affidavit and part of the proof of publi-
cation was published in said issue of said
newspaper 2 consecutive weeks
the first publication having been made on
the 20th day of May,
1992 and the last publication having
been made on the 27th day of
May, 1992; that said notice
was published in the regular and entire
issue of every number of the paper as
aforesaid during the period and time of
publication, and that notice was pub-
lished in the newspaper and not in a sup-
plement.

Jacqueline Graham
On this 29th day of May, in
the year 1992, before me a Notary
Public of said State, personally appeared
Jacqueline Graham

known or identified to me to be the per-
son whose name is subscribed to the with-
in instrument, and being by me first duly
sworn, declared that the statements
therein are true, and acknowledged to
me that he executed the same.

Arthur A. Johnson

Notary Public for the State of Idaho
Residing at Blackfoot, Idaho
My Commission Expires:
October 10, 1994

Affidavit Processing Fee: \$5.00

NOTICE OF PROPOSED AMENDING OF WATER RIGHT PERMIT

Notice is hereby given that Permit No. 35-08836 in the name of Jackman Guy Poulson, Bountiful, UT, was issued for the diversion of 1.63 cfs of water from a groundwater source with the point of diversion within the SWSE SEC 23 T05S R31E, BINGHAM COUNTY to be used for the irrigation of 81.5 acres April 1 to November 1 within the NWSE SWSE SESE SEC 23 T05S R31E, B.M.

The permit holder now proposes to amend Permit No. 35-08836, changing the point of diversion to within the NWNE SEC 11 T05S R31E, BINGHAM COUNTY and place of use to irrigate 80 acres within the N1/2NE SEC 11 T05S R31E, B.M.

Any protest to the proposed amending of the permit must be filed with the Idaho Department of Water Resources, 900 N Skyline Dr., Idaho Falls, ID, 83402, on or before June 7, 1993.

R. Keith Higginson
Director

Published in the Morning News on May 20 & 27, 1993.

RECORDED

JUL 07 1993



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 -(208) 327-7900

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

March 31, 1992

Jackman Guy Poulson
Jackman G. Poulson
1688 South 2700 West
Aberdeen, ID 83210

Re: Permit No. 35-08836

Dear Permit Holder:

Enclosed is a copy of the approved request for extension of time. The time within which to submit proof of beneficial use is extended to April 1, 1995. Please note that the department has granted this extension based on due diligence. It is important that you work diligently toward the completion of this project during the construction period allowed. The department may not be able to grant additional requests.

If you have any questions or if I can be of any further assistance, please feel free to contact this office.

Sincerely,

Karen L. Gustafson
Karen L. Gustafson
Secretary/Records Manager

Enclosure

C: IDWR-Regional Office

MICROFILMED

APR 08 1992

**ANALYSIS SHEET
FOR
EXTENSION OF TIME**

Permit No. 35-08836 Reviewed by Klg Date 3/30/92

BASIC INFORMATION

3/30/92 Date stamp received
yes Extension received timely
yes Fee received and receipted
yes Name and signature same as permit
yes Address Change

BASIS FOR EXTENSION REQUEST

yes Has adequate work been completed to demonstrate due diligence?
Has the permit been involved in litigation?
Is supporting documentation needed to complete the file? _____ Requested? _____
Is delay by a government agency?
Is supporting documentation needed to complete the file? _____ Requested? _____
Is the project more than 25,000 acre feet for irrigation or 10,000 acre feet for a reservoir?

ACTION TAKEN

*approve Based on due diligence
extend to 4/1/95*

PRIORITY CALCULATION

Date extension received	<u>NA</u>	=	_____
Proof due date		=	_____
Number of days late		=	_____
Priority date		=	_____
New Priority Date		=	_____

DATA ENTRY

New Address 1688 S 2700 W Aberdeen, ID 83210 Klg
Change Proof Due Date 4/1/92 Klg

January 31, 1992

JACKMAN G. POULSON
JACKMAN GUY POULSON
45 E. N. CANYON RD.
BOUNTIFUL UT 84010

PROOF DUE NOTICE

RE: PERMIT NO. 35-08836

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before April 1, 1992. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.


If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Karen L. Gustafson
Secretary/Records Manager

Enclosures



S T A T E O F I D A H O
D E P A R T M E N T O F W A T E R R E S O U R C E S

Statehouse
Boise, Idaho 83720
(208) 327-7900
March 6, 1990

JACKMAN G. POULSON
JACKMAN GUY POULSON
45 E. N. CANYON RD.
BOUNTIFUL, UT 84010

P E R M I T A P P R O V A L N O T I C E

RE: PERMIT NO. P35-08836

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

You should be aware that the groundwater you propose to divert is located within a drainage basin where surface waters are regulated during the months of low flow. It is possible that diversion of groundwater may have an adverse impact on these surface water flows. Information available to us at this time does not warrant refusing to issue permits in your area, but we do caution that diversions of groundwater are not allowed to deplete flows available for surface water users with earlier priority dates. Siting your well as far from surface sources as possible and casing out upper water producing zones may reduce the potential of interference.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

Be sure to note the special condition requiring you to install a measuring device, or a flow measurement port to provide for the installation of measuring equipment by the Department. Enclosed please find a list of measuring device options, and specifications for the installation of the flow measurement port.

RECEIVED

MAR 09 1990

Please note the requirement that as a permit holder you must commence the excavation or construction of diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The enclosed blue card must be completed and returned to this office as soon as you commence construction, no later than one year from the date the permit was approved.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit into a license.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

INDEXED

MAR 09 1990

Form No. 202a
4/87

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT ANALYSIS SHEET

NON-TRUST
HOLD

INITIAL REVIEW BY KC Wilson DATE 11/15/89 APPLICATION NUMBER 35-8836
Jackman G. Poulson

REQUIRED INFORMATION

- ☒ Name (If applicant is a corporation or partnership, names must be provided for the director, officers, & other partners.)
- ☒ Address
- ☒ Source (See USGS Quad for names of water sources)
- ☒ Point of Diversion (10 acres for spring, lot & block descriptions for subdivisions, local name, flow and/or volume)
- ☒ County
- ☒ Quantity (flow and/or volume)
- ☒ Period of Use
- ☒ Nature of proposed use (Include description of use.)
- ☒ Description of diverting works
- ☒ Time required for beneficial use of water
- ☒ Place of use or acres irrigated
- ☒ Map
- ☒ Signature (If applicant is corp. partnership, or municipality, title of signator is required)
- ☒ Fee
- ☒ Yes ☐ No* In form to receipt

ADDITIONAL INFORMATION

- ☒ Overlapping place of use (Describe source & relationship to present application on the back.)
- ☒ Overlapping point of diversion
 - ☐ Yes ☒ No Field check required
 - Field check by _____
 - ☐ Yes ☒ No Field report attached
 - ☐ Yes ☒ No Critical groundwater area
 - ☐ Yes ☒ No Groundwater management area
 - ☐ Yes ☒ No Send dam safety information
 - ☐ Yes ☒ No Send power requirement letter
 - ☐ Yes ☒ No Send fish farm requirement letter
 - ☐ Yes ☒ No Power residency affidavit
 - ☐ Yes ☒ No Power efficiency form
 - ☐ Yes ☒ No Within trustwater boundary (If yes, attach trust water supplementary analysis sheet.)
 - ☐ Yes ☒ No Diversion greater than 5 cfs or 500 acre ft. (If yes, attach large diversion supplementary analysis sheet.)
- ☐ See reverse side for additional information

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT

Date Requested _____

Department of Water Resources

PROCESSING ☒ Yes ☐ No In form for advertising
☐ Yes ☒ No Statewide advertising
☒ Yes ☐ No Fee amount, receipt date & No. recorded on application

SEND COPIES TO ☐ Idaho Dept. of Health & Welfare ☐ U.S. BLM
☐ Idaho Dept. of Fish & Game ☐ U.S. Forest Service
☐ Idaho Dept. of Lands ☐ Water District
☐ Adjudication Bureau Unit ☐ Other

FINAL REGIONAL PROCESSING REVIEW

☒ Yes ☐ No Affidavit of publication received
☒ Yes ☐ No Application published correctly. If not, record action taken.

☒ Yes ☐ No Publication dates & paper, recorded on application
☐ Yes ☒ No Protests received
Final date for protest 2-5-90
☐ Yes ☐ No Protests, dates, resolution of protest, recorded on application
☐ Yes ☒ No Recommendations attached
☐ Yes ☒ No Measuring device required
☒ Yes ☐ No Access port required
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what Dist. 01
☒ Yes ☒ No Special conditions of approval or cover letter below.

See below for additional information
Date of priority recommended 11-13-1989
By HWS Date 2-12-90

STATE OFFICE REVIEW P05, P23, P03, P17 48 49 46 26 OIG

See below for additional information
By KW Date 2-26-90

ADDITIONAL INFORMATION

App. in NON-TRUST area-
OK to allow 2 yrs. for development

09-Jan-1990

Jackman G. Poulson
45 E. N. Canyon Rd.
Bountiful, UT 84010

RE: Application for Permit No. 35-8836 & 35-8835

Dear Water Right Applicant:

The Department of Water Resources acknowledges receipt of your water right permit. This office is currently in the process of advertising the application in the Morning News on. The advertisement will be published for two consecutive weeks, and a period of ten days following the second publication will be allowed for the submittal of protests.

If the application is protested, you will be sent a copy of the protest. The protest must be resolved before the application is approved or denied. If the protest is not resolved voluntarily, this Department will conduct a conference and/or hearing on the matter.

If the application is not protested, it will be forwarded to our state office in about five weeks. State office personnel will conduct a complete review prior to final processing of the application and will notify you of the outcome of this review. When a permit is issued, you will be sent a copy. A typical processing time for an unprotested application is about eight weeks.

Please feel free to contact this office if you have any questions regarding this procedure.

Sincerely,

HAROLD W. JONES
Water Rights Supervisor

HWJ/rb

RECORDED

MAR 09 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Eastern Region
Shoup Ave., Suite 15

Idaho Falls, Idaho 83402
(208) 525-7161

JANUARY 8, 1990

THE MORNING NEWS
P.O. BOX 70
BLACKFOOT, ID 83221

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before FEBRUARY 5, 1990.

Yours truly,

Rita Bodell
Secretary

Encl.

MICROFILMED

MAR 09 1990

35-08836

POULSON, JACKMAN G.
POULSON, JACKMAN GUY
45 E. N. CANYON RD.
BOUNTIFUL, UT 84010

Source: GROUNDWATER

Diversion Pt: SWSE Sec 23 T 05S R 31E

Use: IRRIGATION (1.630 CFS)
Total Diversion: (1.630 CFS)

Date Filed: 11/13/1989

In: T05S R31E S23 NWSE SWSE SESE

81.5 ACRES TOTAL

MICROFILMED

MAR 09 1990

The permit(s) will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code and/or the new public interest criteria of Sec. 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, 150 Shoup Ave., Suite 15, Idaho Falls, Idaho 83402 on or before FEBRUARY 5, 1990.

R. Keith Higginson, Director

Published 1/18/1990 & 1/25/1990

MICROFILMED

MAR 09 1990

To: THE DEPARTMENT OF WATER RESOURCES


DEAR SIRs

Due to the increasing need for we as farmers to more efficiently utilize our water supply, and whereas having an irrigation pump and system on a canal and ditch system is not as efficient as it could be. For whenever the pump shuts off, as it needs to do usually twice or three times a day, the water needs a place to go.

And because the canal system, as a good as it is, was not designed for the on and off schedule that is required for a pump irrigation system, but instead a continuous flow, it becomes understandable why a change might be necessary. For when the pump shuts off the water, needing a place to go, over flows ditchbanks into roads, fields, and neighboring lands.

Therefore I feel that using ground water would greatly improve the efficiency and utilization of the system. So for this purpose I would like to request that, if possible, THE DEPARTMENT OF WATER RESOURCES OF IDAHO expedite the application formalities so that permit no. 35-08836 might be processed as soon as possible. Thus allowing time for well drilling and installation of irrigation system before spring irrigation is needed. Thank you very much for your cooperation,

Sincerely,


Jackman Guy Poulson
RECORDED

MAR 09 1990