


13. Map
top

in number,



BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Ralph Breding
(Applicant)

E. NARRATIVE/REMARKS/COMMENTS


350 Hp pump to 12" underground
main line supplying water to one
1/2 mile linear move system.



Have conditions of permit approval been met? ☒ yes ☐ no

MAINTENANCE

SEP 11 1996



35-8832

T187

2-
81.1

Well
②

#1362
Ralph Breeding

7 8156.7

Center Pleasant Valley Rd.

3-
77.9

8 9

18 17 149

12350

17 16

20.2

SEP 11 1996

175

R 3 1/2 E
se 8

#1484
D&R
Farms




RED X SHOWS EXISTING LOCATIONS WITHIN APPROXIMATELY 1/2 MILE

4,5,3,1,2

13. M_a
tov

n number,



Scale: 2 inches

MicroFILMED

JUL 23 1990

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Paul H. Reading
(Applicant)

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 35-08832

Priority: June 29, 1989

Maximum Diversion Rate: 5.26 CFS
Maximum Diversion Volume: 1264.0 AF

This is to certify, that NORTHWEST FARM CREDIT SERVICES ACA
RALPH BREDDING

PO BOX 10
BLACKFOOT ID 83221

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated June 29, 1989; and has submitted Proof of Beneficial Use on June 17, 1992. An examination indicates that the works have a diversion capacity of 5.260 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/01 to 10/31	5.26 CFS	1264.0 AF

LOCATION OF POINT(S) OF DIVERSION: NWSW , Sec. 8, Township 07S, Range 30E
POWER County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
07S	30E	8	NESW 40	NWSW 40	SWSW 39	
			SESW 39	NESE 40	NWSE 40	
			SWSE 39	SESE 39		316

Total number of acres irrigated: 316

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount that can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. The use of water under this right shall not give rise to any claim against the holder of a senior water right based upon the theories of forfeiture, abandonment, adverse possession, waiver, equitable estoppel, estoppel by laches or customary preference.

SEP 11 1996

State of Idaho
Department of Water Resources


WATER RIGHT LICENSE


WATER RIGHT NO. 35-08832

CONDITIONS OF APPROVAL AND REMARKS

6. The Director retains jurisdiction of the right to incorporate the use into a water district, require streamflow augmentation or other action needed to protect prior surface water and groundwater rights.
7. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.0 afa per acre for the lands above.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 23rd day of AUGUST, 1996.


KARL J. DREHER, Director
Acting for



SEP 11 1996

11/91

RECEIVED

OFFICE USE ONLY

Amt. of Fee \$ 250.00Date 6-17-92Receipt No. E917514Receipt by HWS

JUN 17 1992

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Department of Water Resources

Eastern District Office

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 35-08832 Telephone No. 226-2109
2. Name(s) of Permit Holder(s): RALPH BREEDING
3. Mailing Address: 2875 S. VISITING RD American Falls, ID 83211
4. Source of Water: GROUND WATER

If GROUNDWATER, Well Driller's Name: KEN VOLLMER Date Drilled: 4-92

OPTIONAL:

Pump horsepower: _____ Pressure (psi): _____ Dynamic pumping level (ft.): _____

5. Extent of Use (as authorized by the permit):

Domestic _____ (No. of households) Stockwater _____ (No. and type of stock)

Irrigation 320 (No. of acres) Other _____

6. Total rate and/or volume for which proof is submitted 6.4 cfs OR _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? ☒ Yes ☐ No Installed? ☐ Yes ☒ No

OR

Flow Measurement Port: Required? ☒ Yes ☐ No Installed? ☒ Yes ☐ No

8. Fee Enclosed: \$ 250.00 (See License Fee Schedule on back of Instruction Sheet)

9. Person to contact to accompany the Department representative during field examination of the water system.

RALPH BREEDING
Name

226-2109
Telephone No.

2875 S. VISITING RD, AM. FALLS, ID
Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

6-16-92
Date

Ralph Breeding
Signature (and title, if on behalf of a company or organization)

RECEIVED
AUG 20 1992

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 35-08832

Proposed Priority: June 29, 1989 Maximum Diversion Rate: 6.40 CFS

This is to certify, that **RALPH BREIDING**
2875 S. VISITING RD.
AMERICAN FALLS, ID 83211

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
-----------------------	----------------------	--------------------------

IRRIGATION	04/01 to 11/01	6.40 CFS
------------	----------------	----------

LOCATION OF POINT(S) OF DIVERSION: NWSW Sec. 8, Township 07S, Range 30E
POWER County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
07S	30E	8	NESW 40	NWSW 40	SWSW 40	
			SESW 40	NESE 40	NWSE 40	
			SWSE 40	SESE 40		320

Total number of acres irrigated: 320

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **August 1, 1992**.
2. Subject to all prior water rights.
3. The right to the use of water acquired under this permit shall not give rise to any right or claim against the holder of a senior right based upon the theories of forfeiture, abandonment, adverse possession, waiver, equitable estoppel, estoppel by laches or customary preference.
4. The Director retains jurisdiction of the permit and any license subsequently issued to incorporate the use into a water district, require streamflow augmentation or other action needed to protect prior surface water and groundwater rights.
5. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
6. Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.
7. The issuance of this permit in no way grants any right-of-way or easement across the land of another.
8. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.

MICROFILMED

JUL 23 1990

State of Idaho
Department of Water Resources**Permit To Appropriate Water**

NO. 35-08832

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

9th day of July, 1990.

for R. Keith Higginson, Director

MICROFILMED

JUL 23 1990

WATER RIGHT SUMMARY

ACTION	RIGHT NO.	NAME	CFS
Original Application	35-08832	Ralph Breeding	6.40
Full Assignment	35-08832	Ralph Breeding Northwest Farm Credit	6.40

RECEIVED

AUG 20 1992

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

RECEIVED

JUL 27 1992

ASSIGNMENT OF PERMIT

Department of Water Resources
Eastern District Office

I, Ralph Breeding, hereby assign to Ralph Breeding and Northwest Farm Credit Services, ACA
of 2875 S. Visiting Road, American Falls, ID 83211 and PO Box 10, Blackfoot, ID 83221
Address

Check One:

- XX 1. All my right, title, and interest in and to Permit No. 35-08832
to appropriate the public waters of the State of Idaho.
2. The following described portion of my right, title, and interest in
and to Permit No. to appropriate the public waters
of the State of Idaho. (Describe that portion of the permit being
assigned by listing the acreage within each 40 acre subdivision, the
point of diversion and the amount of water in cubic feet per second
for direct diversion, or acre feet for storage)

Made this 23 day of July, 1992.

✓ Ralph Breeding
Water Right Holder

Carletta Breeding
Water Right Holder (Spouse, etc.)

State of Idaho)
County of Power) ss

On this 23rd day of July, 1992, personally appeared
before me the signer(s) of the above instrument, who duly acknowledged to
me that he (she) (they) executed the same.

Rose Ann Gil
Notary Public residing at

s e a l

My commission expires: AUG 20 1992

12-16-92

n number,



(Applicant)

MICROFILMED

JUL 23 1990

e. Other:

- d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

19

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

1. Approval of said application is subject to the following limitations and conditions:

Idaho No. _____, and said application is hereby _____

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

Received by *DMB* Date *6-29-89* Time *12:30pm* Preliminary check by *DMB*

Fee \$ *165* Received by *WST* # *ED9337* Date *6-29-89*

Publication prepared by *RB* Date *3-5-90* Published in *Lower Gully Press*

Publication approved *W* Date *4-25-90*

Application #2

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant Ralph Breding Phone (208) 226-2109

Post office address 2875 South Visiting Road, American Falls, Idaho 83211

2. Source of water supply Groundwater which is a tributary of _____

3. Location of point of diversion is _____ 1/4 of DW _____ 1/4 of SW _____ 1/4, Govt. Lot _____

Sec. 8 Township 7S Range 30E B.M. Power County; additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 6.4 for Irrigation purposes from April to November (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated is (a) 6.4 cubic feet per second and/or (b) _____ acre feet per annum

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. well and pump to a sprinkler system.

b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet; period of year when water will be diverted to storage: _____ to _____ inclusive.

c. Proposed well diameter is 20" inches; proposed depth of well is 300' feet.

d. Is ground water with a temperature of greater than 90°F being sought? NO

7. Time required for the completion of the works and application of the water to the beneficial use is 2 years (minimum 1 year).

MICROFILMED

JUL 23 1990

a. Hydropower; show total feet of head and proposed capacity in KW. _____

b. Stockwatering; list number and kind of livestock. _____

c. Municipal; show name of municipality. _____

d. Domestic; show number of households. _____

e. Other; describe fully. _____

a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.

b. If water is used for other purposes, place a symbol of the use (example: *D for Domestic*) in the corresponding place of use below. See instructions for standard symbols.

[illegible]

10. Describe any other water rights used for the same purposes as described above. *None*

CONFIDENTIAL

0661 2 2 700

of Publication

y sworn on oath, states:

ie Power County Press, a newspaper of
ty, Idaho, published weekly at American
spaper has been published in said county
for over seventy-eight consecutive weeks,
e annexed notice or advertisement:
ertisement was published as per clipping
edition of said newspaper and not in any
— successive weekly issues thereof, the
on being the 4 day of
d the date of last publication being the
1990.

Erma Crompton

April in the year of
ary Public, personally appeared Erma
to me to be the person whose name
ent, and being by me first duly sworn,
n are true, and acknowledged to me that

Brett Crompton
Notary Public for Idaho
Residing at American Falls, Idaho
My commission expires: June 8, 1993

MICROFILMED
JUL 25 1990

Application for water right

Published in The Power County Press,
Apr. 4, 11, 1990.

Department of Water Resources
Eastern District Office

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have
been filed to appropriate the public
waters of the State of Idaho:

35-08123
BAUER, ERNEST T.
179 POLK
AMERICAN FALLS, ID 83211

Source: GROUNDWATER

Diversion Pt: NWN Sec 17 T 07S R
29E
NENW Sec 17 T 07S R 29E

Use: IRRIGATION (1.650 CFS)
Total Diversion: (1.650 CFS)

Date Filed: 3/31/1983

In: T07S R29E S17 NENE NWNE
SWNE SENE
NENW NWNW SWNW SENW
320.0 ACRES TOTAL

35-08832
BREDING, RALPH
2875 S. VISITING RD.
AMERICAN FALLS, ID 83211

Source: GROUNDWATER

Diversion Pt: NWSW Sec 8 T 07S R
30E

Use: IRRIGATION (6.400 CFS)
Total Diversion: (6.400 CFS)

Date Filed: 10/30/1989

In: T07S R30E S08 NESW NWSW
SWSW SESW
NESE NWSE SWSE SESE
320.0 ACRES TOTAL

35-08833
BREDING, RALPH
2875 S. VISITING RD.
AMERICAN FALLS, ID 83211

Source: GROUNDWATER

Diversion Pt: SESE Sec 9 T 07S R 30E

Use: IRRIGATION (6.400 CFS)
Total Diversion: (6.400 CFS)

Date Filed: 10/30/89

In: T07S R30E S09 NESE NWSE
SWSE SESE
S10 NESW NWSW SWSW SESW
320.0 ACRES TOTAL

35-08844
BOWLER RANCHES
C/ RALPH BOWLER
P.O. BOX 760
AMERICAN FALLS, ID 83211

Source: GROUNDWATER

Diversion Pt: NENW Sec 19 T 08S R
29E

Use: IRRIGATION (6.400 CFS)
Total Diversion (6.400 CFS)

Date Filed: 8/14/1989

In: T08S R29E S19 NENW NWNW
SWNW SENW
NESW NWSW SWSW SESW
320.0 ACRES TOTAL

The permit(s) will be subject to all
prior water rights. Protests may be
submitted based on the criteria of Sec.
42-203A, Idaho Code and/or the new
public interest criteria of Sec.
42-203C, Idaho Code. Protests must
be filed with the Director, Dept. of
Water Resources, 150 Shoup Ave.,
Suite 15, Idaho Falls, Idaho 83402 on
or before APRIL 23, 1990.

R. Keith Higginson, Director

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

Ident. No. _____

#2

To appropriate the public waters of the State of Idaho

1. Name of applicant RALPH BREIDING Phone 226-2109
2875 S. VISITING RD.
Post office address AMERICAN FALLS, ID 83211

2. Source of water supply GROUND WATER which is a tributary of _____

3. Location of point of diversion is NW 1/4 of SW 1/4 of _____ 1/4, Govt. Lot _____
Sec. 17 Township 7S Range 30E B.M. Power County; additional
points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 6.4 for IRRIGATION purposes from 4/1 to 11/1 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated is (a) 6.4 and/or (b) _____
cubic feet per second acre feet per annum

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. WELL, PUMP, AND SPRINKLER
SYSTEM

b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.

c. Proposed well diameter is 20 inches; proposed depth of well is 300 feet.

d. Is ground water with a temperature of greater than 90°F being sought? NO

7. Time required for the completion of the works and application of the water to the proposed beneficial use is
2 years (minimum 1 year).

RECORDED

JUL 23 1990

REF ID: A66584

GILBERT & RALPH FARM IN AN INFORMAL PARTNERSHIP

applicant to make this filing.

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the

b. Who owns the land to be irrigated or place of use?

11. a. Who owns the property at the point of diversion? GILBERT BREDDING

10. Describe any other water rights used for the same purposes as described above.

Total number of acres to be irrigated 300

[illegible]

ponding place of use below. See instructions for standard symbols.

b. If water is used for other purposes, place a symbol of the use (example: *D for Domestic*) in the corresponding column.

a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.

9. Description of place of use:

e. Other; describe fully.

d. Domestic; show number of households.


c. Municipal; show name of municipality.

b. Stockwatering; list number and kind of livestock.

a. Hydropower, show total feet of head and proposed capacity in kW.

8. Description of proposed uses (if irrigation only, go to item 9):


13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Ralph Breding
(Applicant)



Idaho No. _____, and said application is hereby _____

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19____.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other: _____

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

Received by	_____	Date	6-29-89	Time	12:30p	Preliminary check by	DMD
Fee \$	165.00	Received by	HWJ	#	E009337	Date	6-23-89
Publication prepared by	_____	Date	_____	Published in	_____		
Publication approved by	_____	Date	_____				



Farm Credit Services

RECEIVED

SEP 09 1996

Department of Water Resources

2842 Pocatello Street, #103
American Falls, Idaho 83211
208/226-7336 FAX 208/226-5052

September 6, 1996

State of Idaho
Department of Water Resources
1301 North Orchard Street
Statehouse Mail
Boise, ID 83720-9000

RE: WATER RIGHT NO. ³⁵~~25~~-08832

To Whom It May Concern:

We are in receipt of your letter dated August 26, 1996 regarding above referenced Water Right License of Ralph Breeding.

Please accept this letter as notice of change of mailing address for Northwest Farm Credit Services ACA. The current office address for Mr. Breeding's account is:

P. O. Box 130
American Falls, ID 83211

If you have any questions, please contact me.

Sincerely,


Sylvia D. Vollweiler
Financial Specialist

SEP 11 1996



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

August 26, 1996

NORTHWEST FARM CREDIT SERVICES ACA
RALPH BREDDING
PO BOX 10
BLACKFOOT ID 83221

RE: WATER RIGHT NO. 35-08832

Dear Water Right Holder(s):

Enclosed is a copy of the Water Right License issued on the above referenced permit. If you have any questions, please contact me within 10 days of receipt of this license.

Also, please note that as of July 1, 1996, water right owners are required to report any change of water right ownership and any change of mailing address to the department. If you have acquired a water right or have changed your mailing address PRIOR TO July 1, 1996, you have until July 30, 1998, to notify the department. If you acquire a water right or change your mailing address AFTER July 1, 1996, you must notify the department within 120 days of the change.

Failure to report these changes could result in a \$100 late filing fee. Contact any office of the department to obtain the proper reporting form.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:ph

Enclosure

SEP 11 1996

MEMORANDUM

TO: File 35-08832

FROM: Sharla

DATE: August 22, 1996

RE: Recommendation Adjustment(s)

The final license recommendations for Right 35-08832 are based on the following.

C. DIVERSION AND DELIVERY SYSTEM

2. Place of Use:

NESW ⁴⁰40 acres; NWSW ³⁹39 acres; SWSW ³⁹38.7 acres; SESW ³⁹40 acres;
NESE 40 acres; NWSE ⁴⁰39 acres; SWSE 39 acres; SESE ⁴⁰40 acres;
S8, T7S, R30E Total 315.7 acres ³⁹

H. RECOMMENDATIONS

Beneficial Use	Period of Use	Rate of Div	Annual Vol
Irrigation	4/1 - 10/31	5.26 cfs	1264.0 afa

The season of use has been changed to the standard for that area.

The rate of diversion is based upon the capacity per theoretical calculation.

Although the examiner made no recommendations on the back page of the exam report, sufficient information was gathered to proceed with licensing. The place of use was also sufficiently mapped out to compute acres irrigated.

Examiner: Gary Buss

Exam Date: July 26, 1993

LICENSE REVIEW CHECKLIST

PERMIT NO. 35-08832

DATE 8/21/96

REVIEWER: SHARLA

NAME	Change <u>—</u>	OK <u>✓</u>	Address Change <u>NO</u>
SOURCE	<u>—</u>	<u>✓</u>	Is change clarification of originally intended source? <u>—</u> If not, prepare Notice of Intent to Void <u>—</u>
POINT OF DIV	<u>—</u>	<u>✓</u>	Amendment required <u>NO</u>
PLACE OF USE	<u>—</u>	<u>✓</u>	Amendment required <u>NO</u>

Does map agree with written description? ✓ yes — no

OVERLAPS P/D — P/U

RATE OF DIV

Permitted Rate	<u>6.40</u> cfs	
Fee limit	<u>7.0</u> cfs	<u>\$250.00</u>
Measured	<u>—</u> cfs	<u>NO MEAS.</u>
Theoretical	<u>5.26</u> cfs	$350 \times 8.8 \times .7 / 248 + (2.31 \times 70) = 5.26$
Recommended Total Div Rate		<u>5.26</u> cfs

156.7
81.1
77.9
315.7 ac. total

ANNUAL VOLUME/ NATURE OF USES

4/1-10/31 reson

Use	Volume Calculation
<u>Div</u>	<u>320 x 4.0 = 1280</u> af
<u>—</u>	<u>315.7 x 4.0 =</u> af
<u>—</u>	<u>—</u> af
<u>—</u>	<u>—</u> af
SUBTOTAL	<u>1280.0</u> af
	<u>1262.8</u>

Flow rate 5.26 cfs X 213 days X 1.98 ~~4~~ = 2218.4 af
 Total volume recommended 1262.8 af
 (SUBTOTAL or Flow Rate, whichever is less)

REMARKS

CONDITIONS — Watermaster Control WD# —

R31 GW Measurement/Measuring Device
Overlap

— Use-specific conditions 048,049

Advancement of Priority Date Required — yes ✓ no

SRBA Claim Filed N/A
 Adjustment Memo —

1st Amend Letter N/A
 2nd Amend Letter —

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

JUL 30 1996

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 35-8832

1. Owner: Ralph Breeding Phone No. 226-2109
Current Address: 2875 S. Visiting Rd American Falls, Id. 83211
2. Accompanied by: Ralph Breeding EXAM DATE: 7-26-93
Address: Same Phone No. Same
Relationship to Permit Holder: Owner
3. Source: Ground Water tributary to _____

B. OVERLAP REVIEW

- Other water rights with the same place of use: _____
- Other water rights with the same point of diversion: _____

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	¼	¼	¼	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			NW	SW	8	7S	30E	Power	USGS Quad map


2. Place(s) of Use:

Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	

SEP 11 1996

3. Delivery System Diagram: Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



N
↓

Scale: 1" = _____
 _____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).
 _____ Aerial Photo Attached (required for irrigation of 10+ acres)
 _____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No. *	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
(7F)	350	RFC-185000	working	12" discharge	

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.


Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Pressure gage	Fluid	ashcroft			100 psi	

8/27/1996

2. Measurements: Operating Pressure 90 psi
 dynamic pumping depth 248' (according to well log)

E. NARRATIVE/REMARKS/COMMENTS

350 H₂O pump to 12" underground
main line supplying water to one
1/2 mile linear move system.



Have conditions of permit approval been met? ☒ yes ___ no

SEP 11 1988

1986

SEAL

Reviewer _____ Date _____

Field Examiner's Name Gary Bass Date 1-26-93

I. AUTHENTICATION

____ Change P.D. as reflected above
____ Change P.U. as reflected above
____ Add P.D. as reflected above
____ Add P.U. as reflected above
____ None
____ Other

2. Recommended Amendments

_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____

Totals:

Beneficial Use
Period of Use From To
Rate of Diversion Q (cfs)
Annual Volume V (afa)

1. Recommended Amounts

H. RECOMMENDATIONS

2. Volume Calculations for Other Uses:

$$V_{LR} = (\text{Acres Irrigated} \times (\text{Irrigation Requirement})) =$$
$$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$$
$$V = \text{Smaller of } V_{LR} \text{ and } V_{DR} =$$

1. Volume Calculations for Irrigation:

G. VOLUME CALCULATIONS


F. FLOW CALCULATIONS

Measured Method:

Additional Computation Sheets Attached

Theory

$$Q = \frac{(350)(8.814)(.7)}{(248') + (70)(2.308)} = 5.27 \text{ cfs } (2366.39 \text{ gpm})$$



25-2030

187

911

1960

High breeding

Conley Pleasant Valley Rd.

3-77.9

89

18 17 149

10350

17 16

T 175

SEP 11 1996

R 30 E
SE 8

1484

DeR Farms



Form No. 202a
4/87

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT ANALYSIS SHEET

Dist. for staffing 7-6-89 RB
Submitted for advertising 11-3-89 HWT

Ralph Breeding

NON-TRUST
HOW

35-8832

Application #2
INITIAL REVIEW BY Dennis Dunn DATE 17 Aug 89 APPLICATION NUMBER _____

REQUIRED INFORMATION

- ☒ Name (If applicant is a corporation or partnership, names must be provided for the director, officers, & other partners.)
- ☒ Address
- ☒ Source (See USGS Quad for names of water sources)
- ☒ Point of Diversion (10 acres for spring, lot & block descriptions for subdivisions, local name, flow and/or volume)
- ☒ County
- ☒ Quantity (flow and/or volume)
- ☒ Period of Use
- ☒ Nature of proposed use (Include description of use.)
- ☒ Description of diverting works
- ☒ Time required for beneficial use of water
- ☒ Place of use or acres irrigated
- ☒ Map
- ☒ Signature (If applicant is corp. partnership, or municipality, title of signator is required)
- ☒ Fee
- ☒ Yes _____ No* In form to receipt

ADDITIONAL INFORMATION

- ____ Overlapping place of use (Describe source & relationship to present application on the back.)
- ____ Overlapping point of diversion
- ____ Yes ☒ No Field check required
- ____ Yes ☒ No Field check by _____
- ____ Yes ☒ No Field report attached
- ____ Yes ☒ No Critical groundwater area
- ____ Yes ☒ No Groundwater management area
- ____ Yes ☒ No Send dam safety information
- ____ Yes ☒ No Send power requirement letter
- ____ Yes ☒ No Send fish farm requirement letter
- ____ Yes ☒ No Power residency affidavit
- ____ Yes ☒ No Power efficiency form
- ____ Yes ☒ No Within trustwater boundary (If yes, attach trust water supplementary analysis sheet.)
- ☒ Yes _____ No Diversion greater than 5 cfs or 500 acre ft. If yes, attach large diversion supplementary analysis sheet.)
- ☒ See reverse side for additional information

REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT

Corrected legal description: 31 Aug 89 sent a map to Mr Breeding
Date Requested 17 Aug 1989

RECEIVED
JUN 18 1990
Department of Water Resources

Telephone conversation

Sent Corrected Apps 23 Oct 89

Need Rule 4, 5, 3

PROCESSING ☒ Yes ☐ No In form for advertising
☐ Yes ☒ No Statewide advertising
☒ Yes ☐ No Fee amount, receipt date & No. recorded on application

SEND COPIES TO ☐ Idaho Dept. of Health & Welfare ☐ U.S. BLM
☐ Idaho Dept. of Fish & Game ☐ U.S. Forest Service
☐ Idaho Dept. of Lands ☐ Water District
☐ Adjudication Bureau Unit ☐ Other _____

FINAL REGIONAL PROCESSING REVIEW

☒ Yes ☐ No Affidavit of publication received
☒ Yes ☐ No Application published correctly. If not, record action taken.

☒ Yes ☐ No Publication dates & paper, recorded on application
☐ Yes ☒ No Protests received
Final date for protest 4-23-90
☐ Yes ☐ No Protests, dates, resolution of protest, recorded on application
☐ Yes ☒ No Recommendations attached
☐ Yes ☒ No Measuring device required
☒ Yes ☒ No Access port required Per Flow Task Force Memo
☐ Yes ☐ No Will water be delivered by watermaster? If yes, what Dist. 01-P05
☒ Yes ☐ No Special conditions of approval or cover letter below.

See below for additional information

Date of priority recommended _____

By HWT

6-29-89

Date

6-14-90

STATE OFFICE REVIEW

P05, P23

P17

48 49 46 26 04

See below for additional information

By KW

Date

6-26-90

ADDITIONAL INFORMATION

It appears the applicant has the wrong legal descriptions on the application

Need Rule 4, 5, 1 data

Condition: <0167> - no per flow task force memo.

App. in NON-TRUST area-

OK to allow 2 yrs. to develop

RECEIVED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORT

RECEIVED

This report to be filed with the Director, Department of Water Resources, within 30 days after the completion or abandonment of the well.

DEC 6 1973

WELL IDENTIFICATION
WELL NO. 13340
WELL NAME
WELL LOCATION

WELL IDENTIFICATION
WELL NO. 13340
WELL NAME
WELL LOCATION

WELL IDENTIFICATION
WELL NO. 13340
WELL NAME
WELL LOCATION

WELL IDENTIFICATION
WELL NO. 13340
WELL NAME
WELL LOCATION

PROPOSED USE
Agriculture ☐ Irrigation ☐ Fertilizer ☐ Municipal ☐
Industrial ☐ Stock ☐ Waste Disposal or Injection ☐
Other ☐ (Specify type)

PROPOSED USE
Agriculture ☐ Irrigation ☐ Fertilizer ☐ Municipal ☐
Industrial ☐ Stock ☐ Waste Disposal or Injection ☐
Other ☐ (Specify type)

METHOD DRILLED
Rotary ☐ Auger ☐ Hydraulic ☐ Reverse rotary ☐
Cable ☐ Other ☐

METHOD DRILLED
Rotary ☐ Auger ☐ Hydraulic ☐ Reverse rotary ☐
Cable ☐ Other ☐

WELL CONSTRUCTION
Casing schedule: 1" 2" 3" 4" 5" 6" 8" 10" 12" 14" 16" 18" 20" 22" 24" 26" 28" 30" 32" 34" 36" 38" 40" 42" 44" 46" 48" 50" 52" 54" 56" 58" 60" 62" 64" 66" 68" 70" 72" 74" 76" 78" 80" 82" 84" 86" 88" 90" 92" 94" 96" 98" 100" 102" 104" 106" 108" 110" 112" 114" 116" 118" 120" 122" 124" 126" 128" 130" 132" 134" 136" 138" 140" 142" 144" 146" 148" 150" 152" 154" 156" 158" 160" 162" 164" 166" 168" 170" 172" 174" 176" 178" 180" 182" 184" 186" 188" 190" 192" 194" 196" 198" 200" 202" 204" 206" 208" 210" 212" 214" 216" 218" 220" 222" 224" 226" 228" 230" 232" 234" 236" 238" 240" 242" 244" 246" 248" 250" 252" 254" 256" 258" 260" 262" 264" 266" 268" 270" 272" 274" 276" 278" 280" 282" 284" 286" 288" 290" 292" 294" 296" 298" 300" 302" 304" 306" 308" 310" 312" 314" 316" 318" 320" 322" 324" 326" 328" 330" 332" 334" 336" 338" 340" 342" 344" 346" 348" 350" 352" 354" 356" 358" 360" 362" 364" 366" 368" 370" 372" 374" 376" 378" 380" 382" 384" 386" 388" 390" 392" 394" 396" 398" 400" 402" 404" 406" 408" 410" 412" 414" 416" 418" 420" 422" 424" 426" 428" 430" 432" 434" 436" 438" 440" 442" 444" 446" 448" 450" 452" 454" 456" 458" 460" 462" 464" 466" 468" 470" 472" 474" 476" 478" 480" 482" 484" 486" 488" 490" 492" 494" 496" 498" 500" 502" 504" 506" 508" 510" 512" 514" 516" 518" 520" 522" 524" 526" 528" 530" 532" 534" 536" 538" 540" 542" 544" 546" 548" 550" 552" 554" 556" 558" 560" 562" 564" 566" 568" 570" 572" 574" 576" 578" 580" 582" 584" 586" 588" 590" 592" 594" 596" 598" 600" 602" 604" 606" 608" 610" 612" 614" 616" 618" 620" 622" 624" 626" 628" 630" 632" 634" 636" 638" 640" 642" 644" 646" 648" 650" 652" 654" 656" 658" 660" 662" 664" 666" 668" 670" 672" 674" 676" 678" 680" 682" 684" 686" 688" 690" 692" 694" 696" 698" 700" 702" 704" 706" 708" 710" 712" 714" 716" 718" 720" 722" 724" 726" 728" 730" 732" 734" 736" 738" 740" 742" 744" 746" 748" 750" 752" 754" 756" 758" 760" 762" 764" 766" 768" 770" 772" 774" 776" 778" 780" 782" 784" 786" 788" 790" 792" 794" 796" 798" 800" 802" 804" 806" 808" 810" 812" 814" 816" 818" 820" 822" 824" 826" 828" 830" 832" 834" 836" 838" 840" 842" 844" 846" 848" 850" 852" 854" 856" 858" 860" 862" 864" 866" 868" 870" 872" 874" 876" 878" 880" 882" 884" 886" 888" 890" 892" 894" 896" 898" 900" 902" 904" 906" 908" 910" 912" 914" 916" 918" 920" 922" 924" 926" 928" 930" 932" 934" 936" 938" 940" 942" 944" 946" 948" 950" 952" 954" 956" 958" 960" 962" 964" 966" 968" 970" 972" 974" 976" 978" 980" 982" 984" 986" 988" 990" 992" 994" 996" 998" 1000" 1002" 1004" 1006" 1008" 1010" 1012" 1014" 1016" 1018" 1020" 1022" 1024" 1026" 1028" 1030" 1032" 1034" 1036" 1038" 1040" 1042" 1044" 1046" 1048" 1050" 1052" 1054" 1056" 1058" 1060" 1062" 1064" 1066" 1068" 1070" 1072" 1074" 1076" 1078" 1080" 1082" 1084" 1086" 1088" 1090" 1092" 1094" 1096" 1098" 1100" 1102" 1104" 1106" 1108" 1110" 1112" 1114" 1116" 1118" 1120" 1122" 1124" 1126" 1128" 1130" 1132" 1134" 1136" 1138" 1140" 1142" 1144" 1146" 1148" 1150" 1152" 1154" 1156" 1158" 1160" 1162" 1164" 1166" 1168" 1170" 1172" 1174" 1176" 1178" 1180" 1182" 1184" 1186" 1188" 1190" 1192" 1194" 1196" 1198" 1200" 1202" 1204" 1206" 1208" 1210" 1212" 1214" 1216" 1218" 1220" 1222" 1224" 1226" 1228" 1230" 1232" 1234" 1236" 1238" 1240" 1242" 1244" 1246" 1248" 1250" 1252" 1254" 1256" 1258" 1260" 1262" 1264" 1266" 1268" 1270" 1272" 1274" 1276" 1278" 1280" 1282" 1284" 1286" 1288" 1290" 1292" 1294" 1296" 1298" 1300" 1302" 1304" 1306" 1308" 1310" 1312" 1314" 1316" 1318" 1320" 1322" 1324" 1326" 1328" 1330" 1332" 1334" 1336" 1338" 1340" 1342" 1344" 1346" 1348" 1350" 1352" 1354" 1356" 1358" 1360" 1362" 1364" 1366" 1368" 1370" 1372" 1374" 1376" 1378" 1380" 1382" 1384" 1386" 1388" 1390" 1392" 1394" 1396" 1398" 1400" 1402" 1404" 1406" 1408" 1410" 1412" 1414" 1416" 1418" 1420" 1422" 1424" 1426" 1428" 1430" 1432" 1434" 1436" 1438" 1440" 1442" 1444" 1446" 1448" 1450" 1452" 1454" 1456" 1458" 1460" 1462" 1464" 1466" 1468" 1470" 1472" 1474" 1476" 1478" 1480" 1482" 1484" 1486" 1488" 1490" 1492" 1494" 1496" 1498" 1500" 1502" 1504" 1506" 1508" 1510" 1512" 1514" 1516" 1518" 1520" 1522" 1524" 1526" 1528" 1530" 1532" 1534" 1536" 1538" 1540" 1542" 1544" 1546" 1548" 1550" 1552" 1554" 1556" 1558" 1560" 1562" 1564" 1566" 1568" 1570" 1572" 1574" 1576" 1578" 1580" 1582" 1584" 1586" 1588" 1590" 1592" 1594" 1596" 1598" 1600" 1602" 1604" 1606" 1608" 1610" 1612" 1614" 1616" 1618" 1620" 1622" 1624" 1626" 1628" 1630" 1632" 1634" 1636" 1638" 1640" 1642" 1644" 1646" 1648" 1650" 1652" 1654" 1656" 1658" 1660" 1662" 1664" 1666" 1668" 1670" 1672" 1674" 1676" 1678" 1680" 1682" 1684" 1686" 1688" 1690" 1692" 1694" 1696" 1698" 1700" 1702" 1704" 1706" 1708" 1710" 1712" 1714" 1716" 1718" 1720" 1722" 1724" 1726" 1728" 1730" 1732" 1734" 1736" 1738" 1740" 1742" 1744" 1746" 1748" 1750" 1752" 1754" 1756" 1758" 1760" 1762" 1764" 1766" 1768" 1770" 1772" 1774" 1776" 1778" 1780" 1782" 1784" 1786" 1788" 1790" 1792" 1794" 1796" 1798" 1800" 1802" 1804" 1806" 1808" 1810" 1812" 1814" 1816" 1818" 1820" 1822" 1824" 1826" 1828" 1830" 1832" 1834" 1836" 1838" 1840" 1842" 1844" 1846" 1848" 1850" 1852" 1854" 1856" 1858" 1860" 1862" 1864" 1866" 1868" 1870" 1872" 1874" 1876" 1878" 1880" 1882" 1884" 1886" 1888" 1890" 1892" 1894" 1896" 1898" 1900" 1902" 1904" 1906" 1908" 1910" 1912" 1914" 1916" 1918" 1920" 1922" 1924" 1926" 1928" 1930" 1932" 1934" 1936" 1938" 1940" 1942" 1944" 1946" 1948" 1950" 1952" 1954" 1956" 1958" 1960" 1962" 1964" 1966" 1968" 1970" 1972" 1974" 1976" 1978" 1980" 1982" 1984" 1986" 1988" 1990" 1992" 1994" 1996" 1998" 2000" 2002" 2004" 2006" 2008" 2010" 2012" 2014" 2016" 2018" 2020" 2022" 2024" 2026" 2028" 2030" 2032" 2034" 2036" 2038" 2040" 2042" 2044" 2046" 2048" 2050" 2052" 2054" 2056" 2058" 2060" 2062" 2064" 2066" 2068" 2070" 2072" 2074" 2076" 2078" 2080" 2082" 2084" 2086" 2088" 2090" 2092" 2094" 2096" 2098" 2100" 2102" 2104" 2106" 2108" 2110" 2112" 2114" 2116" 2118" 2120" 2122" 2124" 2126" 2128" 2130" 2132" 2134" 2136" 2138" 2140" 2142" 2144" 2146" 2148" 2150" 2152" 2154" 2156" 2158" 2160" 2162" 2164" 2166" 2168" 2170" 2172" 2174" 2176" 2178" 2180" 2182" 2184" 2186" 2188" 2190" 2192" 2194" 2196" 2198" 2200" 2202" 2204" 2206" 2208" 2210" 2212" 2214" 2216" 2218" 2220" 2222" 2224" 2226" 2228" 2230" 2232" 2234" 2236" 2238" 2240" 2242" 2244" 2246" 2248" 2250" 2252" 2254" 2256" 2258" 2260" 2262" 2264" 2266" 2268" 2270" 2272" 2274" 2276" 2278" 2280" 2282" 2284" 2286" 2288" 2290" 2292" 2294" 2296" 2298" 2300" 2302" 2304" 2306" 2308" 2310" 2312" 2314" 2316" 2318" 2320" 2322" 2324" 2326" 2328" 2330" 2332" 2334" 2336" 2338" 2340" 2342" 2344" 2346" 2348" 2350" 2352" 2354" 2356" 2358" 2360" 2362" 2364" 2366" 2368" 2370" 2372" 2374" 2376" 2378" 2380" 2382" 2384" 2386" 2388" 2390" 2392" 2394" 2396" 2398" 2400" 2402" 2404" 2406" 2408" 2410" 2412" 2414" 2416" 2418" 2420" 2422" 2424" 2426" 2428" 2430" 2432" 2434" 2436" 2438" 2440" 2442" 2444" 2446" 2448" 2450" 2452" 2454" 2456" 2458" 2460" 2462" 2464" 2466" 2468" 2470" 2472" 2474" 2476" 2478" 2480" 2482" 2484" 2486" 2488" 2490" 2492" 2494" 2496" 2498" 2500" 2502" 2504" 2506" 2508" 2510" 2512" 2514" 2516" 2518" 2520" 2522" 2524" 2526" 2528" 2530" 2532" 2534" 2536" 2538" 2540" 2542" 2544" 2546" 2548" 2550" 2552" 2554" 2556" 2558" 2560" 2562" 2564" 2566" 2568" 2570" 2572" 2574" 2576" 2578" 2580" 2582" 2584" 2586" 2588" 2590" 2592" 2594" 2596" 2598" 2600" 2602" 2604" 2606" 2608" 2610" 2612" 2614" 2616" 2618" 2620" 2622" 2624" 2626" 2628" 2630" 2632" 2634" 2636" 2638" 2640" 2642" 2644" 2646" 2648" 2650" 2652" 2654" 2656" 2658" 2660" 2662" 2664" 2666" 2668" 2670" 2672" 2674" 2676" 2678" 2680" 2682" 2684" 2686" 2688" 2690" 2692" 2694" 2696" 2698" 2700" 2702" 2704" 2706" 2708" 2710" 2712" 2714" 2716" 2718" 2720" 2722" 2724" 2726" 2728" 2730" 2732" 2734" 2736" 2738" 2740" 2742" 2744" 2746" 2748" 2750" 2752" 2754" 2756" 2758" 2760" 2762" 2764" 2766" 2768" 2770" 2772" 2774" 2776" 2778" 2780" 2782" 2784" 2786" 2788" 2790" 2792" 2794" 2796" 2798" 2800" 2802" 2804" 2806" 2808" 2810" 2812" 2814" 2816" 2818" 2820" 2822" 2824" 2826" 2828" 2830" 2832" 2834" 2836" 2838" 2840" 2842" 2844" 2846" 2848" 2850" 2852" 2854" 2856" 2858" 2860" 2862" 2864" 2866" 2868" 2870" 2872" 2874" 2876" 2878" 2880" 2882" 2884" 2886" 2888" 2890" 2892" 2894" 2896" 2898" 2900" 2902" 2904" 2906" 2908" 2910" 2912" 2914" 2916" 2918" 2920" 2922" 2924" 2926" 2928" 2930" 2932" 2934" 2936" 2938" 2940" 2942" 2944" 2946" 2948" 2950" 2952" 2954" 2956" 2958" 2960" 2962" 2964" 2966" 2968" 2970" 2972" 2974" 2976" 2978" 2980" 2982" 2984" 2986" 2988" 2990" 2992" 2994" 2996" 2998" 3000" 3002" 3004" 3006" 3008" 3010" 3012" 3014" 3016" 3018" 3020" 3022" 3024" 3026" 3028" 3030" 3032" 3034" 3036" 3038" 3040" 3042" 3044" 3046" 3048" 3050" 3052" 3054" 3056" 3058" 3060" 3062" 3064" 3066" 3068" 3070" 3072" 3074" 3076" 3078" 3080" 3082" 3084" 3086" 3088" 3090" 3092" 3094" 3096" 3098" 3100" 3102" 3104" 3106" 3108" 3110" 3112" 3114" 3116" 3118" 3120" 3122" 3124" 3126" 3128" 3130" 3132" 3134" 3136" 3138" 3140" 3142" 3144" 3146" 3148" 3150" 3152" 3154" 3156" 3158" 3160" 3162" 3164" 3166" 3168" 3170" 3172" 3174" 3176" 3178" 3180" 3182" 3184" 3186" 3188" 3190" 3192" 3194" 3196" 3198" 3200" 3202" 3204" 3206" 3208" 3210" 3212" 3214" 3216" 3218" 3220" 3222" 3224" 3226" 3228" 3230" 3232" 3234" 3236" 3238" 3240" 3242" 3244" 3246" 3248" 3250" 3252" 3254" 3256" 3258" 3260" 3262" 3264" 3266" 3268" 3270" 3272" 3274" 3276" 3278" 3280" 3282" 3284" 3286" 3288" 3290" 3292" 3294" 3296" 3298" 3300" 3302" 3304" 3306" 3308" 3310" 3312" 3314" 3316" 3318" 3320" 3322" 3324" 3326" 3328" 3330" 3332" 3334" 3336" 3338" 3340" 3342" 3344" 3346" 3348" 3350" 3352" 3354" 3356" 3358" 3360" 3362" 3364" 3366" 3368" 3370" 3372" 3374" 3376" 3378" 3380" 3382" 3384" 3386" 3388" 3390" 3392" 3394" 3396" 3398" 3400" 3402" 3404" 3406" 3408" 3410" 3412" 3414" 3416" 3418" 3420" 3422" 3424" 3426" 3428" 3430" 3432" 3434" 3436" 3438" 3440" 3442" 3444" 3446" 3448" 3450" 3452" 3454" 3456" 3458" 3460" 3462" 3464" 3466" 3468" 3470" 3472" 3474" 3476" 3478" 3480" 3482" 3484" 3486" 3488" 3490" 3492" 3494" 3496" 3498" 3500" 3502" 3504" 3506" 3508" 3510" 3512" 3514" 3516" 3518" 3520" 3522" 3524" 3526" 3528" 3530" 3532" 3534" 3536" 3538" 3540" 3542" 3544" 3546" 3548" 3550" 3552" 3554" 3556" 3558" 3560" 3562" 3564" 3566" 3568" 3570" 3572" 3574" 3576" 3578" 3580" 3582" 3584" 3586" 3588" 3590" 3592" 3594" 3596" 3598" 3600" 3602" 3604" 3606" 3608" 3610" 3612" 3614" 3616" 3618" 3620" 3622" 3624" 3626" 3628" 3630" 3632" 3634" 3636" 3638" 3640" 3642" 3644" 3646" 3648" 3650" 3652" 3654" 3656" 3658" 3660" 3662" 3664" 3666" 3668" 3670" 3672" 3674" 3676" 3678" 3680" 3682" 3684" 3686" 3688" 3690" 3692" 3694" 3696" 3698" 3700" 3702" 3704" 3706" 3708" 3710" 3712" 3714" 3716" 3718" 3720" 3722" 3724" 3726" 3728" 3730" 3732" 3734" 3736" 3738" 3740" 3742" 3744" 3746" 3748" 3750" 3752" 3754" 3756" 3758" 3760" 3762" 3764" 3766" 3768" 3770" 3772" 3774" 3776" 3778" 3780" 3782" 3784" 3786" 3788" 3790" 3792" 3794" 3796" 3798" 3800" 3802" 3804" 3806" 3808" 3810" 3812" 3814" 3816" 3818" 3820" 3822" 3824" 3826" 3828" 3830" 3832" 3834" 3836" 3838" 3840" 3842" 3844" 3846" 3848" 3850" 3852" 3854" 3856" 3858" 3860" 3862" 3864" 3866" 3868" 3870" 3872" 3874" 3876" 3878" 3880" 3882" 3884" 3886" 3888" 3890" 3892" 3894" 3896" 3898" 3900" 3902" 3904" 3906" 3908" 3910" 3912" 3914" 3916" 3918" 3920" 3922" 3924" 3926" 3928" 3930" 3932" 3934" 3936" 3938" 3940" 3942" 3944" 3946" 3948" 3950" 3952" 3954" 3956" 3958" 3960" 3962" 3964" 3966" 3968" 3970" 3972" 3974" 3976" 3978" 3980" 3982" 3984" 3986" 3988" 3990" 3992" 3994" 3996" 3998" 4000" 4002" 4004" 4006" 4008" 4010" 4012

the proposed sprinkler system for application
#2 is a linear system. The use of a linear will
allow crop production on water amounts that
likely will be less than applied for. Rotating nozzle
package will be used.
Water requirements will be approximately 2500 GPM

peak use period will likely be

MAY	350,000
JUNE	600,000 gallons
JULY	650,000 "
AUGUST	550,000 "
SEPT	300,000 "

APPROXIMATE ANNUAL USE 2,350,000 gallons

a nearby well drilling report from J+T FARMS
has been used as an indication of the
probable aquifer properties on this proposal

MICROFILMED


JUL 23 1990

Member

Professional Farmers
of America



On number,



Scale: 2 inches

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

(Applicant

MAY 3, 1990

RALPH BREEDING
2875 S. VISITING RD.
AMERICAN FALLS, ID 83211

DEAR MR. BREEDING:

WE ARE CURRENTLY PROCESSING YOUR APPLICATIONS 35-8832,-8833
FOR A WATER RIGHT. FOR ANY APPLICATION OR PERMIT WHICH EXCEEDS
200 ACRES OR 5.00 CFS THE INFORMATION ON THE ATTACHED SHEETS
ARE REQUIRED BEFORE ANY FURTHER PROCESSING CAN TAKE PLACE.
PLEASE TRY TO ANSWER THE HIGHLIGHTED QUESTIONS TO THE BEST OF
YOUR ABILITY. IF YOU NEED ADDITIONAL CLARIFICATION PLEASE GIVE
ME A CALL AT 525-7161.

SINCERELY,

HAROLD W. JONES
WATER RESOURCE SUPERVISOR

MICROFILMED

JUL 25 1990

27-Mar-1990

Ralph Breeding
2875 S. Visiting Rd.
American Falls, ID 83211

RE: Application for Permit No. 35-8832 & 35-8833

Dear Water Right Applicant:

The Department of Water Resources acknowledges receipt of your water right permit. This office is currently in the process of advertising the application in the Power County Press on April 5 & 12, 1990. The advertisement will be published for two consecutive weeks, and a period of ten days following the second publication will be allowed for the submittal of protests.

If the application is protested, you will be sent a copy of the protest. The protest must be resolved before the application is approved or denied. If the protest is not resolved voluntarily, this Department will conduct a conference and/or hearing on the matter.

If the application is not protested, it will be forwarded to our state office in about five weeks. State office personnel will conduct a complete review prior to final processing of the application and will notify you of the outcome of this review. When a permit is issued, you will be sent a copy. A typical processing time for an unprotested application is about eight weeks.

Please feel free to contact this office if you have any questions regarding this procedure.

Sincerely,

HAROLD W. JONES
Water Rights Supervisor

HWJ/rb

RECEIVED

JUL 25 1990

35-08832

BREDING, RALPH
2875 S. VISITING RD.
AMERICAN FALLS, ID 83211

Source: GROUNDWATER

Diversion Pt: NWSW Sec 8 T 07S R 30E

Use: IRRIGATION (6.400 CFS)
Total Diversion: (6.400 CFS)

Date Filed: 10/30/1989

In: T07S R30E S08	NESW	NWSW	SWSW	SESW
	NESE	NWSE	SWSE	SESE

320.0 ACRES TOTAL

RECEIVED
FBI - IDAHO
OCT 31 1989

OCT 31 1989

RALPH BREEDING
2875 S. VISHING RD
AMERICAN FALLS, ID 83211




0001 02-28 05-19-92



NOT FILMED

AUG 20 1992

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

COMMENCEMENT OF WORKS

Permit No. 35-08832
Name(s) of Permit Holder(s): PAUL BREDING
Post Office Address: 2875 S.W. SITING RD
AMERICAN FALLS ID 83414 Tel. No. 226-2109

☒ I hereby certify that construction of diversion works for the above referenced permit began on 4-1-92 (date) **MICROFILMED** and that I must continue to develop the water system with due diligence to maintain a valid permit.

☐ I hereby certify that construction of diversion Aug 20 1992 the above referenced project has not yet begun due to the following reason beyond my control*:

*Note: A financing difficulty is
not an acceptable reason.

5-11-92
Date

Paul Breding
Signature of Permit Holder

May 31, 1992

RALPH BREIDING
2875 S. VISITING RD.
AMERICAN FALLS ID 83211

PROOF DUE NOTICE

RE: PERMIT NO. 35-08832

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before August 1, 1992. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.


If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Karen L. Gustafson
Secretary/Records Manager

Enclosures



MIFF FILMED

AUG 20 1992

S T A T E O F I D A H O

DEPARTMENT OF WATER RESOURCES

Statehouse
Boise, Idaho 83720
(208) 327-7900
July 11, 1990

RALPH BREDING
2875 S. VISITING RD.
AMERICAN FALLS, ID 83211

PERMIT APPROVAL NOTICE

RE: PERMIT NO. P35-08832

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

You should be aware that the groundwater you propose to divert is located within a drainage basin where surface waters are regulated during the months of low flow. It is possible that diversion of groundwater may have an adverse impact on these surface water flows. Information available to us at this time does not warrant refusing to issue permits in your area, but we do caution that diversions of groundwater are not allowed to deplete flows available for surface water users with earlier priority dates. Siting your well as far from surface sources as possible and casing out upper water producing zones may reduce the potential of interference.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

Please note the requirement that as a permit holder you must commence the excavation or construction of diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The enclosed blue card must be completed and returned to this office as soon as you commence construction, no later than one year from the date the

MICROFILMED

JUL 23 1990

permit was approved.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit into a license.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

RECEIVED

JUL 23 1990

MEMORANDUM

TO: Files Nos. 35-8832 and 35-8833
FROM: Gary Spackman *Gary*
DATE: June 28, 1990

RE: Sufficiency of Information Submitted to Satisfy Rule 4,5. of
the Water Appropriation Rules and Regulations

I have reviewed the information submitted by the applicant, and find that it satisfies the requirements of Rule 4,5. of the Water Appropriation Rules and Regulations. I propose that the application be prepared for approval.

RECEIVED
JUL 2 1990

JUL 2 1990

Drilling Permit No. 35-92E-007
Water Right Permit No. 35-8832
Injection Permit No. _____

State of Idaho
Department of Water Resources

APPLICATION FOR DRILLING PERMIT

1. Applicant (please print) Ralph E. BREIDING
2. Mailing Address 2875 S. VISITING RD.
City & State AM. FALLS, ID Zip Code 83211 Telephone 208-226-2109
☒ Well Owner () Well Operator () Other, specify _____
3. Proposed well location NW 1/4 NW 1/4, or Gov't Lot No. _____
Sec. 8, Twp. 7S, Rge. 30E, County Power
Street Address of Well Site _____
Lot, block and subdivision _____
4. Proposed use of well:
() Domestic: The use of water for homes, organization camps, public campgrounds, livestock and for any other purpose in connection therewith, including irrigation of up to 1/2 acre of land, if the total use is not in excess of 13,000 gpd; or any other uses, if the total use does not exceed a diversion rate of 0.04 cfs and a diversion volume of 2500 gpd.
Domestic does not include water for multiple ownership subdivisions, mobile home parks, commercial or business establishments, unless the use does not exceed a diversion rate of 0.04 cfs and a diversion volume of 2500 gpd.
☒ Non-Domestic: Any beneficial use not included within the definition of domestic.
() Injection
() Monitoring - A well bore schematic and map is required for each well.
No. of proposed wells: _____
() Other _____
(Describe) _____
5. Well construction information:
A. ☒ New well () Deepen () Enlarge () Replace - See Condition 9
B. Proposed Surface Diameter 18" Proposed Maximum Depth 350'
C. Anticipated bottom hole temperature:
☒ 85°F or less (Cold water well)
() 85°F to 212°F (Low temp. geothermal well)
() 212° or more (Geothermal well)
6. Construction Start Date 3/1/92
7. Anticipated Well Driller Ken Vollmer
NOTE: The actual well driller must be identified prior to drilling.
8. Applicant's signature Don Breiding Date 2/18/92
Title Don Breiding (BREIDING FARMS)
(Owner, Firm Representative, Other)

MICROFILMED

AUG 20 1992

ACTION OF THE DEPARTMENT OF WATER RESOURCES

This Permit is

Approved

Date

2-18-92

If approved, this permit authorizes the construction or modification of a well subject to the following conditions. READ CAREFULLY!

GENERAL CONDITIONS:

1. The well must be constructed in compliance with the applicable statutes, specific conditions of approval shown on the water right permit, injection well permit, transfer or amendment and the rules and regulations of the Department for water appropriation, injection wells and well construction standards.
2. This drilling permit is valid for two (2) months from the above approval date for the start of construction and is valid for one (1) year from the approval date for completion of the well unless an extension has been granted.
3. This permit does not constitute an approval of the District Health Department or the Idaho Department of Health and Welfare which may be required before construction of this well. All wells must be drilled a minimum distance of 100 feet from a drain field. Domestic and Public Water Supply wells must be drilled a minimum distance of 50 feet and 100 feet respectively from a septic tank.
4. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
5. Approval of this drilling permit does not authorize trespass on the land of another party.
6. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.
7. This drilling permit does not represent a right to divert and use the water of the State of Idaho.
8. If a bottom hole temperature of 85° or greater is encountered, well construction shall cease and the well driller and the well owner shall contact the Department immediately.
9. If this permit is for a replacement well, the well being replaced must be abandoned in accordance with Department Rules and Regulations.

SPECIFIC CONDITIONS:

Ronald J. Carlson

Signature of Authorized Department Representative

Eastern Regional Manager

Title

Receipt No

206935

Received by

JR

Fee

200.00

Date

2-18-92

EXTENSION OF DRILLING PERMIT

Extension approved by

Approval Date

RECEIVED
AUG 20 1992

This extension is good for 60 days beyond the above extension approval date.

INTER-DEPARTMENT MEMO

TO: Julie
FROM: Karen

SUBJECT: Well Logs
DATE: 7/21/92

Julie - I am in need of these two ~~drilling permits~~ well logs. I have received the proofs of Beneficial use But cannot acknowledge until I have copies of the logs in the file. Please locate & forward to my attention ASAP!

USDT-BLM-23-91-E-023 - (WR# 23-07149) - Hawley Brothers
Ralph Breding 35-92-E-007 (WR# 35-08832) - Vollmer

() For your information

() Response required

Thanks, Karen
signature

RECEIVED

AUG 20 1992



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

July 1, 1992

Mr. Kenneth Vollmer
Vollmer Well Drilling
P.O. Box Z
Aberdeen, ID 83210

Re: Permit No. 35-08832 - Ralph Breeding
Drilling Permit No. 35-92-E-007
Drilling Date: april 1992
Proposed Location: 07S, 30E, Section 08, NW $\frac{1}{4}$ SW $\frac{1}{4}$

In the department's review of the proof of beneficial use submitted in connection with the above referenced permit, the department was not able to locate a well log which should have been submitted 30 days after completion of the construction of this well.

While it is possible that you have submitted the log, we have been unable to locate it. Please supply me with another copy. Please address any correspondence directly to me. Your response should be received within 20 days of the date of this mailing.

This information is needed before the department can proceed further with the examination of the permit holders system and the eventual issuance of a license of water right.

If you have any questions or if I can be of any further assistance, please feel free to contact me.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

C: Permit Holder

MICROFILMED
AUG 20 1992

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCESUSE TYPEWRITER OR
BALLPOINT PEN

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.

1. WELL OWNER

Name RALPH E. BLEEDING
Address 2875 S VISITING RD IDAHO 83211
Drilling Permit No. 35-92E-007
Water Right Permit No. 35-8832

7. WATER LEVEL

Static water level 248 feet below land surface.Flowing? ☐ Yes ☒ No G.P.M. flow _____

Artesian closed-in pressure _____ p.s.i.

Controlled by: ☐ Valve ☐ Cap ☐ Plug

Temperature _____ °F. Quality _____

Describe artesian or temperature zones below.

2. NATURE OF WORK

- ☒
- New well
- ☐
- Deepened
- ☐
- Replacement
-
- ☐
- Well diameter increase
-
- ☐
- Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)

8. WELL TEST DATA

☐ Pump ☐ Bailer ☐ Air ☐ Other _____

Discharge G.P.M.

Pumping Level

Hours Pumped

3. PROPOSED USE

- ☐
- Domestic
- ☒
- Irrigation
- ☐
- Test
- ☐
- Municipal
-
- ☐
- Industrial
- ☐
- Stock
- ☐
- Waste Disposal or Injection
-
- ☐
- Other _____ (specify type)

9. LITHOLOGIC LOG

Bore Diam.	Depth		Material	Water	
	From	To		Yes	No
20'	0	12'	SOIL		☒
20"	12'	19'	LAUA		☒
18"	19'	125'	LAUA BROKEN BAD		☒
18"	125'	128'	RED CLAY		☒
18"	128'	165'	LAUA		☒
18"	165'	220'	SAND STONE		☒
18"	220'	245'	LAUA		☒
18"	245'	267'	BROKEN LAUA BAD		☒
18"	267'	380'	LAUA		☒
18"	380'	390'	CINDERS		☒

4. METHOD DRILLED

- ☒
- Rotary
- ☒
- Air
- ☐
- Hydraulic
- ☐
- Reverse rotary
-
- ☐
- Cable
- ☐
- Dug
- ☐
- Other _____

5. WELL CONSTRUCTION

Casing schedule: ☐ Steel ☐ Concrete ☐ Other _____

Thickness	Diameter	From	To
250 inches	18" inches	+1' feet	19' feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet

Was casing drive shoe used? ☐ Yes ☒ NoWas a packer or seal used? ☐ Yes ☒ NoPerforated? ☐ Yes ☒ NoHow perforated? ☐ Factory ☐ Knife ☐ Torch ☐ GunSize of perforation N/A inches by N/A inches

Number	From	To
_____ perforations	_____ feet	_____ feet
<u>N/A</u> perforations	<u>N/A</u> feet	<u>N/A</u> feet
_____ perforations	_____ feet	_____ feet

Well screen installed? ☐ Yes ☒ NoManufacturer's name N/AType N/A Model No. _____Diameter N/A Slot size _____ Set from _____ feet to _____ feetDiameter N/A Slot size _____ Set from _____ feet to _____ feetGravel packed? ☐ Yes ☒ No ☐ Size of gravel _____

Placed from _____ feet to _____ feet

Surface seal depth 18' Material used in seal: ☒ Cement grout☐ Bentonite ☒ Puddling clay ☐ _____Sealing procedure used: ☒ Slurry pit ☐ Temp. surface casing☐ Overbore to seal depthMethod of joining casing: ☐ Threaded ☐ Welded ☐ Solvent1 JOINT Weld☐ Cemented between strataDescribe access port 2" PIPECENTENTRAL FROM
90'-110' & REDRILLED.CENTENTRAL 245'-260'
& REDRILLED.

RECEIVED

JUL 06 1992

Department of Water Resources
Eastern District Office

RECEIVED

JUL 15 1992


Department of Water Resources

10.

Work started 3/02/92 finished 3/10/92

6. LOCATION OF WELL

Sketch map location must agree with written location.

Subdivision Name AUG 20 1992

Lot No. _____ Block No. _____

County POWERNW 1/4 NW 1/4 Sec. 8, T. 7, S. 30, W. 30

11. DRILLERS CERTIFICATION

I/We certify that all minimum well construction standards were
complied with at the time the rig was removed.VOLLMEYER WELL DRILLINGFirm Name _____ Firm No. 383Address BOX 2 HOTEL CUSTER Date 03/16/92
ALBON-DEEN, ID 83210Signed by (Firm Official) Ronald H. Hollen

and

(Operator) Ronald H. Hollen

August 14, 1992

RALPH BREIDING
NORTHWEST FARM CREDIT SERVICES ACA
PO BOX 10
BLACKFOOT ID 83221

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 35-08832

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the EASTERN Regional Office in Idaho Falls at (208)525-7161.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

c: IDWR - Region

RECEIVED
AUG 20 1992

ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE

Permit No. 35-08832

Reviewed by Rlg

Date 7/1/92

GENERAL CONSIDERATIONS

TYPES OF USE

yes Name same as permit?
yes Address same as permit?
yes Proof timely received?
If not, complete calculation below.

irrigate - 320
yes Correct Uses?

SOURCE OF WATER

 Surface water source
✓ Ground water source

yes Drilling permit required?
yes Copy in the file? Drilling Permit No. 35-92-E-007
200 Amount paid for permit yes Correct?
 Well log in the file?

LICENSE EXAMINATION FEE

yes Required?
250 Amount Submitted
yes Correct?

MEASURING DEVICE

yes Required?
yes Installed?
NA Waiver requested?

PRIORITY CALCULATION

Date proof received NA
Date proof due -
No. of days late =
Priority Date +
New Priority Date

DEFICIENCIES OR ACTION ITEMS

needs well log

proof acceptable

DATA ENTRY

New Address

Proof Made 6/17/92

7/1/92 Rlg



Farm Credit Services

10 West Judicial
P.O. Box 10
Blackfoot, Idaho 83221-0010
208/785-0820 FAX 208/785-0878

July 24, 1992

RECEIVED

JUL 27 1992

Department of Water Resources
Eastern District Office

Harold Jones
Idaho Dept. of Water Resources
150 Shoup Ave., Suite 15
Idaho Falls, ID 83402

RE: Ralph Breeding
Permit #35-08832

Dear Mr. Jones:

Enclosed is an Assignment of Permit in reference to Permit #35-08832. Please acknowledge receipt of this document by signing the bottom portion on the copy of this letter and returning it to our office in the envelope provided. Farm Credit Services has an interest in this permit as security for a loan, and needs to receive copies of all notices and correspondence concerning this permit, along with Ralph. If anything further is required, please advise.

Sincerely,

Jan Gamble
Operations Assistant

The undersigned hereby acknowledges receipt of Assignment of Permit #35-08832 and hereby agrees that Northwest Farm Credit Services, ACA and Ralph Breeding will be informed of any action taken or needed in reference to said permit.

IDAHO DEPT. OF WATER RESOURCES

BY: Authorized Agent

MICROFILMED

AUG 20 1992